

REGISTER

Kept at Sutton Park
in the County of Warwickshire

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground 1
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule
year in the space on the right of this paragraph
Please

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

1931.

2489 - 095692

SUTTON COLDFIELD PARK

1931 - 1940

DAY.

of the following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	.25	.04	.02	.11	-	-	.28	-	-	-	1
2	-	.12	-	.63	.02	.08	-	.04	.51	.01	.02	.11	2
3	.02	-	.02	.08	-	-	-	-	1.52	-	.36	.07	3
4	-	.03	-	.20	-	-	.43	.26	.27	-	-	.01	4
5	-	.06	-	.06	.03	1.22	-	.01	.05	.01	-	.21	5
6	-	.24	-	.04	-	.12	-	-	-	.30	.19	-	6
7	-	-	-	-	-	-	-	.54	-	.09	.22	-	7
8	-	.05	.05	.11	.02	.11	.07	1.01	-	-	.19	-	8
9	-	.25	-	.07	-	.10	-	.07	-	-	.39	-	9
10	.04	.01	-	-	-	.10	.01	.16	.09	-	.27	-	10
11	.11	.20	-	-	-	.01	.01	-	-	-	.11	-	11
12	.06	.07	-	-	-	-	1.29	.02	.09	.04	.02	-	12
13	-	.01	-	-	.01	-	.01	.69	.33	-	-	-	13
14	-	.07	-	-	-	.51	.35	1.12	-	-	.43	-	14
15	-	.15	-	.09	.10	-	.30	.17	.07	-	-	.06	15
16	.02	.10	-	.17	.45	.54	.01	.04	.11	-	-	-	16
17	.07	.22	-	.15	.96	.01	.03	-	.05	-	.02	-	17
18	.10	.01	-	.28	-	.15	.05	.14	-	-	.29	-	18
19	.03	.04	-	.18	-	.11	.14	.09	-	-	-	-	19
20	-	.02	.18	.03	-	-	.05	.42	-	-	-	.04	20
21	.11	-	-	-	.60	-	-	.01	-	-	.21	-	21
22	.10	-	-	-	.03	-	-	.19	-	-	-	-	22
23	.11	-	-	.19	.37	-	.02	.05	-	-	.19	-	23
24	-	-	-	.15	.45	-	.02	-	.01	-	-	-	24
25	.02	-	-	.04	-	-	.71	-	-	-	.05	.05	25
26	.05	-	-	.22	-	-	.01	-	-	-	.28	-	26
27	.08	.58	-	.04	.59	-	-	-	-	.07	.15	.09	27
28	.09	.05	-	.09	.24	-	-	-	-	.01	-	-	28
29	.03	X	-	.01	.06	-	.17	-	-	.85	-	.09	29
30	-	X	-	-	-	-	-	-	-	-	-	-	30
31	.27	X	-	X	.01	X	.01	-	X	-	X	.01	31
TOTAL	1.31	2.39	.50	3.87	3.96	3.17	3.69	5.03	3.38	.88	3.39	.74	YEAR'S TOTAL 32.31
*Days with or in. or more.	217	220	14	221	216	213	19	183	124	84	174	104	17544
*Days with or in. or more.	12	14	3	19	9	11	10	15	11	5	14	8	131

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Borough Surveyor

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sutton Park
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 370.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	.25	.04	.02	.11	-	-	.28	-	-	-	1
2	-	.12	-	.63	.02	.08	-	.04	.51	.01	.02	.11	2
3	.02	-	.02	.08	-	-	-	-	1.52	-	.36	.07	3
4	-	.03	-	.20	-	-	.43	.26	.27	-	-	.01	4
5	-	.06	-	.06	.03	1.22	-	.01	.05	.01	-	.21	5
6	-	.24	-	.04	-	.12	-	-	-	.30	.19	-	6
7	-	-	-	-	-	-	-	.54	-	.09	.22	-	7
8	-	.05	.05	.11	.02	.11	.07	1.01	-	-	.19	-	8
9	-	.25	-	.07	-	.10	-	.07	-	-	.39	-	9
10	.04	.01	-	-	-	.10	.01	.16	.09	-	.27	-	10
11	.11	.20	-	-	-	.01	.01	-	-	-	.11	-	11
12	.06	.07	-	-	-	-	1.29	.02	.09	.04	.02	-	12
13	-	.01	-	-	.01	-	.01	.69	.33	-	-	-	13
14	-	.07	-	-	-	.51	.35	1.12	-	-	.43	-	14
15	-	.15	-	.09	.10	-	.30	.17	.07	-	-	.06	15
16	.02	.10	-	.17	.45	.54	.01	.04	.11	-	-	-	16
17	.07	.22	-	.15	.96	.01	.03	-	.05	-	.02	-	17
18	.10	.01	-	.28	-	.15	.05	.14	-	-	.29	-	18
19	.03	.04	-	.18	-	.11	.14	.09	-	-	-	-	19
20	-	.02	.18	.03	-	-	.05	.42	-	-	-	.04	20
21	.11	-	-	-	.60	-	-	.01	-	-	.21	-	21
22	.10	-	-	-	.03	-	-	.19	-	-	-	-	22
23	.11	-	-	.19	.37	-	.02	.05	-	-	.19	-	23
24	-	-	-	.15	.45	-	.02	-	.01	-	-	-	24
25	.02	-	-	.04	-	-	.71	-	-	-	.05	.05	25
26	.05	-	-	.22	-	-	.01	-	-	-	.28	-	26
27	.08	.58	-	.04	.59	-	-	-	-	.07	.15	.09	27
28	.09	.05	-	.09	.24	-	-	-	-	.01	-	-	28
29	.03	X	-	.01	.06	-	.17	-	-	.85	-	.09	29
30	-	X	-	-	-	-	-	-	-	-	-	-	30
31	.27	X	-	X	.01	X	.01	-	X	-	X	.01	31
TOTAL	1.31	2.39	.50	3.84	3.96	3.17	3.69	5.02	3.38	.88	3.39	.74	YEAR'S TOTAL 32.31
*Days with or in. or more.	217	620	44	821	116	213	19	188	128	88	178	108	17544
*Days with .04 in. or more.	12	14	3	19	9	11	10	15	11	5	14	8	131

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. J. Barry

[P.T.O.]

Borough Surveyor

Section

A

for the entry of Daily Observations.

Station No. 2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sutton Parkin the County of WarwickshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 in.Ground Sea Level 340.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.04	.	.08	.84	.09	.02	.25	.04	.26	.03	.	1
2	.05	.	.	.08	.28	.	.	.	.17	.09	.	.07	2
3	.	.	.	.28	.11	.	.	.	.	.06	.	.01	3
4	.02	.	.	.41	.	.	.	.	.	.	.40	.	4
5	.32	.	.04	.02	.03	.	.	.	.09	.	.	.	5
6	.36	.	.01	.32	.	.	.	.	.	.	.03	.	6
7	.	.	.24	.31	.	.	.	.	.29	.17	.	.	7
8	.	.	.	.08	.	.	.	.	.07	.36	.	.	8
9	.19	.	.	.	.01	.	.	.	.44	.	.	.	9
10	.	.12	.	.09	.02	.	.	.	.	.26	.	.	10
11	.27	.05	.02	.09	.16	.06	.11	.	.15	.08	.01	.01	11
12	.21	.06	.	.	.18	.	.11	.	.06	.32	.05	.	12
13	.	.08	.	.07	.03	.	.58	.02	.15	.	.	.02	13
14	.22	.	.	.04	.02	.	.16	.03	.08	.21	.25	.02	14
15	.	.	.	.06	1.20	.	.	.	.	.04	.	.03	15
16	.19	.	.	.12	.14	.	.	.	.	.	.	.	16
17	.	.	.	.	.	.	.03	.	.	.08	.	.	17
18	.	.	.	.	.05	.	.	.	.	.	.08	.	18
19	.	.	.	.06	.04	.	.	.	.	.16	.	.	19
20	.	.	.	.08	.82	.	.03	.74	.	.37	.	.	20
21	.	.	.18	.15	1.54	.	.	.07	.	.26	.	.08	21
22	.	.	.27	.05	.04	.	.24	.	.59	.05	.11	.	22
23	.	.	.	.	.46	.	.01	.	.11	.09	.04	.03	23
24	.02	.01	.	.	.	.	.11	.	.05	.02	.37	.	24
25	.	.04	.	.	.	.06	.16	.	.05	.22	.09	.	25
26	.	.	.02	.50	.22	.	.04	.	.09	.04	.05	.02	26
27	.	.	.43	.18	.44	.	.11	.	.	.	.18	.06	27
28	.	.	.02	.03	.41	.20	.12	.75	.	.	.	.	28
29	.	.	.19	.33	.08	.09	.04	.03	.22	.	.02	.	29
30	.	×	.17	.02	.	.77	.07	.06	.13	.37	.26	.22	30
31	.01	×	.04	×	.01	×	.56	.03	×	.	×	.24	31
TOTAL	1.88	.40	1.63	3.45	7.13	1.27	2.50	1.98	2.78	3.51	1.97	.81	YEAR'S TOTAL 29.31
*Days with ".01 in. or more.	12	4	12	23	23	6	14	9	14	20	15	12	143
*Days with ".04 in. or more.	8	6	8	20	14	6	13	5	14	18	11	4	133

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. Parker

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sutton Park.

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 346.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.28	.02	/	/	/	/	/	/	.20	.04	/	1
2	.16	/	.26	/	.08	/	/	/	/	/	.03	/	2
3	/	.36	.04	/	/	/	/	/	/	/	/	/	3
4	.08	/	.03	/	.33	/	/	/	/	/	/	/	4
5	/	.05	.11	/	.15	/	/	/	/	/	.01	/	5
6	.12	.21	/	/	.18	/	/	/	/	.09	/	.02	6
7	/	.35	.08	/	.02	/	.02	/	/	.20	/	.02	7
8	.10	/	.14	/	.12	.32	.42	/	/	/	/	/	8
9	/	/	/	/	.05	/	.23	/	/	.18	.05	/	9
10	/	/	/	/	.06	.04	.05	/	/	.33	.09	/	10
11	.05	/	/	/	/	.29	.14	.02	/	.09	/	/	11
12	/	/	/	/	/	.02	.12	/	/	.02	/	/	12
13	/	/	/	/	.21	.04	.32	/	/	.04	.28	/	13
14	/	/	/	/	/	/	.05	.03	/	.10	.22	/	14
15	/	/	/	/	/	.03	.44	.05	/	.03	.18	.19	15
16	/	/	.68	.02	.05	.12	.08	.02	/	.05	.02	/	16
17	/	/	.41	/	/	.18	/	.02	.04	/	.03	/	17
18	.23	.09	.04	/	/	.12	.02	/	/	/	.02	/	18
19	/	.14	.23	/	/	.10	/	/	.06	/	.08	/	19
20	.04	.2	.08	/	.02	.10	/	.06	.06	.02	.01	/	20
21	/	/	/	/	/	.22	/	.22	/	.01	.01	/	21
22	/	/	/	/	/	.12	/	.34	/	.23	/	/	22
23	/	/	/	.22	/	.04	/	/	.21	.11	/	/	23
24	/	.20	/	.14	.06	.60	/	/	.15	.04	/	/	24
25	/	.91	/	.14	/	.13	/	/	.04	/	.04	.06	25
26	/	.69	/	.08	.06	/	/	/	.03	.19	/	/	26
27	/	.02	/	/	.14	/	/	/	.11	.04	/	/	27
28	/	/	/	.21	.04	/	.02	/	/	.15	/	.11	28
29	/	X	.02	.09	/	/	.14	/	/	.08	/	.03	29
30	/	X	.12	/	/	/	.04	/	/	.08	/	.13	30
31	.08	X	.54	X	/	X	.02	.06	X	.19	X	/	31
TOTAL	1.24	3.52	2.86	.93	1.60	2.80	2.20	.82	.46	4.53	1.11	.56	YEAR'S TOTAL 22.93
*Days with .01 in. or more.	9	212	115	87	215	216	215	48	18	212	115	87	2149
*Days with .04 in. or more.	9	10	12	6	13	14	11	14	4	18	8	4	116

40-9999

*See Instruction 2 (f) on other side,

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

SUTTON PARK

in the County of

WARWICKSHIRE

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

1

in.

,, Ground

,, Sea Level

340.5

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'02	—	'01	—	—	—	—	'19	—	—	'14	'36		1
2	—	'01	'04	—	—	—	—	'02	'30	—	'08	'15		2
3	'04	'04	—	—	—	—	—	—	'01	'05	'02	—		3
4	'04	'04	'11	'05	'09	—	—	'04	'05	—	'10	'40		4
5	—	—	'13	'03	'14	—	—	'52	—	'02	'11	—		5
6	—	—	'06	'02	'24	'08	—	—	—	'20	—	'46		6
7	'12	'01	—	—	—	'03	—	'11	—	'08	—	'24		7
8	—	—	—	—	'10	—	—	'05	—	—	'23	'06		8
9	—	—	'15	'05	—	—	—	'10	—	—	'42	'22		9
10	'06	—	'10	'31	—	—	—	'05	—	—	'12	'04		10
11	'81	—	'14	'21	—	—	'01	'06	—	—	—	'22		11
12	'01	—	'24	—	—	—	'10	'14	—	—	—	'04		12
13	'51	'01	'04	'13	'01	—	'62	'04	—	—	—	'10		13
14	'11	—	'30	'01	'03	'01	—	—	'11	'35	'43	'50		14
15	'05	—	'10	—	'15	—	'06	—	'23	'23	'33	'13		15
16	'17	—	'12	—	—	—	—	'01	—	'12	'09	—		16
17	'03	—	'05	—	'05	—	'08	—	'31	'05	'02	'02		17
18	'33	—	'01	'30	—	—	'10	—	'01	—	—	'08		18
19	—	—	'20	'01	—	'08	—	—	'02	'02	—	'04		19
20	—	—	'02	'05	—	'01	—	—	'03	'01	—	—		20
21	'03	—	—	—	—	'14	—	'08	—	'06	—	—		21
22	—	—	—	—	'03	—	—	'14	'19	—	—	'33		22
23	—	—	'04	'36	'02	'15	'05	—	—	—	'01	'03		23
24	—	'21	'11	'01	—	'04	'09	—	'33	—	—	'24		24
25	'21	—	—	'06	—	'05	—	—	—	'34	—	'12		25
26	'15	—	'05	'16	—	'05	—	—	'02	'01	'02	'03		26
27	'02	'02	—	'51	—	'05	—	—	—	'11	'02	'12		27
28	—	—	—	'45	—	'15	—	'15	—	—	'03	'35		28
29	—	—	—	—	—	—	'24	'11	'56	'01	—	'03		29
30	'05	X	—	—	—	—	'08	—	'02	—	—	'32		30
31	—	X	—	X	—	X	—	—	X	'21	X	'09		31
TOTAL	2'49	'34	2'08	3'02	'92	'90	1'43	1'90	2'19	1'84	2'34	4'48	Year's Total	
* Days with .01 in. or more.	18	44	520	514	110	512	110	216	214	516	216	426	182	
* Days with .04 in. or more.	13	3	14	12	6	9	9	14	8	11	10	22	134	

Section

A

for the entry of Daily Observations.

Station No.

2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SUTTON PARKin the County of WARWICKSHIREDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 in.,, Ground ,, Sea Level 340.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	09	—	06	03	09	04	—	10	06	16	02		1
2	—	01	05	—	—	19	—	—	08	18	01	20		2
3	02	22	04	04	—	06	—	—	05	04	26	20		3
4	—	—	—	12	—	19	—	—	—	29	01	11		4
5	—	55	04	15	—	06	06	—	—	03	11	01		5
6	—	—	—	31	—	24	—	—	—	01	—	—		6
7	—	—	—	20	—	08	—	—	—	13	38	19		7
8	—	—	—	19	—	07	—	34	—	11	18	08		8
9	—	—	—	24	—	32	—	—	—	54	24	—		9
10	—	—	—	18	—	02	—	—	—	—	03	02		10
11	23	—	—	—	—	01	—	02	—	05	22	03		11
12	04	02	—	—	—	03	—	04	—	—	—	—		12
13	20	02	—	13	21	—	—	—	—	—	01	—		13
14	—	—	02	01	03	15	—	—	—	—	11	12		14
15	—	04	—	61	22	02	—	—	20	—	14	31		15
16	—	05	06	22	02	16	—	—	63	39	44	—		16
17	—	—	—	11	—	12	—	—	—	—	61	—		17
18	02	—	—	33	03	13	32	—	15	04	02	—		18
19	02	—	—	15	54	33	10	—	04	14	31	—		19
20	03	32	—	24	02	11	09	—	03	—	30	—		20
21	—	24	—	—	—	01	—	—	66	04	12	—		21
22	—	20	—	13	—	—	—	—	05	—	—	—		22
23	04	09	20	02	—	—	—	33	11	52	—	02		23
24	08	35	—	—	—	—	—	02	81	03	—	58		24
25	26	19	—	08	—	64	—	—	—	01	—	08		25
26	—	03	—	—	—	—	—	54	24	01	09	48		26
27	—	21	—	—	—	—	—	—	28	08	18	84		27
28	06	03	—	—	05	—	—	09	05	13	08	14		28
29	—	X	08	—	—	—	—	—	04	03	12	15		29
30	03	X	—	11	—	02	—	24	04	19	39	14		30
31	—	X	—	X	—	X	—	02	X	40	X	16		31
TOTAL	1'09.	2'69.	0'52	3'66	1'15	3'08	'61	1'64	3'56	3'50	5'48	3'88	30'89.	
• Days with .01 in. or more.	138	175	78	212	95	226	5	93	178	225	256	205	187	
• Days with .04 in. or more.	41	121	6	191	41	16	5	6	16	14	19	15	42	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

J. Parker. Sutton Park. [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SUTTON PARK

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 340.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.09	.05	.61	—	.11	.18	.24	—	—	.09	.11		1
2	.11	—	.06	—	—	.25	.81	.09	—	—	.15	—		2
3	.02	—	—	.09	.02	.12	—	.03	.19	—	—	.02		3
4	.05	.02	.10	—	—	.35	—	.04	.69	—	.12	.04		4
5	.06	.06	.05	—	—	—	.05	.06	.10	.03	—	.04		5
6	.02	—	.02	—	.30	.08	.21	.16	.14	—	.21	.14		6
7	—	—	.05	—	—	—	.26	.01	.26	—	.13	.03		7
8	.19	—	.05	—	—	—	—	—	.06	—	.26	.08		8
9	.45	—	.19	—	—	.01	1.26	—	.10	.10	.01	—		9
10	.02	—	.08	—	—	—	.26	.19	—	—	.01	—		10
11	—	—	—	.04	—	.05	.43	—	.05	—	.60	—		11
12	—	—	—	.11	.04	.24	.59	—	.60	—	.24	.02		12
13	—	—	—	.09	—	.24	—	—	—	.05	—	.56		13
14	—	—	—	.18	.02	.04	.19	—	.44	.03	.03	.46		14
15	—	—	—	—	.19	.06	.04	—	.04	—	.26	.11		15
16	—	.15	—	—	—	—	.10	—	—	—	.58	—		16
17	—	.65	—	—	.02	—	.12	—	—	.04	.02	.21		17
18	—	.06	—	—	.02	.34	.36	—	—	.31	.01	.06		18
19	.55	.19	.02	.35	—	.04	.02	.03	—	.05	—	—		19
20	—	.14	—	.05	—	.02	.01	—	—	—	—	—		20
21	—	—	.02	.19	—	.89	.01	—	—	—	—	—		21
22	—	.64	.05	.01	.09	—	.21	—	—	—	—	.06		22
23	—	.11	.28	.09	.06	—	.39	—	—	—	—	—		23
24	.22	.08	—	.02	.09	—	—	—	.09	.31	—	—		24
25	.14	—	.18	.28	—	—	.21	—	.32	.09	—	—		25
26	.05	.06	.38	—	—	—	.04	.02	—	.04	—	—		26
27	.18	—	.02	—	—	—	.03	—	.06	.11	.04	—		27
28	.48	.12	.20	.01	—	—	.04	—	.02	.08	.04	.11		28
29	—	.41	.08	—	—	.14	.22	—	—	.10	.05	.15		29
30	.10	X	—	—	.16	.24	.12	—	—	.35	.03	—		30
31	.49	X	.08	X	—	X	.03	—	X	.16	X	.16		31
TOTAL	5.13	2.81	1.96	2.15	1.04	3.28	6.22	.84	3.22	1.99	2.94	2.39	32.00	
* Days with .01 in. or more.	16	14	19	14	11	17	26	10	15	15	19	17	19	
* Days with .04 in. or more.	13	13	15	11	4	15	28	6	14	13	13	14	15	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) J. Parker [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at SUTTON PARK.....

in the County of WARWICKSHIRE.....

Diameter of Funnel of Gauge..... 5"..... in.

Height of top of Gauge above Ground... 1"..... ft..... 1"..... in.

,, Ground ,, Sea Level ... 340' 5"..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'08	'01	'02	—	—	—	—	—	'04	—	'08	'32		1
2	—	'05	'03	'62	—	—	—	—	—	—	—	'45		2
3	—	'09	'13	—	'02	—	'03	—	—	—	—	'15		3
4	'14	'16	'02	—	'02	—	—	'01	—	—	—	'44		4
5	'31	—	'20	—	—	—	—	'08	—	—	—	'35		5
6	'11	—	'03	—	'10	—	—	—	—	—	—	—		6
7	—	'65	—	'19	—	'02	—	—	'04	—	—	—		7
8	—	'14	—	'04	—	—	'06	—	—	—	'30	—		8
9	—	—	—	'05	'39	—	'68	—	'15	—	—	—		9
10	'03	'09	—	'04	—	'13	—	—	—	—	—	'14		10
11	—	—	'12	—	'24	'54	'03	—	—	'01	—	—		11
12	'13	'40	'14	—	'24	'04	—	—	'20	—	—	'49		12
13	'08	'04	'02	'09	'03	'14	—	'65	'14	—	—	—		13
14	—	—	'11	'01	'24	—	—	'10	—	—	—	'15		14
15	'15	'08	—	'24	—	—	'03	—	'10	—	—	—		15
16	—	'12	'36	'34	—	—	—	'16	'04	—	'004	—		16
17	'16	'08	'39	'06	—	'02	—	—	'08	—	—	—		17
18	'64	'12	'08	'12	—	—	'05	—	'08	—	'30	—		18
19	—	'15	'12	'10	—	'10	'08	—	—	—	—	—		19
20	'34	'04	—	'40	'29	'05	—	—	—	—	—	—		20
21	'11	'19	'02	'04	—	—	'29	—	—	—	—	'12		21
22	'12	'02	'04	—	'08	—	'24	—	—	'30	'53	—		22
23	'32	'02	'01	—	'28	—	—	—	—	'30	'15	—		23
24	'31	'41	'05	—	'01	—	'04	—	'05	'35	—	—		24
25	'11	'32	—	—	—	—	—	—	'04	'60	—	'05		25
26	—	'24	'08	—	'64	—	—	—	—	—	—	'04		26
27	—	'31	—	'14	—	—	—	—	—	'80	—	—		27
28	—	'20	—	—	—	'02	—	—	—	'08	'005	'05		28
29	—	~~X~~	—	—	—	—	—	—	—	'08	'05	—		29
30	'45	~~X~~	—	—	—	—	—	'20	—	—	—	—		30
31	'35	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	'22	~~X~~	'05		31
TOTAL	3'94	4'02	2'03	2'44	2'94	1'09	2'53	1'20	2'08	2'44	1'35	2'83	29'22	✓✓
* Days with .01 in. or more.	18	23	19	15	13	9	10	6	11	9	8	13	25	✓ 154.
* Days with .04 in. or more.	14	20	12	14	9	6	8	5	11	8	6	13	129	✓✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at BUTTON PARKin the County of WARWICKSHIRE

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground....1.....ft.....in.

,, Ground ,, Sea Level 340.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.04	—	—	.45	.05	—	.005	.10	—	.25		1
2	—	—	—	.08	.005	.42	.02	—	—	.18	—	.014		2
3	—	—	—	—	.009	.04	—	—	.05	.51	—	—		3
4	—	—	—	—	—	.01	—	.23	—	.24	—	.23		4
5	—	—	—	—	—	—	.12	.62	.01	.02	—	—		5
6	—	—	—	—	—	.02	.42	—	.21	.09	—	—		6
7	.22	—	—	—	—	—	.24	.12	.11	.08	—	.08		7
8	.50	—	—	—	—	—	.18	.43	—	.34	—	—		8
9	.03	.20	—	—	—	.02	.05	.05	—	—	—	.41		9
10	—	—	—	—	—	—	.41	.02	—	—	—	.10		10
11	.56	.09	—	—	—	.04	—	—	.01	.04	.10	.06		11
12	.18	—	—	—	.10	—	.04	—	.10	.23	—	—		12
13	—	—	—	—	.01	—	—	—	—	.03	.20	.46		13
14	.25	—	—	—	—	—	.56	—	.10	—	.26	—		14
15	.05	—	—	—	.004	—	.10	—	.02	.06	—	.35		15
16	.19	—	—	—	—	—	.04	.005	.03	.04	.06	.08		16
17	—	—	—	—	.009	—	—	—	.04	.08	.03	.04		17
18	.02	—	—	—	.20	.39	—	.03	—	.06	.24	—		18
19	—	—	—	—	—	—	—	.06	.16	—	.04	—		19
20	—	—	—	—	—	—	—	—	.12	—	.33	—		20
21	—	—	—	—	—	—	—	.06	—	—	.05	—		21
22	—	.02	—	.05	—	.06	—	—	—	—	.34	.44		22
23	—	—	—	—	—	—	—	—	.52	—	—	—		23
24	—	—	.13	—	.009	—	—	.01	.28	—	.01	—		24
25	.13	.14	.15	—	.02	.01	—	.01	.006	—	.20	.42	.11	25
26	—	.29	.20	—	.01	—	—	—	—	.24	—	.24		26
27	.11	.01	—	—	.18	.18	.24	.36	—	.04	.29	—		27
28	.20	—	—	—	.04	.08	.09	.54	—	—	.01	.13		28
29	.38	X	—	—	.34	.03	—	—	—	.05	.10	.13		29
30	.10	X	—	—	.01	.16	.03	—	.80	.02	.31	—		30
31	.12	X	—	X	.13	X	—	—	X	.10	X	.52		31
TOTAL	3.64	.45	.55	.13	12.09	2.205	2.82	2.841	2.592	2.45	3.02	3.43	25.64	
* Days with .01 in. or more.	15	6	4	2	15	14	15	14	10	21	16	20	158	
* Days with .04 in. or more.	13	4	4	2	6	9	13	9	11	18	13	14	120	

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SUTTON PARK

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 340.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	—	03	—	08	—	—	28	—	—	20	—		1
2	—	—	—	26	—	—	03	24	54	—	—	04		2
3	—	01	—	35	—	—	—	51	08	—	14	23		3
4	—	—	24	30	04	—	54	20	—	—	04	25		4
5	—	—	—	13	28	—	19	29	—	30	33	09		5
6	90	—	—	—	—	—	40	—	—	20	05	—		6
7	44	05	—	—	—	—	38	03	—	—	25	35		7
8	03	10	30	—	—	—	29	10	—	—	22	16		8
9	03	06	—	—	—	—	18	16	—	39	—	21		9
10	60	—	03	—	—	—	—	16	05	48	—	—		10
11	06	05	14	—	—	09	—	—	—	13	—	—		11
12	—	10	—	—	—	14	—	—	—	10	—	—		12
13	—	—	—	05	—	02	14	—	04	05	—	—		13
14	46	—	—	14	33	22	04	—	—	19	05	—		14
15	45	—	—	05	16	30	50	—	05	—	12	—		15
16	02	—	—	—	40	03	10	—	—	05	20	—		16
17	54	04	—	—	—	03	43	—	—	1-44	05	—		17
18	25	08	16	—	—	23	30	—	—	—	64	—		18
19	20	—	—	—	—	—	24	—	—	—	—	—		19
20	21	—	04	—	—	—	—	14	—	—	—	—		20
21	23	24	24	—	—	—	09	16	03	—	—	—		21
22	22	38	—	02	—	02	09	—	—	—	52	—		22
23	03	—	—	05	—	—	09	—	02	11	64	—		23
24	13	—	02	—	—	11	30	—	—	10	—	—		24
25	80	11	—	09	—	—	05	—	—	—	26	02		25
26	31	—	02	04	—	—	—	—	—	—	30	08		26
27	—	14	11	03	—	02	10	—	—	—	—	—		27
28	—	15	10	03	—	14	14	—	—	03	20	10		28
29	—	X	02	15	—	—	12	149	—	22	04	—		29
30	—	X	—	15	—	15	—	—	—	—	10	—		30
31	—	X	—	X	—	X	—	11	X	—	X	02		31
TOTAL	598	144	151	184	129	153	480	384	81	359	444	155	Year's Total	3268
* Days with .01 in. or more.	20	13	13	15	6	13	22	13	7	14	19	11		160
* Days with .04 in. or more.	16	12	8	12	6	8	21	12	5	13	19	9		141

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

2489

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at SUTTON PARKin the County of WARWICKSHIREDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground...1 ft. 1 in.,, Ground ,, Sea Level...240.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	(.01)	-	.02	-	-	-	-	-	-	.25	-		1
2	-	-	-	.30	-	-	-	-	-	-	.64	.04		2
3	-	.12	-	.10	-	-	-	-	-	.20	.52	.14		3
4	-	.05	-	.06	-	-	.11	-	-	.04	.42	.05		4
5	-	-	-	-	.01	-	.01	-	-	.06	.55	.21		5
6	~~10.5~~	.24	-	-	-	-	.02	-	-	.35	.35	.04		6
7	-	.20	-	.04	-	-	.14	-	.05	-	-	-		7
8	-	-	-	-	.01	-	.13	-	-	.15	.04	.31		8
9	-	-	.04	-	-	.40	.08	.03	-	.06	.23	.30		9
10	-	-	.06	-	-	-	.48	-	-	.04	.20	.30		10
11	-	-	.06	.01	-	-	.16	-	-	-	.34	.20		11
12	-	-	.08	-	-	.03	.12	-	.06	-	.05	-		12
13	-	(.01)	.28	.02	-	-	-	-	.10	-	-	-		13
14	-	-	.16	.05	.52	-	-	.03	.04	.09	-	.36		14
15	-	-	-	.25	.25	-	-	-	.09	.14	.10	-		15
16	~~10.5~~	~~10.5~~	.12	-	-	-	.11	-	.11	.53	.61	-		16
17	~~10.5~~	.05	.52	-	-	-	.07	-	-	-	.20	-		17
18	~~10.5~~	.50	.18	.34	-	-	-	.03	.04	.14	.10	.10		18
19	~~10.5~~	.31	.05	.40	-	-	.40	-	.15	-	.18	.01		19
20	~~10.5~~	~~10.5~~	-	.03	-	.03	.42	.02	-	.34	-	-		20
21	-	-	-	-	-	.28	.08	-	-	.02	1.30	-		21
22	-	.01	-	.01	.40	.19	-	-	.08	-	-	-		22
23	-	.03	.02	-	.28	.04	-	.02	-	.22	.04	-		23
24	-	-	-	-	-	-	.05	-	-	-	-	.04		24
25	~~10.5~~	-	-	.21	-	-	-	-	-	-	-	-		25
26	~~10.5~~	.10	.01	1.20	.05	.06	.02	.01	-	-	.02	-		26
27	~~10.5~~	.20	-	.12	-	-	.21	-	.02	-	.09	-		27
28	~~10.5~~	.24	-	.02	.51	-	-	-	-	-	-	-		28
29	~~10.5~~	-	.09	.09	.18	.14	-	-	-	-	-	.14		29
30	~~10.5~~	~~10.5~~	-	.66	-	-	-	-	-	.54	-	.08		30
31	~~10.5~~	~~10.5~~	.03	~~10.5~~	-	~~10.5~~	-	-	~~10.5~~	.92	~~10.5~~	-		31
TOTAL	2.69	2.54	1.40	3.93	2.21	1.44	2.04	.14	.44	3.40	6.33	2.24	Year's Total	
* Days with .01 in. or more.	9	13	14	19	9	8	17	6	10	16	20	15	29	156
* Days with .04 in. or more.	8	10	11	13	4	6	14	-	9	14	19	14	14	125

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. Park. Park Farm. P.T.O.

REGIS

Kept at ... *Baddesley* ...

in the County of ... *Warwick* ...

Diameter of Funnel of Gauge.....

Height of top of Gauge above Grou

„ Ground „ Sea I

THE MORNING MEASURE

An observer who does not conform to
year in the space on the right of this

Plea

2489/3
2489/3
NIZATION.

2489/3
BADDLESLEY COLLIERY
35 - 40

Jan. 1, following

Date	Jan.	Feb.	Mar.	Apr	780408								Date
	in.	in.	in.	in									
1					—	—	—		.10				1
2						.11	—	.47	.05	.65	.28		2
3					.10	—	—	.11			.12		3
4					.05	—			.47	.33	.09		4
5					.15	—			.25	.02	—		5
6					.05	—				.13	—		6
7					.18	—	—		.01	—	—		7
8						—	—		.24				8
9						—	.11		.32		.25		9
10						—	—		—		—		10
11						—			—	1.00			11
12						—	.01	—		.18	.04		12
13					.59	—	.11	.02	.05	—	—		13
14					—	—	—	—	—	—	—		14
15					.08	—	—		—	.51			15
16						—	—	.21	.36	.05	.39		16
17					.07	.01	—	.53	.09		—		17
18					.20	.04		—		1.58	—		18
19					.08	—	.05	.17		—	—		19
20					.28	.26	—	.04		.24	—		20
21					.11	—	—	—			—		21
22					—	.04	—		.07	.38			22
23						—	—	.40	—		—		23
24					—	—	.37		.37	.08	—		24
25					—	—	—	.75		—			25
26					.60	—	—	—	.01	—			26
27					—	—	.42	.23		—			27
28					—	—	—	.15	.03	.27			28
29					—	—	.19		.05				29
30		X			—	—	—	.12	.01	.10	2.50		30
31		X		X	X	—	.30	X	.17	X	.14		31
TOTAL					2.54	.46	1.56	3.20	2.65	5.52	3.81	Year's Total	
* Days with .01 in. or more.													
* Days with .04 in. or more.													

Section

A

for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... *Baddesley Colliery*

in the County of ... *Warwickshire*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....*1* ft.....*6* in.

„ Ground „ Sea Level*490*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						—	—	—		.10				1
2							.11	—	.47	.05	.65	.28		2
3						.10	—	—	.11			.12		3
4						.05	—			.47	.33	.09		4
5						.15	—			.25	.02	—		5
6						.05	—				.13	—		6
7						.18	—	—		.01	—	—		7
8							—	—		.24				8
9							—	.11		.32		.25		9
10							—	—		—		—		10
11							—			—	1.00			11
12							—	.01	—		.18	.04		12
13						.59	—	.11	.02	.05	—	—		13
14						—	—	—	—	—		—		14
15						.08	—	—		—	.51			15
16							—	—	.21	.36	.05	.39		16
17						.07	.01	—	.53	.09		—		17
18						.20	.04		—		1.58	—		18
19						.08	—	.05	.17		—	—		19
20						.28	.26	—	.04		.24	—		20
21						.11	—	—	—			—		21
22						—	.04	—		.07	.38			22
23							—	—	.40	—		—		23
24						—	—	.37		.37	.08	—		24
25						—	—		.75		—			25
26						.60	—	—	—	.01	—			26
27						—	—	.42	.23		—			27
28						—	—	—	.15	.03	.27			28
29						—	—	.19		.05				29
30		X				—	—	—	.12	.01	.10	2.50		30
31		X	X	X	X	—	—	.30	X	.17	X	.14		31
TOTAL						2.54	.46	1.56	3.20	2.65	5.52	3.81	Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														


40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *S. W. Sleight* [P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2489/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bartonley
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
Ground Sea Level 495 ft.

Corr. for W.D. Add. for acc.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15			.08		.01	1.07	.04			.09	.09		1
2		(.10)	.15	.53		.18	.16	.23	.01		.13	.11		2
3	(.06)	.67	.05	.09		.50	.65	.01			.19	.01		3
4	(.03)	.47				.63		.09	.33					4
5	(.03)	(.04)	.13			.41	.01		.52		.05	.04		5
6	(.12)	.24					.03	.04	.06		.01	.16		6
7		(.03)	.02		.14	.08	.25	.12	.15		.15			7
8	.01						.35		.07		.09	.01		8
9	.21		.09						.02	.02	.22	.07		9
10	.39		.23				.89		.12	.13				10
11			.05				.21		.04					11
12				.12		.08	.21	.01	.07		.57			12
13				.12	.03	.19	.45		.30		.05			13
14				.02		.21				.04	.01	.45		14
15				.24		.06	.17		.41	.02	.02	.35		15
16		.01		.11		.06	.15		.01		.10	.15		16
17		.24					.08				.53	.01		17
18		.65			.03		.08			.07	.04	.14		18
19						.16	.23	.01		.14		.06		19
20	.71	.06	.02	.28		.11		.06		.11	.01			20
21		.10	.02	.10		.70								21
22			.19			1.16								22
23		.60	.09		.16		.19				.03	.09		23
24		.08	.06		.08		.35			.02		.01		24
25	.20			.07	.07		.02		.23	.27				25
26			.16			.01	.10		.25	.06				26
27	.13		.46	.27			.02		.01	.06	.03			27
28	.05		.02	.02			.02		.08	.05				28
29	.38	.07	.15			.04	.02			.01	.04	.08		29
30		.20	.11			.06				.07	.08	.10		30
31	.10	.20			.60	.06	.13			.36	.09			31
TOTAL	2.92	2.28	1.89	2.16	1.12	5.71	4.81	.57		1.52	2.44	1.98	30.08	
* Days with .01 in. or more.	14	12	18	13	8	18	24	8	17	16	20	17	185	
* Days with .04 in. or more.	11	10	14	12	5	17	18	5	13	12	14	13	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

THE MANAGER

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2489/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Bansterleyin the County of WarwickshireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...16 ft. 2 in.,, Ground ,, Sea Level 382.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	—	—	—	—	—	—	—	.07	—	.10	.31		1
2	—	.04	.04	.58	—	—	—	—	—	.01	—	.14		2
3	—	.04	—	—	.14	—	—	—	.03	—	.01	.28		3
4	.10	.09	—	—	.01	—	—	—	—	—	.01	.56		4
5	.31	—	.06	—	—	—	—	—	—	—	—	.02		5
6	.09	.02	.16	.03	.12	—	—	—	—	—	—	—		6
7	—	.68	—	.13	.02	—	—	—	—	—	—	—		7
8	.01	.22	—	.01	.11	—	.02	—	—	—	.41	—		8
9	—	—	—	.02	.24	—	.36	—	.12	—	—	—		9
10	.01	.04	.22	.06	—	.16	—	—	—	.01	—	.08		10
11	—	—	.23	—	.43	.12	—	—	—	—	—	.13		11
12	.06	.33	.16	—	.31	.15	—	.11	.15	—	—	.23		12
13	.06	.07	.04	.04	.01	.01	—	.35	.34	—	—	.01		13
14	—	—	.08	—	—	—	—	.16	—	—	—	.11		14
15	.18	.05	—	.24	—	—	1.07	—	.12	—	—	—		15
16	.01	.08	.64	.39	—	—	—	.06	.07	—	.01	—		16
17	.37	.04	.31	.17	—	—	—	—	.07	—	—	—		17
18	.62	.10	.15	.04	—	—	—	—	.74	.01	.30	.01		18
19	—	.04	.08	.16	—	—	.50	—	—	.01	.09	—		19
20	.32	.01	—	.37	.38	.09	—	—	—	—	—	.02		20
21	.08	.19	—	.02	—	—	.31	—	—	.01	—	.01		21
22	.09	.03	.23	—	.04	—	.15	—	—	.27	.27	.01		22
23	.31	.02	—	—	.27	—	—	—	—	.27	.17	—		23
24	—	.41	.05	—	.02	—	—	—	.03	.31	.01	—		24
25	.09	.37	—	—	.03	—	—	—	.03	.36	—	—		25
26	—	.26	.06	—	.36	—	—	—	—	.01	—	.03		26
27	—	.31	—	.37	—	—	—	—	—	.67	—	.02		27
28	—	.03	—	—	—	—	—	—	—	.02	—	.01		28
29	—	X	—	—	—	—	—	—	—	.03	.06	.01		29
30	.44	X	—	—	—	—	—	.01	—	.01	.09	.01		30
31	.34	X	—	X	—	X	—	—	X	.19	X	—		31
TOTAL	3.53	3.47	2.51	2.63	2.49	.53	2.41	.69	1.77	2.19	1.53	2.00	Year's Total	25.75
* Days with .01 in. or more.	19	23	15	15	15	5	6	5	11	15	12	19		160
* Days with .04 in. or more.	16	18	15	11	10	4	5	4	8	6	8	8		113

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Swalley

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2489/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bunterley

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level 388 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	.55	-	x	-	.22	-	.16	.93	1
2	.02	-	-	.05	-	.31	-	x	-	.05	-	.01		2
3	.01	-	-	-	.05	.02	.04	x	-	.43	.02	-		3
4	.02	-	.01	-	-	.01	.02	x	-	.06	-	.26		4
5	-	-	-	-	-	-	.03	x	-	.01	-	-		5
6	-	-	-	-	-	.01	.48	-	.19	.13	-	-		6
7	.11	-	.01	-	-	-	.22	.14	.08	.02	-	.07		7
8	.33	-	-	-	-	-	.17	.10	-	.26	.01	-		8
9	.03	.11	-	-	-	-	.03	-	-	-	-	.38		9
10	.01	-	-	-	-	.14	.30	.03	-	-	-	.09		10
11	.55	.02	-	-	-	-	-	.23	-	.02	.12	.02		11
12	.12	-	-	-	.08	-	.04	-	-	.28	.22	-		12
13	.08	.01	-	-	-	-	-	-	-	-	.02	.47		13
14	.18	-	-	-	.03	-	.61	-	.09	-	.01	.01		14
15	.08	-	-	-	.02	-	.11	-	-	x	-	.35		15
16	.19	-	-	-	-	-	.08	-	-	.04	.01	.06		16
17	-	-	-	-	-	-	.11	-	.02	.11	-	-		17
18	.02	.01	-	-	.26	.22	-	.01	.40	.04	.29	-		18
19	-	-	-	-	-	-	-	.08	.46	-	-	.02		19
20	-	-	-	-	-	-	-	-	.03	-	-	.02		20
21	.02	-	-	-	-	-	-	.02	.01	-	.06	.11		21
22	-	-	-	.01	-	.15	-	-	-	.01	.30	.20		22
23	-	-	-	-	.05	-	-	-	.29	-	-	-		23
24	.02	-	.07	-	.06	-	-	-	.17	-	.01	-		24
25	.05	.08	.08	-	.04	-	.05	-	.01	.16	.31	.12		25
26	.01	.25	.11	-	.01	-	-	-	.04	.18	.01	.01		26
27	.06	-	-	-	.50	.08	.31	.29	.41	.09	.35	-		27
28	.12	.01	-	-	.26	.23	.10	.76	.06	-	.06	.14		28
29	GUAGE BLOWN OVER	.01	-	-	.56	-	.02	-	-	.06	.13	.15		29
30	.03	X	-	-	.01	.52	-	-	.44	-	.24	.08		30
31	.12	X	-	X	.12	X	x	-	X	.13	X	.29		31
TOTAL	2.18	.50	.28	.06	2.05	2.24	2.72	1.66	2.70	2.30	2.17	3.02	21.88	Year's Total
* Days with .01 in. or more.	22	8	5	2	14	11	17	9	15	19	17	21	160	
* Days with .01 in. or more.	12	3	3	1	10	8	13	6	11	15	10	15	107	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Swallow [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2489/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Baxterleyin the County of WarwickshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in.,, Ground ,, Sea Level 388 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	—	.30	.01	—	—	.16	—	—	—	—		1
2	.05	—	—	.03	—	—	—	.34	.67	.02	.02	.03		2
3	.19	—	—	.40	—	—	—	.51	—	.04	.22	.23		3
4	.18	—	.37	.31	.03	—	.16	.25	.01	.38	.05	.18		4
5	—	—	—	.15	.25	—	.07	.23	—	.10	.27	.14		5
6	.67	—	.01	—	—	—	.26	.01	—	—	.03	—		6
7	—	.04	—	—	—	—	.28	.02	—	—	.22	.27		7
8	—	.03	.23	—	—	—	.27	.01	—	.36	—	.13		8
9	.02	.03	—	—	—	—	.12	.23	—	.37	—	.17		9
10	.63	—	.02	—	—	—	—	.17	.02	.05	.01	—		10
11	—	.03	.20	—	—	.03	—	—	—	—	—	—		11
12	—	.01	—	—	—	.07	—	—	—	—	—	—		12
13	—	—	—	—	.03	.01	—	—	.04	.07	—	—		13
14	.41	—	—	.06	.72	.15	.19	—	—	.08	.04	—		14
15	.23	—	—	.01	.11	.30	.62	—	—	.13	.09	—		15
16	.04	—	.11	—	.41	.14	—	—	—	—	.13	—		16
17	.39	.04	—	—	.01	.01	.01	—	—	1.76	.02	—		17
18	.34	—	.03	—	—	.11	.25	trace	—	.01	.56	—		18
19	.17	—	.01	—	—	—	.12	—	—	—	—	—		19
20	.19	.20	.03	—	—	.02	.32	.19	—	—	—	—		20
21	.09	.32	.20	.03	—	.02	+	.13	—	—	—	—		21
22	.11	—	.02	.01	—	—	.20	trace	—	.02	.45	—		22
23	—	—	.03	.01	—	—	.16	—	—	.16	.59	.01		23
24	.11	.07	.01	.12	—	.15	.09	—	—	.09	—	—		24
25	.83	—	—	—	—	—	.08	—	—	—	.20	—		25
26	.14	.23	—	—	—	—	.07	—	—	—	.19	.06		26
27	—	.14	.08	—	—	.01	—	—	—	.06	.01	.02		27
28	—	—	.09	—	—	.16	.07	—	—	—	.21	—		28
29	—	X	—	.14	—	—	.08	.05	—	.19	.01	—		29
30	—	X	—	.12	—	.30	.29	—	—	—	.06	—		30
31	—	X	—	X	—	X	—	.05	X	—	X	.01	27.51	31
TOTAL	4.87	1.14	1.44	1.69	1.57	1.48	3.71	2.35	.74	3.89	3.38	1.25	Year's Total	
* Days with .01 in. or more.	19	11	15	13	8	14	20	14	4	17	20	11	166	
* Days with .04 in. or more.	18	7	7	8	4	8	19	11	2	14	14	7	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

THE MANAGER

(Signed)

S. W. Sleight

[P.T.O.]

B

** The following register of measurements &c., is NOT required if daily values are given on the other side.

RAINFALL IN 19

At CatthorpeIn the County of Leicester

Rain Gauge Diameter of Funnel.....

Height of Top above Ground 4

Height of Ground above Sea Level.....

Month.	Total Depth.	Greatest Fall in 24 hours.
	Inches	Inches Date.
JAN.	1.04	
FEB.	2.76	
MAR.	2.42	
APRIL	.94	
MAY	1.68	
JUNE	2.60	
JULY	1.15	
AUG.	.58	
SEPT.	1.17	
OCT.	2.16	
NOV.	1.30	
DEC.	.30	
Total	18.10	

Signature

W. G. Dounce ES9X

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:-

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

2489/6

RUGBY/CATTHORPE MANOR
1933-35

78.04 of

Directions from gauge ..

North South

North West

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

cf 2461-3

OK print

B

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Baththorpe Manor
In the County of Leicestershire
Diameter of Funnel 10 in.
Height of Top above Ground 4 ft. in.
Height of Ground above Sea Level 400 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. or more	or in. or more
JAN.	1.04				
FEB.	2.76				
MAR.	2.42				
APRIL	.94				
MAY	1.68				
JUNE	2.60				
JULY	1.15				
AUG.	.58				
SEPT.	1.17				
OCT.	2.16				
NOV.	1.30				
DEC.	.30				
Total	18.10				

Signature

W. G. Dounce E59X

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. G. Dounce, The Gardens
Baththorpe Manor, W. Rugby

Hour of observation by the clock—in Winter nine in Summer eight

Nearest Railway Station Lilbourne Distance 4.00 gauge Direction from S.E.

Nearest Parish Church at Baththorpe Distance 3.50 gauge Direction from WEST

Nature of objects nearest to gauge

Wall Building House

Heights of objects

12 feet 20 feet approx 50 feet

Distances ..

14 feet 35 " 50 "

Directions from gauge ..


North South North West

If gauge has been moved during the year state—

Date of move .. Distance .. Direction ..

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

cf 2461-3

OK print

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

2489/L

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Bathorpe
In the County of Leicestershire
Diameter of Funnel Ten in.
Height of Top above Ground 3 ft. 6 in.
Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date	.01 in. or more	.04 in. or more
JAN.	50				
FEB.	42				
MAR.	1.28				
APRIL	1.72				
MAY	.68				
JUNE	.78				
JULY	2.48				
AUG.	1.48				
SEPT.	1.78				
OCT.	1.16				
NOV.	1.56				
DEC.	3.68				
Total	3 17.52				

Signature W. E. Dorce

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. E. Dorce The Gardens
Bathorpe Manor 9th Rugby

Hour of observation by the clock—in Winter 9 A.M. in Summer 9 A.M.

Nearest Railway Station Lilbourne Distance 4 miles gauge S.E.

Nearest Parish Church at Bathorpe Distance 4 miles gauge W.


Nature of objects nearest to gauge Greenhouse Openhouse
Height of objects five feet five feet
Distances seven " fifteen "
Directions from gauge North West

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

Dial  Ross
gauge London

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

2489/G

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At ballhorpe
In the County of Leicestershire

Rain Gauge { Diameter of Funnel 9 3/4 in.
Height of Top above Ground 4 1/2 ft. in.
Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	1-		
FEB.	1.95		
MAR.	.48		
APRIL	3.12		
MAY	.80		
JUNE	2.54		
JULY	.95		
AUG.	1.23		
SEPT.	3.06		
OCT.	3.60		
NOV.	4.09		
DEC.	2.60		
Total	25.42		

Signature M. G. Douce

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

M. G. Douce
ballhorpe, Rugby
Hour of observation by the clock—in Winter nine in Summer nine

Nearest Railway Station Silbourne Distance to gauge S.E.

Nearest Parish Church at ballhorpe Distance 1/2 mile gauge W.


Nature of objects nearest to gauge greenhouse
Height of objects 5 feet
Distances 8 feet 7 1/4 feet
Directions from gauge north west

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

Self-registering Dial Gauge

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

2490
WELFORD WHARF
1931-1940

2490
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
193/ .

Kept at Welford
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

07.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.06	.05	.05	.01				.31				1
2	.04	.05		.75		.02		1.23	.36	.03		.04	2
3	.03	.03		.10			.01		.93		.36	.08	3
4	.01	.09		.46			.38	.24	.21	.01	.08		4
5		.02		.03	.04	.43	.01		.13		.01	.24	5
6		.15					.03			.20	.19		6
7				.01		.09	.06	.31			.05	.02	7
8	.03	.06		.04		.11	.02	.98			.25		8
9		.29	.06	.03		.12	.01	.09			.22	.01	9
10	.01	.02				.03	.08	.24	.04		.03		10
11	.11	.28				.08			.12		.14		11
12	.01	.10		.01			.31	.01	.15		.01		12
13	.03			.01			.08	.04	.01				13
14		.03				.19	.42	.61	.01		.03		14
15	.02	.07		.34	.23		.06	.14			.04	.06	15
16	.01	.24		.11	.45	.40		.08	.16	.01			16
17	.05	.45		.51	.30		.09	.01	.02				17
18	.05	.03		.31	.01	.04		.08			.25		18
19	.04	.02		.26	.03	.09			.02		.01		19
20		.06		.08	.01		.02	.56		.04	.01		20
21	.15				.53			.06			.01	.02	21
22	.14		.13						.01				22
23	.14		.01	.02	.36	.05			.27	.01	.14	.04	23
24				.06	.44		.10		.01		.01		24
25	.07	.01		.64	.01		.45				.04		25
26	.01	.02		.40	.01		.09				.20		26
27	.12	.53			.08		.07				.19	.13	27
28	.08	.30		.02	.11					.06	.02	.32	28
29	.09	X			.04		.14			.24	.02	.03	29
30	.25	X					.01		.01		.01		30
31	.10	X	X	X	X	X			X	.01	X	.02	31
TOTAL	1.68	2.91	0.35	3.94	2.66	1.95	2.44	4.08	2.44	0.61	2.32	1.04	26.65
*Days with "or in. or more.	23	22	4	21	16	12	20	15	14	9	24	12	195
*Days with ".04 in. or more.	14	14	3	14	10	10	13	13	10	4	13	4	125

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Welford
in the County of Leicester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
07.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.06	.05	.05	.01				.31				1
2	.04	.05		.45		.02		1.23	.36	.03		.04	2
3	.03	.03		.10			.01		.93		.36	.08	3
4	.01	.09		.46			.38	.24	.21	.01	.08		4
5		.02		.03	.04	.43	.01		.13		.01	.24	5
6		.15					.03			.20	.19		6
7				.01		.09	.06	.31			.05	.02	7
8	.03	.06		.04		.11	.02	.98			.25		8
9		.29	.06	.03		.12	.01	.09			.22	.01	9
10	.01	.02				.03	.08	.24	.04		.03		10
11	.11	.28				.08			.12		.14		11
12	.01	.10		.01			.31	.01	.15		.01		12
13	.03			.01			.08	.04	.01				13
14		.03				.19	.42	.61	.01		.03		14
15	.02	.07		.34	.23		.06	.14			.04	.06	15
16	.01	.24		.11	.45	.40		.08	.16	.01			16
17	.05	.45		.51	.30		.09	.01	.02				17
18	.05	.03		.31	.01	.04		.08			.25		18
19	.04	.02		.26	.03	.09			.02		.01		19
20		.06		.08	.01		.02	.56		.04	.01		20
21	.15				.53			.06			.01	.02	21
22	.14		.13						.01				22
23	.14		.01	.02	.36	.05			.27	.01	.14	.04	23
24				.06	.44		.10		.01		.01		24
25	.07	.01		.64	.01		.45				.04		25
26	.01	.02		.40	.01		.09				.20		26
27	.12	.53			.08		.07				.19	.13	27
28	.08	.30		.02	.11					.06	.02	.32	28
29	.09	~~X~~			.04		.14			.24	.02	.03	29
30	.25	~~X~~					.01		.01		.01		30
31	.10	~~X~~		~~X~~		~~X~~			~~X~~	.01	~~X~~	.02	31
TOTAL	1.68	2.91	0.25	3.94	2.66	1.95	2.44	4.08	2.44	0.61	2.32	1.04	YEAR'S TOTAL 26.65
*Days with or in. or more.	28	22	4	21	16	12	20	15	14	9	24	12	195
*Days with .04 in. or more.	14	14	3	14	10	10	13	12	10	4	13	4	125

*See Instruction 2 (f) on other side.

Section



for the entry of Daily Observations.

Station No.

2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Welford Wharf
in the County of LeicestershireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 0 in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.06	—	.09	.45	.05	.01	.20	.11	.35	.03	—	1
2	.02	—	—	.12	.28	—	—	.04	.19	.06	.02	.20	2
3	—	—	—	.27	.03	—	—	—	—	—	—	—	3
4	—	.01	—	.08	—	—	.01	—	—	—	.41	—	4
5	.25	—	—	—	.03	—	.04	.01	.10	—	—	—	5
6	.35	—	.03	.24	—	.01	—	—	.52	—	—	—	6
7	—	—	.23	.32	—	—	—	—	.18	—	—	—	7
8	—	.02	—	.09	—	—	—	—	.12	.15	.01	—	8
9	.04	.11	.02	.10	.02	—	—	—	—	.01	—	.02	9
10	.06	.13	.01	.09	.04	—	—	—	.15	.10	.01	—	10
11	—	.03	—	.06	.11	—	.15	—	.06	.04	.03	.02	11
12	.12	—	—	.01	.15	—	.13	—	.04	.29	.05	—	12
13	.04	—	.01	.24	—	—	2.41	—	.04	.07	.03	.02	13
14	.30	.02	.03	.03	.04	—	.02	.14	—	.07	.02	—	14
15	—	—	—	.11	.11	—	.01	—	—	.05	—	.04	15
16	.23	—	—	.41	.15	—	—	—	—	—	.02	—	16
17	—	—	—	.01	—	—	.07	—	.02	.08	.01	—	17
18	—	—	—	—	.06	—	—	—	—	—	—	—	18
19	—	.03	—	—	—	—	—	.24	—	.20	.03	—	19
20	—	—	—	.09	.22	—	.01	.26	—	.39	.12	.03	20
21	.02	.01	.13	.18	1.60	—	—	.56	—	.23	—	.06	21
22	.01	.01	.28	.03	.35	—	.30	—	.69	.06	.46	—	22
23	—	.01	.01	—	.87	—	.11	—	.07	.10	.05	.07	23
24	—	.02	—	—	.03	—	.30	—	.05	.04	.46	—	24
25	—	.06	—	—	—	—	.11	—	—	.12	.02	—	25
26	—	.01	—	.48	.15	—	.07	—	.11	.04	—	—	26
27	—	—	.27	.13	.47	—	.22	—	.02	—	.10	—	27
28	—	—	.04	.10	.44	.04	.18	.49	—	.07	—	.04	28
29	—	—	.23	.35	.04	.10	.03	.22	.09	.25	.03	.07	29
30	—	×	.08	—	—	.28	.11	.14	1.35	.35	.47	.17	30
31	.03	×	.13	×	.02	×	.30	—	×	—	×	.07	31
TOTAL	1.54	.53	1.50	3.73	5.66	.48	4.59	2.30	3.91	3.12	2.38	.81	30.55
*Days with ".01 in. or more.	13	14	14	23	22	5	20	10	18	22	20	12	193
*Days with ".04 in. or more.	9	4	8	19	17	4	14	9	16	22	16	10	104

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Hatchers
P.T.O.
ASSISTANT MANAGER

Section

A

for the entry of Daily Observations.

Station No.

2490

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at WELFORD

in the County of NORTHAMPTON

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 2 ft. — in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.23	.08	-	-	-	-	-	-	-	.13	-		1
2	.09	-	.30	-	.04	-	-	-	-	-	.09	-		2
3	-	.28	.19	-	.25	-	-	-	-	-	.04	-		3
4	.09	.02	.04	-	.30	-	-	-	-	-	.02	-		4
5	.08	.09	.14	-	.08	-	-	-	-	-	.04	-		5
6	-	.08	.06	-	.12	-	-	-	-	.08	-	.01		6
7	.04	.29	.05	-	.02	-	-	-	-	.12	.13	.01		7
8	.03	.01	.08	-	.06	-	.26	-	-	.08	.01	-		8
9	.02	.02	-	-	.07	-	.30	-	-	.15	.09	-		9
10	.01	.08	-	-	-	.05	-	.08	-	.51	.15	-		10
11	.02	-	-	-	.01	.03	.17	-	-	-	.02	-		11
12	.02	.01	-	-	-	.01	.05	-	.24	-	-	.02		12
13	-	-	-	-	.05	.11	.25	-	-	.03	.28	-		13
14	.01	-	-	-	.10	-	.05	-	-	.27	.36	.04		14
15	.37	-	.03	-	-	-	.18	.07	-	-	.21	-		15
16	.05	-	.42	-	.07	.24	.20	-	-	.05	.26	.02		16
17	.14	.05	.47	-	-	.10	-	-	.04	-	.06	.01		17
18	.04	.04	.25	-	-	.07	.01	-	-	-	.04	-		18
19	-	.05	.27	-	-	.20	-	-	.07	-	.02	.02		19
20	-	.06	.03	.03	-	.25	-	.11	.01	.22	.02	.01		20
21	-	-	-	-	-	.19	-	.50	.04	-	.02	-		21
22	-	-	-	-	-	.21	-	.45	-	.42	.01	-		22
23	-	-	-	.04	-	.08	-	-	.43	.02	.01	-		23
24	-	.27	-	.11	.07	.42	-	-	.43	.04	.08	.04		24
25	-	.45	-	.23	-	.48	-	-	.02	-	.04	.01		25
26	-	.43	-	.08	-	.80	-	-	.03	.09	.01	-		26
27	-	.01	-	-	.23	-	-	-	.18	.04	-	.01		27
28	-	.01	-	.09	.02	-	.08	-	-	.21	-	.11		28
29	-	X	-	.09	-	-	.05	-	-	.09	-	.01		29
30	.13	X	.06	.01	-	-	.01	-	.01	.02	-	.09		30
31	.01	X	.29	X	-	X	.05	.13	X	.20	X	-		31
TOTAL	1.27	2.48	2.76	.68	1.49	3.24	1.66	1.34	1.50	2.64	2.14	.41	21.61	
*Days with ".01 in. or more.	17	19	16	8	15	15	13	6	11	18	24	14	176	
*Days with ".04 in. or more.	10	13	4	6	12	13	11	6	7	15	15	4	126	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WELFORD WHARF

in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.03	—	—	—	—	—	—	0.17	0.01	—	0.14	0.34		1
2	0.06	—	0.06	—	—	—	—	0.01	0.35	0.01	0.02	0.12		2
3	0.01	0.04	—	0.10	—	—	—	—	—	0.04	—	0.02		3
4	0.07	0.02	0.08	0.48	0.02	—	—	—	0.13	0.24	0.14	0.28		4
5	—	—	0.02	0.06	0.05	—	—	0.12	—	0.04	0.02	0.11		5
6	0.02	—	0.05	0.08	0.34	0.05	—	—	—	0.15	—	0.46		6
7	0.10	—	0.01	—	0.01	0.07	—	0.10	—	0.09	—	0.16		7
8	—	—	—	—	0.07	—	—	0.07	—	—	0.16	—		8
9	—	—	0.08	0.02	—	0.03	—	0.04	—	—	0.74	0.23		9
10	0.01	—	0.15	0.17	—	—	—	0.04	—	—	0.11	0.03		10
11	0.36	—	0.08	0.18	—	—	—	0.10	—	—	—	0.08		11
12	—	0.01	0.20	—	0.21	—	0.04	0.14	—	—	—	0.06		12
13	0.33	—	—	—	0.05	—	0.17	0.03	—	—	0.01	0.29		13
14	0.13	0.01	0.22	—	0.05	—	—	0.01	—	0.33	0.69	0.20		14
15	0.04	0.01	0.31	—	0.15	—	—	—	0.30	—	0.20	0.01		15
16	0.10	—	0.06	—	0.09	—	—	—	—	0.16	0.03	0.06		16
17	0.01	—	—	0.02	0.02	—	0.03	—	0.06	0.17	0.04	0.07		17
18	0.12	—	0.01	0.23	—	—	0.53	—	0.03	—	—	0.03		18
19	—	—	0.07	0.11	—	0.01	—	—	0.03	0.03	—	0.04		19
20	—	—	0.06	0.14	—	0.01	—	0.02	0.05	—	—	0.01		20
21	—	—	—	—	—	0.09	—	—	—	0.05	—	—		21
22	—	0.01	—	—	—	—	—	0.08	0.20	—	0.03	0.02		22
23	—	—	—	0.26	0.04	0.18	0.23	0.01	—	0.02	0.01	0.25		23
24	—	0.26	0.07	0.02	—	0.02	0.11	—	0.40	0.02	0.01	—		24
25	0.13	0.01	0.01	0.04	—	0.04	—	—	—	0.06	—	0.12		25
26	0.03	—	0.02	0.07	—	0.07	0.06	—	0.06	—	0.01	0.02		26
27	—	0.16	—	0.11	—	—	—	—	—	0.02	—	0.16		27
28	—	—	—	0.20	—	0.07	—	0.38	—	—	0.04	0.34		28
29	—	X	—	0.01	—	—	0.18	0.32	0.28	—	0.01	0.03		29
30	0.10	X	—	—	—	—	0.04	—	0.02	—	0.01	0.15		30
31	0.02	X	—	X	—	X	0.02	—	X	0.18	X	0.07		31
TOTAL	1.67	0.53	1.56	2.30	1.03	0.64	1.41	1.64	1.92	1.61	2.42	3.76	(20.5X)	
* Days with .01 in. or more.	18	9	18	18	11	11	10	16	13	16	19	28	15	
* Days with .04 in. or more.	11	3	13	14	9	7	8	11	9	11	9	20	12	

Section

A

for the entry of Daily Observations.

Station No.

2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ...Welford Wharf

in the County of ...Leicestershire

Diameter of Funnel of Gauge...5.....in.

Height of top of Gauge above Ground...2..ft..0.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	-	-	.10	.01	.09	.01	-	.41	.16	.15	.04		1
2	-	.03	.02	.04	-	.27	-	-	-	.11	.01	.11		2
3	-	.14	.09	.05	-	.20	-	-	.30	.27	.19	.03		3
4	.01	-	-	.12	-	.05	-	-	.06	.14	.03	-		4
5	-	.79	.11	.06	-	.02	.01	-	.08	.02	.06	-		5
6	-	-	.02	.36	-	.21	-	-	-	-	.12	-		6
7	-	-	-	.43	-	.07	-	-	-	.23	.43	.17		7
8	-	-	-	.19	-	.02	-	.25	.02	.06	.13	.16		8
9	-	-	-	.40	-	.16	-	-	-	.75	.39	.02		9
10	-	-	-	.01	-	.03	-	-	-	-	.04	.04		10
11	.15	.04	-	-	-	.03	.02	-	-	-	.11	-		11
12	.03	.02	-	-	-	.37	-	.06	.02	-	.06	-		12
13	.08	.04	-	.10	.22	.02	-	-	-	.04	.05	-		13
14	.01	-	.02	-	.10	.04	-	-	.02	-	.65	.10		14
15	-	.11	-	.52	.04	.45	.08	-	.87	-	.12	.29		15
16	-	.06	.09	.13	-	.10	-	-	.27	.23	.77	.12		16
17	-	-	-	.06	~~.01~~	.16	.03	-	.07	-	.38	-		17
18	-	.04	-	.25	~~.01~~	.09	.21	-	.20	.11	-	-		18
19	.02	.01	-	.10	38	.15	.16	-	.10	.02	.20	-		19
20	.03	.18	-	.29	-	.08	.21	-	-	-	.15	-		20
21	-	.18	.02	.01	-	-	-	-	.49	-	.23	-		21
22	-	.09	-	.12	-	-	-	.08	.08	-	-	-		22
23	.03	-	.15	.01	-	-	-	.69	.02	.16	.03	.06		23
24	.08	.19	.06	-	-	.66	-	.02	.90	-	-	.13		24
25	.16	.05	-	.12	-	-	-	-	-	-	-	.15		25
26	.01	-	-	-	-	-	-	.11	.21	.04	-	.34		26
27	.01	.15	-	-	-	-	-	-	.07	.05	.22	.85		27
28	-	.02	-	-	.04	-	-	-	.05	.01	.03	.07		28
29	-	~~X~~	.02	-	-	-	-	-	.18	-	.05	.07		29
30	.09	~~X~~	-	.04	-	-	-	.39	.14	.31	.16	.10		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	.01	~~X~~	.61	~~X~~	.17		31
TOTAL	1.04	2.14	.60	3.51	.80	3.27	.73	1.61	4.56	3.32	4.76	3.02	29.36	
* Days with .01 in. or more.	14	17	10	28	7	21	8	8	21	18	25	19	190	
* Days with .04 in. or more.	6	13	8	19	5	16	4	6	17	15	21	17	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

C. H. Wilson Engineer P.T.O.

Section

A

for the entry of Daily Observations

Station No.

2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Welford Wharf

in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...2...ft....0...in.

,, Ground ,, Sea Level 425.00...ft. L.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.09	.38	.45	-	-	.28	.15	-	-	.10	.06		1
2	.11	.05	.06	.05	-	.69	.68	.01	-	-	.27	.16		2
3	.01	.02	-	-	-	.16	.09	.04	.54	-	.02	.03		3
4	.02	-	.14	-	-	.22	-	-	.30	-	.02	.12		4
5	.05	.02	.09	-	-	-	.03	.02	.07	.02	-	.12		5
6	.04	-	.01	-	.49	.13	.13	.19	.11	-	.06	-		6
7	.36	-	.01	-	-	-	.34	-	.09	-	.03	-		7
8	.11	-	.15	-	-	-	-	-	.03	.01	.19	.15		8
9	.39	-	.08	-	-	.04	.87	-	-	.04	.06	-		9
10	.04	-	.01	-	-	-	.31	-	.02	.03	-	-		10
11	-	-	-	.07	-	.02	.41	-	.09	-	.21	-		11
12	-	-	-	.12	.04	.28	.48	-	.33	-	.06	.19		12
13	-	-	-	.06	.08	.22	-	-	-	.10	.04	.11		13
14	-	-	-	.15	.01	.04	.37	-	.07	.06	.05	.45		14
15	-	-	.01	.10	-	-	.23	-	.07	-	.02	.08		15
16	.23	.04	-	.02	-	-	.04	-	-	-	.65	-		16
17	-	.30	-	-	-	-	.09	-	-	.12	.11	.09		17
18	.07	.02	-	-	-	.13	.16	.02	-	.24	.04	.06		18
19	.35	-	.02	.33	-	.05	.02	.09	-	.11	-	-		19
20	-	.14	-	.04	-	.02	.03	-	.02	.02	-	-		20
21	-	-	.02	.31	.01	.68	.02	-	-	-	-	-		21
22	.01	.79	.06	.04	.14	-	.15	-	-	-	-	.08		22
23	-	.02	.11	.12	.06	-	.22	-	-	.05	-	-		23
24	.13	.08	-	-	.09	-	.02	-	.15	.29	-	-		24
25	.05	.01	.16	.35	-	.03	.17	-	.28	.05	.07	.02		25
26	-	.11	.30	.08	-	-	.04	-	.04	.05	.02	.01		26
27	-	-	-	-	-	-	-	-	.19	.12	-	-		27
28	.39	.14	.05	-	-	-	.06	-	.06	-	-	.02		28
29	.35	.15	.01	-	-	.06	-	-	-	.10	.44	.11		29
30	.04	X	-	-	.05	.14	.11	.01	-	.31	.13	-		30
31	.65	X	.04	X	-	X	.03	-	X	.12	X	.15		31
TOTAL	3.48	1.98	1.71	2.29	.97	2.91	5.38	.53	2.46	1.84	2.59	2.01	Year's Total 28.15	
* Days with .01 in. or more.	20	15	19	15	9	16	26	8	17	18	20	18	201	
* Days with .04 in. or more.	17	10	12	14	7	13	20	4	14	14	15	14	154	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Welford Wharf

in the County of Leicestershire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground..2.....ft....0.....in.

„ Ground „ Sea Level 425.00...ft.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.01	.01	-	-	-	-	-	.08	.01	.35	.16		1
2	.01	.05	.03	.42	-	-	.01	-	.01	-	-	.19		2
3	-	.14	-	.01	.28	-	-	-	-	-	.02	.05		3
4	.07	.15	-	-	.06	-	-	-	-	-	-	.48		4
5	.32	-	.18	.01	-	-	.02	.02	-	-	-	.10		5
6	.10	.02	.24	.03	.20	-	.01	.15	-	-	-	-		6
7	-	.58	.03	.24	-	-	-	-	-	.01	.34	-		7
8	-	.10	.02	-	-	-	-	-	-	.01	-	.10		8
9	.01	-	.04	.15	.24	-	.42	-	.09	.01	.02	.07		9
10	-	.04	.44	.37	-	.23	-	-	-	-	-	.12		10
11	.01	-	.10	-	.66	.47	.02	-	-	-	-	.11		11
12	.03	.23	.06	-	.49	.12	-	1.02	.15	-	-	.14		12
13	.09	.04	.12	.12	.02	.28	-	.03	-	-	-	-		13
14	-	.01	.41	.12	-	-	-	.24	.02	-	-	.10		14
15	.15	.08	.02	.11	-	-	2.12	-	.19	-	.01	.03		15
16	.06	.11	.19	.30	-	-	-	.10	.22	-	.02	.09		16
17	.19	.03	.35	.36	-	-	-	-	.10	-	.02	.01		17
18	.44	.09	.19	.04	-	-	-	-	.05	-	.18	-		18
19	.11	.03	.02	.09	.05	.16	.32	-	-	-	-	-		19
20	.16	-	-	.46	.66	.14	-	-	-	.01	.02	.02		20
21	.03	.25	.17	.03	-	-	.23	-	-	.01	.08	.06		21
22	.16	-	.02	-	.03	.44	.23	-	-	.57	.35	-		22
23	.15	.02	.02	-	.12	-	.09	-	-	.88	.13	-		23
24	.07	.29	.07	-	.02	-	.11	-	.03	.23	-	-		24
25	.21	.21	.01	-	.31	-	-	-	.02	.11	-	.01		25
26	-	.20	.09	-	.16	-	-	-	-	.01	-	.02		26
27	-	.35	.02	.21	-	-	-	-	-	.69	.03	.02		27
28	.01	.03	.01	-	-	-	-	-	-	.02	-	.04		28
29	.04	~~X~~	.02	-	-	-	-	-	-	.04	.09	.12		29
30	.32	~~X~~	-	-	-	-	-	-	-	.03	.14	-		30
31	.29	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.05	~~X~~	.04		31
TOTAL	3.18	3.06	2.88	3.07	3.30	1.84	3.58	1.56	.96	2.69	1.80	2.08	30.00	
* Days with .01 in. or more.	24	23	26	17	14	7	11	6	11	16	15	22	192	
* Days with .04 in. or more.	18	16	14	13	11	7	7	4	7	7	8	16	128	

Year's Total

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

F. G. Howell

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Welford Wharf

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft.

Ground Sea Level 425 ft. L.D.

Days w.g.f.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	.01	.60	.33	-	-	.09	.01	.18		1
2	.11	-	-	.04	.07	.18	-	-	-	.12	.01	.03		2
3	.03	-	-	.02	.13	.02	.70	-	.04	.54	.02	-		3
4	.05	-	-	-	-	.02	.02	.36	-	.37	.02	.23		4
5	-	-	-	.01	-	-	.10	.07	.07	.14	.01	.05		5
6	-	-	-	-	-	.02	.22	.02	.24	.10	-	.02		6
7	.11	-	-	-	-	-	.14	.54	.16	.20	-	.06		7
8	.20	-	-	-	-	.08	.06	.04	-	.15	-	-		8
9	.05	.09	-	-	-	.02	.06	.14	-	.04	-	.34		9
10	-	.05	-	-	-	.11	.24	-	-	-	-	.05		10
11	.49	.03	-	-	-	-	.02	.08	-	.05	.10	.01		11
12	.16	.02	-	-	.08	-	.01	-	-	.25	.03	-		12
13	.04	.04	-	-	-	-	.04	.13	-	-	.18	.15		13
14	.06	.03	-	-	.07	-	.58	-	.08	-	-	-		14
15	.11	.04	-	-	-	-	.28	-	-	-	.01	-		15
16	.24	-	-	-	-	-	.02	-	-	-	.02	.16		16
17	-	.10	-	-	.01	-	.05	-	.05	.08	.04	.11		17
18	.03	-	-	-	.22	.04	-	.09	.14	-	.29	-		18
19	-	-	-	-	-	-	-	.05	.08	-	.13	-		19
20	-	-	-	-	-	-	-	-	.05	-	.42	.03		20
21	.01	-	-	-	-	-	-	.06	-	-	.09	.22		21
22	-	.02	-	-	-	.28	-	-	-	-	.29	.21		22
23	.03	-	-	.01	.04	-	.02	-	.09	-	-	-		23
24	-	-	.06	-	.05	-	-	-	.17	-	.02	.07		24
25	.09	.14	.09	-	-	-	.01	.18	-	.07	.25	.14		25
26	.09	.22	.14	-	.02	-	-	.08	.03	.26	-	.10		26
27	.10	.03	.02	-	.19	.15	.18	.22	.26	.07	.28	.03		27
28	.10	.02	-	-	.35	.11	.06	1.20	.04	.01	.04	.16		28
29	.68	X	-	.04	.23	.02	-	-	-	.04	.08	.17		29
30	.03	X	-	-	.02	.13	-	-	.26	.04	.24	.21		30
31	.09	X	-	X	.17	X	.01	-	X	.14	X	.36		31
TOTAL	2.90	0.83	0.31	0.12	1.66	1.78	3.15	3.26	1.70	2.76	2.64	3.09	24.20	✓
* Days with .01 in. or more.	22	13	14	15	15	14	21	15	15	19	22	23	188	✓
* Days with .04 in. or more.	17	7	3	2	11	9	14	14	13	18	13	18	179	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[Signature]

[P.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ...Welford Wharf,.....

in the County of ...Leicestershire.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....2...ft. 0.....in.

,, Ground ,, Sea Level ...425.00...ft. L.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05			.11	.07			.50	.01			.02		1
2	.08			.06				.33	.33	.09	.07	.04		2
3	.29			.24				.89			.10	.14		3
4	.20		.35	.61			.03	.25		.20	.12	.07		4
5				.14	.24		.08	.98		.17	.11	.18		5
6	.24						.83	.01			.03			6
7	.09	.02					.12	.01			.12	.18		7
8	.02	.05	.16				.30	.37		.27	.05	.29		8
9	.03	.11					.02	.11		.36	.13	.16		9
10	.30		.02			.02		.20	.04	.04	.01	.02		10
11			.20			.16		.02	.02			.01		11
12			.01			.01					.01			12
13				.01		.03	.04			.28	.02			13
14	.32		.03	.02	.42	.08	.15		.06	.09	.13			14
15	.39		.06	.01	.11	.45	.23		.07	.65	.09			15
16	.20		.14	.04	.13	.36	.09		.01	.09	.15			16
17	.18	.04	.02		.17		.40			3.01	.02			17
18	.13	.03	.06			.55	.20		.01	.04	.67			18
19	.21						.55		.01	.03		.01		19
20	.04		.01			.07	.33	.17		.02				20
21	.20	.11	.28			.03		.23	.02	.01				21
22	.17	.20	.08	.02		.01	.08	.02	.01	.01	.26	.01		22
23	.08		.02	.14		.01	.18		.04	.03	.59	.01		23
24	.02		.08	.19		.02	.11			.09		.01		24
25	1.18	.10	.11	.04			.06	.05			.23	.02		25
26	.45		.03	.02				.01		.09	.25	.03		26
27	.02	.05	.12	.02		.03	.10			.14	.05	.02		27
28	.04	.17	.13	.10		.03	.16			.02	.20	.04		28
29		~~X~~		.30			.29	.09		.20	.02			29
30		~~X~~		.16		.05					.07			30
31		~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	.12	.03	~~X~~	.01	~~X~~			31
TOTAL	4.93	.88	1.91	2.23	1.14	1.91	4.47	4.27	.63	5.94	3.50	1.26	33.07	
* Days with .01 in. or more.	24	10	19	18	6	16	22	18	12	23	24	18	210	✓
* Days with .04 in. or more.	20	8	12	12	6	7	20	12	5	16	18	8	144	✓

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at WELFORD WHARF

in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

Ground Sea Level 425.00 ft. Ld

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.04									.14			1
2				.34			.07				1.03	.04		2
3		.18		.12						.18	.70	.07		3
4		.11		.03						.12	.41	.04		4
5					.04					.14	.60	.08		5
6	.03	.21			.04					.42	.33			6
7	.10	.28		.03	.04		.01		.02		.02			7
8							.03			.06	.09	.27		8
9			.03	.02		.57	.04	.05	.08	.01	.13	.21		9
10			.01			.80	.01	.07	.07	.05	.15			10
11			.05	.04			.11				.33	.09		11
12			.04	.01			.10		.07		.04	.04		12
13		.09	.84	.03			.12		.04		.14			13
14			.05	.08	.14				.06	.02	.05	.18		14
15			.04	.16	.02	.19	.01	.05	.05	.10	.13	.08		15
16	.02	.16	.34	.02		.01	.37		.02	1.07	.83	.02		16
17		.05	.32				.06		.01		.01			17
18	.03	.55	.31	.43			.02			.06	.11	.07		18
19		.15	.03	.14			.32	.11	.17	.01	.11	.04		19
20		.04	.01	.03		.04	.10			.08	.04	.01		20
21	.10	.01	.02		.20	.07	.25	.09		.15	1.29			21
22			.03		.27	.35			.73	.01	.05			22
23		.08	.02		.25	.11				.02	.01	.04		23
24					.01		.06	.03		.03				24
25								.01		.03				25
26	.84	.10		.03	.03		.70			.02	.02			26
27	.47	.04		.02			.13				.08	.02		27
28	.50	.30			.43			.03						28
29			.07	.01	.01			.01				.35		29
30	.10	X		.64			.02			.20		.05		30
31		X	.03	X		X			X	.43	X	.01		31
TOTAL	2.19	2.39	2.24	2.18	1.48	1.34	3.32	.39	1.25	3.23	6.74	1.86	28.61	
* Days with .01 in. or more.	9	16	17	18	12	7	19	9	10	21	25	20	183	
* Days with .04 in. or more.	6	15	9	8	8	6	14	4	7	13	21	17	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

C. A. Wilson J.P.O.

Section **A** for the entry
AIR MINISTRY
FORM 1090
Kept at **X** North Kilworth
in the County of Leicesters
Diameter of Funnel of Gauge.
Height of top of Gauge above
Ground
THE MORNING MEASUREMENT

An observer who does not conform to the regulations of the year in the space on the right of the page

on No. 2490/5
ORGANIZATION

2490/5
NORTH KENILWORTH W.W.
1936 - 40

AY
wing

Jan. 1, following

780408

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	06	13	05	49	-	02	25	11	01	-	08	07		1
2	05	05	07	06	-	14	69	05	-	-	28	17		2
3	02	-	-	-	-	19	10	04	19	-	02	-		3
4	-	02	10	-	-	21	-	02	25	-	01	17		4
5	05	-	07	-	-	-	02	04	16	-	-	08		5
6	03	-	-	-	-	13	09	30	16	01	08	-		6
7	33	-	02	-	27	-	16	-	08	01	-	-		7
8	16	-	14	-	-	-	-	-	02	02	20	-		8
9	20	-	13	-	-	06	74	-	-	09	02	14		9
10	09	-	-	-	-	-	27	13	05	05	-	-		10
11	-	-	-	-	-	02	39	-	22	-	26	-		11
12	-	-	-	23	02	30	62	-	-	-	08	07		12
13	-	-	-	09	-	24	-	01	-	11	03	33		13
14	-	-	-	19	-	10	44	-	12	04	03	53		14
15	-	-	-	03	-	02	35	-	16	-	01	09		15
16	28	08	-	-	-	-	05	-	-	-	61	-		16
17	-	44	-	02	-	-	12	-	-	08	10	13		17
18	-	02	-	-	-	07	19	-	-	36	04	12		18
19	36	04	02	27	-	03	-	09	-	10	-	-		19
20	-	07	-	08	-	-	02	-	04	03	-	01		20
21	-	-	-	22	-	89	-	-	-	-	-	-		21
22	-	76	08	04	27	-	17	-	-	-	-	09		22
23	-	04	04	13	09	-	25	-	-	05	-	-		23
24	11	07	-	-	03	-	01	-	20	22	-	-		24
25	05	-	14	37	-	04	38	-	27	08	-	-		25
26	-	09	30	06	-	-	13	-	18	09	04	-		26
27	02	-	-	-	-	-	-	-	05	11	-	-		27
28	29	16	10	-	-	02	10	-	-	01	-	04		28
29	31	41	-	-	-	05	-	-	-	10	47	12		29
30	03	X	-	-	08	14	12	-	-	35	14	03		30
31	64	X	04	X	-	X	03	02	X	13	X	20		31
TOTAL	3.08	2.38	1.30	2.28	.76	3.67	5.69	.81	2.16	204	250	2.39	29.06	Year's Total
* Days with .01 in. or more.	18	14	14	14	6	18	24	10	16	20	18	17	189	
* Days with .04 in. or more.	14	12	12	12	4	13	20	7	14	15	12	15	153	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [Signature] [P.T.O.]

X MARKET HARBOUR U.D.C. X

Section



for the entry of observations

Station No.

2490/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at X North Kilworth W.W. X

in the County of Leicester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0...in.

„ Ground „ Sea Level...490.....ft.OD

472449/35

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	06	13	05	49	-	02	25	11	01	-	08	07		1
2	05	05	07	06	-	1.14	69	05	-	-	28	17		2
3	02	-	-	-	-	19	10	04	19	-	02	-		3
4	-	02	10	-	-	21	-	02	25	-	01	17		4
5	05	-	07	-	-	-	02	04	16	-	-	08		5
6	03	-	-	-	-	13	09	30	16	01	08	-		6
7	33	-	02	-	27	-	16	-	08	01	-	-		7
8	16	-	14	-	-	-	-	-	02	02	20	-		8
9	20	-	13	-	-	06	74	-	-	09	02	14		9
10	09	-	-	-	-	-	27	13	05	05	-	-		10
11	-	-	-	-	-	02	39	-	22	-	26	-		11
12	-	-	-	23	02	30	62	-	-	-	08	07		12
13	-	-	-	09	-	24	-	01	-	11	03	33		13
14	-	-	-	19	-	10	44	-	12	04	03	53		14
15	-	-	-	03	-	02	35	-	16	-	01	09		15
16	28	08	-	-	-	-	05	-	-	-	61	-		16
17	-	44	-	02	-	-	12	-	-	08	10	13		17
18	-	02	-	-	-	07	19	-	-	36	04	12		18
19	36	04	02	27	-	03	-	09	-	10	-	-		19
20	-	07	-	08	-	-	02	-	04	03	-	01		20
21	-	-	-	22	-	89	-	-	-	-	-	-		21
22	-	76	08	04	27	-	17	-	-	-	-	09		22
23	-	04	04	13	09	-	25	-	-	05	-	-		23
24	11	07	-	-	03	-	01	-	20	22	-	-		24
25	05	-	14	37	-	04	38	-	27	08	-	-		25
26	-	09	30	06	-	-	13	-	18	09	04	-		26
27	02	-	-	-	-	-	-	-	05	11	-	-		27
28	29	16	10	-	-	02	10	-	-	01	-	04		28
29	31	41	-	-	-	05	-	-	-	10	47	12		29
30	03	X	-	-	08	14	12	-	-	35	14	03		30
31	64	X	04	X	-	X	03	02	X	13	X	20		31
TOTAL	3.08	2.38	1.30	2.28	.76	3.67	5.69	.81	2.16	3.04	2.50	2.39	29.06	Year's Total
* Days with .01 in. or more.	18	14	14	14	6	18	24	10	16	20	19	17	189	
* Days with .04 in. or more.	14	12	12	12	4	13	20	7	14	15	12	15	153	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. Barlow [P.T.O.]

X MARKET HARBOUR U.D.C. X

Section



for the entry of Daily Observations

Station No.

2499/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at NORTH KILWORTH
MARKET HARBOROUGH WATERWORKS
in the County of LEICESTERDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 490.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.17	.02	.01				.02		.10		.30	.17		1
2	.01	.08	.03	.44								.30		2
3		.12	.01		.17							.30		3
4	.07	.26			.06							.20		4
5	.38		.26									.10		5
6	.12		.17	.01	.20									6
7		.55	.03	.18	.04									7
8		.09									.37	.05		8
9			.02	.46	.26		.29		.12			.08		9
10	.02	.04	.39	.20		.19						.10		10
11			.17		.65	.36	.03					.10		11
12	.06	.26	.12		.51	.06			.17			.16		12
13	.07	.06	.14	.13	.02	.20		.50	.03			.01		13
14	.07	.03	.30	.06				.67	.02			.10		14
15	.18	.08	.02	.16			3.23		.29			.03		15
16	.04	.12	.32	.50					.21			.03		16
17	.28	.04	.42	.34										17
18	.36	.17	.14	.05					.17		.23			18
19	.12	.05	.05	.14	.07	.06	.32				.09			19
20	.21		.04	.45	.65	.10						.02		20
21	.06	.20	.10	.02	.02		.27					.07		21
22	.14		.02		.04	.10	.20			.50	.36			22
23	.13		.02		.20		.27			.68	.14			23
24	.21	.28	.06		.03		.10			.49				24
25	.24	.25	.01		.18				.06	.20				25
26		.23	.13		.38					.07		.02		26
27		.28		.26				.07		.61		.01		27
28		.17								.02		.04		28
29	.04									.03	.08	.07		29
30	.26	~~X~~						.02			.15	.02		30
31	.30	~~X~~		~~X~~		~~X~~			~~X~~	.10	~~X~~	.02		31
TOTAL	3.47	3.38	2.98	3.40	3.48	1.07	4.53	1.26	1.17	2.70	1.72	2.00	Year's Total	31.17
* Days with .01 in. or more.	22	21	24	15	16	7	9	4	9	9	8	22	166	
* Days with .04 in. or more.	20	19	15	13	13	7	7	3	7	7	8	14	133	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]
Engineer & Surveyor
Market Harborough U.D.C.

Section

A

for the entry of Daily Observations

Station No.

2490/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at North Kilworth

in the County of Leicester.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level.....490.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	-	.02	.44	.14	-	-	.17	.02	.16		1
2	.02	.01	-	.02	.04	.22	-	-	-	.10	-	.06		2
3	.01	-	-	.01	.09	.03	.40	-	.02	.56	.04	-		3
4	.04	-	-	.01	-	-	.02	.31	-	.13	-	.26		4
5	-	-	-	.01	-	.02	.06	.07	.02	.41	-	-		5
6	-	-	-	-	-	-	.11	-	.23	.16	-	-		6
7	.18	-	-	-	-	.01	.17	.66	.14	.07	-	.08		7
8	.06	-	-	-	-	.01	.06	.14	-	.17	-	-		8
9	.15	.10	-	-	-	-	.03	.10	.02	-	-	.23		9
10	-	.03	-	-	-	.02	.23	.03	-	-	-	.05		10
11	.53	-	-	-	-	-	-	-	-	.06	.10	.02		11
12	.22	.02	-	-	.10	-	.03	.09	-	.28	.06	-		12
13	-	.03	-	-	-	-	-	-	-	-	.12	.20		13
14	.26	.02	-	-	.05	-	.63	-	.06	-	-	-		14
15	.20	-	-	-	-	-	.31	.02	-	-	-	.18		15
16	.17	-	-	-	-	-	.03	.04	-	-	.02	.09		16
17	-	.07	-	-	-	-	.06	-	.03	.11	.04	-		17
18	.04	-	-	-	.21	-	-	.03	.13	-	.39	-		18
19	-	-	-	-	-	-	-	.16	.04	-	.29	.03		19
20	-	-	-	-	-	-	-	-	.03	-	.20	.02		20
21	.01	-	-	-	-	-	-	-	.02	-	.11	.25		21
22	-	-	-	-	-	.21	-	-	.02	-	.30	.10		22
23	-	-	-	-	.02	-	-	-	.17	-	-	.04		23
24	-	-	.04	-	.05	-	.61	-	-	-	.03	.03		24
25	.05	.14	.07	-	-	-	.01	.16	-	.07	.22	.03		25
26	.04	.28	.11	-	-	-	-	.11	.05	.23	.03	.10		26
27	.15	.07	.05	-	.28	.17	.17	.30	.22	.05	.25	.25		27
28	.07	.02	-	-	.32	.13	.05	.40	.02	.02	.03	.20		28
29	.60	-	-	-	.25	.01	-	-	-	.02	.09	.05		29
30	.10	X	-	.01	.02	.21	-	-	.28	.03	.19	.19		30
31	.12	X	-	X	.18	X	-	-	X	.13	X	.40		31
TOTAL	3.05	.74	.27	.06	1.63	1.48	3.12	3.62	1.50	2.77	2.53	3.02	23.79	
* Days with .01 in. or more.	21	11	4	5	13	12	18	15	17	18	19	23	176	
* Days with .04 in. or more.	17	5	4	-	10	6	13	12	9	15	14	18	123	
Year's Total														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. G. Barlow

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2490/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at North Kilworth,
in the County of Leicestershire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 4.90 ft.

Sept. days total. rainfall looks reasonable.
week.
Jue

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	—	.01	.08	.07	—	—	.46	—	—	—	—		1
2	.09	—	—	.07	—	—	—	.38	×	—	—	—		2
3	.30	—	—	.30	—	—	—	.73	—	—	.26	.18		3
4	.06	—	.38	.44	—	—	—	.47	—	.49	.17	—		4
5	—	—	—	.08	.16	—	—	—	✓	—	.13	.21		5
6	.40	—	—	—	—	—	.11	.77	✓	—	.07	—		6
7	.10	.03	—	—	—	—	.92	—	✓	—	.17	—		7
8	—	.06	.15	—	—	—	.17	.40	✓	.65	—	.59		8
9	.06	.11	—	—	—	—	—	.12	✓	—	.08	—		9
10	.29	—	—	—	—	—	.40	.23	✓	—	—	—		10
11	.01	.01	.25	—	—	.02	—	—	✓	.07	—	—		11
12	.01	—	—	—	—	.02	—	—	✓	—	—	—		12
13	—	—	—	—	—	—	—	—	✓	.22	.18	—		13
14	.50	—	—	.02	.26	—	—	—	✓	.66	—	—		14
15	.25	—	—	.02	.13	.17	.12	—	✓	—	—	—		15
16	.16	—	.18	.01	.08	.06	—	—	✓	1.87	.22	—		16
17	.25	.03	.01	—	—	.35	.46	—	✓	—	—	.24		17
18	.09	.02	.05	—	.15	.43	.29	—	✓	—	—	—		18
19	.23	—	—	—	—	—	.21	—	✓	—	.62	—		19
20	.21	—	.02	—	—	.70	.60	—	✓	—	—	—		20
21	.08	.16	.24	—	—	.18	.10	.32	✓	—	—	—		21
22	.14	.24	.10	.02	—	—	.17	.24	✓	—	.08	—		22
23	.09	—	—	.09	—	—	—	—	×	—	.77	—		23
24	.29	—	.05	.04	—	—	.27	—	✓	.12	—	—		24
25	.93	.12	.12	.06	—	—	—	—	✓	—	.30	—		25
26	.31	—	—	—	—	—	.13	—	✓	.09	.26	—		26
27	.03	.09	.15	.02	—	—	.08	—	✓	.12	—	—		27
28	.03	.18	.12	.03	—	—	—	—	✓	—	—	—		28
29	—	X	—	.30	—	.40	.17	—	✓	.20	.24	—		29
30	—	X	—	.16	—	.50	—	.80	✓	—	.10	—		30
31	—	X	—	X	—	X	.16	—	X	—	X	—		31
TOTAL	4.97	1.05	1.83	1.74	0.85	2.83	4.36	4.92	1.02	4.49	3.65	1.22	Year's Total 32.93	
* Days with .01 in. or more.	25	11	14	16	6	10	16	11	(11)	10	15	4	438	149
* Days with .04 in. or more.	21	7	11	10	6	8	16	11	(5)	10	15	4	449	124

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. G. Barlow [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2490/5-✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at North Kilworth
in the County of Leicestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 490 ft.

Jan used for snow

Snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		x									0.30			1
2		(30)		x			0.07				0.59			2
3		x		0.46						0.18	1.04	0.10		3
4		x		0.30						0.12	0.42	0.06		4
5							0.06			0.14	0.43	0.15		5
6	0.26	x			0.06					0.40	0.30			6
7	x	0.63		0.02	0.03		0.04							7
8				0.02					0.04					8
9						0.46				0.10	0.07			9
10			0.40				0.57	0.07	0.03		0.08	0.59		10
11			0.50				0.37				0.54	0.07		11
12			0.60				0.12		0.04					12
13		.11	0.18	0.04			0.05							13
14		0.44	0.41	0.07				0.03	0.09	0.08		0.37		14
15				0.10	0.16	0.12				0.05	0.26			15
16	✓	0.29	0.32				0.36		0.20	0.99	0.81			16
17			0.52				0.04							17
18	✓	x	0.40	0.53				0.09			0.12			18
19		0.61		0.21			0.41		0.21			0.08		19
20		0.23		0.03		0.05	0.21				0.38			20
21	x	x	✓				0.16	0.10		0.25	1.35			21
22		x	✓		0.41	0.29			0.69			0.08		22
23	(2.00)	0.12	0.70		0.43	0.18			0.03					23
24				0.04			0.08							24
25		0.15								0.05				25
26	x	.15			0.05		0.55							26
27	x	x		0.03			0.20				0.07			27
28	x	0.35												28
29			0.13		0.46							0.32		29
30	x	x		0.52	1.49					0.40				30
31		x	0.20	x		x	0.02		x	0.57	x			31
TOTAL	(2.26) 0.26	(2.79) 2.79	4.36	2.37	3.09	1.10	3.31	0.29	1.33	3.33	6.76	1.82	32.81	32.81
* Days with .01 in. or more.	19	815	1113	1214	8	5	16	4	8	12	15	9	110	128
* Days with .04 in. or more.	17	815	119	98	7	5	15	3	6	12	15	9	101	111

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. B. Barber

[P.T.O.]

** The following register of mon &c., is NOT required if daily values are given on the other

RAINFALL IN 193

At LUTTERWORTH
In the County of LEICES

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 ft
Height of Ground above Sea Level

2491

LUTTERWORTH

1931 — 35

also the space for

should be sent:—

LUTTERWORTH
WEEKLY

Direction from
gauge S by E
Direction from
gauge S by W

fence

780408

about 8.8

Westward

Month.	Total Depth.	Greatest Fall in 24 hours.	Days with .01 in. or more	Days with .04 in. or more
	Inches.	Inches.	Date.	
JAN.	1.59			
FEB.	2.84			
MAR.	0.12			
APRIL	3.61			
MAY	2.61			
JUNE	1.63			
JULY	2.69			
AUG.	4.47			
SEPT.	4.44			
OCT.	0.70			
NOV.	2.44			
DEC.	1.03			
Total	28.17			

(715.5mm)

Signature

M

*See Instruction 2 (f) below.

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

With bottle



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made When Rain ceased

87.8 mm Sept 1-5th (83.4 mm fell in 73 hrs). From 16^h on 3rd to 17^h on 4th a little less than 60 mm fell. About 30 mm of this fell in five minutes in a heavy storm which caused flooding just after 16^h on 3rd. On 4th just before 17^h, 20.4 mm fell in 14 minutes, but nearly all of this in 9 minutes.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- (a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd, 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At LUTTERWORTHIn the County of LEICESTERDiameter of Funnel 5 in.Height of Top above Ground 1 ft. 0 in.Height of Ground above Sea Level 430 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more.	Number of Days with .04 in. or more.
Inches.	Inches.	Date.	*	*
JAN.	1.59			
FEB.	2.84			
MAR.	0.12			
APRIL	3.61			
MAY	2.61			
JUNE	1.63			
JULY	2.69			
AUG.	4.47			
SEPT.	4.44			
OCT.	0.70			
NOV.	2.44			
DEC.	1.03			
Total	28.17			

(715.5mm)

Signature M. W. Binns

M

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

MILES W BINNS47 LEICESTER ROAD LUTTERWORTHHour of observation by the clock—in Winter Twice WeeklyNearest Railway Station LUTTERWTH Distance 3/4 mile Direction from gauge S by ENearest Parish Church at " Distance 1/2 mile Direction from gauge S by W

Nature of objects nearest to gauge Wide spaced trellis fence

Heights of objects about 3' 6"

Distances about 6' 0"

Directions from gauge Westward

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

With bottle



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
 (b) What note was made of the times of beginning and end of this fall?
 (c) When was the measurement made? When Rain ceased

87.8 mm Sept 1-5th (83.4 mm fell in 73 hrs). From 16^h on 3rd to 17^h on 4th a little less than 60 mm fell. About 30 mm of this fell in five minutes in a heavy storm which caused flooding just after 16^h on 3rd. On 4th just before 17^h, 20.4 mm fell in 14 minutes, but nearly all of this in 9 minutes.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- (a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At LUTTERWORTHIn the County of LEICESTERDiameter of Funnel 5 in.Height of Top above Ground 1 ft. 0 in.Height of Ground above Sea Level 430 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. or more	or in. or more
JAN.	1.16				
FEB.	0.43				
MAR.	1.32				
APRIL	3.11				
MAY	5.62				
JUNE	0.73				
JULY	4.60				
AUG.	1.42				
SEPT.	3.05				
OCT.	3.01				
NOV.	2.21				
DEC.	0.89				
Total	27.55				

Signature M.O. 7

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

MILES W. BINNS47 LEICESTER ROAD LUTTERWORTHHour of observation by the clock—in Winter 9^h SUNDAYS in Summer MORE OFTENNearest Railway Station LUTT. L. NER Distance 3/4 mile Direction from gauge S. by ENearest Parish Church at LUTTERWORTH Distance 1/2 mile Direction from gauge S. by W

Nature of objects nearest to gauge

Same exposure as previously.

Heights of objects

a rather good one

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move .. Distance .. Direction ..

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall? Yes
 (b) What note was made of the times of beginning and end of this fall? 9.11.7.
 (c) When was the measurement made? 9^h next day

13th July Four P.M. 51.8 mm in 15^h 20^m (About 40 mm in 79 mins)Mean of past nine years 27.4 in.M.O. 7
3 JAN 1933

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- (a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- (A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- (h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

2491

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193...

At LUTTERWORTHIn the County of LEICESTERDiameter of Funnel 12 in.Height of Top above Ground 1 ft. 0 in.Height of Ground above Sea Level 430 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with or in. or more
Inches	Inches	Date.	* or in. or more
JAN.	1.55		
FEB.	2.97		
MAR.	3.09		
APRIL	1.27		
MAY	2.01		
JUNE	2.45		
JULY	2.34		
AUG.	0.69		
SEPT.	1.55		
OCT.	2.54		
NOV.	1.76		
DEC.	0.41		
Total	22.63		

Signature [Signature]

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

MILES WILLIAM BINNS

47 LEICESTER ROAD LUTTERWORTH RUGBY

Hour of observation by the clock—in Winter 9^h in Summer 9^h 6 M.T.Nearest Railway Station LUTTWTH LNER Distance Direction from gauge Nearest Parish Church at Distance Direction from gauge Nature of objects nearest to gauge Heights of objects Distances Directions from gauge

If gauge has been moved during the year state—

Date of move May 1st Distance 6 ft Direction S

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

No alteration in height & exposure caused by moving gauge, which was done to prevent shelter from a wooden hut put up in next garden

Precipitation is measured at 9 am on an average twice weekly

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd, 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

M.O. 7

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at 25 Abchurch Lane, London, E.C.4, or from any of the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

2491

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At LUTTERWORTH
In the County of LEICESTER
Diameter of Funnel FIVE in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level (425) ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches	Inches	Date	0.01 in. or more	0.04 in. or more
JAN.	1.86	-	-	16	-
FEB.	0.67	-	-	9	-
MAR.	1.96	-	-	19	-
APRIL	2.26	-	-	16	-
MAY	0.78	-	-	13	-
JUNE	1.03	-	-	11	-
JULY	1.99	-	-	11	-
AUG.	1.85	0.33	28	18	13
SEPT.	1.73	0.45	29	12	8
OCT.	1.69	0.37	14	17	11
NOV.	1.93	0.57	9	13	11
DEC.	4.65	0.52	6	25	21
Total	22.40			180	

Signature

W. B. Dennis

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

MILES W. BINNS

47 LEICESTER ROAD, LUTTERWORTH, RUGBY

Hour of observation by the clock—in Winter 9h GMT in Summer 9h GMT

Nearest Railway Station LUTTERWORTH Distance 3/4 mile Direction from gauge SSE

Nearest Parish Church at LUTTERWORTH Distance 1/2 mile Direction from gauge S'W

Nature of objects nearest to gauge

Height of objects

No Change

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move JULY Distance 6 ft. Direction S

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Above figures are converted from mm. totals. I have daily readings in mm. from August 1st 1934. If required, please send FORM 1091.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935 .

Kept at LUTTERWORTH

in the County of LEICS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	6.7	0.1	0.1	1.2	0.3	5.4	0.1	-	3.5	1.7	2.1		1	
2	-	-	1.2	0.1	-	3.6	Trace	-	1.6	5.1	-		2	
3	Trace	4.3	1.2	0.1	-	5.7	Trace	-	5.9	-	6.1		3	
4	-	Trace	-	3.5	-	2.6	-	-	0.2	10.0	Trace		4	
5	-	16.6	2.7	1.9	-	0.3	0.5	-	0.3	Trace	1.2		5	
6	-	0.4	0.4	6.3	-	7.1	-	-	-	-	0.9		6	
7	0.4	-	-	7.8	-	4.4	-	-	-	-	(9.5)		7	
8	-	Trace	0.2	5.3	-	0.1	-	-	-	8.5	-		8	
9	-	0.1	-	9.0	0.1	3.1	-	-	-	16.9	(16.2)		9	
10	-	0.1	-	Trace	-	0.6	-	Trace	-	-	0.6		10	
11	4.8	Trace	-	0.2	-	1.5	2.4	Trace	-	4.0	4.9		11	
12	-	0.3	-	-	-	7.1	-	1.2	Trace	-	0.4		12	
13	1.8	0.4	-	2.6	4.6	0.5	-	-	-	0.8	-		13	
14	-	-	0.3	Trace	2.7	0.8	0.7	-	x 970/18 mm 29.2 mm 5 days	-	15.7		14	
15	-	2.3	-	16.7	1.2	10.8	1.2	-		-	-	28.0 x		15
16	-	0.7	2.3	5.4	-	4.7	-	-		-	4.6		x	
17	Trace	0.1	-	1.6	-	4.9	0.1	-		Trace	-	9.2		17
18	0.1	-	-	5.9	1.5	4.4	2.0	-	x	x	-		18	
19	0.2	2.2	-	2.2	10.4	4.5	3.2	-	2.7	0.2	12.0 x		19	
20	1.3	7.5	-	7.6	0.3	2.8	1.2	-	0.3	-		x		20
21	0.1	8.5 x	-	2.0	-	-	-	-	13.4	0.7	3.1		21	
22	-		0.6	5.4	-	-	-	-	1.0	Trace	-		22	
23	-	-	4.4	-	-	-	-	20.3	-	5.2	-		23	
24	-	4.6	0.8	-	-	-	-	0.2	25.8	0.9	-		24	
25	5.7	1.4	-	3.0	-	{ 17.5 1.6	-	Trace	-	-	-		25	
26	Trace	-	-	-	-		-	4.5	{ 7.7 x	-	-	-		26
27	0.1	5.8	-	-	-	Trace	Trace	-		0.7	x day	-		27
28	0.2	0.3	-	-	0.5	-	-	0.2	1.5	0.8	-		28	
29	0.1	X	0.9	-	-	-	-	0.2	4.0	1.3	x Rain every 26th to 30th		29	
30	2.0	X	0.8	2.3	-	-	-	17.3	0.3	5.2	-		30	
31	Trace	X	-	X	-	X	-	-	X	17.9	X		31	
TOTAL	23.6	55.8	15.9	90.1	21.6	94.0	11.5	44.0	97.4	86.8	(125.0)	(84.6)	YEAR'S TOTAL	
Days with 0.2 mm. or more.	9	15	12	19	8	20	7	7	20	18	19	(21)	(17)	(170)
Days with 1.0 mm. or more.	6	(10)	5	18	5	16	5	4	(15)	(12)	(15)	6	(11)	(122)

(144W)

40-9999

93

2.20

63

3.55

85

3.70

4.5

1.73

3.83

3.42

4.92

3.33

(29.54)

(Signed)

Miles W. D. Smith

[P.T.O.]

Section **A** for the entry of Daily
AIR MINISTRY.—ME
FORM 1090. **REGISTER**

Kept at Lutterworth Wat
in the County of Leicestershire

Diameter of Funnel of Gauge 8 2492 — 448374
Height of top of Gauge above Ground 1
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule
year in the space on the right of this para
Pleas

Station No. 2492
AINFALL ORGANIZATION.
1932. Leicester 11
931 NR.

US DAY.
st of the following
af.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.						in.	in.	in.	
1				0.08	0.48	0.10		0.04					1
2				0.08	0.38				0.49	0.30		0.13	2
3				0.25	0.03								3
4	0.10			0.11							0.35		4
5	0.22							0.09					5
6	0.19		0.09	0.26				0.58				0.04	6
7			0.13	0.23				1.10					7
8				0.10					0.18				8
9													9
10	0.10	0.13		0.08						0.14			10
11				0.05	0.17		0.05	0.27					11
12	0.18	0.10			0.20		0.08			0.31			12
13				0.11			1.78	0.10					13
14		0.04		0.18							0.11	0.03	14
15	0.21			0.05	0.17								15
16	0.17			0.31		0.28				0.11			16
17													17
18					0.17								18
19										0.36			19
20								0.45		0.47	0.18		20
21			0.19	0.10	1.96			0.31		0.27		0.09	21
22			0.18	0.23	0.08	0.11	0.23		0.63	0.10	0.44		22
23				0.04	1.11				0.08	0.05			23
24									0.03	0.04	0.45	0.12	24
25		0.09					0.27			0.13			25
26				0.43	0.26		0.24		0.11				26
27			0.31	0.26	0.23		0.26				0.11		27
28			0.11	0.05	0.36		0.20	0.29					28
29			0.19	0.17	0.02	0.18		0.04		0.42		0.14	29
30		X	0.10			0.33	0.11	0.16	0.77	0.24	0.40	0.25	30
31	0.04	X		X		X			X	0.06	X	0.04	31 ^d
TOTAL	1.21	0.36	1.30	3.17	5.82	0.72	4.31	1.29	3.25	3.18	2.04	0.84	27.49
*Days with 0.1 in. or more.													
*Days with 0.4 in. or more.													

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lutterworth Waterworks
in the County of Leicester

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 9 in.
Ground Sea Level 414 ft.

1931 NR

g. not read daily.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.08	0.48	0.10		0.04					1
2				0.08	0.38				0.49	0.30		0.13	2
3				0.25	0.03								3
4	0.10			0.11							0.35		4
5	0.22								0.09				5
6	0.19		0.09	0.26					0.58			0.04	6
7			0.13	0.23					1.10				7
8				0.10						0.18			8
9													9
10	0.10	0.13		0.08						0.14			10
11				0.05	0.17		0.05		0.27				11
12	0.18	0.10			0.20		0.08			0.31			12
13				0.11			1.78		0.10				13
14		0.04		0.18							0.11	0.03	14
15	0.21			0.05	0.17								15
16	0.17			0.31			0.28			0.11			16
17													17
18					0.17								18
19										0.36			19
20								0.45		0.47	0.18		20
21			0.19	0.10	1.96			0.31		0.27		0.09	21
22			0.18	0.23	0.08	0.11	0.23		0.63	0.10	0.44		22
23				0.04	1.11				0.08	0.05			23
24									0.03	0.04	0.45	0.12	24
25		0.09					0.27			0.13			25
26				0.43	0.26		0.24		0.11				26
27			0.31	0.26	0.23		0.26				0.11		27
28			0.11	0.05	0.36		0.20	0.29					28
29			0.19	0.17	0.02	0.18		0.04		0.42		0.14	29
30		X	0.10			0.33	0.11	0.16	0.77	0.24	0.40	0.25	30
31	0.04	X		X		X			X	0.06	X	0.04	31
TOTAL	1.21	0.36	1.30	3.17	5.82	0.72	4.31	1.29	3.25	3.18	2.04	0.84	27.49
*Days with or in. or more.													
*Days with .04 in. or more.													

Section

A

for the entry of Daily Observations.

Station No.

2492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Lutterworth Waterworks*in the County of *Leicesters*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. *9* in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.17	/	/								0.06			1
2	0.10	0.21	0.41											2
3	/	0.25	0.15		0.72						0.04			3
4	0.14	/	/		0.28									4
5	/	0.06	0.19		0.29						0.03			5
6	0.05	0.14	0.12							0.10				6
7	0.06	0.30	0.07		0.02					0.14				7
8	/	/	0.07				0.30			0.02	0.03			8
9	0.03	/	/		0.09		0.29			0.09	0.10			9
10	/	0.12	/			0.07				0.00	0.26			10
11	/	/	/			0.06	0.04	0.04						11
12	0.06	/	/					0.01	0.19					12
13	/	/	/			0.05	0.27			0.03	0.25			13
14	/	/	/				0.01			0.15	0.31			14
15	0.53	/				0.14	0.66	0.04						15
16	0.06	/	0.40		0.12	0.17	0.03			0.02	0.36			16
17	/	/	0.56			0.04			0.02		0.05	0.09		17
18	/	/				0.12	0.14							18
19	/	0.07	0.50			0.29			0.06		0.03	0.10		19
20	/	0.04				0.04				0.04				20
21	/	0.07			0.24	0.17								21
22	/	0.04				0.36		0.42		0.45				22
23	/	/							0.59					23
24	/	0.30		0.13	0.07	0.20			0.43					24
25	/	x		0.20		0.43			0.04			0.06		25
26	/	1.04		0.14		0.35				0.15				26
27	/	/							0.16					27
28	/	/		0.25	0.06		0.07			0.04				28
29	/	/		0.36			0.12					0.10		29
30	0.16	x	0.03	0.10			0.10			0.09		0.04		30
31	0.10	x	0.34	x		x		0.12	x	0.21	x			31
TOTAL	1.46	2.64	2.84	1.18	1.89	2.57	2.07	0.67	1.49	2.41	1.56	0.43	21.21	
*Days with "or in. or more.	11	12	11	6	9	14	11	5	7	14	11	5	116	
*Days with "or in. or more.	10	12	10	6	8	14	9	4	6	11	8	5	103	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. Williams

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lutterworth Waterworks

in the County of Leicesters

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 9 ft.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05							.17			.12	.30		1
2	.04		.06						.26		.04	.19		2
3		.12								.13				3
4	.08		.04	.44					.05	.11	.10	.31		4
5			.05	.03	.09			.11			.08	.07		5
6				.09	.35	.11				.19		.48		6
7	.12		.03			.10		.09		.12		.22		7
8					.12	.02		.09						8
9			.12	.07							.68	.39		9
10			.11	.12				.08			.09			10
11	.56		.16	.27				.08				.14		11
12			.24		.06		.08	.15				.04		12
13	.30			.02	.06		.26	.28				.36		13
14	.09		.17		.06						.45	.35		14
15			.31		.09				.05	.35	.17			15
16	.15		.10		.06					.04		.05		16
17	.02	.06			.02				.09	.13	.07	.11		17
18	.09			.25			.87		.03	.14	.02	.02		18
19	~~.12~~		.08									.01		19
20			.13	.11		.06			.02					20
21						.18		.04		.08				21
22								.14	.19			.11		22
23				.23		.17	.24					.08		23
24		.25	.10	.06		.03	.04		.40	.03	.07			24
25	.18					.35			.13	.06		.26		25
26	.02			.13		.05						.04		26
27		.24	.03	.13								.19		27
28				.34		.03		.33				.35		28
29							.17	.22	.45					29
30	.06	×					.04					.11		30
31		×		×		×			×	.20	×	.05		31
TOTAL	1.76	0.67	1.73	2.39	0.91	1.10	1.70	1.78	1.67	1.58	1.82	4.23	21.24	
* Days with .01 in. or more.	13	4	15	14	9	10	4	12	10	12	11	23	140	
* Days with .04 in. or more.	11	4	13	12	8	4	4	12	8	11	10	21	124	

Year's Total.

Section

A

for the entry of Daily Observations.

Station No.

2492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lutterworth Waterworksin the County of LeicestersDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 9 in.,, Ground ,, Sea Level 9 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.	.04	.	.	.14	.	.	.13	.06	.09	.		1
2	.	.	.03	.04	.	.15	.	.	.	.18	.	.14		2
3	.	.16	.05	.	.	.28	.	.	.27	.26	.24	.04		3
4	.	.	.	.12	.	.09	.	.	.02	.19	.	.		4
5	.	.64	.09	.06	.	.03	.04	.	.07	.02	.06	.		5
6	.	.	.02	.25	.	.26	.	.	.	.	.05	.		6
7	.	.	.	.31	.	.17	.	.	.	.	.42	.18		7
8	.	.	.	.23	.	.	.	.	.	.27	.13	.04		8
9	.	.	.	.28	.	.13	.	.	.	.59	.38	.		9
10	.	.	.	.	.	.03	.	.	.	.	.	.04		10
11	.15	.	.	.	.	.05	.09	.	.	.17	.19	.		11
12	.06	.01	.	.	.	.28	.	.03	.	.	.03	.		12
13	.07	.02	.	.09	.18	.02	.	.	.	.03	.	.		13
14	.	.	.	.	.12	.03	.04	.	.	.	.57	.15		14
15	.	.09	.	.64	.05	.44	.07	.	.56	.	.32	.24		15
16	.	.04	.10	.21	.	.16	.	.	.24	.18	.82	.		16
17	.	.	.	.07	.	.21	.	.	.	.	.	.		17
18	.	.05	.	.21	.04	.17	.18	.	.20	.10	.39	.		18
19	.	.28	.	.08	.42	.17	.	.	.09	.	.27	.		19
20	.06	.028	.	.27	.	.08	.05	.	.	.	.16	.		20
21	.	.27	.03	.07	.	.	.	.	.39	.04	.11	.		21
22	.	.04	.	.18	.	.	.	.	.04	.	.	.		22
23	.	.	.	.	.	.	.	.71	.	.24	.	.		23
24	.10	.15	.15	.	.	.	.	.	1.01	.	.	.		24
25	.17	.06	.	.13	.	.77	.	.	.	.	.	.52		25
26	.	.	.	.	.	.	.	.17	.31	.	.	.45		26
27	.	.19	.	.	.	.	.	.	.05	.	.20	.96		27
28	.	.	.	.	.03	.	.	.	.06	.07	.	.06		28
29	.	.	.03	.	.	.	.	.66	.14	.05	.08	.14		29
30	.07	X	.	.10	.	.	.	.	.02	.22	.17	.07		30
31	.	X	.	X	.	X	.	.	X	.65	X	.23		31
TOTAL	.92	2.00	.54	3.34	.84	3.66	.47	1.57	3.45	3.32	4.68	3.16	27.95	
* Days with .01 in. or more.	8	13	9	18	6	20	7	4	16	17	19	14	151	
* Days with .04 in. or more.	8	11	5	18	5	16	7	3	13	15	18	14	133	†

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

N Williams

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 3492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Luton, Bedfordshire

in the County of Bedfordshire

Diameter of Funnel of Gauge.....2.....in.

Height of top of Gauge above Ground.....1.....ft.....9.....in.

„ Ground „ Sea Level ft.

any days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.08	.13	.40			.20				.07	.07		1
2	.		.05	.05		.05	.84	.13			.22	.10		2
3	.					.53	.10	.02	.12		.03			3
4	.		.10			.18		.02	.34			.12		4
5	.02		.03			.11			X			.09		5
6	.03				.24		.09	.04	.24		.10			6
7	.29					.14	.33	.36	.05					7
8	.14		.11								.20	.12		8
9	.26		.05			.03	.74		.03	.11				9
10	.08						.19							10
11	.			X			.40				.23			11
12	.			.31		.24	.52		.62		X			12
13	.			.03		.17	.43			.08	.12	.36		13
14	.			.24		X			.21			.46		14
15	.					.12	X		.11			.06		15
16	.	.20					.29				.56			16
17	.29	.33					.07			X		.10		17
18	.						.12			.40		.05		18
19	.32	.06		.34		.13		.07		.12				19
20	.	.03	.01			X			.10					20
21	.			.27		.17								21
22	.	.60	.05		.18	.12	.15				.15			22
23	.	.04	.07	.11	.07		.33			.07				23
24	.17	.06			.04				.18	.34				24
25	.05		.14	.34		.03	.09		.23	.05				25
26		.09	.25	.07			.06			.06				26
27			.02							.08	.06			27
28	.41	.12	.10				.03		.17			.13		28
29	.36	.30	.02			.04				.09	.36	.09		29
30	.04	X			.17	.16	.10			.33	.09			30
31	.59	X	.05	X		X	.02		X	.12	X	.19	.1	31
TOTAL	3.15	1.91	1.18	2.16	.70	4.22	5.10	.64	2.40	1.85	2.19	1.94	27.44	Year's Total
* Days with .01 in. or more.	15	11	15	11	5	17	21	6	13	13	12	14	153	
* Days with .04 in. or more.	14	10	11	10	5	15	18	4	12	13	11	14	137	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) N. Williams [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

2492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Lutterworth Waterworks*in the County of *Leicestershire*Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground...*1*...ft...*9*...in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>0.9</i>								<i>.07</i>		<i>.20</i>	<i>.19</i>		1
2		<i>0.4</i>	<i>.03</i>	<i>.45</i>								<i>.17</i>		2
3					<i>.21</i>							<i>.08</i>		3
4	<i>0.7</i>	<i>.20</i>			<i>.05</i>							<i>.25</i>		4
5	<i>.30</i>		<i>.20</i>									<i>.32</i>		5
6	<i>0.9</i>		<i>.15</i>		<i>.11</i>						<i>.04</i>			6
7		<i>.53</i>	<i>.15</i>	<i>.13</i>	<i>.03</i>									7
8		<i>.13</i>									<i>.39</i>	<i>.05</i>		8
9					<i>.34</i>				<i>.14</i>			<i>.15</i>		9
10		<i>.04</i>	<i>.46</i>			<i>.23</i>	<i>.31</i>					<i>.07</i>		10
11			<i>.71</i>			<i>.23</i>								11
12	<i>0.8</i>	<i>.27</i>	<i>.05</i>		<i>1.11</i>				<i>.17</i>			<i>.22</i>		12
13	<i>0.6</i>			<i>.17</i>	<i>.03</i>	<i>.13</i>		<i>.80</i>						13
14		<i>.07</i>	<i>.46</i>	<i>.04</i>				<i>.18</i>				<i>.15</i>		14
15	<i>.19</i>	<i>.04</i>	<i>.26</i>	<i>.20</i>			<i>2.08</i>		<i>.11</i>					15
16		<i>.10</i>	<i>.23</i>	<i>.32</i>				<i>.07</i>	<i>.18</i>					16
17	<i>.13</i>	<i>.03</i>		<i>.30</i>					<i>.25</i>					17
18	<i>.39</i>	<i>.11</i>	<i>.20</i>	<i>.03</i>					<i>.05</i>		<i>.29</i>			18
19		<i>.06</i>		<i>.09</i>		<i>.11</i>	<i>.35</i>			<i>.03</i>	<i>.09</i>			19
20	<i>.26</i>			<i>.41</i>	<i>.55</i>	<i>.02</i>								20
21		<i>.17</i>	<i>.14</i>				<i>.24</i>							21
22	<i>.19</i>		<i>.16</i>		<i>.40</i>		<i>.12</i>			<i>.41</i>	<i>.33</i>	<i>.10</i>		22
23	<i>.16</i>				<i>.12</i>		<i>.18</i>			<i>.65</i>	<i>.10</i>			23
24	<i>.15</i>	<i>.29</i>	<i>.09</i>						<i>.04</i>	<i>.20</i>				24
25		<i>.27</i>			<i>.17</i>					<i>.92</i>				25
26		<i>.20</i>	<i>.08</i>		<i>.50</i>					<i>.04</i>				26
27				<i>.34</i>						<i>.57</i>		<i>.03</i>		27
28		<i>.17</i>								<i>.02</i>		<i>.03</i>		28
29										<i>.04</i>	<i>.08</i>	<i>.04</i>		29
30	<i>.44</i>	~~X~~						<i>.06</i>		~~X~~	<i>.13</i>			30
31	<i>.17</i>	~~X~~		~~X~~		~~X~~			~~X~~	<i>.14</i>	~~X~~	<i>.04</i>		31 "d"
TOTAL	<i>2.77</i>	<i>2.72</i>	<i>2.76</i>	<i>2.94</i>	<i>3.62</i>	<i>.72</i>	<i>3.28</i>	<i>1.11</i>	<i>1.01</i>	<i>3.02</i>	<i>1.65</i>	<i>1.89</i>	<i>27.49</i>	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.	<i>16</i>	<i>16</i>	<i>13</i>	<i>11</i>	<i>11</i>	<i>4</i>	<i>6</i>	<i>4</i>	<i>8</i>	<i>8</i>	<i>9</i>	<i>14</i>	<i>120</i>	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W Williams

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... *Cuthbertworth Waterworks* ...

in the County of ... *Leicestershire* ...

Diameter of Funnel of Gauge ... *8* ... in.

Height of top of Gauge above Ground ... *1* ft. ... *7* in.

„ Ground „ Sea Level ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										.15		.13		1
2	.05			.02	.03	.48			.04	.19				2
3	.03				.06	.27	.71			.57	.05			3
4	.02									.17		.26		4
5							.93	.10	.02					5
6						.03	.07	.05	.22	.18				6
7	.12					.02	.13	.35	.12	.10		.05		7
8	.26						.06	.02		.15				8
9	.03	.15										.22		9
10	.02					.24	.24	.05				.06		10
11	.48										.10			11
12	.18	.05			.14		.03			.28				12
13	.28	.06									.06	.30		13
14	.28	.08			.05		.55		.06					14
15	.07				.02		.23					.24		15
16	.18						.02				.02	.06		16
17		.07					.03		.01	.09	.04			17
18				.20	.05				.20		.34			18
19								.13	.07		.13			19
20									.03		.39			20
21								.03			.11			21
22						.23						.48		22
23					.05		.26		.02					23
24		.13	.03		.04		.72		.27					24
25	.09	.27	.09				.03	.08	.07	.10	.19			25
26	.04		.13					.01		.25		.43		26
27	.10				.12	.18	.34	.21	.26	.03	.23			27
28	.13				.27	.11		.19	.01		.07	.20		28
29	.86				.31		.03			.05	.11	.11		29
30	.03	X				.19			.35	.02	.16	.14		30
31	.16	X		X	.16	X			X	.11	X	.38		31 d
TOTAL	2.83	.81	.25	.02	1.45	1.80	3.67	2.22	1.65	2.44	2.00	3.06	22.20	
* Days with .01 in. or more.	19	7	3	1	12	10	16	11	15	15	14	20	143	
* Days with .04 in. or more.	14	7	2	0	10	8	11	8	10	13	13	18	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *W. Williams* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lutterworth Waterworks.....

in the County of Leicester.....

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....9.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.12	.05			.29						1
2	.09			.09				.37		.05				2
3	.18			.30				.57	.58		.21	.19		3
4			.39	.65				.31		.22	.06	.06		4
5				.06	.33		.08	.81		.08	.22	.15		5
6	.88						.62	.02			.03			6
7	.01							.01			.27	.20		7
8	.03	.68	.15				.56	.18		.30	.04	.35		8
9		.07						.16		.39		.19		9
10	.35		.05					.24	.04					10
11			.17			.05			.03	.02				11
12		.06												12
13									.06	.13				13
14	.33	.22	.02	.02	.52	.15	.23			.10	.06			14
15	.28				.08		.27			.59	.05			15
16	.17		.12		.23	.63	.51							16
17	.29				.20		.37			2.77				17
18	.07		.07			.28	.20				.72			18
19	.21						.73							19
20	.20					.07	.07	.34						20
21			.23			.11		.21						21
22	.26		.09	.03			.67				.29			22
23		.20		.06		.03	.08		.12		.62			23
24				.10			.20							24
25	1.26	.05	.18				.05				.24			25
26	.43			.06				.08			.27			26
27	.03		.12				.07							27
28		.30	.11	.07			.08		.03	.26		.08		28
29				.29			.10					.04		29
30		X		.11		.23				.22	.28			30
31		X		X		X		.24	X		X			31
TOTAL	5.07	.98	1.70	1.96	1.41	1.55	4.89	3.83	.86	5.13	3.36	1.26	32.00	
* Days with .01 in. or more.	17	7	12	13	6	8	17	14	6	12	14	8	134	"d"
* Days with .04 in. or more.	14	7	11	11	6	7	17	12	4	11	13	8	121	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Geo. Burridge
Surveyor & Engineer: [P.T.O.]

Kept at *Market Har*
in the County of *Leices*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

2492/5

MARKET HARBOUROUGH, GARDINER ST.

1931 — 40

2492/5
OR OFFICIAL USE.
ANIZATION.

Jan. 1, following

Date	Jan. in.	Feb. in.	March in.									Dec. in.	Date
1	—	0.03	0.01	—	—	—	—	—	0.27	Tr	—	—	1
2	—	0.05	—	0.75	0.02	0.03	—	0.70	0.35	0.04	—	0.03	2
3	0.04	0.01	—	X	0.01	—	0.02	—	0.97	—	0.27	0.07	3
4	—	0.02	—	0.26	—	—	0.31	0.20	0.06	Tr	0.10	0.01	4
5	—	0.04	—	0.05	0.02	0.59	0.01	0.01	0.09	—	—	0.28	5
6	—	0.17	—	Tr	Tr	0.01	0.04	—	Tr	0.15	0.20	—	6
7	Tr	—	—	—	—	0.05	0.01	0.21	—	—	0.04	0.01	7
8	—	0.05	Tr	0.04	0.01	0.08	0.02	0.37	—	—	0.18	Tr	8
9	0.02	0.24	—	0.02	—	0.08	Tr	0.13	—	—	0.26	0.07	9
10	—	0.01	0.07	—	Tr	0.02	—	0.19	0.20	—	0.06	Tr	10
11	0.09	0.24	—	—	0.01	0.04	0.01	—	X	—	0.11	—	11
12	—	0.08	—	0.01	—	—	0.30	Tr	X	—	—	—	12
13	0.04	—	0.01	0.33	Tr	—	—	0.05	—	0.02	0.01	—	13
14	—	0.06	Tr	—	—	0.06	0.59	0.48	—	—	0.04	—	14
15	0.01	0.10	—	—	0.21	—	0.07	0.17	0.41	—	0.01	0.04	15
16	—	0.15	—	0.11	0.20	0.25	0.01	0.05	X	—	—	—	16
17	0.06	0.37	—	X	0.36	0.04	0.09	—	—	—	—	—	17
18	—	0.03	—	0.63	0.01	0.06	0.05	0.05	—	Tr	0.35	—	18
19	0.06	0.01	—	0.25	0.03	0.01	0.03	0.01	X	—	0.01	—	19
20	0.01	0.05	—	0.11	—	—	0.07	0.40	—	—	Tr	0.01	20
21	0.14	Tr	—	—	0.54	—	—	0.14	—	—	—	—	21
22	0.14	0.01	—	—	—	—	—	0.01	—	—	0.01	—	22
23	0.17	—	0.01	0.02	0.35	0.03	—	—	0.15	—	0.17	0.03	23
24	—	0.01	—	X	0.44	—	0.12	—	0.01	0.02	0.01	0.01	24
25	0.05	0.02	—	0.68	0.01	—	0.37	—	Tr	—	0.02	Tr	25
26	—	0.02	—	0.31	—	—	0.10	—	Tr	—	0.15	Tr	26
27	0.08	0.56	—	—	0.02	—	0.04	—	—	0.01	0.29	0.16	27
28	0.14	0.34	—	—	0.13	—	—	—	—	0.03	0.01	0.10	28
29	0.11	—	—	—	0.03	—	0.08	—	—	0.17	0.01	0.03	29
30	0.29	X	—	Tr	—	—	—	—	—	—	Tr	—	30
31	0.29	X	—	X	—	X	0.02	Tr	X	0.01	X	0.03	31
TOTAL	1.74	2.67	0.10	3.60	2.40	1.35	2.36	3.17	2.51	0.45	2.31	0.82	YEAR'S TOTAL 23.48
*Days with or in. or more.	18	24	4	18	17	14	22	16	12	8	21	14	118
*Days with or in. or more.	14	14	1	14	7	9	14	13	11	3	13	5	118

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Market Harborough (Gardiner St)
in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level approx 280 ft.

Leicester 2
cup 1930
Please Examine
15th Dec 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.02	0.01	0.03	Tr	—	—	—	0.27	Tr	—	—	1
2	—	0.05	—	0.75	0.02	0.03	—	0.70	0.35	0.04	—	0.03	2
3	0.04	0.01	—	X	0.01	—	0.02	—	0.97	—	0.27	0.07	3
4	—	0.02	—	0.26	—	—	0.31	0.20	0.06	Tr	0.10	0.01	4
5	—	0.04	—	0.05	0.02	0.59	0.01	0.01	0.09	—	—	0.28	5
6	—	0.17	—	Tr	Tr	0.01	0.04	—	Tr	0.15	0.20	—	6
7	Tr	—	—	—	—	0.05	0.01	0.21	—	—	0.04	0.01	7
8	—	0.05	Tr	0.04	0.01	0.08	0.02	0.37	—	—	0.18	Tr	8
9	0.02	0.24	—	0.02	—	0.08	Tr	0.13	—	—	0.26	0.07	9
10	—	0.01	0.07	—	Tr	0.02	—	0.19	0.20	—	0.06	Tr	10
11	0.09	0.24	—	—	0.01	0.04	0.01	—	X	—	0.11	—	11
12	—	0.08	—	0.01	—	—	0.30	Tr	X	—	—	—	12
13	0.04	—	0.01	0.33	Tr	—	X	0.05	—	0.02	0.01	—	13
14	—	0.06	Tr	—	—	0.06	0.59	0.48	—	—	0.04	—	14
15	0.01	0.10	—	—	0.21	—	0.07	0.17	0.41	—	0.01	0.04	15
16	—	0.15	—	0.11	0.20	0.25	0.01	0.05	X	—	—	—	16
17	0.06	0.37	—	X	0.36	0.04	0.09	—	—	—	—	—	17
18	—	0.03	—	0.63	0.01	0.06	0.05	0.05	—	Tr	0.35	—	18
19	0.06	0.01	—	0.25	0.03	0.01	0.03	0.01	X	—	0.01	—	19
20	0.01	0.05	—	0.11	—	—	0.07	0.40	—	—	Tr	0.01	20
21	0.14	Tr	—	—	0.54	—	—	0.14	—	—	—	—	21
22	0.14	0.01	—	—	—	—	—	0.01	—	—	0.01	—	22
23	0.17	—	0.01	0.02	0.35	0.03	—	—	0.15	—	0.17	0.03	23
24	—	0.01	—	X	0.44	—	0.12	—	0.01	0.02	0.01	0.01	24
25	0.05	0.02	—	0.68	0.01	—	0.37	—	Tr	—	0.02	Tr	25
26	—	0.02	—	0.31	—	—	0.10	—	Tr	—	0.15	Tr	26
27	0.08	0.56	—	—	0.02	—	0.04	—	—	0.01	0.29	0.16	27
28	0.14	0.34	—	—	0.13	—	—	—	—	0.03	0.01	0.10	28
29	0.11	—	—	—	0.03	—	0.08	—	—	0.17	0.01	0.03	29
30	0.29	X	—	Tr	—	—	—	—	—	—	Tr	—	30
31	0.29	X	—	X	—	X	0.02	Tr	X	0.01	X	0.03	31
TOTAL	1.74	2.67	0.10	3.60	2.40	1.35	2.36	3.17	2.51	0.45	2.31	0.82	YEAR'S TOTAL 23.48
*Days with or in. or more.	18	24	4	18	17	14	22	16	(11) 12	8	21	14	(18) 19
*Days with or in. or more.	14	14	1	14	7	9	14	13	11	3	13	5	118.

Section **A** for the entry of Daily Observations. Station No. 2492/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Market Harborough
in the County of LeicestershireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 260 ft.Sept Cor for anull
D sent 20/5/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.02	—	0.05	0.37	0.05	—	0.50	0.09	0.27	Tr	0.18	1
2	0.03	Tr	—	0.04	0.15	—	—	0.05	0.18	0.08	0.02	—	2
3	0.01	—	—	0.11	0.01	—	Tr	—	Tr	—	—	—	3
4	0.05	Tr	—	0.04	—	Tr	—	0.01	0.01	Tr	0.34	—	4
5	0.20	Tr	—	—	0.05	0.03	0.09	Tr	0.07	—	—	—	5
6	0.27	—	0.12	0.27	0.01	—	Tr	—	0.44	—	—	—	6
7	0.01	—	0.19	0.25	Tr	—	—	—	0.08	—	—	—	7
8	—	0.02	0.01	0.09	—	—	—	—	0.17	0.10	0.01	—	8
9	—	0.09	0.01	0.06	Tr	—	—	—	—	—	—	Tr	9
10	0.06	0.03	Tr	0.09	0.01	—	—	—	0.18	0.06	—	—	10
11	—	0.04	0.02	0.04	0.06	0.01	0.26	0.01	0.07	0.01	0.02	—	11
12	0.15	0.02	—	0.01	0.12	Tr	0.19	—	0.03	0.32	0.02	—	12
13	0.01	0.01	—	0.20	0.01	—	0.95	—	0.04	0.05	0.01	0.01	13
14	0.26	0.04	—	Tr	0.02	—	0.03	0.03	—	0.02	0.03	Tr	14
15	0.01	—	—	0.08	0.22	—	Tr	0.01	—	0.05	0.02	0.03	15
16	0.20	—	—	0.32	0.13	—	—	—	—	—	Tr	—	16
17	—	—	Tr	0.01	0.03	—	0.06	—	—	0.14	Tr	—	17
18	0.01	—	—	—	—	—	—	—	0.01	—	Tr	—	18
19	—	0.01	—	0.05	Tr	—	Tr	—	—	0.15	—	—	19
20	—	—	—	0.06	0.15	—	0.01	0.42	—	0.43	0.10	—	20
21	—	Tr	0.15	0.14	1.29	—	—	0.49	—	0.21	0.01	0.04	21
22	Tr	0.01	0.32	0.05	0.09	—	0.16	—	0.68	0.05	0.42	Tr	22
23	—	0.01	0.01	0.01	0.11	—	0.01	—	0.05	0.07	0.08	0.03	23
24	—	0.01	—	Tr	0.01	—	0.12	—	0.04	0.01	0.33	—	24
25	—	0.02	—	Tr	—	—	—	—	—	0.17	0.01	—	25
26	—	—	—	0.40	0.20	—	0.45	—	0.08	0.01	—	—	26
27	—	—	0.34	0.06	0.37	—	—	—	0.01	—	0.13	—	27
28	—	—	0.04	0.05	0.40	0.15	0.16	0.44	—	0.05	—	0.02	28
29	—	—	0.20	0.12	0.27	0.09	0.01	0.12	0.04	0.24	0.01	0.05	29
30	—	X	0.02	—	—	0.27	0.02	—	1.19	0.31	—	0.14	30
31	Tr	X	0.09	X	0.02	X	0.34	0.12	X	0.01	X	0.03	31
TOTAL	1.32	0.33	1.52	2.60	4.10	0.60	2.86	2.20	3.46	2.81	1.46	0.53	YEAR'S TOTAL
*Days with 0.1 in. or more.	15	13	14	24	23	6	17	12	19	22	16	9	190
*Days with 0.4 in. or more.	8	4	8	21	14	4	12	7	15	17	6	4	120

40-9999

*See Instruction 2 (f) on other side.

(Signed) G. E. Wholdridge

P. T. O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

2492/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Market Harborough*
in the County of *Leicestershire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
,, Ground ,, Sea Level *270* ft.

Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	0.20	0.09	—	—	—	—	—	—	—	0.17	—		1
2	0.08	—	0.29	Tr	0.04	—	—	Tr	—	—	X	—		2
3	Tr	0.21	0.16	—	0.09	—	—	—	—	—	0.08	—		3
4	0.10	0.01	0.18	—	0.35	—	—	—	—	—	0.03	—		4
5	0.05	0.02	0.18	—	—	—	—	—	—	—	—	—		5
6	—	0.08	0.18	—	0.21	—	—	—	—	0.10	0.01	—		6
7	0.01	0.31	0.02	—	0.02	—	—	Tr	—	0.12	0.03	Tr		7
8	0.02	Tr	0.09	—	0.05	—	0.20	—	—	0.03	—	—		8
9	—	—	—	—	0.07	—	0.23	Tr	—	0.06	0.07	—		9
10	—	0.01	—	—	0.06	0.03	—	0.07	—	0.50	0.20	—		10
11	0.03	—	—	—	0.02	Tr	0.06	0.02	—	0.01	0.01	Tr		11
12	0.01	—	—	Tr	—	0.03	0.08	—	X	Tr	—	0.02		12
13	—	—	—	—	0.02	0.02	0.25	—	↑	0.02	0.21	—		13
14	—	—	—	—	0.04	—	0.01	—	—	0.26	0.38	0.03		14
15	0.50	—	0.01	—	—	Tr	0.07	0.03	—	—	0.31	0.01		15
16	0.12	—	0.46	—	0.07	0.18	0.17	—	—	0.04	0.12	—		16
17	0.02	Tr	0.43	—	—	0.02	—	—	X	—	0.04	0.01		17
18	0.02	0.06	0.03	Tr	—	0.09	0.01	—	1.20	—	0.03	—		18
19	—	—	0.48	0.01	—	—	—	—	X	—	—	0.01		19
20	—	0.04	0.02	0.02	—	0.14	—	0.02	—	0.09	0.01	—		20
21	—	0.07	—	—	0.01	0.03	—	0.19	✓	0.02	—	—		21
22	—	—	—	—	—	0.01	—	0.36	—	0.50	0.01	—		22
23	—	—	—	0.04	—	Tr	—	—	X	0.01	—	—		23
24	—	0.20	—	0.12	0.06	0.38	—	Tr	X	0.02	—	—		24
25	—	0.63	—	0.16	—	0.46	—	—	X	Tr	0.06	0.05		25
26	—	0.41	—	0.04	—	0.08	—	—	0.02	0.06	0.03	0.01		26
27	—	—	—	—	0.04	—	Tr	—	0.31	0.02	—	Tr		27
28	—	0.01	—	—	0.05	—	0.06	—	—	0.23	—	0.10		28
29	0.05	X	—	0.16	—	—	0.05	—	—	0.08	—	—		29
30	0.09	X	—	0.35	0.05	—	—	0.03	—	0.01	0.01	—	0.11	30
31	0.01	X	—	X	—	X	0.01	0.14	X	0.13	X	—		31
TOTAL	1.26	2.26	2.61	0.60	1.20	1.42	1.23	0.83	1.54	2.31	1.80	0.35	Year's Total	17.41
*Days with 0.1 in. or more.	15	14	16	9	16	12	13	7	210	20	19	9		16.0
*Days with 0.4 in. or more.	8	10	10	8	12	6	9	4	86	12	18	3		98

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

G. B. Woodbridge

[P.T.O.]

X MARKET, HARBOURBOURGH X

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2402/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Market Harborough*
in the County of *Leicestershire*

(Nithsdale Avenue)
g. moved from Gardner St. 19/4/34

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *one* ft. in.
,, Ground ,, Sea Level *260* ft.

Continuation Record

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. r, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	Tr	—	—	—	—	—	0.07	—	Tr	0.26	0.30		1
2	0.10	0.01	0.04	—	—	—	—	Tr	~~X~~	0.08	0.02	0.17		2
3	0.01	0.02	—	0.08	—	—	—	—	0.40	0.04	—	0.01		3
4	0.06	0.01	0.02	0.33	0.03	—	—	—	~~X~~	0.14	0.13	0.24		4
5	Tr	—	~~X~~	0.02	0.04	—	—	0.10	—	0.08	0.01	0.17		5
6	Tr	—	0.04	0.08	0.28	0.02	—	0.02	—	0.15	—	0.47		6
7	0.07	—	Tr	—	Tr	0.04	—	0.05	—	0.06	—	0.22		7
8	—	—	—	—	0.04	0.01	—	0.07	—	—	0.14	0.01		8
9	—	—	0.10	0.03	—	—	—	0.06	—	0.01	0.62	0.27		9
10	—	0.01	0.10	0.16	—	—	—	0.04	—	Tr	0.10	0.01		10
11	0.34	Tr	0.10	0.14	—	—	—	0.07	—	—	—	0.24		11
12	—	0.01	0.11	0.01	0.46	—	0.01	0.08	—	—	—	0.02		12
13	0.28	—	Tr	0.02	Tr	—	0.19	0.04	—	0.01	—	0.19		13
14	0.08	—	0.17	Tr	Tr	0.02	Tr	—	—	0.25	0.64	0.23		14
15	0.02	—	0.23	—	0.13	Tr	—	0.01	0.15	0.01	0.12	0.02		15
16	0.10	—	0.07	—	0.08	—	—	Tr	—	0.12	0.02	0.01		16
17	0.03	—	0.01	—	0.03	—	0.05	0.05	0.06	0.06	0.02	0.09		17
18	0.13	—	Tr	0.33	—	—	0.35	Tr	Tr	Tr	Tr	0.04		18
19	—	Tr	0.08	0.12	0.01	0.01	—	—	Tr	0.03	—	0.01		19
20	—	—	0.04	0.07	Tr	Tr	—	Tr	0.02	Tr	—	—		20
21	—	—	0.01	Tr	—	0.15	—	—	—	0.04	—	—		21
22	—	—	—	—	—	—	—	0.03	0.17	Tr	—	—		22
23	—	—	—	0.26	0.03	0.11	0.40	—	0.02	—	Tr	0.13		23
24	—	0.21	0.08	0.03	—	0.02	0.02	—	0.38	0.02	—	0.01		24
25	0.13	0.01	—	0.08	—	0.01	—	—	—	0.05	—	0.21		25
26	0.01	—	0.07	0.10	—	0.05	0.02	—	0.04	Tr	—	0.02		26
27	—	0.15	—	0.01	—	—	0.01	—	Tr	Tr	—	0.22		27
28	—	0.01	—	0.26	—	0.15	—	0.41	Tr	—	0.02	0.54		28
29	—	X	—	—	—	—	0.09	0.25	0.22	0.02	0.01	—		29
30	0.03	X	—	Tr	—	—	0.01	0.04	0.01	—	—	0.11		30
31	0.02	X	—	X	—	X	0.01	—	X	0.05	X	0.17		31
TOTAL	1.42	0.44	1.30	2.13	1.13	0.59	1.16	1.39	1.47	1.22	2.11	4.13	Year's Total	
* Days with .01 in. or more.	16	9	17	18	10	11	11	16	10	11	13	28	(18.49)	
* Days with .04 in. or more.	29	2	12	12	6	5	5	13	8	12	7	18	(148)	
													95	(109)

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *G. B. Woodbridge*

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **2492/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at *Market Harborough*
in the County of *Leicestershire*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *—* in.
,, Ground ,, Sea Level *260* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.30</i>	<i>—</i>	<i>Tr</i>	<i>.08</i>	<i>Tr</i>	<i>.11</i>	<i>.01</i>	<i>—</i>	<i>.11</i>	<i>.09</i>	<i>.07</i>	<i>.05</i>		1
2	<i>—</i>	<i>Tr</i>	<i>Tr</i>	<i>Tr</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>Tr</i>	<i>.13</i>	<i>.01</i>	<i>.11</i>		2
3	<i>.01</i>	<i>.11</i>	<i>.05</i>	<i>.03</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.37</i>	<i>.18</i>	<i>.23</i>	<i>.01</i>		3
4	<i>—</i>	<i>.01</i>	<i>.01</i>	<i>.10</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>—</i>	<i>Tr</i>	<i>.17</i>	<i>.01</i>	<i>—</i>		4
5	<i>—</i>	<i>.65</i>	<i>.05</i>	<i>.05</i>	<i>—</i>	<i>.01</i>	<i>.03</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>.01</i>	<i>—</i>		5
6	<i>.02</i>	<i>.01</i>	<i>Tr</i>	<i>.24</i>	<i>—</i>	<i>x</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.08</i>	<i>—</i>		6
7	<i>.01</i>	<i>.02</i>	<i>—</i>	<i>.40</i>	<i>—</i>	<i>x</i>	<i>.30</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>.40</i>	<i>.14</i>	7
8	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.25</i>	<i>—</i>	<i>.06</i>	<i>—</i>	<i>.62</i>	<i>—</i>	<i>.15</i>	<i>.09</i>	<i>.13</i>		8
9	<i>—</i>	<i>—</i>	<i>—</i>	<i>.40</i>	<i>Tr</i>	<i>.24</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.56</i>	<i>.58</i>	<i>—</i>		9
10	<i>—</i>	<i>Tr</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.03</i>		10
11	<i>.11</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.13</i>	<i>.02</i>		11
12	<i>.01</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.23</i>	<i>—</i>	<i>.08</i>	<i>Tr</i>	<i>Tr</i>	<i>.01</i>	<i>—</i>		12
13	<i>.11</i>	<i>.02</i>	<i>—</i>	<i>.04</i>	<i>.19</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	<i>—</i>		13
14	<i>.01</i>	<i>—</i>	<i>Tr</i>	<i>—</i>	<i>.14</i>	<i>.09</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>Tr</i>	<i>.38</i>	<i>.08</i>		14
15	<i>—</i>	<i>.09</i>	<i>—</i>	<i>.53</i>	<i>—</i>	<i>.23</i>	<i>.01</i>	<i>—</i>	<i>.66</i>	<i>—</i>	<i>.21</i>	<i>.21</i>		15
16	<i>—</i>	<i>.01</i>	<i>.09</i>	<i>.08</i>	<i>.01</i>	<i>.05</i>	<i>—</i>	<i>Tr</i>	<i>.19</i>	<i>.14</i>	<i>.64</i>	<i>.09</i>		16
17	<i>—</i>	<i>Tr</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>x</i>	<i>.04</i>	<i>Tr</i>	<i>.01</i>	<i>.03</i>	<i>.42</i>	<i>—</i>		17
18	<i>.01</i>	<i>.01</i>	<i>—</i>	<i>.18</i>	<i>Tr</i>	<i>x</i>	<i>.17</i>	<i>—</i>	<i>.24</i>	<i>.03</i>	<i>Tr</i>	<i>—</i>		18
19	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.23</i>	<i>x</i>	<i>.45</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>.06</i>	<i>.02</i>	<i>.18</i>	19
20	<i>.02</i>	<i>.15</i>	<i>—</i>	<i>.20</i>	<i>.02</i>	<i>x</i>	<i>.06</i>	<i>—</i>	<i>Tr</i>	<i>—</i>	<i>.09</i>	<i>—</i>		20
21	<i>—</i>	<i>.23</i>	<i>.02</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.44</i>	<i>.02</i>	<i>.16</i>	<i>—</i>		21
22	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.24</i>	<i>.18</i>	<i>—</i>	<i>.01</i>	<i>—</i>		22
23	<i>.01</i>	<i>Tr</i>	<i>.12</i>	<i>.15</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.88</i>	<i>.08</i>	<i>.13</i>	<i>.03</i>	<i>—</i>		23
24	<i>.06</i>	<i>.25</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.52</i>	<i>—</i>	<i>—</i>	<i>.29</i>		24
25	<i>.10</i>	<i>.03</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>1.37</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>Tr</i>	<i>.01</i>	<i>.04</i>		25
26	<i>—</i>	<i>Tr</i>	<i>—</i>	<i>Tr</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.08</i>	<i>.18</i>	<i>Tr</i>	<i>Tr</i>	<i>.38</i>		26
27	<i>.02</i>	<i>.13</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.08</i>	<i>.01</i>	<i>.22</i>	<i>.72</i>		27
28	<i>—</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>Tr</i>	<i>.01</i>	<i>.05</i>		28
29	<i>—</i>	<i>x</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.14</i>	<i>.07</i>	<i>.05</i>	<i>.09</i>		29
30	<i>.06</i>	<i>x</i>	<i>Tr</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.45</i>	<i>Tr</i>	<i>.18</i>	<i>.19</i>	<i>.09</i>		30
31	<i>.01</i>	<i>x</i>	<i>—</i>	<i>x</i>	<i>—</i>	<i>x</i>	<i>—</i>	<i>.01</i>	<i>x</i>	<i>.62</i>	<i>x</i>	<i>.17</i>		31
TOTAL	<i>.87</i>	<i>1.86</i>	<i>.46</i>	<i>3.10</i>	<i>.64</i>	<i>3.36</i>	<i>.45</i>	<i>2.39</i>	<i>3.38</i>	<i>2.71</i>	<i>4.23</i>	<i>2.70</i>	<i>26.15</i>	Year's Total.
* Days with .01 in. or more.	<i>18</i>	<i>18</i>	<i>8</i>	<i>21</i>	<i>6</i>	<i>21</i>	<i>8</i>	<i>10</i>	<i>16</i>	<i>20</i>	<i>26</i>	<i>18</i>	<i>190</i>	
* Days with .04 in. or more.	<i>6</i>	<i>9</i>	<i>6</i>	<i>18</i>	<i>4</i>	<i>16</i>	<i>4</i>	<i>6</i>	<i>14</i>	<i>12</i>	<i>17</i>	<i>15</i>	<i>127</i>	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

J. B. Woldridge

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2492/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936Kept at *Market Harborough*in the County of *Leicestershire*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....in.,, Ground ,, Sea Level*260*.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06	0.11	0.05	0.48	—	0.05	0.15	0.11	Tr	—	0.05	0.04		1
2	0.09	0.03	0.09	0.08	—	0.54	0.88	0.05	Tr	—	0.24	0.09		2
3	0.01	—	—	—	—	0.18	0.21	0.03	—	—	—	0.01		3
4	Tr	0.01	0.09	Tr	—	0.20	Tr	0.03	—	Tr	0.02	0.09		4
5	0.03	Tr	0.05	—	0.01	—	—	0.04	—	0.02	—	0.03		5
6	0.08	—	—	—	0.52	0.12	0.03	0.24	—	Tr	0.04	—		6
7	0.37	—	0.02	—	Tr	0.01	0.15	—	0.92	0.01	0.01	—		7
8	0.15	—	0.16	—	Tr	—	Tr	—	—	—	0.14	—		8
9	0.35	—	0.02	—	Tr	—	0.78	—	—	0.03	—	—		9
10	0.07	—	0.01	Tr	—	0.05	0.49	0.46	—	0.09	—	—		10
11	—	—	—	0.05	—	—	0.35	Tr	—	—	0.19	—		11
12	—	—	—	0.13	—	0.33	0.49	—	—	—	0.09	0.07		12
13	—	—	—	0.16	0.05	0.31	Tr	Tr	Tr	0.07	—	0.34		13
14	—	Tr	—	0.17	—	0.03	0.38	—	0.11	0.02	0.07	0.44		14
15	—	—	0.01	0.04	0.01	0.03	0.15	—	0.15	—	—	0.08		15
16	0.20	0.11	—	Tr	—	—	—	—	Tr	—	0.59	—		16
17	0.03	0.33	—	—	0.26	—	0.16	—	—	0.05	—	0.07		17
18	—	0.03	—	—	—	0.19	0.13	—	Tr	0.15	0.08	0.02		18
19	0.37	0.05	0.01	0.33	—	0.74	Tr	0.07	—	0.05	—	—		19
20	—	0.09	0.02	0.04	—	0.08	Tr	—	0.04	0.01	—	—		20
21	—	—	0.01	0.17	Tr	1.02	—	—	—	—	—	—		21
22	Tr	0.79	0.07	0.02	0.48	Tr	—	—	—	—	—	0.07		22
23	—	0.02	0.10	0.09	—	—	0.46	—	—	0.03	—	—		23
24	0.10	0.05	—	Tr	—	—	—	—	0.21	0.25	—	—		24
25	0.06	Tr	0.12	—	—	0.20	0.13	—	0.26	0.03	—	—		25
26	—	0.08	0.42	0.26	—	Tr	0.04	—	0.04	0.08	0.04	—		26
27	0.01	—	0.01	0.01	—	—	—	—	0.13	0.07	—	—		27
28	—	0.17	0.04	—	—	—	—	—	0.03	—	—	0.06		28
29	0.92	0.23	0.05	—	—	0.04	0.12	—	—	0.04	0.25	0.03		29
30	0.02	—	—	—	0.10	0.23	0.08	—	—	0.31	0.03	Tr		30
31	0.56	—	0.10	—	Tr	—	0.03	—	—	0.08	—	0.10		31
TOTAL	3.48	2.10	1.45	2.03	1.51	4.37	5.21	1.03	1.89	1.39	1.84	1.65	Year's Total	
* Days with .01 in. or more.	19	15	20	15	9	19	22	8	18	18	19	17	(199)	
* Days with .04 in. or more.	14	10	12	13	7	15	19	6	14	11	12	12	(145)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *G. B. Wooldridge* [P.T.O.]

Note September. Rain known to have fallen each day 31/12 inclusive = 0.92

Section



for the entry of Daily Observations

Station No. 2492/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MARKET HARBOUROUGH

in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.12	0.01	0.01	—	—	—	—	—	0.03	—	0.33	0.14		1
2	0.01	0.03	0.02	0.48	—	—	Tr	—	Tr	—	—	0.15		2
3	—	0.10	—	—	0.15	Tr	0.02	—	—	—	—	0.07		3
4	0.05	0.14	—	—	0.04	Tr	Tr	0.04	—	—	—	0.46		4
5	0.21	—	0.18	—	Tr	—	0.01	0.04	—	—	—	—		5
6	0.10	Tr	*	Tr	0.14	—	Tr	0.01	—	—	0.02	—		6
7	—	0.49	0.29	0.15	0.09	—	0.01	—	Tr	—	—	—		7
8	—	0.14	—	Tr	—	Tr	—	—	Tr	Tr	0.31	0.09		8
9	—	—	0.02	0.10	0.22	—	0.23	—	0.10	—	—	0.13		9
10	—	0.02	*	0.60	—	0.28	—	Tr	—	—	Tr	0.15		10
11	—	Tr	0.66	—	0.57	0.21	Tr	0.48	Tr	—	—	0.11		11
12	0.04	0.26	0.14	—	0.53	0.13	—	0.47	0.17	—	—	0.12		12
13	0.07	0.05	*	0.12	0.02	0.20	—	0.25	—	—	—	0.01		13
14	—	0.02	0.54	0.01	—	—	—	0.16	0.01	—	—	0.03		14
15	0.23	0.06	0.01	0.10	—	0.02	0.64	—	0.20	—	—	—		15
16	0.01	0.08	0.31	0.35	—	—	—	0.10	0.15	—	—	0.04		16
17	0.18	0.01	0.25	0.32	—	—	—	—	0.17	—	Tr	—		17
18	0.44	0.10	0.08	0.03	—	—	—	—	0.62	—	0.23	—		18
19	0.08	0.06	0.02	0.06	Tr	0.18	0.16	—	—	—	0.11	Tr		19
20	0.30	0.03	0.04	0.43	0.67	0.03	—	—	—	0.02	—	—		20
21	0.06	0.22	0.04	0.01	Tr	—	0.24	Tr	—	0.01	—	0.05		21
22	0.14	0.02	0.01	—	0.03	0.07	0.19	—	—	0.29	0.30	0.01		22
23	0.18	Tr	0.02	—	0.12	—	0.04	—	—	0.64	0.08	—		23
24	0.12	0.19	0.03	—	0.01	—	0.05	—	0.05	0.16	—	0.01		24
25	0.27	0.16	0.05	—	0.55	—	Tr	—	0.01	0.17	—	—		25
26	0.01	0.21	0.09	—	0.23	—	—	Tr	—	—	—	0.01		26
27	Tr	0.31	0.02	0.18	—	—	—	—	Tr	0.70	0.01	—		27
28	0.01	0.08	0.01	—	—	—	—	—	—	0.02	—	0.05		28
29	0.02	—	—	—	—	Tr	—	—	—	0.03	0.04	0.12		29
30	0.28	×	—	—	—	Tr	—	—	—	—	0.12	—		30
31	0.31	×	—	×	—	×	—	—	×	0.11	×	0.02		31
TOTAL	3.24	2.79	2.84	2.94	3.37	1.12	1.59	1.55	1.51	2.15	1.55	1.77	Year's Total 26.42	✓
* Days with .01 in. or more.	23	23	25	14	14	8	10	8	10	11	10	21	178	✓
* Days with .04 in. or more.	18	16	15	11	11	6	7	7	7	6	8	11	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

G. E. Woodbridge

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2492/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ...*Market Harborough*...in the County of *Leicestershire*...Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground....*1*..ft.....in.,, Ground ,, Sea Level*270*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Tr	—	—	Tr	0.35	0.52	Tr	Tr	0.05	Tr	0.10		1
2	0.04	0.05	—	0.03	0.07	0.10	—	—	—	0.19	—	0.02		2
3	0.02	0.01	—	Tr	0.04	—	0.35	—	0.03	0.56	0.02	—		3
4	0.02	—	—	0.01	—	0.07	0.05	0.32	—	0.20	Tr	0.24		4
5	—	—	—	Tr	—	—	0.08	0.02	—	0.16	Tr	0.01		5
6	Tr	—	—	—	—	—	0.06	Tr	0.55	0.08	—	Tr		6
7	0.16	Tr	—	—	—	Tr	0.23	0.58	0.16	0.09	—	0.06		7
8	0.16	—	—	—	—	0.15	0.02	0.10	—	0.14	—	0.02		8
9	0.04	0.09	—	—	—	0.01	0.04	0.72	—	—	—	0.41		9
10	—	—	—	—	—	0.18	0.21	0.02	Tr	—	—	0.04		10
11	0.59	0.01	—	—	—	—	Tr	Tr	—	0.03	0.11	Tr		11
12	0.16	0.03	—	—	0.06	—	Tr	0.01	—	0.27	0.02	Tr		12
13	Tr	0.18	—	—	—	—	—	—	—	0.01	0.14	0.15		13
14	0.17	0.06	—	—	0.06	—	0.47	—	0.05	—	—	—		14
15	0.07	—	—	—	—	—	0.19	—	—	—	0.01	0.27		15
16	0.23	—	—	—	—	—	0.03	0.01	—	—	0.01	0.26		16
17	—	0.09	—	—	0.18	—	0.10	—	0.03	0.09	0.02	—		17
18	0.03	Tr	—	—	0.26	0.01	—	0.01	0.09	Tr	0.32	Tr		18
19	—	—	—	—	—	—	—	0.08	0.16	—	0.11	0.01		19
20	Tr	—	—	—	Tr	—	—	—	0.05	—	0.61	0.03		20
21	0.01	—	—	—	—	—	—	0.01	0.01	—	0.04	0.32		21
22	Tr	0.02	—	Tr	—	0.15	—	Tr	Tr	—	0.36	0.24		22
23	—	—	—	—	0.01	Tr	—	—	0.03	—	0.01	0.04		23
24	—	—	0.03	—	0.04	—	Tr	—	0.16	—	0.02	0.02		24
25	Tr	0.14	0.06	—	—	—	0.02	0.05	—	0.18	0.05	—		25
26	0.05	0.24	0.09	—	—	—	—	Tr	0.03	0.22	0.01	0.07		26
27	0.05	0.01	Tr	—	0.08	0.12	0.18	0.14	0.03	0.20	0.03	0.23		27
28	0.22	Tr	—	—	0.30	0.09	0.03	0.92	0.20	Tr	0.01	0.09		28
29	0.58	X	Tr	0.02	0.25	—	0.01	—	—	0.01	0.13	0.10		29
30	0.05	X	—	Tr	Tr	0.08	—	—	0.13	0.01	0.27	0.11		30
31	0.07	X	—	X	0.20	X	Tr	—	X	0.11	X	0.48		31
TOTAL	2.72	0.93	0.18	0.06	1.55	1.31	2.59	2.99	1.68	2.25	2.63	3.14	Year's Total	22.03
* Days with .01 in. or more.	16	13	3	3	12	11	17	14	15	18	20	23		168
* Days with .04 in. or more.	15	8	2	—	11	9	12	8	8	13	11	17		114

Gauge moved $\frac{1}{2}$ m.b.w., June, 1938.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

G. E. Whitbridge

[P.T.O.]

† Station previously known as Market Harborough (Nethdale Av.)

Section

A

for the entry of Daily Observations

Station No. 2492/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Market Harboroughin the County of LeicestershireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft. in.,, Ground ,, Sea Level 270.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	—	0.01	0.09	0.08	—	Tr	0.27	✓	0.01	0.01	0.02		1
2	0.07	—	Tr	0.05	0.01	—	Tr	0.33	0.44	10	0.04	Tr		2
3	0.27	—	—	0.26	—	—	—	0.89	—	0.03	0.17	0.13		3
4	0.19	—	0.33	X	Tr	—	0.02	0.31	—	0.08	0.02	0.06		4
5	—	—	—	0.57	X	0.15	—	0.03	0.67	—	0.11	0.22	0.22	5
6	0.51	—	—	—	—	—	0.64	—	—	Tr	0.03	—		6
7	0.09	0.01	—	—	—	—	0.11	Tr	—	Tr	0.14	0.12		7
8	0.01	0.04	0.12	—	—	—	0.22	0.28	—	X	0.03	0.35		8
9	0.02	0.09	—	—	—	—	0.01	0.17	—	0.66	X	0.04	0.19	9
10	0.44	—	Tr	—	—	Tr	—	0.15	0.02	0.03	0.01	Tr		10
11	0.02	—	0.20	—	0.01	0.10	—	0.02	0.05	—	Tr	0.01		11
12	Tr	0.04	0.01	—	—	0.12	—	—	—	—	Tr	Tr		12
13	—	—	0.01	—	Tr	0.02	0.04	—	0.03	0.21	—	Tr		13
14	0.42	—	0.01	Tr	0.30	0.07	—	—	Tr	0.09	0.09	—		14
15	0.40	—	0.01	0.01	0.16	0.41	0.67	—	0.03	0.58	0.06	Tr		15
16	0.19	—	0.14	Tr	0.09	0.57	0.04	—	0.01	X	0.16	—		16
17	0.21	0.01	0.02	0.01	0.17	—	0.12	—	—	1.20	X	0.02	—	17
18	0.07	0.01	0.04	—	0.01	0.67	0.21	—	Tr	0.03	0.62	—		18
19	0.21	—	Tr	—	—	Tr	0.22	—	Tr	—	—	0.01		19
20	0.12	—	0.01	—	—	0.07	0.48	0.15	—	—	—	—		20
21	0.15	X	0.21	Tr	Tr	0.08	Tr	0.65	0.01	—	—	—		21
22	0.22	0.47	0.10	0.01	—	0.01	0.03	Tr	0.02	—	0.19	—		22
23	0.03	—	0.01	0.10	—	0.01	0.18	Tr	—	0.06	0.56	—		23
24	0.13	—	Tr	0.04	—	0.02	0.04	—	—	0.08	—	—		24
25	1.60	0.05	0.10	0.01	—	—	0.04	0.25	—	0.01	0.28	0.01		25
26	0.20	—	0.02	0.06	—	—	—	0.01	0.01	0.12	0.23	0.05		26
27	0.01	0.04	0.09	0.05	—	0.01	0.07	Tr	Tr	0.17	0.01	Tr		27
28	0.04	0.15	0.15	0.07	—	0.01	0.18	0.01	—	0.01	0.17	0.01		28
29	—	X	0.01	0.34	Tr	—	0.19	0.59	—	0.22	0.01	—		29
30	—	X	—	0.18	—	0.20	—	—	—	—	0.07	—		30
31	—	X	—	X	—	X	0.04	0.25	X	0.01	X	—		31
TOTAL	5.76	0.91	1.60	1.85	0.98	2.37	3.58	5.00	0.62	3.81	3.18	1.18	Year's Total	
* Days with .01 in. or more.	25	11	16	16	9	15	22	16	10	22	23	12	30.84	197
* Days with .04 in. or more.	20	8	12	12	6	9	18	13	2	15	15	7	139	137

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

G. E. Wholdridge

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2492/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Market Harborough

in the County of Leicestershire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground...1 ft. in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.07	—	Tr	0.01	—	—	—	—	—	0.12	—		1
2	—	0.01	—	0.41	—	—	0.05	—	—	0.03	0.67	0.03		2
3	—	0.25	—	0.12	—	—	—	—	—	0.14	0.88	0.04		3
4	—	0.15	—	0.03	—	—	—	—	—	0.10	0.45	0.06		4
5	—	—	—	—	0.05	—	Tr	—	—	0.07	0.40	0.12		5
6	0.07	0.25	—	—	X	—	0.04	—	—	0.28	0.33	0.01		6
7	0.07	0.26	—	0.03	0.03	—	0.01	—	0.01	—	—	0.06		7
8	0.01	0.01	—	0.02	—	—	0.05	—	—	0.12	0.01	0.21		8
9	—	—	0.05	0.02	—	0.09	0.02	0.09	0.01	Tr	0.05	0.20		9
10	—	—	0.01	—	—	—	X	0.01	—	—	0.12	0.39		10
11	—	Tr	0.04	0.04	—	—	1.34	—	—	—	0.51	0.09		11
12	—	—	0.04	—	—	—	X	—	0.05	—	0.01	—		12
13	—	0.03	0.66	0.01	—	—	0.11	Tr	—	—	0.10	—		13
14	—	—	0.07	0.08	0.21	—	—	0.02	0.05	0.05	0.01	0.31		14
15	—	—	0.02	0.05	0.01	0.13	0.01	—	0.05	0.23	0.13	0.01		15
16	0.06	0.36	0.39	—	—	0.01	0.30	—	0.08	1.14	0.78	Tr		16
17	—	Tr	0.35	—	—	—	0.01	—	—	0.01	—	—		17
18	0.02	0.54	0.30	0.43	—	—	—	0.04	—	0.05	0.02	0.04		18
19	—	0.20	0.01	0.14	—	—	0.31	Tr	0.16	0.01	0.18	0.02		19
20	—	0.06	0.01	0.03	—	0.06	0.04	0.05	—	0.07	0.04	—		20
21	0.09	0.05	Tr	—	0.05	0.13	0.31	—	—	—	1.27	—		21
22	Tr	0.01	0.02	Tr	0.26	0.31	—	0.03	0.66	0.07	—	—		22
23	—	0.09	0.02	✓	0.27	0.08	—	Tr	Tr	0.02	0.01	0.03		23
24	0.01	—	—	0.06	—	—	0.08	—	—	0.02	—	0.02		24
25	Tr	—	0.01	Tr	—	—	—	—	—	0.04	Tr	—		25
26	0.97	0.13	—	—	0.02	Tr	0.44	—	—	0.02	0.01	—		26
27	0.59	0.18	Tr	0.30	—	—	0.02	Tr	—	—	—	Tr		27
28	0.39	0.18	Tr	Tr	0.11	—	—	Tr	—	Tr	—	—		28
29	—	0.01	0.19	Tr	0.15	Tr	—	—	—	—	—	0.29		29
30	0.06	X	—	0.40	Tr	—	—	—	—	0.30	—	0.02		30
31	0.03	X	0.01	X	—	X	—	—	X	0.67	X	—		31
TOTAL	2.37	2.84	2.20	2.17	1.17	0.81	3.04	0.24	1.07	3.44	6.10	1.95	27.40	Year's Total
* Days with .01 in. or more.	12	19	17	17	12	7	18	6	8	20	21	18	17.5	
* Days with .04 in. or more.	8	14	9	9	7	6	(12)	3	6	14	15	11	(11.4)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

G. C. Woodbridge

[P.T.O.]

Kept at *Hollcroft*
Shrewsbury Avenue
in the County of *Leice*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
" Ground " Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

No. **24926**
ANIZATION.

VII/Dec/2

2492/6

MARKET HARBOROUGH, SHREWSBURY AVE

1934 — 40

Jan. 1, following

Date	Jan.	Feb.	Mar.										Date
	in.	in.	in.										
1	0.02							.10	.03		.21	.31	1
2	.12	trace	.04					trace	.37	.07	.02	.21	2
3	.01	.01		.03					trace	.04	trace	.01	3
4	.07		.02	.33	trace				.06	.24	.13	.26	4
5	.01		.03	.02	.09					.09	.01	.07	5
6			.03	.09	.41	.03				.15		.49	6
7	.07					.03				.07		.23	7
8					.04	.01			trace		.16	.02	8
9	.01		.12	.03						.01	.64	.33	9
10		.02	.13	.18						trace	.11	.02	10
11	.50		.21	.17				.39			trace	.25	11
12			.12	.02	.41		.01	.10				.07	12
13	.41		trace	.01	trace		.21	.04		.01	.01	.22	13
14	.06		.31	trace	trace	.01		.02		.31	.65	.28	14
15	.02		.30		.15			.01	.26	.01	.11	.02	15
16	.08		.10		.09				trace	.15	.03	trace	16
17	.02		trace		.09		.03	.05	.07	.07	.02	.16	17
18	.08		trace	.35			.26		.01	trace	trace	.04	18
19		.02	.14	.03	trace	.02			.01	.03	.01	.01	19
20			.02	.06	trace	.01		.02					20
21			trace			.12		trace		.05		.01	21
22								.03	.13		trace	.01	22
23				.28	.02	.11	.23		trace	trace	.01	.12	23
24		.20	.09	.03		.04	.23		.38	.02	trace		24
25	.14	.03		.05	trace	trace				.07		.26	25
26	.01	.01	.02	.12		.05	.04		.09		trace	.03	26
27	trace	.11		trace			trace			trace		.24	27
28				.28		.20	.01	.42			.03	.53	28
29		X					.10	.31	.25	.02	.01	.01	29
30	.01	X					.01	.01	trace	trace		.11	30
31	trace	X		X		X	.01		X	.10	X	.19	31
TOTAL	1.64	0.41	1.68	2.08	1.30	0.63	1.14	1.50	1.66	1.51	2.16	4.51	Year's Total
*Days with "or in." or more.	17	7	15	17	8	11	11	(18)	11	18	16	28	20.22
*Days with .04 in. or more.	9	2	10	10	7	5	6	(12)	8	12	7	19	177

† Spare column, no entries required.

(Signed)

P. J. Harris

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No.

24926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Shrewsbury Avenue, Market Harborough.in the County of Leicester.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 350 ft.Est Ang Day.
C1934

VII/Dec/2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	—	—	—	—	—	—	.10	.03	—	.21	.31		1
2	.12	trace	.04	—	—	—	—	trace	.37	.07	.02	.21		2
3	.01	.02	—	.03	—	—	—	—	trace	.04	trace	.01		3
4	.07	—	.02	.33	trace	—	—	—	.06	.24	.13	.26		4
5	.01	—	.03	.02	.09	—	—	x	—	.09	.01	.07		5
6	—	—	.03	.09	.41	.03	—	/	—	.15	—	.49		6
7	.07	—	—	—	—	.03	—	x	—	.07	—	.23		7
8	—	—	—	—	.04	.01	—	x	trace	—	.16	.02		8
9	.01	—	.12	.03	—	—	—	x	—	.01	.64	.33		9
10	—	.02	.13	.18	—	—	—	x	—	trace	.11	.02		10
11	.50	—	.21	.17	—	—	—	.39	—	—	trace	.25		11
12	—	—	.12	.02	.41	—	.01	.10	—	—	—	.07		12
13	.41	—	trace	.01	trace	—	.21	.04	—	.01	.01	.22		13
14	.06	—	.31	trace	trace	.01	—	.02	—	.31	.65	.28		14
15	.02	—	.30	—	.15	—	—	.01	.26	.01	.11	.02		15
16	.08	—	.10	—	.09	—	—	—	trace	.15	.03	trace		16
17	.02	—	trace	—	.09	—	.03	.05	.07	.07	.02	.16		17
18	.08	—	trace	.35	—	—	.26	—	.01	trace	trace	.04		18
19	—	.02	.14	.03	trace	.02	—	—	.01	.03	.01	.01		19
20	—	—	.02	.06	trace	.01	—	.02	—	—	—	—		20
21	—	—	trace	—	—	.12	—	trace	—	.05	—	.01		21
22	—	—	—	—	—	—	—	.03	.13	—	trace	.01		22
23	—	—	—	.28	.02	.11	.23	—	trace	trace	.01	.12		23
24	—	.20	.09	.03	—	.04	.23	—	.38	.02	trace	—		24
25	.14	.03	—	.05	trace	trace	—	—	—	.07	—	.26		25
26	.01	.01	.02	.12	—	.05	.04	—	.09	—	trace	.03		26
27	trace	.11	—	trace	—	—	trace	—	—	trace	—	.24		27
28	—	—	—	.28	—	.20	.01	.42	—	—	.03	.53		28
29	—	x	—	—	—	—	.10	.31	.25	.02	.01	.01		29
30	.01	x	—	—	—	—	.01	.01	trace	trace	—	.11		30
31	trace	x	—	x	—	x	.01	—	x	.10	x	.19		31
TOTAL	1.64	0.41	1.68	2.08	1.30	0.63	1.14	1.50	1.66	1.51	2.16	4.51	Year's Total	
*Days with or in. or more.	17	7	15	17	8	11	11	(18)	11	18	16	28	20.22	
*Days with .04 in. or more.	9	2	10	10	7	5	6	(12)	8	12	7	19	177	
													107	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.J. Harris Esq. BSc. X

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2492/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935. No. 2. in A.

Kept at Marlet Harboroughin the County of LeicestershireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 350 ft.Ang-Sep allocated by Ang-Sep
allocate notes

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.36	tr.	—	0.09	tr.	0.12	—	—	X	0.15	0.10	0.05		1
2	tr.	tr.	0.01	—	—	0.02	—	—	(43)	0.18	0.02	0.13		2
3	—	0.14	0.06	0.03	—	0.02	—	—	X	0.24	0.23	tr.		3
4	—	—	0.01	0.11	—	0.08	—	—	0.03	0.23	0.01	—		4
5	—	0.59	0.05	0.07	—	0.01	0.04	—	0.04	0.02	0.03	—		5
6	0.01	0.04	tr.	0.29	—	0.21	—	—	—	—	0.13	0.01		6
7	0.01	—	—	0.39	—	0.14	—	—	—	0.12	0.41	0.15		7
8	—	tr.	tr.	0.26	—	0.07	—	0.93	—	0.28	0.09	0.13		8
9	—	0.02	—	0.47	tr.	0.24	—	—	—	0.40	0.33	0.02		9
10	—	tr.	—	0.01	—	0.01	—	—	—	—	0.01	0.02		10
11	0.15	tr.	—	—	—	0.05	0.03	—	—	0.05	0.13	0.02		11
12	tr.	0.01	—	—	—	0.29	—	0.08	✓	—	0.02	—		12
13	0.13	0.02	—	0.03	0.19	0.02	—	—	0.02	0.02	0.01	—		13
14	tr.	—	tr.	0.01	0.13	0.08	—	—	—	—	0.38	0.09		14
15	—	0.10	—	0.60	—	0.31	0.01	—	X	0.54	0.21	0.27		15
16	—	0.02	0.08	0.08	tr.	0.07	—	—	0.25	0.14	0.64	0.20		16
17	—	tr.	—	0.06	—	0.18	0.02	tr.	0.01	0.02	0.45	—		17
18	0.02	0.02	—	0.18	—	0.07	0.18	—	0.25	0.08	—	—		18
19	0.02	—	—	0.06	0.23	0.15	0.13	—	0.08	0.05	0.22	—		19
20	0.02	0.22	—	0.24	0.03	0.08	0.10	—	0.19	—	0.10	—		20
21	—	0.27	0.02	0.01	—	—	—	—	0.28	0.04	0.19	—		21
22	—	0.04	—	0.05	—	—	—	0.15	0.22	—	0.01	—		22
23	0.01	0.01	0.17	0.19	—	—	—	0.96	0.01	0.14	0.03	0.05		23
24	0.08	0.29	0.05	tr.	—	—	—	0.65	0.01	0.02	0.16	—		24
25	0.13	0.02	—	0.07	—	1.29	—	—	—	—	—	0.06		25
26	0.01	tr.	—	tr.	—	—	—	0.32	0.02	0.01	0.38	—		26
27	tr.	0.20	—	—	—	—	—	0.10	0.02	0.22	0.70	—		27
28	—	0.07	—	—	0.05	—	tr.	(60)	0.11	—	0.01	0.08		28
29	—	X	0.07	—	—	—	—	0.18	0.10	0.05	0.12	—		29
30	0.07	X	tr.	0.11	—	0.01	—	X	0.03	0.20	0.23	0.11		30
31	—	X	—	X	—	X	—	—	X	0.69	X	0.20		31
TOTAL	1.02	2.08	0.52	3.44	0.63	3.52	0.51	2.72 2.12	3.71 4.31	3.20	4.29	2.95	28.56	Year's total
*Days with 0.1 in. or more.	13	17	9	22	5	22	7	14 to 16 19 to 20 21 to 23 24 to 25 26 to 27 28 to 29 30 to 31	22	28	20	193		
*Days with 0.4 in. or more.	6	10	6	17	4	16	4	16	16	17	16	133		

40-9999

*See Instruction 2 (f) on other side.

Observer absent † Spare column, no entries required.
from Station from
Aug. 24 to Sept. 4. incl.

(Signed)

P. J. Harris

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **2492/6**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **Market Harborough**in the County of **Leicestershire**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. **0** in.Ground Sea Level **350** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	0.13	0.04	0.50	—	0.09	0.18	0.02	tr	—	0.06	0.05		1
2	.07	.05	.11	.10	—	.37	.87	.16	tr	—	.20	.11		2
3	.01	.01	—	—	—	.06	.21	.03	0.30	—	.08	.02		3
4	.01	tr	.09	tr	—	.19	—	.03	.27	tr	.02	.09		4
5	.03	—	.04	—	0.02	tr	.02	.02	.09	0.03	—	.04		5
6	.09	—	tr	—	.36	.13	.02	.23	.16	tr	.06	—		6
7	.38	—	.03	—	—	.01	.17	tr	.07	.02	.01	tr		7
8	.17	—	.16	—	—	—	—	—	.02	.01	.16	.13		8
9	.38	—	.01	—	—	.05	.82	—	.01	.05	.02	.01		9
10	.09	—	.01	.01	—	—	.60	.36	.05	.07	tr	tr		10
11	—	—	—	↓	—	.02	.38	tr	.01	—	.27	—		11
12	—	—	—	↓	.01	.32	.58	tr	.24	—	.07	.06		12
13	—	—	—	↓	.05	.37	—	tr	—	.05	.04	.33		13
14	—	—	—	↓	—	.02	.32	—	.11	.04	.05	.47		14
15	—	.01	.01	0.52	—	.03	.21	—	.15	—	.04	.12		15
16	.23	.11	—	↓	—	—	.04	—	—	—	.58	tr		16
17	.02	.47	—	↓	.34	—	.12	—	—	.09	.07	.07		17
18	—	.03	—	↓	—	.12	.14	—	—	.19	.03	.02		18
19	.44	.05	.02	↓	—	.78	tr	.10	—	.07	tr	—		19
20	—	.10	.02	0.34	—	.03	tr	tr	.04	.01	—	—		20
21	—	—	tr	.20	.01	.93	—	—	—	—	—	—		21
22	tr	.72	.06	.02	.47	—	.15	—	—	—	.01	.07		22
23	—	.02	.10	.10	.09	—	.35	—	—	.05	.02	—		23
24	.13	.06	—	—	.06	—	.02	—	.18	.30	—	—		24
25	.07	—	.12	.26	—	.23	.09	—	.27	.02	.03	.01		25
26	—	.09	.45	.04	tr	tr	.02	—	.02	.14	.01	tr		26
27	.02	—	.02	tr	—	tr	tr	—	.16	.11	—	tr		27
28	.38	.14	.07	—	—	tr	.09	tr	.04	—	.02	.06		28
29	.60	.28	.06	—	—	.04	tr	—	—	.06	.34	.05		29
30	.02	~~X~~	tr	—	.14	.32	.08	—	—	.31	.04	tr		30
31	.59	~~X~~	.08	~~X~~	—	~~X~~	.02	.01	~~X~~	.07	~~X~~	.13		31
TOTAL	3.77	2.27	1.50	2.09	1.55	4.11	5.50	0.96	2.19	1.69	2.23	1.84	29.70	Year's Total
* Days with .01 in. or more.	20	15	19	15	10	19	23	9	18	19	23	18	208	
* Days with .04 in. or more.	14	11	12	13	7	14	18	4	14	14	14	14	149	

Section



for the entry of Daily Observations

Station No.

2192/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Shrewsbury Ave. Market Harborough.in the County of LeicesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level.....356.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.10	0.01	tr.	tr.	—	—	tr.	—	0.04	—	0.32	0.14		1
2	tr.	.04	0.02	0.46	—	—	tr.	—	tr.	—	.01	.14		2
3	—	.11	tr.	tr.	0.12	tr.	0.01	—	—	—	tr.	.07		3
4	.06	.17	—	tr.	.03	—	—	0.15	—	—	tr.	.63		4
5	.32	—	.19	tr.	—	—	.01	.04	—	—	tr.	.01		5
6	.14	tr.	.20	tr.	.13	—	tr.	—	—	—	.02	—		6
7	—	.38	.04	.16	.14	—	.03	—	—	0.01	—	—		7
8	.01	.20	tr.	tr.	—	tr.	—	—	.01	—	.29	.10		8
9	—	tr.	.03	.09	.21	—	.22	—	.11	—	—	.11		9
10	tr.	.02	.28	.61	—	0.30	tr.	tr.	—	tr.	—	.16		10
11	tr.	tr.	.22	tr.	.55	.13	tr.	.49	—	tr.	—	.11		11
12	.05	.30	.13	—	.59	.08	tr.	.48	.17	—	—	.12		12
13	.07	.06	.22	.12	.01	.29	—	.22	tr.	—	—	.01		13
14	—	.01	.24	tr.	tr.	—	—	.17	.01	—	—	.03		14
15	.21	.07	.03	.12	tr.	.02	.73	—	.17	—	—	.01		15
16	.05	.12	.34	.38	—	—	—	.09	.17	—	—	.04		16
17	.23	.02	.20	.38	—	tr.	—	—	.18	—	.01	—		17
18	.54	.09	.07	.02	—	—	tr.	—	.46	.01	.22	—		18
19	.09	.08	.03	.07	.01	.24	.14	—	—	.01	.10	tr.		19
20	.24	.03	.06	.42	.64	.01	tr.	—	.07	tr.	—	.03		20
21	.06	.23	.03	.01	tr.	—	.25	.01	tr.	tr.	.01	.03		21
22	.11	.02	tr.	tr.	.03	.06	.07	—	—	.27	.29	tr.		22
23	.21	tr.	.02	—	.08	—	.16	—	—	.67	.10	—		23
24	.17	.31	.03	—	.01	—	.03	—	.01	.19	—	—		24
25	.35	.19	.04	—	.62	—	—	—	.01	.19	tr.	.01		25
26	tr.	.21	.09	—	.23	—	—	—	—	.02	—	tr.		26
27	tr.	.34	.01	.17	—	—	—	—	tr.	.62	tr.	tr.		27
28	tr.	.08	.01	tr.	tr.	tr.	—	—	—	.02	tr.	.04		28
29	.03	X	—	—	—	tr.	—	—	tr.	.03	.04	.11		29
30	.33	X	—	—	—	tr.	—	—	—	tr.	.12	tr.		30
31	.31	X	—	X	—	X	—	—	X	.11	X	.01		31
TOTAL	3.68	3.09	2.53	3.01	3.40	1.13	1.65	1.65	1.41	2.15	1.53	1.91	Year's Total	27.14
* Days with .01 in. or more.	21	23	23	13	15	8	10	8	12	12	12	20		177
* Days with .04 in. or more.	19	17	14	11	10	6	6	7	8	6	8	12		124

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P. J. Harris [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. 2492/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.Kept at Shrewsbury Avenue, Market Harborough.in the County of LeicesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1ft.....0in.,, Ground ,, Sea Level 356.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	tr.			tr.	0.44	1.95	tr.	From Aug. 26 th 0.03	0.05		0.14		1
2	.03	0.05		0.05	0.08	.15		tr.	26 th 0.03	.21		.02		2
3	.01	tr.			.03	tr.	.38		1.14	.70	0.02	tr.		3
4	.01			.01		.07	.03	0.22		.24	tr.	.28		4
5	tr.			tr.			.08		.01	.15	tr.	.01		5
6	tr.					tr.	.04		.52	.10		tr.		6
7	.16	tr.				tr.	.29		.16	.09		.06		7
8	.15					.16	.10	0.62		.16		.02		8
9	.05	.04				tr.	.04	1.10		tr.		.49		9
10	.01	.08				.22	.24	.02	.02			.05		10
11	.61	tr.					tr.	.01	tr.	.01	.13	tr.		11
12	.17	.02			.06		tr.	.03		.32	.02	tr.		12
13	tr.	.14			tr.			tr.			.12	.16		13
14	.23	.04			.06		.46		.08			.02		14
15	.10	tr.			tr.		.25	tr.			.01	.26		15
16	.23				tr.		.08	.01			.01	.25		16
17	tr.	.08			.18		.11	tr.	.03	.12	.03			17
18	.04			tr.	.26	.14	tr.	tr.	.10	tr.	.32	tr.		18
19	tr.				tr.			.11	.16		.12	.02		19
20					.01				.07		.59	.06		20
21	.01							tr.	.01		.04	.35		21
22	tr.	.02		tr.		.26		.01	tr.		.33	.18		22
23				tr.	.01	tr.	tr.		tr.			.03		23
24			0.03		.05		tr.		.16		.03	.02		24
25	.07	.14	.08		tr.		.06	.06		.07	.21	.14		25
26	.01	.29	.10					Total	.07	.17		.08		26
27	.05	.02	.01		.05	.14	.22	(to Aug. 25 th)	.19	.02	.27			27
28	.29				.37	.12	.02	25 th 0.03	.05		.04	.08		28
29	.54	X	tr.	.03	.27	tr.	.02	incl.		.02	.14	.11		29
30	.01	X		tr.	tr.	.06		[2.19]	0.15	.01	.27	.12		30
31	0.10	X		X	0.23	X	tr.	(3.30)	X	0.13	X	0.50		31
TOTAL	2.89	0.92	0.22	0.09	1.66	1.76	4.37	[2.19] (1.81)	2.57	2.70	3.45	25.74		169
* Days with .01 in. or more.	22	11	4	3	13	10	17	134	17	18	24	120		
* Days with .04 in. or more.	14	8	2	1	10	10	14	8	13	12	17			

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Harris

J.P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2492/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Shrewsbury Avenue, Market Harborough
in the County of Leicesters

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....0 in.

,, Ground ,, Sea Level 356 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	—	tr.	0.12	0.07	—	tr.	0.29	0.12	0.02	—	—		1
2	.06	—	—	.03	tr.	—	tr.	.35	.45	.08	0.05	0.02		2
3	.28	—	—	.27	—	—	—	.92	—	.02	.18	.15		3
4	.14	0.01	0.34	.52	tr.	—	0.01	.32	—	.02	.02	.07		4
5	.01	—	—	.13	.18	—	.04	.69	—	.29	.24	.24		5
6	.49	—	tr.	tr.	—	—	.57	tr.	—	.01	.02	—		6
7	.08	.01	—	—	—	—	.05	tr.	—	tr.	.13	.10		7
8	—	.04	.13	—	—	—	.27	.21	—	.16	.03	.34		8
9	.03	.10	—	—	—	—	.01	.12	—	.55	.09	.25		9
10	.40	—	tr.	—	—	0.01	—	.22	.03	.08	.01	—		10
11	.01	—	.20	—	—	.06	—	.03	.05	—	—	tr.		11
12	tr.	.03	.02	—	.01	.15	—	—	—	.01	—	—		12
13	—	—	tr.	tr.	tr.	.01	.02	—	.04	.23	tr.	tr.		13
14	.44	—	.01	.01	.25	.07	.11	—	tr.	.07	.15	—		14
15	.43	—	.01	tr.	.11	.31	.28	—	.01	.63	tr.	tr.		15
16	.21	—	.14	.02	.11	.49	.04	—	.01	.07	.21	tr.		16
17	.20	.02	.02	.01	.16	tr.	.11	—	tr.	1.21	.03	—		17
18	.10	.02	.02	—	tr.	.88	.24	—	tr.	.04	.65	—		18
19	.22	—	.05	—	—	.01	.31	—	tr.	—	tr.	.01		19
20	.14	tr.	.01	—	—	.08	.20	.17	—	.01	—	tr.		20
21	.12	.22	.22	tr.	tr.	.08	tr.	.42	.02	tr.	—	—		21
22	.26	.29	.13	.01	—	.01	.02	tr.	.02	—	.19	—		22
23	.04	—	tr.	.14	—	.01	.16	.01	tr.	.07	.59	tr.		23
24	.11	tr.	tr.	.06	—	.02	.04	tr.	—	.07	—	—		24
25	1.08	.05	.10	.01	—	—	.07	.40	—	tr.	.34	.03		25
26	.26	tr.	.01	.02	—	—	—	.02	.01	.10	.23	.06		26
27	.01	.02	.08	tr.	tr.	.01	.06	tr.	tr.	.15	.03	tr.		27
28	.03	.18	.13	.07	—	.01	.07	.01	—	tr.	.18	.02		28
29	—	X	tr.	.31	—	—	.28	.22	—	.27	.02	—		29
30	—	X	—	.17	—	.08	—	tr.	—	tr.	.07	—		30
31	—	X	—	X	—	X	.08	.05	X	tr.	X	—		31
TOTAL	5.19	0.99	1.62	1.90	0.89	2.29	3.04	4.44	0.76	4.16	3.46	1.29	Year's Total 30.03	
* Days with .01 in. or more.	25	12	17	16	7	17	22	17	10	22	21	11	197	
* Days with .04 in. or more.	20	6	10	9	6	9	18	13	4	16	14	7	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P. J. Harris

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2492/16

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Shrewsbury Avenue Market Harborough

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 356 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.10	—	tr.	tr.	—	—	—	—	—	0.14	—		1
2	tr.	.02	—	0.37	—	—	0.04	—	—	tr.	.77	—		2
3	—	.26	—	.16	—	—	tr.	—	—	0.16	.47	0.04		3
4	—	.14	—	.01	—	—	tr.	—	—	.12	.78	.06		4
5	—	.01	—	—	0.03	—	tr.	—	—	.10	.46	.15		5
6	0.07	.24	—	—	.05	—	tr.	—	—	.37	.34	tr.		6
7	.08	.27	—	.03	.04	—	.01	—	0.02	tr.	—	tr.		7
8	tr.	.01	—	.02	—	—	.06	—	tr.	.11	.02	.23		8
9	—	tr.	0.05	.01	—	0.15	.02	0.04	.02	.02	.05	.19		9
10	—	—	.01	—	—	—	.77	.01	tr.	.05	.13	.34		10
11	—	tr.	.04	.04	—	—	.42	tr.	—	.01	.54	.16		11
12	—	tr.	.04	—	—	—	.11	—	.05	.01	.01	—		12
13	—	.05	.62	.02	—	—	.03	—	.06	—	.11	—		13
14	—	—	.06	.09	.14	—	—	.02	.02	.02	.01	.31		14
15	—	tr.	.03	.04	.03	.18	.02	—	.08	.29	.11	tr.		15
16	.02	.39	.35	.01	—	tr.	.32	—	.09	.93	.85	tr.		16
17	tr.	.03	.39	—	—	—	.01	—	tr.	.01	—	—		17
18	.02	.51	.26	.56	—	—	—	.04	.01	.04	.02	.05		18
19	—	.22	.04	.10	—	—	.49	—	.14	tr.	.17	.01		19
20	—	.05	.01	.04	—	.03	.04	.05	—	.06	.08	—		20
21	.11	.01	tr.	—	.05	.05	.32	tr.	—	.12	1.22	—		21
22	.02	.01	.02	tr.	.28	.35	—	.02	.76	.01	—	—		22
23	—	.08	.02	.03	.30	.17	—	.01	.01	.01	tr.	.02		23
24	.02	—	—	.04	tr.	—	.09	—	tr.	.02	tr.	tr.		24
25	tr.	tr.	—	—	tr.	—	—	—	—	.04	tr.	—		25
26	1.07	.12	—	tr.	.02	—	.33	—	—	.02	tr.	tr.		26
27	.67	.03	tr.	.18	—	—	.01	.02	tr.	—	—	tr.		27
28	.72	.33	—	tr.	.13	—	—	.01	—	—	—	—		28
29	—	tr.	.21	tr.	.63	.01	—	—	—	—	—	.28		29
30	.07	✕	—	.38	tr.	—	—	—	—	.31	—	.05		30
31	.01	✕	.01	✕	—	✕	—	—	✕	.67	✕	tr.		31
TOTAL	2.88	2.88	2.16	2.13	1.70	0.94	3.09	0.22	1.26	3.50	6.28	1.89	28.93	
* Days with .01 in. or more.	12	20	16	18	11	7	17	9	11	23	19	13	176	
* Days with .04 in. or more.	7	13	10	11	8	5	11	3	6	14	15	11	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) F. J. Harris P.T.O.

Kept at Market Harbour
in the County of Leice

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
" Ground " Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

No. 2492/1
ANIZATION.

XII/Leice/2

to west (see scale)
69. depth point

Jan. r, following

2492/1

MARKET HARBOUR GRAMMAR SCHOOL

1934-40

Date	Jan.	Feb.	Mar.										Date
	in.	in.	in.										
1	0.02	tr	—	—	—	—	0.01	—	—	0.21			1
2	.12	0.01	0.04	—	—	—	—	—	0.08	—	0.48		2
3	.01	.	—	0.04	—	—	—	—	.03	—	.01		3
4	.08	.02	.02	.31	tr.	—	—	—	.24	—	.26		4
5	.01	—	.02	.02	—	—	—	—	.07	.12	.05		5
6	—	—	.05	.09	0.42	0.02	—	—	—	—	.43		6
7	.08	—	—	—	—	.03	—	—	.25	—	—		7
8	—	—	—	—	.06	.01	—	—	—	.13	—		8
9	—	—	—	.03	—	—	—	—	.01	.61	.46		9
10	—	—	—	.16	—	—	—	—	—	.08	.01		10
11	.40	—	.34	.16	—	—	—	—	—	—	.22		11
12	—	—	.11	.02	—	—	.01	—	—	—	.05		12
13	—	—	.01	.01	0.44	—	.19	—	tr.	tr.	.18		13
14	.40	—	.19	tr.	.05	.01	—	—	.26	.58	—		14
15	.02	—	.21	—	.11	—	—	—	—	.10	—		15
16	.08	—	.08	—	.99	—	—	—	.14	—	.28		16
17	.02	—	—	—	.04	—	.05	—	.07	.03	—		17
18	.11	—	tr.	.33	tr.	—	.48	—	tr.	—	.14		18
19	—	.01	.09	.04	—	.02	—	—	.02	—	—		19
20	—	—	.03	.08	—	.01	—	—	.02	—	—		20
21	—	—	.01	—	—	.16	—	—	—	.07	—		21
22	—	—	—	—	—	—	—	—	.15	—	—		22
23	—	—	—	.28	.03	—	.19	—	—	—	—		23
24	—	—	.09	.04	—	.12	.24	—	.38	.03	—		24
25	.13	.22	—	.07	tr.	.01	—	—	—	.04	tr.		25
26	.01	.01	.08	.13	—	.05	.03	—	.06	—	tr.		26
27	—	.12	—	tr.	—	—	.01	—	—	—	—		27
28	.01	tr.	—	.33	—	.17	tr.	—	—	—	—		28
29	—	X	—	—	—	—	.10	—	.23	.04	.03		29
30	.02	X	—	—	—	—	.01	—	—	tr.	—		30
31	.02	X	—	X	—	X	.01	—	—	tr.	—		31
TOTAL	1.54	0.39	1.37	2.14	1.20	0.61	1.33	1.30	1.42	1.89	4.01	18.49	
*Days with or in. or more.													
*Days with .04 in. or more.													

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Market Harborough Grammar School
in the County of Leicesters.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 350 ft.

allocate Aug + Sept.
C1934 Probably rather overestimated for west (see Scale)
But 2493/5 = 18.49 2493 = 19.69. August print.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	tr.	—	—	—	—	0.01	—	—	—	0.21	—		1
2	.12	0.01	0.04	—	—	—	—	—	—	0.08	—	0.48		2
3	.01	—	—	0.04	—	—	—	—	—	.03	—	.01		3
4	.08	.02	.02	.31	tr.	—	—	—	—	.24	—	.26		4
5	.01	—	.02	.02	—	—	—	—	—	.07	.12	.05		5
6	—	—	.05	.09	0.42	0.02	—	—	—	—	—	.43		6
7	.08	—	—	—	—	.03	—	—	—	.25	—	—		7
8	—	—	—	—	.06	.01	—	—	—	—	.13	—		8
9	—	—	—	.03	—	—	—	—	—	.01	.61	.46		9
10	—	—	—	.16	—	—	—	—	—	—	.08	.01		10
11	.40	—	.34	.16	—	—	—	—	—	—	—	.22		11
12	—	—	.11	.02	—	—	.01	—	—	—	—	.05		12
13	—	—	.01	.01	0.44	—	.19	—	—	tr.	tr.	.18		13
14	.40	—	.19	tr.	.05	.01	—	—	—	.26	.58	—		14
15	.02	—	.21	—	.11	—	—	—	—	—	.10	—		15
16	.08	—	.08	—	.09	—	—	—	—	.14	—	.28		16
17	.02	—	—	—	.04	—	.05	—	—	.07	.03	—		17
18	.11	—	tr.	.33	tr.	—	.48	—	—	.43 +.73	tr.	.14		18
19	—	.01	.09	.04	—	.02	—	—	—	.02	—	—		19
20	—	—	.03	.08	—	.01	—	—	—	.02	—	—		20
21	—	—	.01	—	—	.16	—	—	—	.07	—	—		21
22	—	—	—	—	—	—	—	—	—	.15	—	—		22
23	—	—	—	.28	.03	—	.19	—	—	—	—	—		23
24	—	—	.09	.04	—	.12	.24	—	—	.38	.03	—		24
25	.13	.22	—	.07	tr.	.01	—	—	—	.04	tr.	—		25
26	.01	.01	.08	.13	—	.05	.03	—	—	.06	—	tr.		26
27	—	.12	—	tr.	—	—	.01	—	—	—	—	—		27
28	.01	tr.	—	.33	—	.17	tr.	—	—	—	—	—		28
29	—	X	—	—	—	—	.10	—	—	.23	.04	.03		29
30	.02	X	—	—	—	—	.01	—	—	tr.	—	—		30
31	.02	X	—	X	—	X	.01	(1.30)	X	0.09	X	1.44		31
TOTAL	1.54	0.39	1.37	2.14	1.20	0.61	1.33	(1.30)	(1.29)	1.42	1.89	4.01	18.49	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

Section

A

for the entry of Daily Observations.

Station No.

2492/7

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935. N+2. Gm A.

Kept at Market Harborough Grammar Schoolin the County of LeicestershireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 350 ft.

Allocate Totals

Aug-Sep allocated by sum

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		tr.	—	0.08						0.15		0.04		1
2				—		0.12				.17		.11		2
3		0.13	0.06	.02		.02				.19		.01		3
4		—	.01	.10		.09						—		4
5		.65	.06	.08		.01	0.03					—		5
6		.02	tr.			.21				.25	0.40	—		6
7		tr.	—	.63						.12	.37			7
8		—	—	.35						.17		.26		8
9	0.38		—	.40	tr.					.63		.01		9
10	tr.	.01	—		—					—	.65	.02		10
11		—	—		—	.43	.02				.14	.02		11
12		.01	—		—	.23	—				.02	—		12
13	.25	.02	—		0.19	.02	—			.06	.01	—		13
14	tr.	—	—		.12					—	.38			14
15	—		—		—		.03			—				15
16	—				—	.54	—			.15		.54		16
17	—	.09	.08		—	.17	tr.			.03	1.20	—		17
18	.01	.01	—		—	.06	.19			.24		tr.		18
19		—	—		.25	.17				.04		.19	—	19
20	.02	.17	—		.05	.09	.13			.10	.07	—		20
21	—	.23	.02		—	—	—			.04	.16			21
22	—		—		—	—	—			.67	—			22
23	.01				—	—	—			.01	.13			23
24	.08		.22		—	—	—			.61	.01	.02		24
25		.33	—		—	1.10	—			—	—	—		25
26		tr.	—		—	—	—			.22		tr.		26
27	.11	.18	—		—	—	—			.07	.02	.23		27
28	—	.06	—		.03	—	—				tr.	.01		28
29	—	X			—	—	—			.20	.05			29
30	.07	X		1.52	—	.01	—			.01	.18	.26		30
31	tr.	X	.06	X	—	X	—			X	.73	X	1.79	31
TOTAL	0.93	1.91	0.51	3.18	0.64	3.27	0.40	(2.50)	(3.43)	5.93	3.18	4.11	2.80	26.86
*Days with .01 in. or more.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
*Days with .04 in. or more.	—	—	—	—	—	—	—	—	—	—	—	—	—	—

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P. J. Harris

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

2492/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Market Harborough Grammar School*in the County of *Leicestershire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *0* in.,, Ground ,, Sea Level *350* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	↓		0.03	0.48	↓		0.16	↓	↓	—		0.05		1
2		0.16	0.08	0.07		0.72	0.92			—	0.17	0.11		2
3		0.01	—	—		0.13				—	0.03	0.02		3
4		tr.	0.09	—		0.24				tr.	0.02			4
5		—	0.04	—		—	0.08			0.02	—			5
6		—		—	0.36		0.04			tr.		0.12		6
7		—		—	—	0.13	0.11			0.01		0.01		7
8	0.70	—	0.16	↓	—	—	—			tr.	0.16	0.12		8
9	0.44	—	0.02	↓	—	0.05	0.81			0.03	0.01	0.01		9
10	0.09	—	tr.	↓	tr.	—				0.04	tr.	0.01		10
11	—	—	—		—	0.01				—	0.21	tr.		11
12	—	—	—		0.01		1.21			—	0.10			12
13	—	—	—		0.02		tr.			0.06	0.02	0.32		13
14	—	—	—		—	0.62	0.34		1.23	0.03		0.46		14
15	—		tr.		—	0.05	0.22		0.03	—	0.09	0.05		15
16	0.22	0.10	—		—	—	0.03		—	—	0.65	tr.		16
17		0.41	—		0.20	—	0.12		tr.		0.07	0.04		17
18		0.03	—		—	0.15			—	0.24	tr.	0.02		18
19	0.30	0.04	0.02		—		0.13		—	0.06	tr.	—		19
20	—	0.11			—		tr.		0.05	0.01	—	—		20
21	—	—			tr.	1.72	—		—	—	—	—		21
22	tr.		0.07			—	0.15		—	—	0.01	↓		22
23	—		0.09			—	0.32		—		0.01			23
24		0.70	—		0.51	—			0.18		—			24
25		—	0.12		—	0.22			—	0.34	0.02			25
26	0.16	0.07	0.38		—		0.34			0.15	0.01			26
27		—			—		tr.		0.42	0.08	—			27
28	0.33				—	tr.	↓		0.02	—				28
29	0.59	0.41	0.11		—	0.04			—	0.04	0.38			29
30	0.02	~~0.02~~	tr.	1.45	0.22	0.21			—		0.03			30
31	0.56	~~0.02~~	0.07	~~0.02~~	—	~~0.02~~	(0.12)	(0.81)	~~0.02~~	0.45	~~0.02~~	0.33	d	31
TOTAL	3.41	2.04	1.28	2.00	1.32	4.29	(5.10)	(5.81)	1.93	1.56	1.99	1.67	Year's Total	27.40
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P. J. Harris

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2492/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Market Harborough Grammar Schoolin the County of LeicestershireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.01	tr.		—	—	tr.			—	0.34	0.11		1
2		.03	0.02		—	—				—	.01	.14		2
3		.10	tr.		0.15	tr.				—	tr.			3
4		.17	—		.03	—	.03			—	tr.			4
5		—	.20		—	—	.01			—		.66		5
6		—			.14	—	tr.			—		.01		6
7		.38	.23			—				tr.	.02	—		7
8		.19	tr.			tr.				—	.30	.05		8
9		tr.	.04		.34	—				—	—	.04		9
10		.02	.25		—	0.32				tr.	tr.			10
11		tr.	.16				.21			tr.	—			11
12	0.57						tr.			—	—	.39		12
13	.07					.44	—			—	—	.01		13
14	—	.30	.56			—	—			—	—	.03		14
15		.06	tr.			.02	.60		1.41	—	—	.01		15
16		.10	.34			—	—		.24	—	—	.03		16
17	.40	.01	.24			tr.	—			—	—			17
18	.48	.10	.13		1.04	—	—			.01	.21			18
19	.09				.01		.25		.66	.01				19
20	.22				.63	.19	—		.03	.01		.03		20
21	.05	.31	.18			—	.24		tr.	.01	.11	.03		21
22		.02	tr.	2.86		.05	.08		—		.27			22
23		tr.	.01	—	.17	—			—		.09			23
24	.42	.23	.03	—	.01	—				1.06	—			24
25	.28	.19		—	.55	—	.13			.15	tr.			25
26	tr.			—	.23	—	—		.01	.03				26
27	tr.			.17	—	—	—		—	.63				27
28	tr.	.57		tr.	—	tr.	—		—	.02	tr.			28
29		X		—	—	tr.	—		tr.		.04			29
30		X		—	—	tr.	—		—		.12			30
31	.43	X	.11	X	—	X	—		X	.06	X	0.15		31 d
TOTAL	3.01	2.79	2.50	3.03	3.30	1.02	1.55	(1.25)	(1.10)	1.99	1.51	1.69	Year's Total	24.74
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

(Signed)

P. J. Harris

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

249217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at *Grammar School, Market Harborough.*in the County of *Leicester*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

" Ground " Sea Level 350 ft.

Any Sept totals adjusted from surrounding stations.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		tr.	—	—		0.38	0.64				—			1
2		0.05		0.05		.15	—			0.20	—			2
3		tr.		—		tr.	.37			.61	0.02			3
4		—		.01	0.07		.08			.20	tr.	0.46		4
5		—		tr.	—		.08			.18	—	.01		5
6		—		—	—		.06			.09	—	tr.		6
7		tr.			—				3.69		—	.06		7
8		—			—	.15					—	.02		8
9		.03			—	tr.				.24	—	.35		9
10		.08			—	.19	.55			—	—			10
11		tr.			—	—	.01			.02	.10	.03		11
12	1.17				.06	—	tr.			.28		tr.		12
13	tr.	.09			tr.	—	—			—	.17	.13		13
14		.04			.05	—	.43			—	—	.01		14
15		tr.			tr.	—	.22			—	tr.	.21		15
16	.50	—			tr.	—				—	.01	.23		16
17	tr.	.06			.26	—	.18			.09	.02	tr.		17
18	.04	—		tr.	.25	.01	tr.			tr.		tr.		18
19	tr.	—		—	tr.	—	—			—		.02		19
20	—	—		—	tr.	—	—			—	.93	.04		20
21		—		—	—	—	—			—	.04			21
22	.01	.02		tr.	—	.28	—			—	.31			22
23	—	—		tr.	.02	tr.	tr.			—	—			23
24	—	tr.	0.03	—	.03	—	—			—	.02			24
25	.07			—	tr.	—	.03		0.57	.07				25
26	.01			—	—	—	—		.05	.15				26
27	.04		.16	—		.15	.18		.18	.03	.35			27
28	.27	0.38	—	—		.08	.02		.03	—	.02			28
29		X	tr.	.01	.50	tr.	.01		—		.09			29
30	.52	X	—	tr.	tr.	.10	—		.14		.27			30
31	.10	X	—	X	.21	X	—		X	.11	X	1.26		31
TOTAL	2.73	0.75	0.19	0.07	1.45	1.49	2.86	(3.00)	(1.66)	2.27	2.35	2.83	Year's Total	21.65
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P. J. Harris

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

24927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Grammar School, Market Harborough.*in the County of *Leicesters*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			0.01				tr.			0.02	tr.			1
2				0.14	0.03		tr.			.11	0.04			2
3				.24						.02		0.15		3
4		tr.	.28	.41	tr.		0.02			.01		.06		4
5				.11	.16		.05			.15		.22		5
6			tr.				.64				.45			6
7		0.01									.12	.10		7
8		.05	.12							.13	.03	.29		8
9		.09					.37			.40	.05	.15		9
10			tr.							.03	.01			10
11	1.36					0.07						tr.		11
12	.01	.05	.22		tr.	.12				.01		tr.		12
13			tr.		tr.	.02	.02				tr.	tr.		13
14			.01		.28	.06					.10	tr.		14
15	.69		.01		.09	.33				.79	.01			15
16	.18		.14		.07	.67	.76			.08	.19			16
17	.20				.17	tr.	.21			1.12				17
18	.06	.04			tr.	.75	.21			.04	.65			18
19	.20		.06			tr.	.22				tr.	.01		19
20		tr.	.01			.06	.41		0.50	tr.				20
21		.15	.21		tr.	.10			.01					21
22	.45	.18	.11			tr.				tr.	.17			22
23	.04		tr.			tr.	.19		.02	.07	.53			23
24	.14	tr.	tr.			.03	.04			.05				24
25	1.10						.05			tr.				25
26	.25		.08						.02	.10	.51			26
27		.07	.06		tr.	.01	.09		tr.	.16	.03			27
28		.15	.14			.01				tr.	.17			28
29	.02		tr.				.32			.20	.01			29
30				0.76		.30				tr.	.06			30
31							.04			tr.		.10		31
TOTAL	4.70	0.79	1.46	1.66	0.80	2.53	3.64	5.13	0.55	3.49	3.13	1.08	Year's Total	28.96
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

(Signed)

P. J. Harris

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 2492/7.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at Grammar School, Market Harborough.in the County of LeicestershireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level.....350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.08			tr.									1
2							0.04			0.01		0.03		2
3							tr.			.14		.04		3
4		0.37										.06		4
5		.01			0.03							.12		5
6		.24			.04					.45	2.62	tr.		6
7		.25			.03		tr.			tr.		tr.		7
8		.01					.06			.09	.02	.21		8
9		tr.				0.10	.02			.01	.04	.18		9
10	0.09		0.06			~~0.10~~ 0.10	.84			.03	.20	.38		10
11		tr.	.04				.41		0.03	tr.	.46	.13		11
12		tr.	.03						.05	tr.	.01			12
13		.05	.60				.11				.10			13
14			.03		.21					.02	.01	.28		14
15					.03	0.13	.02		.15	.23		tr.		15
16	.02						.32		.11	.98	.92	tr.		16
17	tr.		.71	0.72			tr.		tr.	.01				17
18	.02		.28	.42					.01		.02			18
19			.02						.17					19
20			.01	.15		.05				.11	.17			20
21	.07	0.98	tr.		.05		.69			.08	1.25			21
22	.02	.01		tr.	.31				.62	.01				22
23				.03	.26	.54			.01	.02	tr.			23
24	.03			.03	tr.		.08		tr.	.02	tr.			24
25	tr.	.10			tr.					.03	tr.			25
26		.12		tr.	.02					.01	tr.			26
27		.04		.21			.27		tr.		.02			27
28	2.50	.26		tr.	.09									28
29		tr.		tr.	.17	tr.								29
30	.04	~~X~~		.52	tr.									30
31	.01	~~X~~	0.20	~~X~~		~~X~~		0.20	~~X~~	.98	~~X~~	0.42		31
TOTAL	2.80	2.52	1.98	2.08	1.24	0.82	2.86	0.20	1.15	3.23	5.84	1.85	Year's Total	26.57
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P. T. G.

[P.T.G.]

Section

A

for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL

FORM 1090.

REGISTER

Kept at Rose Hill 32 Leicester Road
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Ground Sea Level 3

THE MORNING MEASUREMENT

An observer who does not conform to this rule shall be liable to a fine of 10/- per year in the space on the right of this paragraph.

Please re

2493
COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

1931.

2493

MARKET HARBOUROUGH - ROSE HILL

1931 - 1940

S DAY.

of the following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.02	—	—	—	—	—	—	—	—	1
2	.03	.06	—	.83	.02	.03	—	.45	.36	.03	—	.05	2
3	—	—	—	.12	—	—	.01	—	1.12	—	.32	.06	3
4	—	.06	—	.15	—	—	.34	.15	.08	—	.08	—	4
5	—	—	—	.04	.03	.70	—	—	.11	—	—	.30	5
6	—	.14	—	—	—	—	.04	—	—	.18	.20	—	6
7	—	—	—	—	—	.06	.01	.25	—	.02	.04	—	7
8	.03	.05	.03	.03	—	.09	.02	.41	—	—	.20	—	8
9	—	.21	—	.01	—	.08	—	.16	—	—	.28	—	9
10	.01	.01	—	—	—	.01	—	.15	—	—	.05	—	10
11	.07	.24	—	—	—	.05	—	—	.17	—	.12	—	11
12	—	—	—	—	—	—	.30	—	.19	—	—	—	12
13	.04	.06	—	—	—	—	.19	.11	—	—	—	—	13
14	—	.07	—	—	—	.04	.45	.56	—	—	.06	—	14
15	—	.10	—	.25	.22	—	.14	.17	—	—	.01	.05	15
16	.03	.14	—	.11	.21	.31	—	.05	.19	—	—	—	16
17	.01	.38	—	.39	.39	—	.10	—	—	—	—	—	17
18	.01	.02	—	.20	—	.08	.06	.06	—	—	.41	—	18
19	.05	—	—	.23	.04	—	.09	.02	.15	—	—	—	19
20	—	.06	—	—	—	—	.05	.43	—	.02	—	.01	20
21	.10	—	—	—	.56	—	—	.16	—	—	—	—	21
22	.12	—	—	.02	—	—	—	—	—	—	—	—	22
23	.20	—	—	.01	.37	.03	—	—	.11	—	.22	.03	23
24	—	—	—	.11	.45	—	.09	—	.01	—	—	—	24
25	.04	.02	—	.58	—	—	.34	—	—	—	.04	—	25
26	—	.01	—	.35	—	—	.10	—	—	—	.17	—	26
27	.10	.57	—	—	.02	—	.03	—	—	—	.33	.15	27
28	.09	.23	—	.09	.19	—	—	—	—	.04	—	.14	28
29	.05	—	—	—	.02	—	.08	—	—	.19	—	.04	29
30	.36	X	—	—	—	—	—	—	—	—	—	—	30
31	.28	X	—	X	—	X	.01	—	X	—	X	.03	31
TOTAL	1.62	2.43	.03	3.54	2.52	1.48	2.45	3.13	2.80	.48	2.53	.86	YEAR'S TOTAL 23.87
*Days with or in. or more.	18	18	1	18	12	11	19	14	11	6	15	10	147
*Days with or in. or more.	12	14	—	13	8	8	14	13	10	3	14	7	116

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Geo. Nicholson

P.T.O.



FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Rosehill 32 Leicester Road, Clapham, Scarborough
 in the County of Leicester

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 „ Ground „ Sea Level 350 ft.

Year 2nd day March See 2494

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.02	—	—	—	—	.31	—	—	—	1
2	.03	.06	—	.83	.02	.03	—	.45	.36	.03	—	.05	2
3	—	—	—	.12	—	—	.01	—	1.12	—	.32	.06	3
4	—	.06	—	.15	—	—	.34	.15	.08	—	.08	—	4
5	—	—	—	.04	.03	.70	—	—	.11	—	—	.30	5
6	—	.14	—	—	—	—	.04	—	—	.18	.20	—	6
7	—	—	—	—	—	.06	.01	.25	—	.02	.04	—	7
8	.03	.05	.03	.03	—	.09	.02	.41	—	—	.20	—	8
9	—	.21	—	.01	—	.08	—	.16	—	—	.28	—	9
10	.01	.01	—	—	—	.01	—	.15	—	—	.05	—	10
11	.07	.24	—	—	—	.05	—	—	.17	—	.12	—	11
12	—	—	—	—	—	—	.30	—	.19	—	—	—	12
13	.04	.06	—	—	—	—	.19	.11	—	—	—	—	13
14	—	.07	—	—	—	.04	.45	.56	—	—	.06	—	14
15	—	.10	—	.25	.22	—	.14	.17	—	—	.01	.05	15
16	.03	.14	—	.11	.21	.31	—	.05	.19	—	—	—	16
17	.01	.38	—	.39	.39	—	.10	—	—	—	—	—	17
18	.01	.02	—	.20	—	.08	.06	.06	—	—	.41	—	18
19	.05	—	—	.23	.04	—	.09	.02	.15	—	—	—	19
20	—	.06	—	—	—	—	.05	.43	—	.02	—	.01	20
21	.10	—	—	—	.56	—	—	.16	—	—	—	—	21
22	.12	—	—	.02	—	—	—	—	—	—	—	—	22
23	.20	—	—	.01	.37	.03	—	—	.11	—	.22	.03	23
24	—	—	—	.11	.45	—	.09	—	.01	—	—	—	24
25	.04	.02	—	.58	—	—	.34	—	—	—	.04	—	25
26	—	.01	—	.35	—	—	.10	—	—	—	.17	—	26
27	.10	.57	—	—	.02	—	.03	—	—	—	.33	.15	27
28	.09	.23	—	.09	.19	—	—	—	—	.04	—	.14	28
29	.05	—	—	—	.02	—	.08	—	—	.19	—	.04	29
30	.36	×	—	—	—	—	—	—	—	—	—	—	30
31	.28	×	—	×	—	×	.01	—	×	—	×	.03	31
TOTAL	1.62	2.43	.03	3.54	2.52	1.48	2.45	3.13	2.80	.48	2.53	.86	YEAR'S TOTAL
*Days with .01 in. or more.	18	18	1	18	12	11	19	14	11	6	15	10	147
*Days with .04 in. or more.	12	14	—	13	8	8	14	13	10	3	14	7	116

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Geo. Nicholson

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2493

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rosehill Market Harborough
in the County of LeicesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.03	.	.05	.39	.04	.01	.76	.10	.26	.	.	1
2	.03	.	.	.03	.18	.	.	.07	.20	.07	.	.	2
3	.	.	.	.15	.	.	.	.	.	.	.01	.20	3
4	.05	.	.	.07	.	.	.	.	.01	.	.	.	4
5	.22	.	.	.	.06	.01	.09	.	.18	.	.38	.	5
6	.28	.	.07	.31	.	.	.	.	.48	.	.	.	6
7	.	.	.23	.32	.	.	.	.	.08	.	.	.	7
8	.	.02	.	.10	.	.	.	.	.18	.10	.	.	8
9	.01	.08	.	.07	.	.	.	.	.	.	.	.	9
10	.06	.10	.	.07	.01	.	.	.	.20	.07	.	.	10
11	.	.04	.01	.04	.08	.	.44	.	.04	.	.03	.	11
12	.17	.01	.	.	.14	.	.14	.	.02	.36	.03	.	12
13	.01	.	.	.20	.	.	.80	.	.05	.06	.02	.02	13
14	.25	.03	.	.01	.02	.	.04	.02	.	.02	.04	.	14
15	.	.	.	.10	.22	.	.	.	.	.05	.01	.03	15
16	.27	.	.	.38	.12	.	.	.	.	.	.01	.	16
17	.	.	.	.	.	.	.07	.	.	.11	.	.	17
18	.	.	.	.	.03	.	.	.	.01	.	.	.	18
19	.	.	.	.	.	.	.	.46	.	.19	.	.	19
20	.	.	.	.10	.17	.	.	.57	.	.48	.11	.	20
21	.	.	.15	.15	1.32	.	.	.	.	.24	.	.04	21
22	.	.	.36	.05	.11	.	.15	.	.72	.05	.45	.	22
23	.	.03	.	.	.10	.	.	.	.04	.07	.09	.05	23
24	.	.	.	.	.01	.	.22	.	.04	.02	.35	.	24
25	.	.03	.	.42	.	.	.08	.	.	.17	.	.	25
26	.	.01	.	.14	.23	.	.37	.	.09	.	.	.	26
27	.	.	.37	.03	.43	.	.19	.	.	.	.15	.	27
28	.	.	.03	.11	.38	.09	.01	.45	.	.06	.	.02	28
29	.	.	.22	.	.36	.09	.	.10	.05	.34	.	.07	29
30	.	X	.	.	.	.34	.	.17	1.20	.39	.42	.16	30
31	.	X	.10	X	.03	X	.46	.	X	.	X	.04	31
TOTAL	1.42	.38	1.54	2.90	4.39	.57	3.07	2.60	3.69	3.11	2.10	.63	YEAR'S TOTAL
*Days with .01 in. or more.	11	10	9	21	20	5	14	8	18	19	14	9	158
*Days with .04 in. or more.	8	3	7	18	15	4	12	7	15	17	8	6	120

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Geo. O. Nicholson

[P.T.O.]

Section **A**

for the entry of Daily Observations.

2493
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932 1933

Kept at Roskill Market Harborough
in the County of Leicester

Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 1 ft. in.
" Ground " Sea Level..... 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.20	.11	-	-	-	-	-	-	-	.15	-	1
2	.09	-	.34	-	.04	-	-	-	-	-	.06	-	2
3	-	.21	.17	-	.12	-	-	-	-	-	.04	-	3
4	.16	-	.02	-	.33	-	-	-	-	-	.03	-	4
5	.06	.01	.18	-	.03	-	-	-	-	-	-	-	5
6	-	.07	.05	-	.21	-	-	-	-	.10	-	-	6
7	-	.36	.02	-	.02	-	-	-	-	.11	.01	-	7
8	.02	-	.09	-	.12	-	.20	-	-	.02	-	-	8
9	-	-	-	-	.10	-	.28	-	-	.08	.06	-	9
10	-	-	-	-	-	.02	.08	-	.08	.52	.24	-	10
11	.03	-	-	-	.03	-	.05	.01	-	-	-	-	11
12	.01	-	-	-	-	.02	.06	-	.20	-	-	.02	12
13	.02	-	-	-	.01	.02	.25	-	-	-	.22	-	13
14	-	-	-	-	.04	-	.05	-	-	.35	.42	.03	14
15	.48	-	-	-	-	-	.08	.02	-	-	.31	-	15
16	.21	-	.53	-	.08	.21	.06	-	-	-	.10	-	16
17	-	-	.44	-	-	.01	-	-	.04	-	.05	-	17
18	-	.07	.03	-	-	.10	.02	-	-	-	.02	-	18
19	-	-	.57	.01	-	-	-	-	.06	-	-	-	19
20	-	.05	-	.01	-	.09	-	.04	-	.09	.01	-	20
21	-	.07	-	-	-	.02	-	.21	.03	.01	-	-	21
22	-	-	-	-	-	-	-	.35	-	.52	-	-	22
23	-	-	-	.03	-	-	-	-	.39	-	-	-	23
24	-	.56	-	.11	.07	.40	-	-	.52	.02	-	-	24
25	-	.88	-	.17	-	.37	-	-	.01	-	.06	.08	25
26	-	.52	-	.06	-	.03	-	-	.01	.06	.04	-	26
27	-	-	-	-	.07	-	-	-	.35	.01	-	-	27
28	-	-	-	.09	.02	-	.05	-	-	.26	-	.11	28
29	-	X	-	.07	-	-	.06	-	-	.09	-	-	29
30	.15	X	.05	.04	-	-	.03	-	-	-	-	.12	30
31	-	X	.32	X	-	X	.01	.13	X	.12	X	-	31
TOTAL	1.41	3.00	2.92	.59	1.29	1.29	1.20	.84	1.61	2.34	1.82	.36	YEAR'S TOTAL
Days with ".01 in. or more.	11	11	14	9	15	11	13	7	9	15	16	5	136
Days with ".04 in. or more.	7	10	11	6	11	5	10	5	6	11	12	3	97

Section

A

for the entry of Daily Observations.

Station No.

2493

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rose Hill 32 Leicester Rd
in the County of Market Harborough
Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	-	-	-	.09	-	-	.20	.28		1
2	.11	-	.05	-	-	-	-	-	.42	.08	.01	.25		2
3	.01	.03	-	.05	-	-	-	-	-	.03	-	-		3
4	.06	-	.01	.34	.04	-	-	-	.10	.23	.10	.27		4
5	-	-	.02	.01	.03	-	-	.10	-	.07	-	.06		5
6	-	-	.06	.10	.43	.005	-	.01	-	.16	-	.49		6
7	.09	-	-	-	-	.03	-	.03	-	.13	-	.23		7
8	-	-	-	-	.04	-	-	.07	-	-	.14	.01		8
9	-	-	.10	.02	-	-	-	.05	-	-	.66	.28		9
10	-	-	.10	.16	-	-	-	.03	-	-	.09	.01		10
11	.50	-	.12	.16	-	-	-	.04	-	-	-	.23		11
12	-	-	.12	-	.50	-	-	.08	-	-	-	.05		12
13	.36	-	-	-	-	-	.20	.02	-	-	-	.20		13
14	.11	-	.20	-	-	-	-	-	-	.32	.60	.26		14
15	.02	-	.21	-	.10	-	-	-	.18	-	.11	.02		15
16	.10	-	.09	-	.08	-	-	-	-	.11	.03	.25		16
17	.03	-	-	.01	.03	-	.05	-	.05	.09	.01	.15		17
18	.10	-	-	.42	-	-	.54	-	-	-	-	.03		18
19	-	-	.10	-	-	-	-	.01	.01	.03	-	.01		19
20	-	-	.03	.08	-	-	-	-	.01	-	-	-		20
21	-	-	-	-	-	.19	-	.01	-	.05	-	-		21
22	-	-	-	-	-	-	-	.04	.18	-	-	-		22
23	-	-	-	.27	.02	.12	.31	-	-	-	-	.17		23
24	-	.21	.08	.03	-	.02	.13	-	.37	.04	-	-		24
25	.15	.04	-	.10	-	-	-	-	-	.05	-	.28		25
26	-	-	.05	.09	-	.05	.01	-	.08	-	-	.03		26
27	.07	.15	-	-	-	-	-	-	-	-	-	.20		27
28	-	-	-	.32	-	.20	-	.40	-	-	.02	.56		28
29	-	-	-	-	-	-	.08	.25	.24	.05	.01	-		29
30	.03	X	-	-	-	-	.01	-	.02	-	-	.12		30
31	.02	X	-	X	-	X	-	-	X	.10	X	.18		31
TOTAL	1.77	.43	1.34	2.16	1.27	.61	1.33	1.23	1.66	1.54	1.98	4.37	19.69	
* Days with .01 in. or more.	16	4	15	15	9	7	8	15	11	15	12	24	151	
* Days with .04 in. or more.	10	3	12	11	6	5	6	9	8	13	7	19	109	

Average for 29 years 25.53

Section

A

for the entry of Daily Observations.

Station No.

2493

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rose Hill 32 Leicester Rd
 in the County of Leicester
market Harborough

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft in.
 „ Ground „ Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>.39</u>	-	-	.08	-	.11	-	-	.10	.15	.07	.03		1
2	-	-	-	-	-	.01	-	-	-	.21	.01	.13		2
3	-	.15	.06	.02	-	.01	-	-	.29	.21	.23	-		3
4	-	-	.01	.11	-	.08	-	-	-	.20	-	-		4
5	-	.74	.06	.07	-	-	.04	-	.02	-	.01	-		5
6	.02	.02	-	.27	-	.23	-	-	-	-	.13	-		6
7	-	-	-	.43	-	.07	-	-	-	.15	.39	-		7
8	-	-	-	.40	-	.05	-	.66	-	.16	.10	.15		8
9	-	-	-	.47	-	.24	-	-	-	.68	.67	.16		9
10	-	-	-	-	-	-	-	-	-	-	-	.02		10
11	.13	-	-	-	-	.04	.01	-	-	.08	.15	.02		11
12	-	-	-	-	-	.23	-	.08	-	-	.01	-		12
13	.12	.03	-	.04	.21	.01	-	-	-	.01	-	-		13
14	-	-	-	-	.14	.07	-	-	-	-	.43	.09		14
15	-	.09	-	.60	-	.29	.02	-	1.20	-	.21	.27		15
16	-	.02	.08	.10	-	.05	-	-	.23	.16	.68	.25		16 20
17	-	-	-	.06	-	.20	-	-	-	.03	.49	-		17
18	-	.01	-	.19	-	.06	-	-	.28	.07	-	-		18
19	-	-	-	.07	.30	.17	-	-	.08	.03	.22	-		19
20	.02	.20	-	.20	.02	.09	.20	-	-	-	.11	-		20
21	-	.26	-	-	-	-	.11	-	.41	.03	.17	-		21
22	-	.04	-	.07	-	-	.03	.21	.22	-	.01	-		22
23	-	-	.18	.13	-	-	-	1.04	.12	.15	-	-		23
24	.10	.31	.06	-	-	-	-	-	.58	-	-	.24		24
25	.13	.01	-	.05	-	1.07	-	-	-	-	-	.03		25
26	.02	-	-	-	-	-	-	-	.23	-	-	.44		26
27	-	.25	-	-	-	-	-	.10	.07	.02	.24	.78		27
28	-	.04	-	-	.03	-	-	-	.09	-	-	.08		28
29	-	-	.06	-	-	-	-	-	.13	.05	.07	.09		29
30	.07	X	-	.07	-	-	-	.48	-	.20	.24	.09		30
31	-	X	-	X	-	X	-	-	X	.76	X	.22		31
TOTAL	1.00	2.17	.51	3.43	.70	3.08	.41	2.57	4.03	3.35	4.64	3.04	28.93	
* Days with .01 in. or more.	9	14	7	19	5	19	6	6	15	19	21	17	158	
* Days with .04 in. or more.	6	9	6	18	4	16	3	10	14	14	18	13	129	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Geo. O. Nicholson

[P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. **2493**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at **Rossett Market Harborough**in the County of **Leicester**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.....in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	0.07	0.31	0.53	-	0.10	0.19	0.11	-	-	0.06	0.05		1
2	0.02	0.04	0.06	0.08	-	0.83	0.76	-	-	-	0.28	0.10		2
3	0.01	-	-	-	-	0.11	0.08	0.03	0.36	-	0.01	0.03		3
4	-	0.02	0.09	-	-	0.20	-	0.02	0.25	-	-	0.10		4
5	0.03	-	0.04	-	-	-	0.01	0.04	0.16	0.01	-	0.05		5
6	0.05	-	-	-	0.40	0.13	0.04	0.32	0.16	-	0.05	-		6
7	0.42	-	0.02	-	-	-	0.16	-	0.09	0.01	-	-		7
8	0.16	-	0.15	-	-	-	-	-	-	-	0.14	0.10		8
9	0.47	-	0.01	-	-	0.05	0.76	-	0.01	0.03	-	-		9
10	0.07	-	-	-	-	-	0.54	0.30	-	0.04	-	-		10
11	-	-	-	0.04	-	0.02	0.27	-	-	-	0.26	-		11
12	-	-	-	0.15	-	0.32	0.47	-	0.10	-	0.14	0.08		12
13	-	-	-	0.32	0.04	0.24	-	-	0.25	0.06	0.03	0.42		13
14	-	-	-	0.17	-	0.04	0.40	-	-	0.03	0.23	0.58		14
15	-	-	-	0.04	-	0.05	0.20	-	0.10	-	0.06	0.08		15
16	0.27	0.09	-	-	-	-	0.04	-	0.05	-	0.68	-		16
17	-	0.49	-	-	0.19	-	0.08	-	-	0.09	0.08	0.10		17
18	-	0.02	-	-	-	0.20	0.14	-	-	0.18	0.03	0.05		18
19	0.40	0.04	0.01	0.38	-	0.73	-	0.07	-	0.06	-	-		19
20	-	0.11	-	0.02	-	0.03	-	-	-	-	-	-		20
21	-	-	-	0.17	-	1.10	-	-	-	-	-	-		21
22	-	0.63	0.07	0.01	0.49	-	0.17	-	-	-	-	0.08		22
23	-	0.01	0.13	0.10	0.06	-	0.38	-	-	0.04	-	-		23
24	0.13	0.06	-	-	0.02	-	-	-	0.20	0.33	-	-		24
25	0.07	-	0.12	0.32	-	0.21	0.35	-	0.30	0.02	0.02	0.02		25
26	-	0.07	0.43	0.02	-	-	0.06	-	0.11	0.15	0.01	-		26
27	-	-	-	-	-	-	-	-	0.08	0.10	-	-		27
28	0.37	0.14	0.05	-	-	-	0.09	-	0.03	-	-	0.04		28
29	0.61	0.10	0.08	-	-	0.05	-	-	-	0.06	0.39	0.04		29
30	0.02	~~0.02~~	-	-	0.07	0.20	0.09	-	-	0.38	0.03	~~0.03~~		30
31	0.61	~~0.02~~	0.08	~~0.02~~	-	~~0.02~~	0.03	-	~~0.02~~	0.08	~~0.02~~	0.13		31
TOTAL	3.75	1.89	1.65	2.35	1.27	4.61	5.31	0.89	2.25	1.67	2.30	2.05	29.99	
* Days with .01 in. or more.	17	14	15	14	7	18	22	7	15	17	17	17	180	
* Days with .04 in. or more.	13	11	11	11	6	16	20	5	13	12	10	12	140	
Year's Total														29.99

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) **G. O. Nicholson** [P.T.O.]

Section

for the entry of Daily Observations

Station No. 2493

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Market Harborough (Rotherham)in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level 350.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.14	-	-	-	-	-	-	-	0.03	-	0.27	0.12		1
2	-	0.04	0.02	0.45	-	-	0.02	-	-	-	-	0.13		2
3	0.06	0.10	-	-	0.14	-	-	-	-	-	-	0.07		3
4	0.34	0.19	-	-	0.03	-	-	-	-	-	-	0.13		4
5	0.13	-	0.21	-	-	-	-	0.02	-	-	-	0.45		5
6	-	-	0.27	-	0.15	-	-	0.04	-	-	0.02	-		6
7	-	0.55	0.08	0.16	0.10	-	-	-	-	-	-	-		7
8	-	0.19	-	-	-	-	-	-	-	-	0.33	-		8
9	-	-	0.04	0.12	0.24	-	0.23	-	0.12	-	-	-		9
10	0.05	0.02	0.63	0.49	-	0.34	-	0.23	-	-	-	0.35		10
11	0.05	-	0.19	-	0.54	0.15	-	-	-	-	-	-		11
12	-	0.31	0.14	-	0.47	0.13	-	0.43	0.18	-	-	-		12
13	0.20	0.06	0.13	0.17	0.01	0.26	-	0.20	-	-	-	0.13		13
14	0.05	-	0.36	-	-	-	-	0.18	-	-	-	0.45		14
15	-	0.07	0.04	0.12	-	-	-	0.63	-	0.27	-	-		15
16	-	0.11	0.36	0.41	-	-	-	0.09	0.27	-	-	-		16
17	0.27	0.01	0.25	0.45	-	-	-	-	0.10	-	0.25	-		17
18	0.58	0.12	0.14	0.03	-	-	-	-	0.63	-	0.12	-		18
19	0.09	0.07	0.11	0.07	-	0.16	0.34	-	-	-	-	-		19
20	0.32	0.03	0.10	0.51	0.68	0.06	-	-	0.03	-	-	-		20
21	0.07	0.24	0.04	-	-	-	0.24	-	-	-	-	-		21
22	0.09	-	-	-	0.03	0.05	0.19	-	-	0.22	0.31	-		22
23	0.28	-	0.02	-	0.20	-	0.02	-	-	0.83	-	-		23
24	0.18	0.26	0.03	-	-	-	-	-	-	0.20	-	-		24
25	0.30	0.28	0.05	-	0.57	-	-	-	-	0.15	-	-		25
26	-	0.22	0.08	-	0.27	-	-	-	-	0.03	-	-		26
27	-	0.49	0.03	0.19	-	-	-	-	-	0.63	0.04	-		27
28	-	0.20	0.01	-	-	-	-	-	-	0.02	-	0.25		28
29	0.07									0.03	-	-		29
30	0.32	X								-	0.12			30
31	0.35	X								0.12	X			31
TOTAL	2.94	2.56	2.33	3.17	3.43	1.15	1.67	1.19	1.63	2.23	1.46	2.08	28.84	W
* Days with .01 in. or more.	20	20	23	12	13	7	7	7	8	9	8	9	143	W
* Days with .01 in. or more.	20	17	18	11	10	7	5	6	6	6	7	9	122	W

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

for the entry of Daily Observations

Station No. 2493

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 190

REGISTER OF RAINFALL IN 1938

NR 1937 18

Kept at Market Harborough (Rose Hill)
in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 350.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		—	—	—	—	0.45	0.46	—	—	0.04	—	0.12		1
2		0.05	—	0.03	0.02	0.16	—	—	0.04	0.18	—	0.03		2
3		0.01	—	—	0.06	—	0.43	—	—	0.67	0.02	—		3
4		—	—	—	—	0.05	0.07	0.44	—	0.21	—	0.28		4
5		—	—	—	—	—	0.10	0.03	0.01	0.21	—	—		5
6		—	—	—	—	—	0.07	—	0.42	0.10	—	—		6
7		—	—	—	—	—	0.25	0.73	0.13	0.11	—	0.06		7
8		—	—	—	—	0.09	0.03	0.08	—	0.16	—	0.01		8
9		—	—	—	—	—	0.02	0.83	—	—	—	0.43		9
10		0.09	—	—	—	0.20	0.27	0.02	—	—	—	0.04		10
11		0.01	—	—	—	—	—	—	—	0.03	0.10	—		11
12		0.03	—	—	0.07	—	—	—	—	0.29	0.01	—		12
13		0.18	—	—	—	—	—	—	—	—	0.18	0.15		13
14		0.06	—	—	0.05	—	0.55	—	0.05	—	—	—		14
15		—	—	—	—	—	0.18	—	—	—	—	0.27		15
16		—	—	—	—	—	0.10	—	—	—	0.01	0.27		16
17		0.09	—	—	0.27	—	0.11	—	0.03	0.09	0.03	—		17
18		—	—	—	0.25	—	—	0.02	0.08	—	0.31	—		18
19		—	—	—	—	—	—	0.09	0.20	—	0.10	0.03		19
20		—	—	—	—	—	—	—	0.06	—	0.60	0.04		20
21		—	—	—	—	—	—	—	—	—	0.04	0.38		21
22		0.02	—	—	—	0.30	—	—	—	—	0.35	0.24		22
23		—	—	—	—	—	—	—	0.04	—	—	0.05		23
24		—	0.03	—	0.03	—	—	—	0.16	—	0.02	—		24
25		0.14	0.07	—	—	—	0.03	0.11	—	0.08	0.20	0.08		25
26		0.24	0.10	—	—	—	—	—	0.05	0.15	—	0.13		26
27		0.01	—	—	0.08	0.15	0.20	0.15	0.19	0.04	0.23	—		27
28		—	—	—	0.32	0.10	—	0.98	0.02	—	0.01	0.10		28
29		—	—	0.01	0.28	—	—	—	—	0.01	0.14	0.11		29
30		X	—	—	—	0.09	—	—	0.15	0.02	0.30	0.11		30
31		X	—	X	0.21	X	—	—	X	0.13	X	0.44		31
TOTAL	(2.70) (2.70)	0.93	0.20	0.04	1.64 +64	1.59	2.88	3.48	1.63	2.52	2.65	3.37	Year's Total 23.63	PP W/O W*
* Days with .01 in. or more.	(100)(15)	12	3	2	11	9	15	11	15	17	17	21	1148	
* Days with .04 in. or more.	(100)(10)	7	2	—	9	9	11	8	12	14	11	18	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. B. Woodbridge

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2493

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Rose Hill, Leicester Road*
 in the County of *Market Harborough*
 Diameter of Funnel of Gauge.....*5*.....in.
 Height of top of Gauge above Ground....*1*.....ft.....in.
 „ Ground „ Sea Level...*250*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	—	—	0.06	0.07	—	—	0.27	0.14	—	—	0.02		1
2	0.07	—	—	0.07	—	—	—	0.33	0.52	0.13	0.04	—		2
3	0.33	—	—	0.25	—	—	—	1.06	—	0.02	0.18	0.15		3
4	0.17	—	0.35	0.39	—	—	0.02	0.30	—	0.01	0.01	0.05		4
5	—	—	—	0.12	0.14	—	0.03	0.71	—	0.17	0.23	0.22		5
6	0.55	—	—	—	—	—	0.72	—	—	—	0.06	—		6
7	0.10	0.01	—	—	—	—	0.13	—	—	—	0.13	0.10		7
8	—	0.06	0.12	—	—	—	0.30	0.24	—	0.20	0.02	0.33		8
9	0.03	0.10	—	—	—	—	Tr	0.18	—	0.46	0.03	0.19		9
10	0.39	—	—	—	—	—	—	0.20	0.01	0.02	Tr	—		10
11	0.01	—	0.22	—	—	0.07	—	—	0.04	—	—	Tr		11
12	—	0.06	—	—	Tr	0.11	—	—	—	—	—	—		12
13	—	—	—	—	—	0.01	0.03	—	0.02	0.18	—	—		13
14	0.42	—	0.01	Trace	0.30	0.06	0.12	—	—	0.04	0.12	—		14
15	0.43	—	0.01	—	0.08	0.41	0.68	—	0.03	0.60	0.04	—		15
16	0.20	—	0.15	—	0.10	0.62	0.02	—	Tr	0.23	0.16	—		16
17	0.22	0.01	0.01	Trace	0.17	—	0.17	—	—	1.02	0.02	—		17
18	0.06	0.01	0.03	—	—	0.73	0.23	—	—	0.03	—	—		18
19	0.21	—	—	—	—	—	0.20	—	—	—	0.66	Tr		19
20	0.11	—	—	—	—	0.06	0.36	0.16	—	—	—	—		20
21	0.16	0.20	0.23	—	—	0.08	—	0.98	Tr	—	—	—		21
22	0.24	0.23	0.12	Trace	—	—	0.03	—	0.01	—	—	—		22
23	0.02	—	—	0.13	—	—	0.19	—	—	0.07	0.20	—		23
24	0.13	—	—	0.01	—	0.03	0.04	—	—	0.06	0.57	—		24
25	1.39	0.06	0.07	—	—	—	0.04	0.27	—	Tr	—	0.01		25
26	0.26	—	0.01	0.04	—	—	—	0.01	0.01	0.10	0.38	0.04		26
27	—	0.02	0.07	0.02	—	Tr	0.08	—	—	0.16	0.20	—		27
28	0.02	0.15	0.14	0.07	—	Tr	0.09	0.02	—	Tr	0.17	0.03		28
29	—	X	—	0.26	—	—	0.27	1.16	—	0.20	0.01	—		29
30	—	X	—	0.13	—	0.40	—	—	—	—	0.03	—		30
31	—	X	—	X	—	X	0.03	0.14	X	—	X	—		31
TOTAL	5.36	0.91	1.54	1.55	0.86	2.58	3.78	6.03	0.78	3.70	3.26	1.14	Year's Total	
* Days with .01 in. or more.	23	11	14	12	6	11	21	15	8	18	20	10	169	
* Days with .04 in. or more.	19	7	9	10	6	9	15	13	3	14	14	7	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

G. B. Woldridge

[P.T.O.]

for Miss Nicholson

np. late
 G. B. Woldridge
 5.12.41

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

Rose Hill

REGISTER OF RAINFALL IN 1934

Kept at Leicester Rd. Market Harborough

in the County of *Leicestershire*.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1...ft.....in.

Ground Sea Level 3 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.11	—	—	—	—	—	—	—	—	.12	—		1
2	—	—	—	.35	—	—	.03	—	—	—	.77	.02		2
3	—	.26	—	.18	—	—	—	—	—	.15	.57	.03		3
4	—	.16	—	—	—	—	—	—	—	.11	.70	.05		4
5	—	—	—	—	.02	—	—	—	—	.10	.34	.15		5
6	.04	.25	—	—	.02	—	.02	—	—	.29	.28	—		6
7	.07	.25	—	.02	.02	—	Tr	—	—	—	—	.02		7
8	—	—	—	.01	—	—	.02	—	—	.11	.01	.20		8
9	—	—	.05	Tr	—	.08	Tr	.05	.02	—	.04	.19		9
10	—	—	—	—	—	—	.88	.02	—	.01	.16	.38		10
11	—	—	.03	.05	—	—	.38	—	—	—	.57	.14		11
12	—	—	.01	—	—	—	.09	—	.02	—	—	—		12
13	—	.05	.70	Tr	—	—	.05	—	.08	—	.09	—		13
14	—	—	.05	.09	.24	—	—	—	.03	.02	—	.32		14
15	—	.46	.03	.06	.01	.14	Tr	—	—	.20	.13	—		15
16	.04	.05	.26	—	—	—	.33	—	.16	1.02	.83	—		16
17	—	.57	.47	—	—	—	—	—	—	Tr	—	—		17
18	.08	.21	.28	.45	—	—	—	.03	—	.05	.01	.04		18
19	—	—	Tr	.15	—	—	.25	—	—	—	.16	.01		19
20	—	—	—	.01	—	.04	.02	.05	—	.06	.07	—		20
21	.10	Tr	—	—	.05	.15	.45	—	—	.08	1.27	—		21
22	—	—	.03	—	.39	.23	—	.02	.63	—	—	—		22
23	—	.10	.02	.02	.21	.14	—	—	—	.03	—	.02		23
24	—	—	—	.03	—	—	.07	—	—	.02	—	—		24
25	—	—	—	—	—	—	—	—	—	.12	—	—		25
26	.98	.13	—	—	.01	—	.30	—	—	Tr	.01	—		26
27	.88	.03	—	.10	—	—	—	—	—	—	Tr	—		27
28	.43	.30	—	—	.08	—	—	—	—	—	—	—		28
29	.06	—	.17	—	.10	—	—	—	—	—	—	.28		29
30	—	✕	—	.53	—	—	—	—	—	.33	—	.04		30
31	—	✕	Tr	✕	✕	✕	—	—	✕	.64	✕	—		31
TOTAL	2.62	2.93	2.10	2.05	1.98	.78	2.89	.17	.94	3.34	6.13	1.89	Year's Total	90
* Days with .01 in. or more.	9	14	12	14	11	6	13	5	6	7	18	15	140	n.p. Cole
* Days with .04 in. or more.	8	13	7	9	6	6	9	2	3	13	15	10	101	84 Powell 62.14

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Kept at Kibworth
in the County of Le

Diameter of Funnel of Gauge
Height of top of Gauge above
" Ground "

THE MORNING MI

An observer who does not confo
year in the space on the right

2494
FOR OFFICIAL USE.
ORGANIZATION.

2494
KIBWORTH BEAUCHAMP
1931 — 40

Jan. 1, following

lowing

Date	Jan.	Feb.	Ma								Nov.	Dec.	Date
	in.	in.	in								in.	in.	
I		.03	.04	.05	.05								I
2		.05		.75	.02	.06			.36	.08			2
3		.02		.06					.61		.43	.20	3
4		.05		.15			.40	.16	.17		.10		4
5					.04	.68	.01		.13			.30	5
6	8.20			.05			.02			.18	.15		6
7						.10	.04	.35		.01	.05	.01	7
8		.08	8.07	.05	.03	.18	.06	.49			.24		8
9		.24	8.03	.01		.05		.15			.25	.01	9
10						.02		.15			.05		10
11	.15	.24							.14		.01		11
12	.06	8.07					.31		.23		.02		12
13	.04						.22	.15					13
14		.07				.13	.46	.91			.02		14
15		.11		.24	.21		.13	.13			.03		15
16	.05	8.21			.11	.39	.01	.02	.22				16
17		8.50		.50	.32		.12						17
18		.07		.33			.04	.10			.40		18
19	.08	.02		.36	.02	.13	.05	.12	.07				19
20		.04		.08			.06	.39		.06	.01		20
21	.13				.47			.21					21
22	.15							.01					22
23	.15		.04	.02	.34	.03			.23		.27	.03	23
24		.04		.11	.37		.10		.03				24
25	.04			.49			.47				.04		25
26		.04		.32	.14		.09				.18		26
27	.10	.57			.03		.13				.20	.15	27
28				.08	.25							.09	28
29	.20	.23		.03			.08			.24			29
30	8.25	X					.01						30
31	.24	X		X		X			X		X	.03	31
TOTAL	1.64	2.88	.14	3.65	2.31	1.77	2.81	3.34	2.52	.57	2.45	.82	YEAR'S TOTAL 24.90
* Days with .01 in. or more.	13	20	4	17	15	10	20	14	11	5	17	8	154
* Days with .04 in. or more.	13	17	3	15	9	8	16	12	10	4	12	4	123

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Kibworth Beauchamp
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 4.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.03	.04	.05	.03				.33				I
2		.05		.75	.02	.06			.36	.08			2
3		.02		.06					.61		.43	.20	3
4		.05		.15			.40	.16	.17		.10		4
5					.04	.68	.01		.13			.30	5
6		.20		.05			.02			.18	.15		6
7						.10	.04	.35		.01	.05	.01	7
8		.08	.07	.05	.03	.18	.06	.49			.24		8
9		.24	.03	.01		.05		.15			.25	.01	9
10						.02		.15			.05		10
11	.15	.24							.14		.01		11
12	.06	.07					.31		.23		.02		12
13	.04						.22	.15					13
14		.07				.13	.46	.91			.02		14
15		.11		.24	.21		.13	.13			.03		15
16	.05	.21			.11	.39	.01	.02	.22				16
17		.50		.50	.32		.12						17
18		.07		.33			.04	.10			.40		18
19	.08	.02		.36	.02	.13	.05	.12	.07				19
20		.04		.08			.06	.39		.06	.01		20
21	.13				.47			.21					21
22	.15							.01					22
23	.15		.04	.02	.34	.03			.23		.27	.03	23
24		.04		.11	.37		.10		.03				24
25	.04			.49			.47				.04		25
26		.04		.32	.14		.09				.18		26
27	.10	.57			.03		.13				.20	.15	27
28				.08	.25							.09	28
29	.20	.23			.03		.08			.24			29
30	.25	X					.01						30
31	.24	X		X		X			X		X	.03	31
TOTAL	1.64	2.88	.14	3.65	2.31	1.77	2.81	3.34	2.52	.57	2.45	.82	YEAR'S TOTAL
*Days with or in. or more.	13	20	4	17	15	10	20	14	11	5	17	8	154
*Days with .04 in. or more.	13	17	3	15	9	8	16	12	10	4	12	4	123

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kibworth Beauchamp
in the County of Leicester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 4.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.05		.06	.47	.10	.01	.12	.11	.19	.02		1
2	.03			.03	.18			.05	.50	.10	.03	.18	2
3				.18	.02								3
4	.04			.06							.26		4
5	.22	.01			.04				.08				5
6	.38		8.09	.35					.70				6
7			.19	.23					.22				7
8		.01		.09					.21	.14			8
9	.02	8.08		.02	.03								9
10	.04	8.12		.10					.12	.12			10
11		8.03	8.09	.03	.14		.30		.05		.04		11
12	.14	8.02			.13		.04		.06	.22			12
13				.16			.75		.05		.01	.04	13
14	.23	.04		.03			.10	.06		.07	.06		14
15	.01			.07	.22					.06		.04	15
16	.14			.36	.18								16
17	.01			.01			.08			.11			17
18					.05				.03				18
19				.02						.46			19
20				.09	.19			.41		.19	.12		20
21		.02	.16	.15	1.45			.66		.25		.08	21
22			.33	.05	.07		.25		.66	.09	.36		22
23		.02			.22					.08	.07	.08	23
24		.01			.06		.05		.08	.01	.33		24
25		.06					.34		.04	.20	.02		25
26				.41	.24		.04		.10	.94			26
27			.36	.16	.39		.51		.04		.15		27
28			.09	.83	.29		.15	.37					28
29			.13	.14	.10	.06	.01	.11	.04	.31		.11	29
30		×	.13		.01	.33	.04	.15	.60	.39	.34	.17	30
31		×	.05	×	.04	×	.47		×		×	.04	31
TOTAL	1.32	.47	1.62	2.83	4.52	.49	3.14	1.93	3.69	3.03	1.81	.74	3125.59
*Days with or in. or more.	412	712	10	423	321	3	215	8	18	18	413	8	161
*Days with .04 in. or more.	8	5	10	16	18	3	13	8	17	14	9	8	132

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2494

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kibworth Beauchamp
in the County of Leicesters

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 400 ft.

24.

Page

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09		.09		.01						.09		1
2	.17		.31		.04						.08		2
3		.44	.15		.13						.06		3
4	.09		.03		.31						.05		4
5	.05	.02	.18		.03								5
6		.10	.09		.19					.10			6
7	.01	.30	.01		.03					.11	.03		7
8			.05		.08		.19						8
9					.02		.25			.10	.09		9
10					.08	.04		.06		.72	.15		10
11					.02	.02	.04	.01					11
12	.09					.01	.09		.15			.058	12
13					.01	.05	.18			.05	.24		13
14					.10		.02	.01		.13	.29	.06	14
15	.458		.01				.10	.06		.01	.35		15
16	.148		.45		.10	.20	.11				.08		16
17			.48		.08				.04		.07	.05	17
18		.068	.04		.19						.02		18
19			.63				.05		.05				19
20		.058	.01	.02		.07		.10		.05	.01		20
21		.048				.25		.08	.02				21
22								.30		.52			22
23				.03		.03			.72		.02		23
24		.138		.11	.08	.45			.35	.06			24
25		.448		.20		.35			.05		.09	.05	25
26		.33		.06		.03			.02	.07	.01		26
27					.03				.32	.02			27
28				.08			.04			.28		.10	28
29				.18			.04			.11			29
30	.16	X	.06				.06			.02		.09	30
31	.01	X	.28	X		X	.02	.15	X	.12	X		31
TOTAL	1.26	1.91	2.87	.68	1.26	1.77	1.19	.77	1.72	2.47	1.73	1.40	YEAR'S TOTAL 18.03
*Days with .01 in. or more.	10	10	16	7	16	13	13	8	9	16	17	6	141
*Days with .04 in. or more.	8	9	12	5	9	9	11	6	7	13	12	6	107

40-9999

*See Instruction 2 (f) on other side,

(Signed) Eugene K. Phillips

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2494

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kibworth Beauchamp
in the County of LeicesterDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04						.03	.22	.02		.15	.26		1
2	.07	.05	.06					.01	.29	.07	.03	.21		2
3	.04	.07		.05					.02	.05				3
4	.07	.01	.02	.45	.01				.15	.16	.08	.34		4
5			.04	.03	.05			.09		.03	.05	.07		5
6			.02	.08	.35	.03		.16		.18		.40		6
7	.09					.10		.04		.07		.22		7
8					.07	.02		.08		.02	.11	.01		8
9	.01		.08					.05		.02	.55	.25		9
10			.17	.18				.06			.11			10
11	.54		.08	.20				.06				.24		11
12			.25				.03	.22				.05		12
13	.45						.24	.07				.33		13
14	.09		.23			.01				.24	.50	.26		14
15	.06		.19		.13			.02	.39		.09	.02		15
16	.10	.05	.16		.11						.03			16
17	.05			.04			.09		.05	.27	.06	.15		17
18	.07			.22			.36					.03		18
19			.08			.06			.03	.03		.02		19
20			.08	.10					.03					20
21						.23				.08				21
22								.12	.19			.01		22
23				.28		.11	.45					.22		23
24		.30	.09	.05		.02	.05		.31	.02				24
25	.17			.09						.12		.18		25
26	.04		.04	.19		.04	.04		.11			.05		26
27		.16		.12		.09	.02			.04		.17		27
28				.39		.10		.38			.03	.54		28
29							.08	.15	.27	.02		.02		29
30	.06	×					.01		.02			.08		30
31	.01	×		×		×	.07		×	.19	×	.12		31
TOTAL	1.96	.64	1.59	2.47	.72	.81	1.47	1.73	1.88	1.61	1.79	4.25	20.92	
*Days with or in. or more.	17	6	15	15	6	11	12	15	13	17	12	25	164	
*Days with .04 in. or more.	15	5	13	14	5	7	8	15	8	11	9	19	127	

† Spare column, no entries required.

(Signed)

Edgar V. Hullips

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. **2494**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Knibworth Beauchamp
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 4.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38			.10		.06			.44	.10	.09	.03		1
2						.09			.06	.20		.13		2
3		.16	.06	.05		.18			.31	.33	.19	.01		3
4				.14		.08			.09	.10				4
5		.72	.08	.07		.02	.07		.01	.12	.07			5
6				.20		.27								6
7	.02			.31		.28				.15	.45	.15		7
8				.25		.02		.15		.16		.17		8
9				.38		.13				.68	.50	.02		9
10		.04		.03		.03					.06	.05		10
11	.18					.05	.06				.15	.02		11
12		.03				.21		.10	.05		.05			12
13	.10	.01		.04	.19	.02				.01				13
14					.08	.05	.07				.58	.12		14
15		.08		.55	.02	.16	.02		.50		.24	.30		15
16		.04	.07	.16		.44			.40	.19	.56	.25		16
17				.06		.19	.06			.03	.62			17
18		.05		.24		.15	.14		.26	.11				18
19	.02			.07	.25	.15	.10		.11	.03	.18			19
20	.05	.30		.23	.04	.10	.07		.31	.05	.11			20
21		.32	.03	.04							.45			21
22		.05		.10				.10	.22					22
23	.02		.16	.02				.19	.05	.15				23
24	.14	.18	.08						.93			.23		24
25	.06	.05		.05		.47						.06		25
26	.19							.12	.26	.03		.40		26
27	.04	.24							.07	.03	.24	.98		27
28		.02			.05				.09			.07		28
29			.07						.15		.05	.16		29
30	.10	x		.05				.71	.11	.11	.25	.10		30
31		x		x		x			x	.65	x	.24		31
TOTAL	1.30	2.29	.55	3.14	.63	3.15	.59	2.37	4.42	3.23	4.44	3.49	29.70	29.70
* Days with .01 in. or more.	31	31	27	21	16	21	18	6	19	29	18	11	171	
* Days with .04 in. or more.	9	12	6	19	5	17	7	6	18	14	18	15	146	

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2494

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Kilworth Beauchamp*
in the County of *Leicester*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *400* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.10	.098	.42		.07	.41	.05			.07	.06		1
2		.05	.07	.08		1.42	.95	.10			.27	.08		2
3		.01				.75		.03	.52		.01	.03		3
4	.04	.018	.10			.15	.01	.05	.51		.01	.09		4
5	.05		.09			.01		.04	.22	.05		.098		5
6	.06				.28	.14	.09	.77	.10		.05			6
7	.44		.04				.29	.01	.16	.02	.01	.02		7
8	.20		.15								.13	.11		8
9	.28		.09		.02	.06	.75			.16	.01			9
10	.04						.47			.03				10
11				.108		.01	.23		.08		.19			11
12		.12		.208	.01	.29	.38		.37		.09	.10		12
13				.158		.25	.07	.02		.06	.04	.50		13
14				.24		.10	.42		.14	.04	.05	.50		14
15				.15		.12	.13		.17		.09	.14		15
16	.288						.06				.64	.01		16
17	.058	.38			.19		.03			.09	.16	.09		17
18		.02				.29	.14			.18	.07	.06		18
19	.35	.06	.04	.298		.39	.01	.09		.08				19
20		.06		.088					.07	.22				20
21				.15		1.31								21
22		.66	.06	.028	.38	.06	.16					.11		22
23			.13	.11	.08		.37							23
24	.10	.07			.04				.18	.30				24
25	.06		.11	.27		.36	.12		.33	.05				25
26			.38	.05			.14		.05	.10				26
27	.04	.20	.02						.18	.10				27
28	.27	.17	.05				.06			.01		.07		28
29	.50	.408	.06			.06				.05	.51	.11		29
30	.03	×			.12	.13	.09			.22	.04			30
31	.55	×	.11	×		×	.04		×	.13	×	.13		31
TOTAL	3.49	2.31	1.59	2.31	1.12	5.87	5.36	1.16	3.08	1.69	2.44	2.30	Year's Total.	327.2
* Days with .01 in. or more.	18	14	16	14	8	19	23	9	14	18	18	18	18.9	✓
* Days with .04 in. or more.	17	11	15	13	6	17	19	6	14	15	14	15	16.2	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Edgar. Phillips

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2494

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at

Kibworth Beauchamp

in the County of

Leicester

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.01							.05		.17	.11		1
2	.02	.05		.43								.20		2
3		.09			.31				.06			.06		3
4	.07	.14			.07			.01				.65		4
5	.36		.15											5
6	.08		.14		.12						.03			6
7		.40		.14	.10					.03				7
8		.23		.01							.35	.08		8
9			.06	.10	.18		.35		.13			.20		9
10		.04	.17	.70		.27	.01				.04	.12		10
11			.20		.46	.19	.06					.13		11
12	.09	.25	.11		.38				.18			.11		12
13	.05	.06	.14	.09	.02			.40						13
14		.01	.35	.02				.16	.02			.14		14
15	.18	.05	.07	.15			1.91		.30					15
16	.06	.13	.30	.37				.06	.37			.07		16
17	.18	.01	.28	.57					.17					17
18	.45	.14	.13	.04					.19		.22			18
19	.08	.10	.05	.10	.03		.32				.12			19
20	.18	.06	.23	.42	.69				.01					20
21	.06	.22	.14				.26							21
22	.14	.03	.01		.05		.10			.47	.34			22
23	.24		.04		.19		.16			.84	.14	.06		23
24	.19	.27	.06		.04					.20		.01		24
25	.28	.22	.10		.23				.04	.25				25
26		.22	.04		.45					.04				26
27		.34	.09	.24		.50				.52				27
28		.08								.03		.05		28
29	.04					.07				.03	.04	.05		29
30	.32										.10	.03		30
31	.37									.14		.04		31
TOTAL	3.68	3.15	2.86	3.38	3.22	1.03	3.16	.63	1.52	2.55	1.55	2.11	Year's Total	28.84
* Days with .01 in. or more.	21	23	21	14	15	17	8	4	11	10	10	17	161	
* Days with .04 in. or more.	20	19	20	12	13	16	7	3	9	7	9	15	140	
													138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Edgar T. Phillips

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2494

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kilworth Beauchamp

in the County of Leicestershire

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.05						.03			.10		.06		1	
2		.06		.03		.42				.05		.03		2	
3	.07					.20	.18			.15	.04			3	
4	.05			.03		.03	.05	.69	.05	.67		.29		4	
5						.04	.07	.04	.02	.12		.02		5	
6				.03			.11		.42	.05		.01		6	
7	.16						.19	.49	.13	.10		.05		7	
8	.20						.10	.14		.18		.02		8	
9	.04	.09				.03	.05	.35		.01		.30		9	
10		.09					.26	.03				.05		10	
11	.50					.04	.02				.04			11	
12	.20	.09			.08			.35		.26	.09			12	
13	.02									.02	.15	.17		13	
14	.22	.035			.07		.52		.09					14	
15	.08						.20				.02	.21		15	
16	.17	.08					.19	.04			.01	.19		16	
17	.02				.11		.12	.01	.03	.08	.04	.03		17	
18	.05				.32				.14		.35			18	
19	.02							.09	.06		.11	.068		19	
20									.05		.53	.148		20	
21	.01								.02		.04	.508		21	
22		.02				.64					.10	.348		22	
23				.03	.04	.02	.05		.10		.02	.078		23	
24			.06		.06		.42		.20		.03	.038		24	
25	.07	.14	.07		.01		.01	.09		.07	.16	.108		25	
26	.028	.27	.15						.05	.13		.11		26	
27	.05		.02		.14	.13	.18	.13	.24	.05	.23			27	
28	.22				.34	.09	.04	.95	.04		.05	.15		28	
29	.45				.31		.06			.04	.13	.11		29	
30	.04	×			.03	.46			.11	.02	.15	.08		30	
31	.17	×		×	.19	×			×	.11	×	.39		31	
TOTAL	2.88	.86	.30	.12	1.70	2.10	2.85	3.40	1.75	2.01	2.29	3.51	Year's Total	23.77	✓✓
* Days with .01 in. or more.	235	92	41	4	128	81	820	213	816	818	194	258	174	✓✓	
* Days with .04 in. or more.	178	7	3	0	108	8	1817	11	13	15	15	19	136	✓✓	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

A. R. Phillips

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2494

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kibworth Beauchamp

in the County of Leicesters

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 400 ft.

Entry on 24th March estimated by ref to nearby station to agree monthly total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09		.02	.06	.06			.13	.25	.04				1
2	.10			.06				.41	.31	.11	.06			2
3	.35			.39				.70	.03	.06	.18	.18	.18	3
4	.20		.40	.41			.04	.40		.03	.05	.06		4
5			.01	.22	.13		.05	1.07		.16	.25	.19		5
6	.45		.02	.01			.83	.01		.02	.01	.01		6
7	.15	.02					.11			.01	.19	.18		7
8	.01	.09	.18				.38	.45		.18	.03	.37		8
9	.03	.11					.02	.12		.55	.05	.24		9
10	.34	.02	.04					.39	.03	.04	.01			10
11	.02	.02	.30			.11			.05	.04				11
12			.03			.02				.01	.01			12
13						.03	.05		.05	.11		.01		13
14	.44		.04		.42	.10	.20			.05	.11			14
15	.50		.04		.08	.35	.29		.11	.70	.03			15
16	.12		.15	.05	.16	.32	.04		.01	.07	.19			16
17	.25	.03	.03		.16		.30			1.22	.03			17
18	.04	.03	.06		.01	.48	.32		.02	.02	.63			18
19	.23					.03	.66				.01	.02		19
20	.13		.03			.08	.21	.20						20
21	.17	.19	.16	.01		.12	.03	.73	.05					21
22	.19	.22	.07	.01		.02	.09		.03	.02	.24	.03		22
23	.04			.12			.07		.01	.05	.63			23
24	.14	.01	(.20)	.01		.05	.15	.01		.06	.03			24
25	.12	.05	.19	.02			.06	.37			.31	.04		25
26	.80	.01	.03	.06				.04	.02	.13	.21	.06		26
27	.03	.07	.12	.03			.09	.06		.03	.03	.02		27
28	.02	.19	.14	.06		.02	.12			.17	.18	.06		28
29			.01	.34		.06	.18	.51		.29	.03			29
30		X		.13				.12		.12	.07			30
31		X		X		X	.07		X		X			31
TOTAL	6.11	1.06	2.27	1.99	1.02	1.79	4.36	5.72	.97	4.19	3.57	1.47	Year's Total	
* Days with .01 in. or more.	254	714	822	614	7	514	223	214	613	726	1025	514	53	217
* Days with .01 in. or more.	20	7	124	11	6	9	21	15	7	1718	1215	9	146	152

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Edgar V. Phillips

Section

A

for the entry of Daily Observations

Station No.

2494

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934-0Kept at *Kilworth Beauchamp*in the County of *Leicestershire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *0.5* ft. in.,, Ground ,, Sea Level *400* ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		<i>0.22</i>	<i>0.01</i>								<i>0.18</i>	<i>0.01</i>		1
2			<i>0.38</i>							<i>0.04</i>	<i>0.63</i>	<i>0.05</i>		2
3		<i>0.22</i>		<i>0.13</i>						<i>0.09</i>	<i>0.53</i>	<i>0.06</i>		3
4				<i>0.01</i>						<i>0.13</i>	<i>0.47</i>	<i>0.04</i>		4
5					<i>0.05</i>		<i>0.04</i>			<i>0.13</i>	<i>0.20</i>	<i>0.11</i>		5
6		<i>0.57</i>			<i>0.03</i>		<i>0.06</i>			<i>0.31</i>	<i>0.20</i>	<i>0.02</i>		6
7	<i>0.11</i>	<i>0.20</i>		<i>0.05</i>	<i>0.03</i>		<i>0.03</i>		<i>0.02</i>	<i>0.01</i>	<i>0.03</i>			7
8	<i>0.03</i>	<i>0.02</i>		<i>0.02</i>						<i>0.11</i>	<i>0.02</i>	<i>0.21</i>		8
9			<i>0.09</i>			<i>0.10</i>	<i>0.05</i>	<i>0.12</i>	<i>0.03</i>		<i>0.09</i>	<i>0.20</i>		9
10			<i>0.02</i>				<i>0.87</i>			<i>0.04</i>	<i>0.11</i>	<i>0.30</i>		10
11			<i>0.04</i>	<i>0.07</i>			<i>0.15</i>				<i>0.89</i>	<i>0.18</i>		11
12			<i>0.04</i>				<i>0.11</i>		<i>0.05</i>	<i>0.02</i>	<i>0.03</i>			12
13		<i>0.07</i>	<i>0.58</i>	<i>0.03</i>			<i>0.08</i>		<i>0.09</i>		<i>0.05</i>	<i>0.02</i>		13
14			<i>0.08</i>	<i>0.05</i>	<i>0.18</i>				<i>0.05</i>	<i>0.04</i>		<i>0.30</i>		14
15			<i>0.02</i>	<i>0.06</i>		<i>0.32</i>			<i>0.13</i>	<i>0.05</i>	<i>0.10</i>	<i>0.01</i>		15
16	<i>0.07</i>	<i>0.26</i>	<i>0.45</i>	<i>0.03</i>		<i>0.02</i>	<i>0.36</i>		<i>0.09</i>	<i>1.26</i>	<i>0.74</i>			16
17		<i>0.03</i>	<i>0.50</i>				<i>0.06</i>			<i>0.02</i>	<i>0.02</i>			17
18	<i>0.06</i>	<i>0.70</i>	<i>0.37</i>	<i>0.66</i>				<i>0.05</i>	<i>0.03</i>	<i>0.06</i>	<i>0.04</i>	<i>0.06</i>		18
19		<i>0.24</i>	<i>0.04</i>	<i>0.22</i>			<i>0.29</i>	<i>0.01</i>	<i>0.15</i>		<i>0.17</i>	<i>0.05</i>		19
20		<i>0.02</i>		<i>0.05</i>		<i>0.05</i>	<i>0.04</i>	<i>0.04</i>		<i>0.07</i>	<i>0.08</i>			20
21	<i>0.15</i>	<i>0.02</i>			<i>0.05</i>	<i>0.13</i>	<i>0.10</i>			<i>0.11</i>	<i>1.42</i>			21
22			<i>0.04</i>		<i>0.27</i>	<i>0.35</i>		<i>0.09</i>	<i>0.36</i>	<i>0.02</i>	<i>0.02</i>			22
23		<i>0.13</i>	<i>0.04</i>	<i>0.05</i>	<i>0.32</i>	<i>0.15</i>		<i>0.01</i>		<i>0.03</i>	<i>0.01</i>	<i>0.04</i>		23
24		<i>0.02</i>		<i>0.04</i>	<i>0.01</i>	<i>0.02</i>	<i>0.13</i>			<i>0.11</i>		<i>0.03</i>		24
25							<i>0.01</i>			<i>0.05</i>				25
26	<i>0.65</i>	<i>0.17</i>		<i>0.03</i>	<i>0.04</i>		<i>0.28</i>			<i>0.04</i>	<i>0.02</i>			26
27	<i>0.84</i>	<i>0.09</i>	<i>0.02</i>	<i>0.06</i>			<i>0.02</i>				<i>0.02</i>			27
28	<i>0.42</i>	<i>0.20</i>			<i>0.19</i>			<i>0.04</i>						28
29			<i>0.20</i>	<i>0.01</i>	<i>0.12</i>		<i>0.04</i>					<i>0.37</i>		29
30		<i>0.03</i>	<i>0.77</i>							<i>0.37</i>		<i>0.06</i>		30
31	<i>(0.22)</i>	<i>0.01</i>		<i>0.01</i>					<i>0.56</i>		<i>0.01</i>			31
TOTAL	<i>2.33</i>	<i>3.18</i>	<i>2.57</i>	<i>2.72</i>	<i>1.29</i>	<i>1.14</i>	<i>2.82</i>	<i>0.36</i>	<i>1.00</i>	<i>3.68</i>	<i>6.07</i>	<i>2.13</i>	Year's Total	
* Days with .01 in. or more.	<i>18</i>	<i>41</i>	<i>17</i>	<i>19</i>	<i>11</i>	<i>8</i>	<i>18</i>	<i>7</i>	<i>4</i>	<i>5</i>	<i>8</i>	<i>6</i>	<i>182</i>	
* Days with .04 in. or more.	<i>7</i>	<i>12</i>	<i>12</i>	<i>13</i>	<i>8</i>	<i>6</i>	<i>15</i>	<i>5</i>	<i>6</i>	<i>18</i>	<i>16</i>	<i>14</i>	<i>133</i>	

† Spare column, no entries required.

(Signed)

See Instruction 3 (f) on other side.

FORM 1090

for the entry of
AIR MINIST

REGI

B A T C H S L I P

STD JOB:

MET-ARCH

BATCH :

METZ 025

ENTRY

VERIFY

Station No. 2494/2

WINTERFALL ORGANIZATION

1937.

Kept at ~~the~~ Caldecott.....

in the County of ..Leiceste

Diameter of Funnel of Gauge....

Height of top of Gauge above (

Ground	10
--------	----

THE MORNING MEASU

An observer who does not conform
year in the space on the right of th

IOUS DAY

of the following

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										-	.31	.14		1
2										-	-	.15		2
3										-	-	.11		3
4										-	-	.35		4
5										-	-	.23		5
6										-	-	-		6
7										-	-	-		7
8										-	.23	.07		8
9										-	-	.25		9
10										-	-	.11		10
11										-	-	.28		11
12										-	-	.10		12
13										-	-	-		13
14										-	-	.02		14
15										-	-	.04		15
16										-	-	.07		16
17										-	-	-		17
18										-	.34	-		18
19										-	.07	-		19
20										-	-	.03		20
21										.20	-	.03		21
22										.31	.30	-		22
23										.43	.14	-		23
24										.28	-	-		24
25										.53	-	-		25
26										.06	-	-		26
27										.61	-	-		27
28										.03	-	.07		28
29										.02	.07	.13		29
30		X								.02	.13	-		30
31		X		X		X		X		.16	X	.03		31
TOTAL										2.65	1.59	2.21	Year's Total	
* Days with .01 in. or more.										11	8	18		
* Days with .04 in. or more.										8	8	14		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of
AIR MINIST
FORM 1090

REGI

Kept at ... Caldecott

in the County of ..Leiceste

Diameter of Funnel of Gauge...

Height of top of Gauge above (

Ground

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

2484/2 - 152419

CALDECOTT - EYEBROOK RES

1937 - 1940

Station No. 2494/2
AINFALL ORGANIZATION

1937.

PREVIOUS DAY
of the following

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										-	.31	.14		1
2										-	-	.15		2
3										-	-	.11		3
4										-	-	.35		4
5										-	-	.23		5
6										-	-	-		6
7										-	-	-		7
8										-	.23	.07		8
9										-	-	.25		9
10										-	-	.11		10
11										-	-	.28		11
12										-	-	.10		12
13										-	-	-		13
14										-	-	.02		14
15										-	-	.04		15
16										-	-	.07		16
17										-	-	-		17
18										-	.34	-		18
19										-	.07	-		19
20										-	-	.03		20
21										.20	-	.03		21
22										.31	.30	-		22
23										.43	.14	-		23
24										.28	-	-		24
25										.53	-	-		25
26										.06	-	-		26
27										.61	-	-		27
28										.03	-	.07		28
29										.02	.07	.13		29
30		X								.02	.13	-		30
31		X		X		X			X	.16	X	.03		31
TOTAL										2.65	1.59	2.21	Year's Total imp	
* Days with .01 in. or more.										11	8	18		
* Days with .04 in. or more.										8	8	14		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.
(Signed) J. F. Chinn

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2490/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Caldecott

in the County of Leicestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Ground Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										-	.31	.14		1
2										-	-	.15		2
3										-	-	.11		3
4										-	-	.35		4
5										-	-	.23		5
6										-	-	-		6
7										-	-	-		7
8										-	.23	.07		8
9										-	-	.25		9
10										-	-	.11		10
11										-	-	.28		11
12										-	-	.10		12
13										-	-	-		13
14										-	-	.02		14
15										-	-	.04		15
16										-	-	.07		16
17										-	-	-		17
18										-	.34	-		18
19										-	.07	-		19
20										-	-	.03		20
21										.20	-	.03		21
22										.31	.30	-		22
23										.43	.14	-		23
24										.28	-	-		24
25										.53	-	-		25
26										.06	-	-		26
27										.61	-	-		27
28										.03	-	.07		28
29										.02	.07	.13		29
30		X								.02	.13	-		30
31		X		X		X			X	.16	X	.03		31
TOTAL										2.65	1.59	2.21	Year's Total	
* Days with .01 in. or more.										11	8	18		
* Days with .04 in. or more.										8	8	14		

† Spare column, no entries required.

(Signed)

A. E. Chinn

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily Observations

Station No. 2494/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at EYE BROOK RESERVOIR OFFICES...
in the County of LEICESTER. CALDECOTT.

Comp 1937

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft.....3...in.

,, Ground ,, Sea Level 180.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	.43	.20	-	-	.05	-	.04		1
2	-	.02	-	-	.07	.19	.01	-	-	.14	-	.06		2
3	.02	-	-	-	-	.03	.30	-	.04	.55	.02	-		3
4	.05	-	-	-	-	-	.02	-	-	.11	-	.17		4
5	-	-	-	-	-	-	.09	.07	.02	.18	-	-		5
6	-	-	-	-	-	-	.15	.01	.14	.08	-	-		6
7	.16	-	-	-	-	-	.24	.36	.09	.05	-	.09		7
8	.16	-	-	-	-	.16	.12	-	-	.14	-	.02		8
9	.11	.05	-	-	-	-	.01	.53	-	-	-	.29		9
10	-	.09	-	-	-	-	.30	.03	-	-	-	.05		10
11	.52	-	-	-	-	-	-	.42	-	-	.07	-		11
12	.15	.05	-	-	.03	-	.01	.51	-	.23	-	-		12
13	-	.19	-	-	-	-	-	-	-	-	.03	.15		13
14	.18	.05	-	-	.06	-	.32	.02	.05	-	-	-		14
15	.05	-	-	-	-	-	.09	-	-	-	-	.33		15
16	.26	-	-	-	-	-	.06	-	-	-	.01	.30		16
17	-	.09	-	-	.20	-	.11	-	.02	.10	.01	-		17
18	.01	-	-	-	.30	-	-	-	.19	-	.27	-		18
19	-	-	-	-	-	-	-	.05	.14	-	.07	.04		19
20	-	-	-	-	-	-	-	-	.03	-	.60	.07		20
21	-	-	-	-	-	-	-	-	-	-	.01	-		21
22	-	-	-	-	-	.37	-	-	-	-	.28	-		22
23	-	-	-	-	-	-	-	-	-	-	.01	-		23
24	-	-	.03	-	-	-	.02	-	.10	-	.02	-		24
25	.04	.07	.08	-	-	-	.02	.15	-	.05	.19	-		25
26	.02	.26	.15	-	-	-	-	-	.05	.15	-	.12		26
27	.03	.03	-	-	.13	.10	.24	.04	.26	.01	.17	-		27
28	.14	-	-	-	.39	.10	.03	.91	.05	-	.03	.04		28
29	.52	X	-	.05	.33	-	.04	-	-	-	.12	.10		29
30	.02	X	-	-	.03	.09	-	-	.12	.03	.21	.02		30
31	.10	X	-	X	.17	X	-	-	X	.10	X	.44		31
TOTAL	2.54	.90	.26	.05	1.71	1.47	2.38	3.10	1.30	1.97	2.12	2.33	Year's Total 20.13	
* Days with .01 in. or more.	18	10	3	1	10	8	20	12	14	15	17	17	145	
* Days with .04 in. or more.	13	8	2	1	8	7	13	9	11	13	9	15	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) A. R. Ellison [P.T.O.]

A. R. ELLISON ESQ

Section

A

for the entry of Daily Observations

Station No. 2494/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Eye Brook Reservoir Offices,
in the County of Leicester.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 180 ft.

CORBY (NORTHANTS) & DISTRICT WATER CO.
EYE BROOK RESERVOIR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.06	-	-	.09	.09	-	.04	.19	.17	.05	-	.02		1	
2	.08	-	-	.10	-	-	-	.22	.60	.14	.02	-		2	
3	.19	-	-	.23	-	-	-	1.28	-	.05	.25	.16		3	
4	.24	-	.28	.32	-	-	-	.15	-	.04	.03	.03		4	
5	-	-	-	.16	.14	-	.03	.90	-	.13	.21	.41		5	
6	.44	-	-	.03	-	-	.44	-	-	.02	.04	-		6	
7	.10	-	-	-	-	-	.10	-	-	.03	.11	.07		7	
8	-	.04	.16	-	-	-	.20	.63	-	.13	.02	.26		8	
9	.03	.06	-	-	-	-	.02	.08	-	.63	.01	.20		9	
10	.41	-	-	-	-	.02	-	.27	.02	.08	-	-		10	
11	.02	-	.24	-	-	.09	-	-	.06	-	-	.01		11	
12	-	.02	.08	-	-	.12	-	-	-	-	-	-		12	
13	-	-	-	-	-	.09	-	-	.05	.19	-	-		13	
14	.34	-	.02	-	.16	.07	.10	-	-	.10	.15	-		14	
15	.37	-	-	-	.16	.26	.29	-	.12	.55	-	-		15	
16	.16	-	.10	.04	.11	.37	.03	-	.02	.15	.17	-		16	
17	.14	-	.04	.16	.09	-	.33	-	-	1.13	.01	-		17	
18	.02	-	.05	-	.01	.29	.41	-	-	.04	.65	-		18	
19	.21	-	.04	-	-	.07	.30	-	-	.02	-	-		19	
20	.08	-	-	-	-	.06	.01	.19	-	-	-	-		20	
21	.15	.13	.15	.02	-	.13	-	.16	.04	-	-	-		21	
22	.17	.21	.14	.02	-	.01	.03	-	.02	-	.19	-		22	
23	.06	-	.03	.17	-	.01	.18	-	-	.03	.46	-		23	
24	-	-	.07	.09	-	.04	.57	-	-	.01	-	-		24	
25	1.47	.05	.19	.01	-	-	.16	.94	-	-	.33	-		25	
26	.40	.02	.03	.09	-	-	-	-	.02	.23	.22	.05		26	
27	.03	-	.13	-	-	-	.07	-	-	.28	.02	-		27	
28	.04	.19	.12	.10	-	.01	.05	.05	-	.02	.13	.06		28	
29	-	X	-	.41	-	-	.24	.26	-	.33	-	-		29	
30	-	X	-	.20	-	.01	-	-	-	-	.08	-		30	
31	-	X	-	X	-	X	.01	.06	X	-	X	-		31	
TOTAL	5.21	.72	1.87	2.24	.76	1.65	3.61	5.38	1.12	4.38	3.10	1.27	Year's Total	31.31	✓
* Days with .01 in. or more.	23	8	17	17	7	16	21	14	10	23	19	10	185	✓	
* Days with .04 in. or more.	19	6	14	13	6	11	15	14	6	17	13	7	141	✓	

† Spare column, no entries required.

(Signed)

A. R. Ellison

P.T.O.

* See Instruction 3 (f) on other side.

RESIDENT ENGINEER

Section

A

for the entry of Daily Observations

Station No. 2494/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at *Eye Brook Reservoir Office*
in the County of *Leicester*

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft...3...in.

,, Ground ,, Sea Level ...180...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.14	—	—	—	—	—	—	—	—	.11	—		1
2	—	.03	—	.30	—	—	.01	—	—	.02	.56	.05		2
3	—	.28	—	.18	—	—	—	—	—	.08	.50	.06		3
4	—	.16	—	.01	—	—	—	—	—	.10	.58	.04		4
5	—	—	—	—	.05	—	.01	—	—	.05	.32	.06		5
6	.06	.26	—	—	.02	—	.03	—	—	.28	.04	.02		6
7	.14	.10	—	.04	.05	—	.05	—	.01	—	—	—		7
8	—	—	—	—	—	—	.12	—	—	.11	.01	.23		8
9	—	—	.13	—	—	.08	.02	.06	.03	—	.05	.11		9
10	—	—	.01	—	—	—	.91	.01	—	.05	.12	.36		10
11	—	—	—	.02	—	—	.13	.01	—	—	.54	.09		11
12	—	.02	.03	—	—	—	.11	—	.03	—	.02	—		12
13	—	.02	.56	.07	—	—	.08	—	.11	—	.11	—		13
14	—	—	.11	.05	.13	—	—	.02	—	—	—	.28		14
15	—	—	—	.03	—	.01	—	—	.02	.03	.09	.01		15
16	.04	.24	.31	—	—	—	.47	.01	.08	1.00	.63	—		16
17	—	.05	.53	—	—	—	.02	—	—	.01	—	—		17
18	—	.50	.16	.41	—	—	—	.06	—	.04	.01	.03		18
19	—	.19	.03	.15	—	—	.34	.01	.20	—	.12	.04		19
20	—	.01	—	.07	—	.01	.02	.02	—	.04	.05	—		20
21	.10	—	—	—	—	.03	.04	—	—	.04	1.19	—		21
22	.04	—	.03	—	.27	.41	—	.01	.89	.02	.01	—		22
23	—	.07	.02	.04	.21	.32	—	—	—	.04	.01	.02		23
24	—	—	—	.05	—	—	.15	—	—	.05	—	—		24
25	—	—	—	—	—	—	.01	—	—	.03	—	—		25
26	.85	.06	—	.04	.03	.02	.06	—	—	.01	.02	—		26
27	.62	.02	—	.55	—	—	.10	.01	—	.01	—	—		27
28	.85	.34	—	—	.12	—	—	—	—	—	—	—		28
29	—	—	.15	.01	.36	—	—	—	—	—	—	.30		29
30	.02	~~X~~	—	.13	—	—	—	—	—	.25	—	.06		30
31	.24	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.75	~~X~~	—		31
TOTAL	2.96	2.49	2.07	2.15	1.24	0.88	2.68	0.22	1.37	3.01	5.09	1.76	Year's Total 25.92	
* Days with .01 in. or more.	10	17	12	17	9	7	19	10	8	21	21	16	167	
* Days with .04 in. or more.	9	12	7	13	7	3	12	2	4	14	15	12	110	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

A. P. Wilson

[P.T.O.]

air X HORNINGHO

Section **A** for the entry
AIR MINI

FORM 1090

REC

Kept at Horninghols
in the County of Leices

Diameter of Funnel of Gauge.

Height of top of Gauge above

„ Ground „

THE MORNING MEAS

An observer who does not confo
year in the space on the right c

2494/3

HORNINGHOLS HALL
1936 - 40

on No. 2494/3
ORGANIZATION

AY
wing

Jan. 1, following

Date	Jan. in.	Feb. in.	Mar. in.									Dec. in.	†	Date
1	0.02	0.06		0.62	0.20	0.19	0.18			0.15	0.02			1
2				0.10	0.34	0.84				0.23	0.05			2
3	0.02		0.21		0.32			0.17						3
4			0.15		0.10			0.32		0.03	0.05			4
5	0.04		0.10				0.14	0.14			0.16			5
6	0.07			0.02	0.09	0.05	0.43	0.17		0.03				6
7	0.41				0.60			0.04						7
8	0.12		0.20									0.17		8
9	0.28				0.04	0.39			0.24					9
10	~~0.27~~					1.06	0.08	0.05	0.03					10
11	~~0.28~~			0.16		0.13	0.02			0.28				11
12				0.18	0.27	0.46		0.34						12
13				0.27	0.32				0.07	0.18	0.41			13
14				0.13	0.13	0.39		0.10	0.02		0.52			14
15				0.05		0.10		0.02		0.09	0.05			15
16	0.27					0.02				0.56				16
17		0.59		0.07					0.07		0.05			17
18		0.02			0.18	0.16			0.14	0.21				18
19	0.47		0.05	0.35	0.47		0.11		0.10					19
20		0.13				0.02		0.07						20
21	0.02			0.26	1.09									21
22		0.50	0.07	0.62		0.20					0.10			22
23			0.03	0.08	0.12	0.33								23
24	0.12	0.10		0.02				0.11	0.38					24
25	0.05		0.12	0.27	0.13	0.27		0.26	0.02					25
26		0.15	0.38	0.02		0.04		0.07	0.10					26
27								0.16	0.17					27
28	0.36	0.10	0.07		0.05						0.06			28
29	0.73	0.37	0.03		0.05	0.02			0.05	0.35				29
30	0.05			0.15	0.12	0.10			0.23	0.02	0.05			30
31	0.63		0.08	0.07	0.03						0.14			31
TOTAL	3.66	2.02	1.49	2.49	1.07	3.90	5.38	0.96	2.02	1.64	2.13	1.83	28.59	
* Days with .01 in. or more.														
* Days with .01 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. R. CRABTREE

[P.T.O.]

W. R. CRABTREE ESA

Section **A** for the entry on No. **2494/3**
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Horsingholme Hall
 in the County of Leicester

Diameter of Funnel of Gauge.....5.....in.
 Height of top of Gauge above Ground.....1.....ft.....0.....in.
 „ Ground „ Sea Level 328.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	0.06		0.62		0.20	0.19	0.18			0.15	0.02		1
2				0.10		0.34	0.84				0.23	0.05		2
3	0.02		0.21			0.32			0.17					3
4			0.15			0.10			0.32		0.03	0.05		4
5	0.04		0.10					0.14	0.14			0.16		5
6	0.07				0.02	0.09	0.05	0.43	0.17		0.03			6
7	0.41						0.60		0.04					7
8	0.12		0.20									0.17		8
9	0.28					0.04	0.39			0.24				9
10	~~0.27~~						1.06	0.08	0.05	0.03				10
11	~~0.48~~			0.16			0.13	0.02			0.28			11
12				0.18		0.27	0.46		0.34					12
13				0.27		0.32				0.09	0.18	0.41		13
14				0.13		0.13	0.37		0.10	0.02		0.52		14
15				0.05			0.10		0.02		0.09	0.05		15
16	0.27						0.02				0.56			16
17		0.59			0.07					0.07		0.05		17
18		0.02				0.18	0.16			0.14	0.21			18
19	0.47		0.05	0.35		0.47		0.11		0.10				19
20		0.13					0.02		0.07					20
21	0.02			0.26		1.09								21
22		0.50	0.07		0.62		0.20					0.10		22
23			0.03	0.08	0.12		0.33							23
24	0.12	0.10			0.02				0.11	0.38				24
25	0.05		0.12	0.27		0.13	0.27		0.26	0.02				25
26		0.15	0.38	0.02			0.04		0.07	0.10				26
27									0.16	0.17				27
28	0.36	0.10	0.07			0.05						0.06		28
29	0.73	0.37	0.03			0.05	0.02			0.05	0.35			29
30	0.05				0.15	0.12	0.10			0.23	0.02	0.05		30
31	0.63		0.08		0.07		0.03					0.14		31
TOTAL	3.66	2.02	1.49	2.49	1.07	3.90	5.38	0.96	2.02	1.64	2.13	1.83	28.59	
													745	

* Days with .01 in. or more.
 * Days with .04 in. or more.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. R. Crabtree [P.T.O.]

X W. R. CRABTREE ESA X



for the entry of Daily Observations

Station No.

2494/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at HORNINGHOLD.....HALL.....

in the County of LEICESTER.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1....ft...6....in.

,, Ground ,, Sea Level ... 328 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.27								0.05		0.35	0.19		1
2		0.02	0.03	0.38								0.22		2
3	0.07	0.06			0.21									3
4		0.19						0.50				0.75		4
5	0.32		0.21					0.03						5
6			0.29		0.07		0.02	0.21						6
7		0.52	0.02	0.17							0.03			7
8		0.24									0.28	0.21		8
9				0.10	0.30		0.40		0.10					9
10		0.05	0.75	0.93		0.29					0.02	0.26		10
11			0.23		0.74		0.02							11
12		0.45	0.12		0.53	0.12								12
13	0.18	0.05			0.01	0.21		0.18						13
14			0.56	0.05				0.07				0.23		14
15	0.13	0.04		0.10			1.52		0.56			0.02		15
16		0.15	0.32	1.01				0.14	0.20					16
17	0.24	0.04	0.18	0.55					0.19					17
18	0.54	0.13	0.06	0.02					0.13		0.32			18
19		0.12		0.10		0.23	0.24				0.07			19
20	0.29	0.11	0.10	0.52	0.75		0.28		0.03					20
21	0.04	0.17	0.05									0.11		21
22	0.17		0.04		0.02	0.09	0.10			0.41	0.22			22
23	0.17		0.04		0.14		0.07			0.55	0.12			23
24	0.18	0.34	0.05		0.02		0.13			0.23				24
25	0.33	0.21			0.67				0.02	0.21		0.02		25
26		0.20	0.17		0.20					0.04				26
27		0.34		0.20						0.61				27
28		0.07								0.02		0.05		28
29										0.02	0.05	0.10		29
30	0.39										0.13	0.02		30
31	0.25									0.19		0.02		31
TOTAL	3.57	3.50	3.22	4.13	3.66	0.97	2.78	1.13	1.28	2.28	1.70	2.20	30.42	
* Days with .01 in. or more.	15	20	17	12	12	5	9	6	8	9	10	13	136	
* Days with .04 in. or more.	15	19	15	11	9	5	7	5	6	7	8	9	46	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily ObservationsStation No. **2494/3**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at **HORNINGHOLD HALL**in the County of **LEICESTER**Diameter of Funnel of Gauge...**5**...in.Height of top of Gauge above Ground...**1**...ft...**0**...in.,, Ground ,, Sea Level...**328**...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						0.38	0.24			0.20		0.05		1
2	0.07	0.03			0.05	0.25				0.16				2
3						0.02	0.18		0.05	0.53				3
4				0.03		0.08	0.04			0.11		0.27		4
5	0.02						0.07	0.07						5
6							0.11		0.21	0.28				6
7	0.23						0.35	0.17	0.20	0.02		0.11		7
8	0.17	0.17				0.12	0.12	0.02		0.16				8
9	0.05						0.02	0.54				0.27		9
10						0.02	0.27	0.02				0.04		10
11	0.56						0.03	0.50						11
12	0.19	0.07			0.04		0.02	0.90		0.32	0.12	0.16		12
13		0.26x									0.18			13
14	0.16	0.09x			0.06		0.56		0.11					14
15	0.07						0.15					0.38		15
16	0.15						0.07				0.02	0.40		16
17		0.11			0.24		0.10		0.03	0.10				17
18	0.02				0.33	0.18			0.06		0.32			18
19									0.13		0.07	x		19
20						0.10			0.03		0.57	x		20
21	0.02											1.04x		21
22								0.09			0.30	0.29x		22
23					0.01									23
24	0.05		0.05						0.14		0.02	0.06x		24
25		0.10	0.09				0.02			0.06	0.27	0.17x		25
26		0.25	0.16				0.03	0.24	0.05	0.17				26
27		0.03			0.06	0.11	0.33	0.05	0.30	0.02	0.24			27
28	0.16				0.33	0.09		0.94				0.13		28
29	0.52			0.02	0.33				0.03	0.04	0.11	0.17		29
30	0.02	x				0.30					0.15			30
31	0.24	x		x	0.20	x			x	0.12	x	0.53		31 "d"
TOTAL	2.68	1.11	0.30	0.05	1.65	1.65	2.71	3.54	1.34	2.29	2.37	3.83	Year's Total	23.52
* Days with .01 in. or more.	18	9	3	2	10	11	18	11	12	14	12	17	17	109
* Days with .04 in. or more.	13	7	3	—	9	9	13	9	9	12	10	17	17	109

x snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *W. J. Crabtree* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2474/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ROXINGHOLDNov. 12th-30th and complete month of Dec. Estimated by comparison with nearby stns.in the County of LEICESTERDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1...ft..6...in.,, Ground ,, Sea Level...330...ft.

moved away - see letter to him

incomplete

f613335/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.36	x								0.18			1
2				0.42							0.67			2
3				0.16						0.17	0.90			3
4		0.49								0.14	0.23			4
5					0.04		0.05			0.10	0.30			5
6		0.28					0.04				0.15			6
7	0.21	0.21		0.03	0.06									7
8										0.55				8
9			0.16			0.14		0.17	0.06		0.91			9
10							0.80							10
11			0.03	0.05			0.67				0.47			11
12			0.09				0.12		0.05		3.34			12
13			0.55	x					0.13					13
14			0.10	0.17	0.22									14
15							0.11							15
16		0.44	0.45				0.43		0.15	1.17				16
17	0.08		0.49							0.02				17
18		0.52	0.24	0.45				0.12		0.02				18
19		0.23		0.18			0.40		0.26					19
20		0.02		0.05		0.05								20
21	0.18						0.02	0.03		0.06	(2.70)			21
22				0.06	0.29	0.53			0.27					22
23		0.08			0.25	0.26				0.14				23
24				0.06			0.25							24
25			0.04											25
26	1.15	0.11		0.13	0.03	0.07	0.04							26
27	0.52	0.15		0.55			0.20							27
28	0.38	0.22												28
29			0.25		0.51									29
30		x		0.25						0.42				30
31		x		x		x			x	0.60	x			31
TOTAL	2.52	3.11	2.40	2.56	1.39	1.05	3.13	0.32	0.92	3.35	(16.04)	(2.00)	(28.79)	
* Days with .01 in. or more.	6	12	10	13	7	5	12	3	6	11	(25)	(19)		
* Days with .04 in. or more.	6	11	9	12	6	5	11	2	6	9	(15)	(13)		

Year's Total

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. J. Crabtree

P.T.O.

X Snow

print
"d"
WH.

13 JAN 1937

REG

Kept at *East Norton*
in the County of *Leic*

Diameter of Funnel of Gauge
Height of top of Gauge above G
Ground

THE MORNING ME

An observer who does not conform
year in the space on the right

2494/5
EAST NORTON
1932-40

2494/5
COPY FOR OFFICIAL USE.
ORGANIZATION.

Jan. 1, following

Date	Jan.	Feb.	Mar.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	
1						1
2						2
3						3
4						4
5						5
6						6
7						7
8						8
9						9
10						10
11						11
12						12
13						13
14						14
15						15
16						16
17						17
18						18
19						19
20						20
21						21
22						22
23						23
24						24
25						25
26						26
27						27
28						28
29						29
30		X				30
31		X	X	X		31
TOTAL						YEAR'S TOTAL
*Days with "or in. or more.	7					
*Days with "or in. or more.	7					

Section **A**

for the entr

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

2494/5
FOR OFFICIAL USE.

Kept at East. Norton
in the County of Leicestershire

Diameter of Funnel of Gauge 5' in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.10	.16	.15	1/2		1
2								.04	.34	.09	.03	.12	2
3													3
4								1/2	1/2		.24		4
5								.04					5
6								.59					6
7								.03					7
8								.22	.09				8
9													9
10								.10	.15				10
11											.03		11
12								.12	.29	1/2			12
13								1/2	.03	.03	1/2		13
14								.19	.05	.05	1/2		14
15								1/2	.06		.03		15
16											.01		16
17										.05			17
18								.03		1/2			18
19										.21			19
20								.36	.48	.12			20
21								.40	.24		.07		21
22								.66	.03	.45			22
23								.04	.05	.09	.07		23
24								.02		.17			24
25								.05	.49	1/2			25
26								.05	.01				26
27								.04		.07			27
28								.35	.05		.02		28
29								.31	.06	.24	.01	.04	29
30		X						.09	.62	.35	.38	.20	30
31		X		X		X			X		X	.02	31
TOTAL								1.84	3.25	3.09	1.66	.67	YEAR'S TOTAL
*Days with or in. or more.	7							8	3	3	5	3	
*Days with or in. or more.	7							8	14	16	8	5	

40-9999

*See Instruction 2 (f) on other side.

(Signed) F. A. Wortley

X MRS F.A.WORTLEY X

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2494/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at East Norton
in the County of Leicestershire

Cont 1932.

Jan 1/2

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Ground Sea Level 460 ft.

Good agreement

bapt

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.14	.14								.13		1
2	.14		.32		.02						.06		2
3		.30	.15		.15						.05		3
4	.08		.03		.25						.07		4
5	.05	.02	.13		.23								5
6		.08	.07		.36					.06	.01		6
7	.01	.35	$\frac{1}{2}$		.06					.15			7
8		$\frac{1}{2}$	.10		.05		.19			$\frac{1}{2}$			8
9					.06		.28			.10	.11		9
10					.02	.03		.08		.59	.06		10
11	.04				$\frac{1}{2}$		.02	.01		.01			11
12						.02	.05		.16				12
13					.02	.17	.21		.01		.29		13
14					.01		$\frac{1}{2}$			.34	.38	.05	14
15	.40		.01				.10	.06			.41		15
16	.29	.01	.54		.05	.30	.11			$\frac{1}{2}$	.09	.08	16
17	.02		.42			.21			.13		.10	.01	17
18	$\frac{1}{2}$	.08	.02			.18			$\frac{1}{2}$		.08		18
19			.40	.03		.07			.08		$\frac{1}{2}$		19
20		.03		.03		.01		.05	.02	.05	.01		20
21						.26		.04	.05	.01	$\frac{1}{2}$		21
22						.03		.31		.47			22
23				.02		$\frac{1}{2}$			.45		.01		23
24		.62		.12	.10	.88			.25	.04	.01		24
25		1.14		.24	.01	.34			$\frac{1}{2}$		.08	.07	25
26		.42		.14					.03	.15	.02		26
27				$\frac{1}{2}$.09					.49			.02	27
28				.06	.35		.04		$\frac{1}{2}$	.35		.16	28
29				.12	$\frac{1}{2}$		$\frac{1}{2}$			.06		.02	29
30	.14	X	.03	.12			.05			.02		.04	30
31		X	.25	X		X		.12	X	.04	X		31
TOTAL	1.30	3.22	2.61	.88	1.83	2.50	1.05	.66	1.67	2.44	1.92	.42	YEAR'S TOTAL 20.50
*Days with or more.	200	13	14	39	16	12	9	7	10	15	18	8	38
*Days with or more.	8	8	10	6	11	8	8	6	7	12	12	5	101

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2494/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at East. Norton

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05							.05	Trace	.01	.13	.41		1
2	.08		.04						.30	.04	.05	.28		2
3	.04	.07		.13						.05	Trace			3
4	.05	.01	.06	.20					.31	.12	.09	.36		4
5			.05	.05	.06			.07				.10		5
6			.04	.07	.32	.05		.04		.17		.47		6
7	.07					.03		.03		.06		.21		7
8					.05	.01		.05		.02	.21			8
9			.13	.02				.04	Trace		.68	.20		9
10			.11	.15				Trace		Trace	.17	.01		10
11	.36		.21	.17				.09				.35		11
12	Trace		.30		.06		.02	.12		Trace		.08		12
13	.40		Trace				.03	.10				.25		13
14	.04		.19		.02	.01		Trace		.17	.60	.35		14
15	.03		.12		.16				.60	Trace	.08	.01		15
16	.10		.11		.09					.08	.03			16
17	.09			.05			.08	.02	.05	.08				17
18	.04		.02	.32			.34					.01		18
19			.08	.08		.33			.02	.01		.03		19
20			.04	.15					.01					20
21			Trace			.27				.05		.02		21
22								.04	.20			Trace		22
23				.27	.04	.07	.18					.08		23
24		.33	.13			.06	.16		.41	.03				24
25	.18			.12		.01				.05		.25		25
26	.01			.10		.04	.02		.11	Trace	Trace			26
27		.10		.79			.01			.07		.19		27
28					.06			.49			.01	.52		28
29							.05	.14	.21		Trace	.06		29
30	.04	X					.01		.01			.08		30
31	.02	X		X		X			X	.14	X	.12		31
TOTAL	1.60	.60	1.63	2.76	.80	.94	.90	1.28	2.23	1.15	2.05	4.60	Year's Total	
	162	44	155	155	88	111	110	133	211	116	210	224	32	153
	13	3	14	14	7	7	5	11	8	12	8	19	121	

*Days with
or in.
or more.
*Days with
.04 in.
or more.

† Spare column, no entries required.

(Signed)

P. I. O.

Section

A

for the entry of Daily Observations.

Station No. 2494/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at East Norton

in the County of Leicestershire

Diameter of Funnel of Gauge 5' in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.40		.03	.05		.02	Trace		.01	.15	.05	.03		1
2	Trace		.04			.14			.04	.20	Trace	.14		2
3		.15	.09	.03		.11			.20	.11	.28	.02		3
4			.03	.06		.08			.25	.18	.01			4
5		.64	.04	.05		.02	Trace			.01	.08			5
6	.02	.03	Trace	.21		.23			.01		.12			6
7	Trace			.35		.14				.08	.47	.18		7
8				.18				.53		.17	.11			8
9				.34		.23				.54	.44	(.23)		9
10		.01		.01							.04	.04		10
11	.14					.07	.01	Trace		.02	.13	.05		11
12		.01				.21		.13	.01		.03			12
13	.10	.01		.05		.03				.01				13
14					.28	.06	.04				.48	.16		14
15		.09		.60	.12	.05	Trace		1.23		.15	.36		15
16		.03	.07	.11	.04	.72			.22	.21	.60			16
17				.11	.01	.21	.08		Gale	.03	.74			17
18		.03		.26		.12	.07		.32	.05				18
19	.03			.10	.34	.30	.07		.05		.25			19
20	.03	.19		.19	.02	.15	Trace		Trace		.11			20
21		.28	.01	.01					.18	.04	.19			21
22		.06		.02					.04					22
23	Trace													23
24	.13	.25	.04			Trace			.12	.03	.08			24
25	.09			.04		.84			.64	.72		.29		25
26								.10	.30	.01	.01	.55		26
27	.11	.29							.15	.01	.23	.77		27
28					.12				.01	.03	Trace	Trace	.05	28
29			.12					.86	.16	.02	.05	.07		29
30	.13	X	Trace	.03					.10	.22	.18	.09		30
31		X		X		X		Trace	X	.66	X	.25		31
TOTAL	1.18	2.07	.68	2.97	.93	3.79	.24	2.37	4.05	2.80	4.62	3.20	Year's Total.	
* Days with .01 in. or more.	310	614	310	321	27	319	25	27	319	220	322	216	41	1701
* Days with .04 in. or more.	71	81	71	161	51	161	41	61	141	131	191	141	129	1291

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2494/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at East Norton

in the County of Leicestershire

Diameter of Funnel of Gauge.....5'.....in.

Height of top of Gauge above Ground.....1.1 ft.....in.

Ground Sea Level.....46.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.04	.14	.59		.22	.16	.18	Trace		.01	.02		1
2			.06	.10		.24		.07			.20	.04		2
3		.01				.12		.01	.44		Trace			3
4	.01		.13			.20		.08	.43	.01	Trace	.04		4
5	.03	.02	.10		.01		.02	.01	.16	.02		.09		5
6	.06				.04		.11	.59	.24		.02			6
7	.44		.01				.17		.06	.02	.01	.01		7
8	.19		.21							Trace	.08	.13		8
9	.25		.05			.02	.34			.18	Trace			9
10				.01			1.05	.01	.02	.03				10
11				.10		.02	.16	.02			.27			11
12				.18		.25	.54	.01	.37		.20			12
13				.05		.25		Trace		.10	.03	(.38)		13
14				.12		.16	.48		.11	.03	Trace	.47		14
15				.12		.04	.10				.08	.07		15
16	.26	.09					.05		.01		.47			16
17	.02	.43			.02		.11			.08	.16	.03		17
18		.03				.08	.15			.11	.05	.02		18
19	.41		.03	.30		.79		.10		.08				19
20		.18	.03	.05			.04		.02					20
21				.21	.04	1.17								21
22		.55	.07	Trace	.44		.19					.07		22
23			.04	.13	.07					.02				23
24	.20	.10			.03		.36		.11	.22				24
25	.06	Trace	.11	.23		.14	.18		.21					25
26		.15	.47	Trace			.05		.08	.21				26
27	.03		.01						.16	.13				27
28	.34		.03			.04	.06		.03			.09		28
29	.60	.45	.04			.04	Trace			.05	.35	.17		29
30	.13	X	.07		.14	.11	.11		Trace	.20	.02			30
31	.55	X		X	.07	X	.02		X	.12	X	.08		31
TOTAL	3.67	2.02	1.63	2.19	.89	3.89	4.45	1.11	2.47	1.61	1.95	1.71	Year's Total	27.59
* Days with .01 in. or more.	17	11	17	13	9	17	21	10	15	17	14	16	44	
* Days with .04 in. or more.	13	8	12	12	6	15	19	5	11	11	9	X	13	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (a) on overleaf.

(Signed) F. L. Wootley [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2494/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at East Horton

in the County of Gloucestershire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	-	.02	-	-	-	-	-	.05	-	.33	.11		1
2	.02	.03	-	.32	-	-	-	-	-	-	-	.17		2
3	-	.07	-	.02	.21	-	-	-	.02	-	.01	.12		3
4	.04	.10	-	-	.01	-	-	.11	-	-	-	.94		4
5	.29	-	.14	-	.05	-	-	-	-	-	-	.11		5
6	.05	-	.18	-	.08	-	-	-	-	-	.02	-		6
7	-	.57	.11	.14	-	-	.01	-	-	-	-	-		7
8	-	.13	-	-	-	-	-	-	-	-	.38	-		8
9	-	-	.04	.15	.27	-	.36	-	.08	-	-	.11		9
10	-	.07	.05	.73	-	.28	-	-	-	-	-	.28		10
11	-	-	.32	-	.69	-	.02	-	-	-	-	.15		11
12	.07	.47	-	-	.46	.08	-	.03	.21	-	-	.09		12
13	.05	.07	.22	.02	.01	.23	-	.12	-	-	-	.01		13
14	-	-	.41	-	-	-	-	.07	.04	-	-	-		14
15	.11	.05	.01	.17	-	.01	1.75	.10	.20	-	-	.04		15
16	.06	.17	.28	.60	-	-	-	-	.17	-	-	.09		16
17	.18	-	-	.56	-	-	-	-	.10	-	-	-		17
18	.49	.11	.30	.01	-	-	-	-	.09	-	.34	-		18
19	.08	.07	-	.11	-	.29	.38	-	-	-	.05	-		19
20	.16	.11	.05	.46	.66	-	-	-	.10	-	-	.05		20
21	.03	.15	.09	-	-	-	.26	.01	-	-	-	.03		21
22	.13	.01	.04	-	.05	.14	.11	-	-	.28	.22	-		22
23	.19	-	.03	-	.14	-	.09	-	-	.47	.19	-		23
24	.13	.29	.11	-	.01	-	.02	-	-	.20	-	-		24
25	.25	.20	.01	-	.49	-	-	-	.03	.15	-	-		25
26	-	.22	.10	-	.24	-	-	-	-	.04	-	-		26
27	-	.28	.02	.16	-	-	-	-	-	.58	-	-		27
28	-	.11	-	-	-	-	-	-	-	.03	-	-		28
29	.07	-	-	-	-	.01	-	-	-	.02	.07	.11		29
30	.28	X	-	-	-	-	-	-	-	.04	.11	.02		30
31	.26	X	-	X	-	X	-	-	X	.18	X	.04		31
TOTAL	3.22	3.28	3.13	3.45	3.37	1.04	3.00	.44	1.09	1.99	1.72	2.47	28.20	✓
* Days with .01 in. or more.	21	20	20	13	14	7	9	6	11	10	10	17	158	✓
* Days with .04 in. or more.	19	18	15	10	11	5	6	4	9	8	8	14	127	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. *M 2494/5*

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *East Norton*in the County of *Leicestershire*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft.....in.,, Ground ,, Sea Level...*46.0*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28		.02				<i>Trace</i>		.05		.33	.11		1
2	.02	.03		.32					<i>Trace</i>			.17		2
3		.07		.02					.02		.01	.12		3
4	.04	.10		<i>Trace</i>	.21			.11				.94		4
5	<i>Trace</i>	<i>Trace</i>	.14		.01							.11		5
6	.05		.18	<i>Trace</i>	.05		<i>Trace</i>				.02			6
7		.57	.11	.14	.08		.01							7
8		.13		<i>Trace</i>							.38			8
9			.04	.15	.27		.36		.08			.11		9
10		.07	.65	.73		.28						.28		10
11	<i>Trace</i>		.32		.69		.02					.15		11
12	.07	.47			.46	.08		.03	.21			.69		12
13	.05	.07	.22	.02	.01	.23		.12				.01		13
14	<i>Trace</i>		.14	<i>Trace</i>				.07	.04					14
15	.11	.05	.01	.17		.01	1.75	.10	.20			.04		15
16	.06	.17	.28	.60					.17			.09		16
17	.18	<i>Trace</i>		.56					.10		<i>Trace</i>			17
18	.49	.11	.30	.01					.09		.34			18
19	.08	.07		.11	<i>Trace</i>	.29	.35				.05			19
20	1.16	.11	.05	.46	.66	<i>Trace</i>			.10			.05		20
21	.03	.15	.09	<i>Trace</i>			.26	.01			<i>Trace</i>	.03		21
22	.13	.01	.04		.05	.14	.11			.28	.22			22
23	.19		.03		.14		.09			.47	.19	<i>Trace</i>		23
24	.15	.29	.11		.01		.02		<i>Trace</i>	.20				24
25	.25	.20	.01		.49				.03	.15	<i>Trace</i>			25
26		.22	.10		.24					.04				26
27		.28	.02	.16						.58				27
28		.11								.03				28
29	.07					.01			<i>Trace</i>	.02	.07	.11		29
30	.28	~~X~~				<i>Trace</i>				.04	.11	.02		30
31	.26	~~X~~		~~X~~		~~X~~			~~X~~	.18	~~X~~	.04		31
TOTAL	3.22	3.28	3.13	3.45	3.37	1.04	3.00	.44	1.09	1.99	1.72	2.47	Year's Total	
* Days with .01 in. or more.	2	2	5	3	3	2	3	2	2	2	2	3		
* Days with .04 in. or more.	19	18	15	10	11	5	6	4	9	8	8	14		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *F. A. Wootley* [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 2494/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *East Norton*in the County of *Leicestershire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *460* ft.

Conv by B R O

arrow
11.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.43	.13	—	.02	.06	—	.04		1
2	.05	.02		.01	.04	.28	—	—	—	.17	—	—		2
3	.03				.01	.02	.13	—	.01	.57	.02	—		3
4	.03			.01		.06	.08	—	—	.11	—	.24		4
5							.04	.07	.01	.03	—	—		5
6							.08	—	.55	.13	—	—		6
7	.15						.23	.19	.16	.06	—	.04		7
8	.16					.07	.22	.01	—	.19	—	.01		8
9	.03	.11					.01	.30	—	—	—	.34		9
10		.02				.01	.22	.01	—	—	—	.04		10
11	.55						.02	.34	—	—	.09	—		11
12	.23	.03					.03	.33	—	.33	.01	—		12
13		.24			.05		—	—	—	—	.25	.15		13
14	.17	.07			.06		.50	—	.08	—	—	—		14
15	.08						.15	—	—	—	.01	.27		15
16	.12						.06	.01	—	—	.01	.40		16
17		.08			.23		.11	—	.02	.10	.03	—		17
18	.03				.32	.04	—	—	.06	.02	.27	—		18
19							—	.11	.16	—	.10	.05		19
20							—	—	.03	—	.48	.06		20
21	.01						—	—	.01	—	.02	.60		21
22		.01				.02	—	.12	—	—	.27	—		22
23					.01		—	—	.03	—	—	—		23
24			.02				.27	—	.14	—	.01	—		24
25	.06	.09	.11				.08	.32	—	.05	.31	.23		25
26		.19	.13				—	—	.03	—	—	.05		26
27	.05	.02			.09	.11	.17	.11	.27	.03	.21	—		27
28	.06				.27	.07	.02	.93	.04	—	.02	.05		28
29	.50			.05	.42		.05	—	—	.06	.10	.15		29
30	.03	✕				.27	—	—	.15	.01	.09	—		30
31	.21	✕		✕	.20	✕	—	—	✕	.10	✕	.61		31
TOTAL	2.55	1.88	1.26	1.07	1.70	1.38	2.60	2.85	1.77	2.02	2.30	3.33	21.71	✓
* Days with .01 in. or more.	19	11	3	3	11	11	20	13	17	16	18	17	159	✓
* Days with .04 in. or more.	13	6	2	1	9	8	16	10	9	12	10	16	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Mrs. A. Wortley

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2494/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at East Norton

in the County of Leicestershire

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

,, Ground ,, Sea Level 460 ft.

Entries on Jan 24 & 25 adjusted by ref to nearby obs

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	tr	.08	.04	-	.05	.12	.27	.09	-	.01		1
2	.09	-	-	.08	-	-	-	.38	.48	.05	.03	-		2
3	.42	-	-	.28	-	-	-	.82	-	-	-	.12		3
4	.31	-	.38	.40	-	-	.01	.45	-	.02	.21	.06		4
5	-	-	-	.11	.13	-	.01	.67	-	.12	.07	.33		5
6	.52	-	.01	-	-	-	.66	-	-	-	.23	-		6
7	.02	.05	.20	-	-	-	.11	-	-	.01	.10	.14		7
8	-	.02	-	-	-	-	.36	.28	-	.12	-	.40		8
9	.02	.07	-	-	-	-	.08	.15	-	.56	.09	.26		9
10	.41	-	-	-	-	tr	-	.24	.02	.03	-	tr		10
11	-	-	.24	-	-	.02	-	.01	.04	tr	-	-		11
12	-	-	.02	-	-	.13	-	-	-	tr	-	-		12
13	-	-	tr	-	-	.28	.04	-	.05	.10	-	-		13
14	.41	-	.02	.02	.21	.14	.27	-	-	.06	.10	-		14
15	.38	-	-	.02	.12	.38	.27	-	.07	.60	.01	-		15
16	.09	-	.10	.02	.12	.61	.01	-	tr	-	.16	-		16
17	.20	.01	.01	.18	.05	tr	.20	-	-	1.22	.01	-		17
18	.01	-	.07	-	-	.58	.29	-	tr	.05	-	-		18
19	.28	-	tr	-	-	.04	.35	-	-	tr	-	.02		19
20	.11	-	tr	-	-	.04	.30	.11	-	-	-	-		20
21	.22	.11	.16	.02	-	.04	.36	.81	.05	-	-	-		21
22	.20	.23	.15	-	-	tr	.07	-	.02	-	.30	-		22
23	.10	-	.01	.21	-	tr	.09	.01	tr	.02	.49	-		23
24	.13	-	.17	.02	-	-	.05	-	-	-	-	-		24
25	.86	.05	.14	-	-	.05	.09	.38	-	-	.33	-		25
26	.39	.01	.02	.06	-	-	-	.01	.02	.14	.22	.08		26
27	.05	.01	.15	-	-	tr	.06	-	-	.19	.02	-		27
28	.06	.16	.17	.04	-	-	.11	.02	-	.02	.16	.05		28
29	-	-	-	.40	-	-	.25	.01	-	.30	.01	-		29
30	-	X	-	.13	-	.05	-	-	-	-	.05	-		30
31	-	X	-	X	-	X	.02	.08	X	-	X	-		31
TOTAL	9.18	72	2.02	2.07	67	2.36	4.11	4.55	102	3.66	2.59	1.47	Year's Total	31.42
* Days with .01 in. or more.	23	10	17	16	6	12	24	17	9	18	18	10	179	-
* Days with .04 in. or more.	19	6	11	11	6	11	20	12	6	12	13	8	135	-

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2494/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1000

REGISTER OF RAINFALL IN 1934

Kept at East Nortonin the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 460.....ft.

BRITISH RAINFALL ORGANIZATION.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	tr	-	-	-	-	-	-	.12	-		1
2	-	-	-	.34	-	-	-	-	-	-	.66	-		2
3	-	-	-	.15	-	-	-	-	-	.18	.54	-		3
4	-	.64	-	.02	-	-	.01	-	-	.16	.46	-		4
5	-	-	-	-	.03	-	.06	-	-	.07	.27	-	.23	5
6	.06	.01	-	-	-	-	.13	-	-	.36	.14	.07		6
7	.16	.56	-	.02	-	-	-	-	.04	-	-	-		7
8	-	-	-	-	-	-	.17	-	-	.09	.02	.25		8
9	-	-	.15	.02	-	.56	.02	.08	.04	-	.07	.16		9
10	-	-	tr	-	-	-	.79	.04	-	.03	.17	.36		10
11	-	-	.02	.03	-	-	.41	-	-	-	.59	.06		11
12	-	-	.03	-	-	-	.15	-	.03	-	.02	-		12
13	-	-	.61	.03	-	-	.37	-	.14	-	-	-		13
14	-	-	-	.09	-	-	-	.03	.01	.01	-	.13		14
15	-	-	-	.02	-	.01	tr	-	-	.43	.12	-		15
16	-	.54	.33	-	-	-	-	-	.14	1.11	.65	-		16
17	.13	-	.64	-	-	-	.43	-	-	-	-	-		17
18	-	.51	.22	.48	-	-	-	.08	-	.04	.16	-		18
19	-	.20	.03	.16	-	-	.55	-	.25	-	.09	.11		19
20	-	.02	-	.04	-	-	.05	.02	-	-	-	-		20
21	.07	-	-	-	-	-	.07	-	-	.08	1.45	-		21
22	-	-	.02	-	-	.47	-	-	.17	-	tr	-		22
23	.08	.20	.02	.05	-	.29	-	-	-	.25	-	.04		23
24	.02	-	-	.03	-	-	.12	-	-	.02	-	-		24
25	-	-	-	-	-	-	-	-	-	-	-	-		25
26	.72	.18	-	-	-	.04	.17	-	-	.10	-	-		26
27	.74	-	-	.73	.73	-	.07	.04	-	-	tr	-		27
28	.35	.43	-	.01	.20	-	-	-	-	.01	-	-		28
29	-	-	.30	-	.43	.01	tr	-	-	.46	-	.33		29
30	-	X	-	.26	-	-	-	-	-	.64	-	.06		30
31	.31	X	.01	X	-	X	-	-	X	-	X	-		31
TOTAL	2.64	3.29	2.38	2.48	1.39	1.38	3.57	.29	.82	4.04	5.53	1.80	29.61	✓
* Days with .01 in. or more.	10	10	12	17	8	6	16	6	8	17	16	112	138	✓
* Days with .04 in. or more.	9	8	6	9	7	4	14	4	6	13	14	11	105	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mrs. F. A. Wortley P.T.O.

RECEIVED
Kept at KNOSSINGTON
in the County of Leic
Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

THE MORNING M
An observer who does not con
year in the space on the right

2495
KNOSSINGTON RECTORY
1931-34

Following
Jan. 1, following

780408

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04	.04					.43	.08			1
2		.09		.69		.04			.38			.03	2
3				.08			.01		1.68		.34	.04	3
4		.06		.12			.40	.32	.14		.10		4
5					.11	.90	.02		.13			.41	5
6		.21		.05		.21	.01		.02	.16	.13		6
7						.11	.13	.23		.02	.11		7
8	.06	.10	.14	.03		.09	.07	.39			.20		8
9		.22			.03	.02		.19			.34	.03	9
10			.06										10
11		.17				.06	.05		.15		.03		11
12	.13	.04		.03			.49	1.41	.38		.03		12
13		.09				.01	.06						13
14		.01				.11	.91		.01		.08		14
15		.12		.17	.26		.21	.08			.04	.07	15
16	.05	.37		.08	.15	.43		.04	.21				16
17	.01	.42		.33	.71	.06	.05						17
18	.02			.32		.10	.01	.10			.51		18
19	.05	.10		.36	.03	.08	.33	.10	.08	.08			19
20		.06		.07		.01	.04	.42					20
21	.16				.44			.05					21
22	.09			.03					.04				22
23	.15		.03		.31	.07			.36		.28		23
24		.03		.22	.40	.02	.03		.02				24
25	.07	.01		.64			.48				.03		25
26		.03		.30	.01						.14		26
27	.19	.52		.03			.04				.34	.12	27
28	.11	.18		.09							.02	.06	28
29	.09			.04	.13		.11			.26		.06	29
30	.52	X		.01			X		.02	.03			30
31	.31	X		X		X	.01	.01	X		X	.03	31
TOTAL	2.07	2.83	.27	3.73	2.58	2.32	3.45	3.34	4.05	.63	2.72	.85	YEAR'S TOTAL
*Days with "or in. or more.	15	19	4	21	11	16	20	? 14 ?	15	6	16	8	165
*Days with ".04 in. or more.	13	15	3	16	8	12	14	? 13 ?	11	4	13	6	128

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at KNOSSINGTON Rectory
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 10 in.
Ground Sea Level 580 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04	.04					.43	.08			1
2		.09		.69		.04			.38			.03	2
3				.08			.01		1.68		.34	.04	3
4		.06		.12			.40	.32	.14		.10		4
5					.11	.90	.02		.13			.41	5
6		.21		.05		.21	.01		.02	.16	.13		6
7						.11	.13	.23		.02	.11		7
8	.06	.10	.14	.03		.09	.07	.39			.20		8
9		.22			.03	.02		.19			.34	.03	9
10			.06										10
11		.17				.06	.05		.15		.03		11
12	.13	.04		.03			.49	1.41	.38		.03		12
13		.09				.01	.06						13
14		.01				.11	.91		.01		.08		14
15		.12		.17	.26		.21	.08			.04	.07	15
16	.05	.37		.08	.15	.43		.04	.21				16
17	.01	.42		.33	.71	.06	.05						17
18	.02			.32		.10	.01	.10			.51		18
19	.05	.10		.36	.03	.08	.33	.10	.08	.08			19
20		.06		.07		.01	.04	.42					20
21	.16				.44			.05					21
22	.09			.03					.04				22
23	.15		.03		.31	.07			.36		.28		23
24		.03		.22	.40	.02	.03		.02				24
25	.07	.01		.64			.48				.03		25
26		.03		.30	.01						.14		26
27	.19	.52		.03			.04				.34	.12	27
28	.11	.18		.09							.02	.06	28
29	.09			.04	.13		.11			.26		.06	29
30	.52	X		.01			#		.02	.03			30
31	.31	X		X		X	.01	.01	X		X	.03	31
TOTAL	2.07	2.83	.27	3.73	2.58	2.32	3.45	3.34	4.05	.63	2.72	.85	YEAR'S TOTAL
*Days with ".01 in. or more.	15	19	4	21	11	16	20	? 14 ?	15	6	16	9	165
*Days with ".04 in. or more.	13	15	3	16	8	12	14	? 13 ?	11	4	13	6	128

40-9999

*See Instruction 2 (f) on other side.

(Signed) Georgel W. Wain [P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2495

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at KNOSSINGTON RECTORY

in the County of Leicester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 10 ft.

Ground Sea Level 570 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.08		.14	.69	.13		.07	.12	.25	.03		1
2	.03				.32			.08	.19	.10	.03	.22	2
3				.20	.05				.01				3
4		.02		.09							.21		4
5	.20	.02	.08		.09		.09		.10				5
6	.26			.10					.43				6
7			.20	.08					.04				7
8		.03		.12					.28	.07			8
9	.03	.17		.06									9
10	.02	.17		.16					.18	x			10
11			.11	.14	.16		1.00		.06	✓			11
12	.11				.14					x	.07		12
13	.03	.09		.21			1.37		.09	✓		.06	13
14	.18	.06		.02			.19	.18		✓	.12	.06	14
15				.16	.26					1.85			15
16	.12			.57	.17		.12			x			16
17										✓			17
18									.05				18
19										✓			19
20				.06	.20		.01	.39		x	.13		20
21		.03	.20	.19	1.43			.26		x		.09	21
22			.39	.06	.15		.52		.72	.06	.42		22
23		.05			.05				.03	.03	.07	.08	23
24							.22		.09				24
25		.10					.14		.05	.23			25
26				.47	.28		.08						26
27			.46	.20	.68		.14		.10		.27		27
28			.02	.04	.31	.30	.14	.31		.11			28
29			.14	.18	.11		.03	.55	.08	.27	.06	.09	29
30		x	.25	.03	.03	.43	.04	.23	.74	.71	.30	.20	30
31		x	.22	x	.05	x	.35	.02	x	.03	x	.05	31
TOTAL	1.07	.82	2.07	3.28	5.17	.86	4.44	2.09	3.36	3.71	1.71	.85	29.43
*Days with .01 in. or more.	10	11	10	21	18	3	15	9	18	?	11	8	(154)
*Days with .04 in. or more.	6	7	9	19	17	3	13	8	16	?	9	8	(129)

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Georgy Wilkison

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2495

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File no. 762517/27

Kept at KNOSSINGTON RECTORY
in the County of Leicester

February 25th estimated for snowfall. Observer agrees 2/6/34.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
Ground Sea Level nearly 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.16	.17								.16		1
2	.12		.39								.08		2
3		.19	.20		.17						.08		3
4	.09		.03		.19						.19		4
5	.09		.11		.14								5
6			.16		.40					.08			6
7		.47			.12					.15			7
8	.03		.13				.24		.03	.02			8
9					.05		.40			.04			9
10		.03				.10		.04		.68	.19		10
11	.09					.05	.03			.01			11
12						.10			.19				12
13					.03	.13	.57		.03	.05	.23		13
14	.01				.01		.03			.28	.46	.15	14
15	.59		.02			.01	.10	.12		.02	.50		15
16	.19		.58		.05	.22	.22				.11		16
17			.54			.18			.12		.14		17
18		.09	.05			.53					.03		18
19			.35			.08			.09				19
20			.02				.13	.12		.06		.02	20
21		.04				.75		.36	.19		.05		21
22						.03		.34		.72			22
23				.07					.78		.02		23
24		.07		.09	.20	1.18			.37	.09			24
25		(1.09)		.26		.18					.13		25
26		.49		.13					.12	.24		.06	26
27									.50	.04			27
28				.04	.11				.01	.28		.20	28
29				.21								.02	29
30	.12	X	.04	.28					.01	.06	.06	.07	30
31	.04	X	.16	X		X		.10	X	.11	X		31
TOTAL	1.53	(2.63)	2.95	1.08	1.47	3.54	1.72	1.08	2.44	2.93	2.52	.52	24.41
*Days with .01 in. or more.	11	9	15	7	11	13	8	6	12	17	15	6	130
*Days with .04 in. or more.	9	8	12	7	9	11	6	6	8	14	13	4	107

Section

A

for the entry of Daily Observations.

Station No.

2495

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at KNOSSINGTON Rectoryin the County of LeicestersDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground as in previous years ft. _____ in.
Ground Sea Level _____ ft.

33, Knigs Avenue, Eastbourne.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04							.12		.29		.65		1
2		.08	.07					.03		.47		.66		2
3	.10	.06		.02						.77		.30		3
4	.06		.06	.22						.46	.18	.75		4
5			.11	.03	.09			.08		.01		.49		5
6	.01		.02	.11	.37			.03		.34		.43		6
7	.07									.09		.15		7
8			.07		.07			.07			1.91			8
9			.13	.07	.01			.06			.36	.14		9
10			.16	.15				.02						10
11	.46		.18	.15		.17		.24				.53		11
12			.31				.04	.09				.11		12
13	.46						.40	.21			.13			13
14	.07		.24	.02	.02			.01		.01	1.75	.46		14
15			.06		.18					.02	.25	.53		15
16	.16		.18		.09						.01	.01		16
17	.15	.08		.03	.01		.46	.13				.46		17
18	.12			.30			1.03					.85		18
19			.12	.19						.09		.48		19
20			.07	.09				.02						20
21						.26				.08				21
22								.07				.22		22
23				.32	.01	.07	.21			.05		.32		23
24		.25	.14	.11		.05	.03				.02			24
25	.16	.06		.14		.02				.09		.62		25
26	.05	.04	.04	.45		.04				.06		.01		26
27		.18		.10								.35		27
28				1.03		.11		.56				.19		28
29							.07	.29						29
30	.07	X					.01				.01	.66		30
31	.03	X		X		X	.06	.02	X	.14	X	.16		31
TOTAL	2.01	.73	1.96	3.53	.85	.88	2.31	2.05	X	3.01	4.62	9.33	Year's Total	
*Days with .01 in. or more.	15	7	16	18	9	8	9	17		15	9	24		
*Days with .04 in. or more.	13	7	15	14	5	7	7	11		12	6	22		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

REGIST

Kept at FROLESWORTH
in the County of LEICESTER

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

2496 — 110778

FROLESWORTH

1931 - 1940

S DAY.

of the following

Jan. 1, following

Date	Jan.	Feb.	March	780408						Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
I	-	.07	.15	-	.01	.01	-	-	.34	tr.	-	-	I
2		.03	-	.16	-	.04	-	.06	.38	.06	tr.	.04	2
3	.02	.01	-	.70	-	-	.01	-	.76	-	.46	.14	3
4	-	.04	-	-	-	-	.36	.12	.08	-	.10	-	4
5	-	-	-	.16	.05	1.03	-	tr.	.09	-	tr.	.24	5
6	-	.08	-	.03	-	.05	.04	-	-	.18	.20	-	6
7	-	-	-	-	-	-	tr.	.35	-	-	.02	.01	7
8	-	.15	-	-	.10	tr.	.01	.77	-	-	.17	-	8
9	-	-	.03	.09	-	.03	tr.	.16	-	-	.22	-	9
10	-	.34	-	-	.01	.03	-	.09	.04	-	tr.	-	10
11	.06	.23	-	-	-	.04	-	-	.14	-	.05	-	11
12	.07	.07	-	-	-	-	.36	-	.23	tr.	tr.	-	12
13	.05	.11	-	-	-	-	.06	.20	tr.	.02	-	-	13
14	-	-	-	-	tr.	.14	.70	.96	.01	-	.06	-	14
15	-	-	-	.05	.30	-	.27	.21	-	-	.01	.01	15
16	-	.25	-	-	.22	.44	tr.	.05	.13	-	-	-	16
17	.10	.48	-	.22	.50	tr.	.06	-	tr.	-	-	-	17
18	.01	.10	.09	.49	-	.08	.16	.22	-	-	.31	-	18
19	.05	-	-	.34	-	tr.	-	.02	.12	-	-	-	19
20	-	.05	-	.12	-	-	.01	.55	-	.02	.01	-	20
21	.04	-	-	-	.51	-	-	.04	-	-	-	-	21
22	.12	-	-	tr.	-	-	tr.	.01	tr.	-	-	-	22
23	.25	-	-	.04	.36	.13	-	-	.18	-	.21	.06	23
24	-	-	-	.04	.40	-	.16	-	-	-	-	-	24
25	-	.01	-	.72	-	-	.42	-	-	-	.03	-	25
26	.05	.03	-	.31	.01	-	.07	-	-	-	.17	-	26
27	.06	.09	-	.06	.25	-	tr.	-	-	tr.	.16	.24	27
28	.03	.45	-	.02	.15	-	.06	-	-	.09	.01	.21	28
29	.14	X	-	tr.	.02	-	.06	-	-	.26	.01	-	29
30	.08	X	-	tr.	-	-	-	-	-	-	tr.	-	30
31	.27	X	-	X	-	X	-	-	X	tr.	X	.02	31
TOTAL	1.40	2.59	0.27	3.55	2.89	2.02	2.81	3.81	2.50	0.63	2.20	0.97	YEAR'S TOTAL 25.64
*Days with or in. or more.	16	18	3	16	14	11	16	15	12	6	17	9	153
*Days with .04 in. or more.	13	14	2	14	10	8	13	13	11	4	11	6	119

Section

A

for the entry of Daily Observations

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at FROLESWORTH

in the County of LEICESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.07	.15	-	.01	.01	-	-	.34	tr.	-	-	1
2	.02	.03	-	.16	-	.04	-	.06	.38	.06	tr.	.04	2
3	.02	.01	-	.70	-	-	.01	-	.06	-	.46	.14	3
4	-	.04	-	-	-	-	.36	.12	.08	-	.10	-	4
5	-	-	-	.16	.05	1.03	-	tr.	.09	-	tr.	.24	5
6	-	.08	-	.03	-	.05	.04	-	-	.18	.20	-	6
7	-	-	-	-	-	-	tr.	.35	-	-	.02	.01	7
8	-	.15	-	-	.10	tr.	.01	.77	-	-	.17	-	8
9	-	-	.03	.09	-	.03	tr.	.16	-	-	.22	-	9
10	-	.34	-	-	.01	.03	-	.09	.04	-	tr.	-	10
11	.06	.23	-	-	-	.04	-	-	.14	-	.05	-	11
12	.07	.07	-	-	-	-	.36	-	.23	tr.	tr.	-	12
13	.05	.11	-	-	-	-	.06	.20	tr.	.02	-	-	13
14	-	-	-	-	tr.	.14	.70	.96	.01	-	.06	-	14
15	-	-	-	.05	.30	-	.27	.21	-	-	.01	.01	15
16	-	.25	-	-	.22	.44	tr.	.05	.13	-	-	-	16
17	.10	.48	-	.22	.50	tr.	.06	-	tr.	-	-	-	17
18	.01	.10	.09	.49	-	.08	.16	.22	-	-	.31	-	18
19	.05	-	-	.34	-	tr.	-	.02	.12	-	-	-	19
20	-	.05	-	.12	-	-	.01	.55	-	.02	.01	-	20
21	.04	-	-	-	.51	-	-	.04	-	-	-	-	21
22	.12	-	-	tr.	-	-	tr.	.01	tr.	-	-	-	22
23	.25	-	-	.04	.36	.13	-	-	.18	-	.21	.06	23
24	-	-	-	.04	.40	-	.16	-	-	-	-	-	24
25	-	.01	-	.72	-	-	.42	-	-	-	.03	-	25
26	.05	.03	-	.31	.01	-	.07	-	-	-	.17	-	26
27	.06	.09	-	.06	.25	-	tr.	-	-	tr.	.16	.24	27
28	.03	.45	-	.02	.15	-	.06	-	-	.09	.01	.21	28
29	.14	X	-	tr.	.02	-	.06	-	-	.26	.01	-	29
30	.08	X	-	tr.	-	-	-	-	-	-	tr.	-	30
31	.27	X	-	X	-	X	-	-	X	tr.	X	.02	31
TOTAL	1.40	2.59	0.27	3.55	2.89	2.02	2.81	3.81	2.50	0.63	2.20	0.97	YEAR'S TOTAL
*Days with or in. or more.	16	18	3	16	14	11	16	15	12	6	17	9	153
*Days with .04 in. or more.	13	14	2	14	10	8	13	13	11	4	11	6	119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. P. Midgdown

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at FROLESWORTH
in the County of LEICESTER

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.03	-	.04	.44	.08	-	.26	.09	.21	.07	.01	1
2	.02	-	-	.05	.20	-	-	.08	.59	.04	.02	.07	2
3	-	-	-	.20	.01	-	-	tr.	-	.02	-	-	3
4	.01	-	-	.08	-	-	tr.	-	-	-	.37	-	4
5	.16	tr.	-	-	-	.03	tr.	-	.08	-	-	-	5
6	.24	-	.01	.25	tr.	-	tr.	tr.	.36	-	-	-	6
7	-	-	.22	.25	tr.	-	-	-	.05	tr.	-	-	7
8	.01	-	-	.09	-	-	-	-	.06	.14	-	-	8
9	.06	.09	tr.	tr.	tr.	-	-	-	-	-	-	-	9
10	.08	.08	tr.	.05	.01	-	-	-	.14	.13	-	-	10
11	-	.02	-	.04	.12	.30	.08	tr.	.01	.03	tr.	-	11
12	.11	.01	-	-	.14	-	.06	-	.08	.31	.06	-	12
13	.03	tr.	-	.07	-	-	1.29	-	-	.02	tr.	-	13
14	.17	.04	-	.13	-	-	.02	.03	tr.	.02	.04	-	14
15	tr.	tr.	-	.04	.20	-	.04	-	-	.02	-	.06	15
16	.12	tr.	-	.25	.10	-	.09	-	-	-	-	-	16
17	-	-	-	-	-	-	-	-	-	.08	-	-	17
18	tr.	-	-	-	.05	-	.01	-	tr.	-	.03	-	18
19	-	tr.	-	-	tr.	-	-	-	-	.14	-	-	19
20	-	-	-	.17	.42	-	.02	.35	-	.51	.12	-	20
21	-	-	.15	.15	1.66	-	-	.25	-	.33	tr.	.10	21
22	tr.	-	.19	.02	.06	.03	.32	-	.64	.06	.40	tr.	22
23	-	.02	.01	-	.83	-	.01	-	.03	.04	.08	.06	23
24	tr.	-	-	-	tr.	-	.63	-	.04	.01	.39	-	24
25	-	.03	-	-	tr.	tr.	.09	-	tr.	.16	.01	-	25
26	tr.	-	-	.35	.26	-	.03	-	.12	.01	.04	-	26
27	-	tr.	.36	.21	.48	-	.19	-	tr.	tr.	.08	-	27
28	-	-	.01	.03	.36	.05	.18	.34	-	.08	-	.01	28
29	.01	-	.25	.15	.01	.09	.02	.03	.08	.22	tr.	.07	29
30	tr.	×	.04	.01	-	.49	.29	.13	.52	.30	.33	.21	30
31	-	×	.04	×	.02	×	.66	-	×	tr.	×	.04	31
TOTAL	1.08	0.32	1.28	2.63	5.37	1.07	4.03	1.47	2.89	2.88	1.98	0.63	YEAR'S TOTAL 25.63
*Days with ".04 in. or more.	13	8	10	21	18	7	18	8	15	22	14	9	163
*Days with ".04 in. or more.	8	3	7	18	14	5	12	6	13	15	10	7	118

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2496

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at FROLESWORTH
in the County of LEICESTERDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 370 ft.

In event of June appearing low
obs says many storms in district
But nothing fell at Frolesworth
\$ 4/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	.24	.02	tr.	-	-	-	-	-	.01	.09	-	1
2	.16	-	.35	-	.05	-	-	-	-	-	.05	-	2
3	-	-	.21	-	.50	-	-	-	-	-	tr.	-	3
4	.18	.20	.02	-	.24	-	-	-	-	-	-	-	4
5	.08	.03	.13	-	.09	-	-	-	-	-	.02	-	5
6	-	.18	.19	-	.20	-	-	-	-	.08	.02	-	6
7	.03	.37	.03	-	.01	-	-	-	-	.17	-	-	7
8	.03	tr.	.09	-	.11	-	.32	-	-	-	-	-	8
9	-	-	-	-	.06	-	.29	tr.	-	.08	.10	-	9
10	.02	.20	-	-	-	.07	-	.07	-	.83	.17	-	10
11	tr.	-	-	-	tr.	.01	.09	tr.	-	-	-	-	11
12	.06	-	-	-	-	.01	.13	-	.17	-	-	.02	12
13	.02	-	-	-	.03	.05	.19	-	-	.04	.18	-	13
14	-	-	-	-	.02	-	.04	.13	-	.17	.37	.01	14
15	.44	-	tr.	-	-	.03	.62	.05	-	-	.27	.01	15
16	.06	-	.57	.01	.05	.16	.04	-	tr.	.09	.03	.01	16
17	.02	-	.49	-	tr.	.08	-	-	.05	-	.04	tr.	17
18	.04	.02	.03	-	-	.10	.03	-	-	-	.02	-	18
19	tr.	-	.62	tr.	-	.06	-	-	.07	-	tr.	tr.	19
20	-	.04	-	tr.	tr.	.06	-	.02	.05	.03	.01	.01	20
21	-	.06	-	-	.09	.03	-	.14	.03	tr.	.01	-	21
22	-	-	-	-	-	.04	-	.35	-	.40	-	-	22
23	-	-	-	.03	-	.01	-	-	.40	tr.	-	-	23
24	-	.65	-	.06	.06	.46	-	-	.66	.05	.02	-	24
25	-	.61	-	.25	-	.22	-	-	tr.	-	tr.	.03	25
26	-	.53	-	.10	-	.25	-	-	.02	.05	.01	-	26
27	-	-	-	-	tr.	-	tr.	-	.19	.05	-	tr.	27
28	-	-	-	.26	.05	-	.02	-	tr.	.07	-	.08	28
29	-	X	-	.43	-	-	.07	-	tr.	.02	-	tr.	29
30	.12	X	.08	.18	-	-	.03	-	-	.01	tr.	.10	30
31	tr.	X	.36	X	-	X	.02	.12	X	.17	X	-	31
TOTAL	1.50	3.13	3.19	1.32	1.56	1.64	1.89	0.88	1.64	2.32	1.41	0.27	YEAR'S TOTAL 20.75
*Days with .01 in. or more.	14	12	14	8	14	16	13	7	9	17	16	8	148
*Days with .04 in. or more.	9	10	10	6	11	11	9	6	7	13	8	2	102

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. Meadows

P.T.O.

Section

Station No. 2496

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at FROLESWORTH.

in the County of LEICESTER

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft.....in.

Ground Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.03	-	-	-	-	-	-	.19	.04	-	.21	.26	2
3	.04	.02	.07	-	-	-	-	-	.25	.03	.02	.16	3
4	.03	.09	-	-	-	-	-	-	-	.10	.01	-	4
5	.05	.01	.03	.39	.03	-	-	-	.03	.03	.13	.32	5
6	tr.	-	.02	.02	.06	-	-	.15	-	.03	.05	.11	6
7	.01	-	.01	.07	.32	.06	-	-	-	.17	-	.43	7
8	.06	tr.	tr.	-	-	.05	-	.07	-	.10	.12	.24	8
9	-	-	-	-	.10	.01	-	.06	-	-	.07	tr.	9
10	tr.	-	.16	.02	-	-	-	.03	tr.	tr.	.52	.34	10
11	tr.	-	.13	.15	-	-	-	.06	-	-	.05	.01	11
12	.71	-	.11	.32	-	-	-	.24	-	-	tr.	.14	12
13	-	-	.15	tr.	tr.	-	.05	.14	-	-	-	tr.	13
14	.33	tr.	-	.02	.05	-	.11	.21	-	tr.	.01	.25	14
15	.09	-	.21	-	.02	-	-	-	-	.40	.49	.36	15
16	.03	-	.13	-	.10	-	-	-	tr.	.02	.18	.01	16
17	.12	tr.	.14	-	.05	-	-	-	-	.13	.02	-	17
18	.02	-	-	-	-	-	.02	.01	.14	.13	.05	.15	18
19	.13	.01	tr.	.23	-	-	.66	-	.05	-	-	-	19
20	-	-	.12	.01	-	.01	-	tr.	.01	tr.	-	.03	20
21	-	-	.07	.10	-	.01	-	-	.01	-	-	-	21
22	-	-	tr.	-	-	.17	tr.	.04	tr.	.11	-	-	22
23	-	-	-	-	-	-	-	.19	.22	-	-	.04	23
24	-	-	tr.	.28	.02	.15	.18	-	-	-	tr.	.09	24
25	.17	.26	.10	.03	-	.01	.01	-	.35	.04	-	tr.	25
26	-	-	-	.01	-	.05	-	-	tr.	.06	-	.31	26
27	.02	-	.03	.16	-	.04	-	-	.09	-	tr.	.16	27
28	-	.24	-	.07	-	-	tr.	-	tr.	.03	tr.	.12	28
29	-	-	-	.36	-	.09	-	.34	-	-	.06	.34	29
30	-	X	-	-	-	-	.19	.11	.39	-	-	.01	30
31	.03	X	-	-	-	-	.01	tr.	.02	tr.	-	.07	31
32	tr.	X	-	X	-	X	-	-	X	.17	X	.07	32
TOTAL	1.87	0.63	1.48	2.24	0.75	0.65	1.23	1.84	1.60	1.55	1.99	4.02	19.85
*Days with .01 in. or more.	16	6	15	16	9	11	8	14	12	15	15	23	160
*Days with .04 in. or more.	9	3	11	10	6	7	5	12	8	10	11	19	111

40-9999

*See Instruction 2 (f) on other side.

(Signed).

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2496

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at FROLESWORTH

in the County of LEICESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	-	.02	.02	tr.	.09	.01	-	.26	.02	.09	.03		1
2	tr.	.02	.10	tr.	-	.09	-	-	.02	.24	-	.16		2
3	tr.	.14	.03	.02	-	.17	-	-	.26	.29	.24	.02		3
4	-	tr.	tr.	.10	-	.14	-	-	.02	.16	.01	.01		4
5	-	.56	.07	.05	-	.30	.03	-	tr.	.01	.08	-		5
6	tr.	.02	.01	.27	-	.22	-	-	-	-	.01	.01		6
7	-	-	-	.29	-	.14	-	-	-	.17	.49	.16		7
8	-	-	-	.21	-	.02	-	-	.05	.10	.14	.02		8
9	-	-	-	.40	-	.13	-	-	-	.37	.28	.02		9
10	-	tr.	-	.01	-	.01	-	-	-	-	.03	.01		10
11	.12	.01	-	-	-	.11	.06	-	-	.02	.21	.04		11
12	.04	.01	-	-	-	.20	-	.15	tr.	-	.01	-		12
13	.07	.01	-	.16	.13	.01	-	-	-	.02	tr.	-		13
14	-	-	tr.	.01	.13	tr.	-	-	tr.	-	.63	.14		14
15	-	.07	-	.73	.02	.38	.02	-	.30	-	.28	.31		15
16	-	.05	.12	.25	-	.35	-	-	.34	.17	.66	.18		16
17	-	tr.	-	.02	-	.17	.09	-	-	.02	.47	-		17
18	tr.	.07	-	.24	.03	.19	.06	-	.21	.08	-	-		18
19	.01	.01	-	.05	.61	.15	.05	-	.02	.01	.22	-		19
20	.03	.20	-	.28	-	.06	.03	-	-	-	.19	-		20
21	-	.38	.01	.08	-	-	-	-	.35	.03	.11	-		21
22	-	.03	-	.06	-	-	-	.17	.13	-	-	-		22
23	.01	.01	.12	-	-	-	-	.50	.16	.28	-	-		23
24	.04	.13	.02	-	-	-	-	tr.	.64	.02	-	.27		24
25	.16	.04	-	.05	-	.72	-	-	tr.	-	-	.18		25
26	tr.	-	-	tr.	-	-	-	.22	.24	-	.01	.80		26
27	tr.	.21	-	-	-	-	-	-	.03	.03	.21	1.04		27
28	.01	.10	-	-	.02	-	-	-	.04	.03	.01	.06		28
29	.01	X	.02	-	-	-	-	.02	.12	.04	.05	.11		29
30	.04	X	-	.05	tr.	-	-	.68	.02	.21	.24	.07		30
31	-	X	-	X	-	X	-	tr.	X	.66	X	.19		31
TOTAL	0.74	2.07	0.52	3.35	0.94	3.65	0.35	1.74	3.21	2.98	4.67	3.83	Year's Total	28.05
*Days with .01 in. or more.	12	19	10	21	6	20	8	6	18	22	23	21		186
*Days with .04 in. or more.	7	11	4	16	3	17	4	5	13	12	17	14		123

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2496

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at FROLESWORTH

in the County of LEICESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.08	.09	.46	-	.02	.29	.11	tr.	-	.08	.07		1
2	.03	.03	.06	.07	-	.23	1.18	.01	tr.	-	.18	.11		2
3	.01	.01	-	-	-	.57	-	.20	.27	-	.02	.03		3
4	-	-	.11	-	-	.47	tr.	tr.	.37	-	.01	.10		4
5	.04	.01	.03	-	-	-	.02	.05	.16	.01	-	.05		5
6	tr.	tr.	-	-	.49	.09	.12	.34	.08	-	.10	-		6
7	.26	-	.03	-	-	-	.33	-	.11	.01	.02	tr.		7
8	.28	-	.07	-	-	-	tr.	-	-	.02	.13	.10		8
9	.28	-	.03	-	-	.04	.72	tr.	.01	.03	tr.	-		9
10	.04	-	tr.	-	-	-	.16	-	tr.	.01	-	-		10
11	-	-	-	.07	-	.02	.44	tr.	.18	-	.28	.01		11
12	-	-	-	.11	.01	.22	.42	-	.51	-	.03	.06		12
13	-	-	-	.06	-	.16	tr.	tr.	-	.06	.02	.25		13
14	-	-	-	.22	-	.09	.41	.01	.18	.01	tr.	.34		14
15	-	tr.	tr.	tr.	-	.09	.12	-	.09	-	.08	.08		15
16	.24	.10	-	.01	-	-	.07	-	-	-	.56	-		16
17	tr.	.38	-	-	.02	-	.06	-	-	.08	.08	.14		17
18	-	tr.	-	-	-	.02	.19	.01	-	.19	.02	.05		18
19	.32	.02	.02	.36	-	.16	-	.04	-	.08	-	-		19
20	-	.05	tr.	.01	-	tr.	.01	tr.	.11	.01	-	-		20
21	tr.	-	.02	.20	-	1.19	tr.	-	-	-	.01	-		21
22	-	.56	.04	-	.20	-	.15	-	-	-	.01	.09		22
23	-	.06	.09	.12	.03	-	.29	-	-	.04	tr.	-		23
24	.19	.08	-	tr.	.02	-	-	-	.10	.20	-	-		24
25	.06	.01	.13	.32	-	tr.	.05	-	.26	.03	-	-		25
26	tr.	.14	.28	-	-	-	.03	-	.26	.11	.01	-		26
27	.04	-	.02	-	-	-	tr.	-	.41	.06	-	-		27
28	.41	.24	.11	tr.	-	-	.11	-	.07	-	tr.	.06		28
29	.51	.21	.09	-	-	.01	.01	-	-	.06	.35	.09		29
30	.03	×	-	-	.20	.22	.12	-	-	.26	.12	tr.		30
31	.61	×	.04	×	.03	×	.02	tr.	×	.13	×	.23		31
TOTAL	3.36	1.98	1.26	2.01	1.00	3.60	5.32	0.77	2.61	1.40	2.11	1.86	Year's Total.	27.28
* Days with .01 in. or more.	17	15	17	12	8	16	23	8	15	19	19	17	186	✓
* Days with .04 in. or more.	13	10	11	10	3	12	18	5	14	11	10	15	132	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

H. P. W. Adowson

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **2496**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **FROLESWORTH**in the County of **LEICESTER**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. **7** in.,, Ground ,, Sea Level **370** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.25	tr.	-	-	-	-	-	-	.07	-	.11	.15		1	
2	-	.03	.03	.48	-	-	-	-	-	-	-	.15		2	
3	.01	.04	tr.	-	.18	tr.	-	-	.05	-	tr.	.11		3	
4	.06	.11	-	-	.06	-	-	-	-	-	-	.48		4	
5	.31	-	.20	-	-	-	-	tr.	-	tr.	-	.01		5	
6	.11	-	.13	tr.	.12	-	-	-	-	-	-	-		6	
7	-	.53	.02	.12	.01	-	-	-	.01	tr.	-	-		7	
8	.01	.12	-	-	-	-	tr.	-	-	-	.35	.02		8	
9	-	-	.01	.07	.29	-	.47	-	.10	-	-	.06		9	
10	.01	.04	.47	.48	tr.	.19	-	-	-	-	-	.06		10	
11	tr.	-	.29	-	.63	.10	.02	-	-	-	-	.09		11	
12	.10	.25	.12	-	.38	.03	-	.50	.14	-	-	.13		12	
13	.03	.06	.05	.16	.02	.07	-	.12	.01	-	-	.01		13	
14	-	.01	.29	.01	-	-	-	.12	.01	-	-	.10		14	
15	.17	.02	.03	.28	tr.	-	✓1.38	-	.08	-	-	.01		15	
16	.04	.11	.31	.37	-	-	-	.06	.19	-	-	-		16	
17	.11	.03	.32	.36	-	-	-	-	.22	-	tr.	-		17	
18	.41	.10	.17	.02	-	-	tr.	-	.03	-	.42	-		18	
19	.04	.10	.04	.11	.02	-	.21	-	-	.01	.10	-		19	
20	.16	.01	tr.	.43	.49	.03	-	-	.01	tr.	-	.04		20	
21	.06	.18	.04	.01	-	-	.22	-	-	-	.01	.03		21	
22	.15	-	.15	tr.	.11	.22	.21	-	-	.52	.22	.01		22	
23	.20	-	.01	-	.06	-	.03	-	-	.57	.11	-		23	
24	.08	.32	.05	-	-	-	.01	-	.01	.24	-	-		24	
25	.14	.39	tr.	-	.10	-	-	-	.03	.76	-	-		25	
26	-	.22	.10	-	.33	-	-	-	-	.01	-	.02		26	
27	tr.	.29	-	.26	-	-	-	-	-	.63	-	.02		27	
28	tr.	.02	tr.	-	-	.07	-	-	-	.01	-	-		28	
29	.07	X	-	-	-	-	-	-	-	.03	.05	.02		29	
30	.30	X	-	-	-	tr.	-	.07	-	tr.	.09	.01		30	
31	.22	X	-	X	-	X	-	-	X	.08	X	.01		31	
TOTAL	3.04	2.98	2.87	3.16	2.80	0.71	2.55	0.87	0.96	2.86	1.46	1.54	Year's Total	25.80	✓
* Days with .01 in. or more.	23	21	20	14	14	7	8	5	14	10	9	21	166	✓	
* Days with .04 in. or more.	19	15	15	11	11	5	5	5	7	6	8	10	117	✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *W. H. Meadows* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2496

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at ... FROLESWORTH

in the County of ... LEICESTER

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 37.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date		
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†			
1	.01	-	-	-	.01	<u>.37</u>	tr.	-	-	.12	-	.09		1		
2	.03	tr.	-	<u>.03</u>	tr.	.22	-	-	-	.17	-	.01		2		
3	.02	-	-	-	.02	.02	.13	-	-	<u>.51</u>	.03	tr.		3		
4	.01	-	-	-	-	-	tr.	.08	-	.15	-	.26		4		
5	.02	-	-	tr.	-	-	.27	.05	.01	.05	-	.01		5		
6	-	-	-	-	-	-	.12	-	.28	.06	-	-		6		
7	.14	-	-	-	-	.01	.13	.18	.11	.09	-	.03		7		
8	.23	-	-	-	-	tr.	.10	.05	.01	.20	-	.03		8		
9	.03	.06	-	-	-	tr.	.03	.05	-	-	-	.29		9		
10	-	tr.	-	-	-	.29	.17	.03	-	-	-	.06		10		
11	.55	.05	-	-	-	-	tr.	-	-	.03	.10	tr.		11		
12	.20	.04	-	-	.11	-	-	-	-	.27	.01	-		12		
13	-	.10	-	-	tr.	-	-	-	-	-	.10	.34		13		
14	.27	-	-	-	.07	-	.65	-	.03	-	-	.01		14		
15	.05	-	-	-	.02	-	.08	-	-	-	-	.25		15		
16	.17	-	tr.	-	tr.	-	.02	.03	tr.	-	.01	<u>.55</u>		16		
17	-	.08	-	-	tr.	-	.07	-	.01	.11	.03	-		17		
18	.07	-	-	-	.23	.01	-	.02	.17	tr.	.37	-		18		
19	tr.	-	-	-	tr.	-	-	.12	.06	-	.16	.07		19		
20	-	-	-	-	-	-	-	-	.02	-	<u>.41</u>	.10		20		
21	.01	-	-	-	-	-	-	-	-	-	.08	.27		21		
22	-	.02	-	-	-	.04	-	-	tr.	-	.32	.26		22		
23	-	-	-	-	.07	-	<u>.73</u>	-	.01	-	tr.	.06		23		
24	-	-	.01	-	.02	-	.14	-	.24	-	.01	.03		24		
25	.07	.10	.06	-	-	-	.03	.06	.02	.09	.22	.11		25		
26	.01	<u>.31</u>	<u>.13</u>	-	tr.	-	-	.01	.05	.19	.01	.18		26		
27	.09	.03	.01	-	.08	.13	.31	.18	.23	.03	.22	-		27		
28	.23	.01	-	-	<u>.30</u>	.08	.04	<u>.96</u>	.02	.01	.12	.12		28		
29	<u>.60</u>	X	-	.01	<u>.30</u>	-	.01	-	-	.03	.11	.16		29		
30	.04	X	-	-	-	.30	-	-	<u>.32</u>	.01	.26	.16		30		
31	.12	X	-	X	.14	X	-	-	X	.10	X	.38		31		
TOTAL	2.97	0.80	0.21	0.04	1.37	1.47	3.03	1.82	1.59	2.22	2.57	3.83	Year's Total	21.92	✓	✓
* Days with .01 in. or more.	22	10	4	2	12	10	17	13	16	18	18	24	166	✓	✓	
* Days with .04 in. or more.	14	7	2	0	8	7	13	9	8	13	12	18	111	✓	✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ... [Signature] ... [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2496

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ...FROLESWORTH.....

in the County of LEICESTER.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.ft.....in.

,, Ground ,, Sea Level 370.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	tr.	.08	.02	-	-	.20	.33	.11	-	.01		1
2	.03	-	tr.	.10	-	-	-	.36	.33	.03	.03	.02		2
3	.24	-	-	.30	-	-	-	.43	.01	.04	.19	.31		3
4	.15	-	.33	.54	.05	-	.04	.28	-	.18	.04	.05		4
5	-	tr.	.07	.09	.23	-	.14	.50	-	.04	.29	.14		5
6	.55	-	-	-	-	-	.42	.01	-	tr.	-	-		6
7	.07	.02	-	-	-	-	.17	-	-	-	.45	.17		7
8	.01	.08	.19	-	-	-	.39	.08	-	.28	.04	.40		8
9	.03	.05	-	-	-	-	.02	.19	-	.38	.13	.17		9
10	.41	-	.03	-	-	-	-	.22	.02	.02	-	tr.		10
11	.01	-	.15	-	-	.03	-	-	.03	-	tr.	-		11
12	-	.03	.01	-	-	-	-	-	-	-	-	-		12
13	-	-	-	tr.	-	.02	.04	-	.04	.12	-	-		13
14	.39	-	.01	.01	.43	.05	.42	-	.01	.09	.12	-		14
15	.38	-	.01	-	.04	.36	.24	-	tr.	.42	.06	-		15
16	.15	-	.11	-	.23	.10	.12	-	.02	.11	.15	-		16
17	.39	.03	-	-	.09	-	.64	tr.	-	2.30	.01	-		17
18	.11	.02	.03	-	-	.38	.12	-	tr.	-	.49	-		18
19	.19	-	.03	-	-	-	1.60	-	-	-	-	-		19
20	.11	-	.01	-	-	.07	.01	.15	-	-	-	-		20
21	.13	.25	.24	.01	.03	.29	.04	.19	.03	.01	-	-		21
22	.16	.18	.09	-	-	.01	.02	-	.01	.01	.26	-		22
23	.02	-	-	.04	-	.01	.05	-	-	.07	.72	.01		23
24	.13	-	.03	.01	-	.03	.21	-	-	.03	-	-		24
25	1.15	.04	.09	-	-	tr.	.02	-	-	-	.40	-		25
26	.20	-	.01	-	-	-	-	.04	-	.10	.25	.03		26
27	-	.18	.13	.06	-	-	.10	-	-	.04	-	.03		27
28	.01	.22	.11	-	-	.02	.05	-	-	.01	.20	.03		28
29	-	X	-	.26	-	-	.16	.06	-	.25	.01	-		29
30	-	X	-	.12	-	.32	-	-	-	-	.07	-		30
31	-	X	-	X	-	X	-	.19	X	-	X	-		31
TOTAL	5.04	1.10	1.68	1.62	1.12	1.69	5.02	2.90	0.83	4.64	3.91	1.37	Year's Total	30.92
* Days with .01 in. or more.	24	11	19	12	8	13	22	14	10	21	19	12		185
* Days with .04 in. or more.	17	7	10	9	6	7	18	13	3	15	16	6		127

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

R. R. Rodwin.

[P.T.O.]

Ground Sea Level 370 ft.

Jan. 1, following

P.T.O.

2497

PEATHING MAGNA

1931-34

REGIS

Kept at Peathing
in the County of Leic

Diameter of Funnel of Gauge.....
Height of top of Gauge above Grot
Ground Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of

Jan. 1, following

780408

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.04		.07	.01	.05	.	.	.29	.	.	.	1
2	.01	.04		.72	.01	.05	.	.04	.31	.09	.	.03	2
3	.01	.01		.08	.	.	.01	.	.74	.	.43	.13	3
4	.	.058	.	.14	.	.	.36	.10	.03	.	.14	.	4
5	.	.	.	.03	.04	.75	.02	.	.18	.	.	.24	5
6	.	.16	.	.01	.	.01	.	.	.	.19	.18	.	6
7	.	.	.	.	.	.01	.	.34	.	.	.03	.01	7
8	.025	.05	.035	.04	.05	.14	.01	.63	.	.	.15	.	8
9	.	.32	.	.03	.	.01	.	.09	.	.	.25	.	9
10	.03	.	.	.	.	.01	.	.15	.01	.	.	.	10
11	.08	.19	.	.	.	.06	.	.	.14	.	.04	.	11
12	.04	.	.	.	.	.	.12	.	.21	.	.	.	12
13	.01	.065	.	.	.	.	.28	.11	.	.	.	.	13
14	.	.06	.01	.	.	.15	1.36	.86	.	.	.05	.	14
15	.	.09	.	.45	.23	.	.03	.18	.	.	.01	.02	15
16	.	.145	.	.07	.13	.41	.01	.05	.14	.	.	.	16
17	.01	.318	.	.43	.32	.	.08	.	.01	.	.	.	17
18	.	.05	.	.22	.	.12	.06	.18	.	.	.33	.	18
19	.07	.02	.	.23	.01	.06	.04	.03	.05	.	.	.	19
20	.01	.02	.	.04	.	.	.05	.56	.	.02	.	.	20
21	.14	.01	.	.	.48	.	.	.44	.	.	.	.	21
22	.09	.01	.	.02	.	.	.	.	.	.	.02	.	22
23	.13	.	.	.06	.39	.04	.	.	.25	.	.21	.04	23
24	.	.	.	.39	.47	.	.09	.	.	.	.02	.	24
25	.06	.02	.	.45	.	.	.37	.	.	.	.20	.	25
26	.	.03	.	.21	.	.	.06	.	.	.	.18	.	26
27	.09	.52	.	.	.05	.	.05	.	.	.03	.	.08	27
28	.10	.255	.	.04	.22	.	.	.	.	.02	.01	.105	28
29	.06	X	.	.	.03	.	.05	.	.	.19	.	.	29
30	.09	X	.	.	.	.	.	.	.	.	.	.	30
31	.30	X	.	X	.	X	.	.	X	.	X	.02	31
TOTAL	1.36	2.45	.04	3.64	2.44	1.87	3.05	3.46	2.38	.54	2.25	.67	YEAR'S TOTAL
*Days with or in. or more.	20	22	2	20	14	14	18	14	12	6	16	9	24.15
*Days with .04 in. or more.	12	15	0	16	11	10	13	13	10	3	11	5	167
													119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C. Rogers Jones [P.T.O.]

Section

A

for the entry of

AIR MINISTRY

FORM 1090.

2497
FOR OFFICIAL USE.

METEOROLOGICAL OFFICE, BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Peatling Magna

in the County of Leicesters

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 357.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.04		.07	.01	.05			.29				1
2	.01	.04		.72	.01	.05		.04	.31	.04		.03	2
3	.01	.01		.08			.01		.74		.43	.13	3
4		.058		.14			.36	.10	.05		.14		4
5				.03	.04	.75	.02		.18			.24	5
6		.16		.01		.01				.19	.18		6
7						.01		.34			.03	.01	7
8	.025	.05	.035	.04	.05	.14	.01	.63			.15		8
9		.32		.03		.01		.09			.25		9
10	.03					.01		.15	.01				10
11	.08	.19				.06			.14		.04		11
12	.04						.12		.21				12
13	.01	.065					.28	.11					13
14		.06	.01			.15	1.36	.86			.05		14
15		.09		.45	.23		.03	.78			.01	.02	15
16		.148		.07	.13	.41	.01	.05	.14				16
17	.01	.318		.43	.32		.08		.01				17
18		.05		.22		.12	.06	.18			.33		18
19	.07	.02		.23	.01	.06	.04	.03	.05				19
20	.01	.02		.04			.05	.56		.02			20
21	.14	.01			.48			.44					21
22	.09	.01		.02							.02		22
23	.13			.06	.39	.04			.25		.21	.04	23
24				.39	.47		.09				.02		24
25	.06	.02		.45			.37				.20		25
26		.03		.21			.06				.18		26
27	.09	.52			.05		.05			.03		.08	27
28	.10	.258		.04	.22					.02	.01	.108	28
29	.06	X			.03		.05			.19			29
30	.09	X											30
31	.30	X		X		X			X		X	.02	31
TOTAL	1.36	2.45	.04	3.64	2.44	1.87	3.05	3.46	2.38	.54	2.25	.67	YEAR'S TOTAL 24.15
*Days with ".01 in. or more.	20	22	2	20	14	14	18	14	12	6	16	9	167
*Days with ".04 in. or more.	12	15	0	16	11	10	13	13	10	3	11	5	119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C. Rogers Jones

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Peatling Magna
in the County of Leicester

462223/26

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 354.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.02	.	.05	.53	.09	.	.16	.09	.25	.	.	1
2	.04	.	.	.04	.15	.	.	.09	.38	.05	.04	.11	2
3	.	.	.	.16	.02	.	.	.	.01	.01	.	.	3
4	.02	.	.	.03	.	.	.	.	.	.	.36	.	4
5	.21	.	.	.4	.02	.	.	.	.06	.	.	.	5
6	.21	.	.10	.24	.	.	.	.	.34	.	.	.	6
7	.	.	.18	.26	.	.	.	.	.06	.	.	.	7
8	.	.	.	.08	.	.	.	.	.07	.15	.	.	8
9	.03	.075	.	.01	.08	.	.	.	.	.	.	.	9
10	.07	.055	.	.10	.	.	.	.	.13	.12	.	.	10
11	.	.015	.	.01	.11	.	.36	.	.03	.	.01	.	11
12	.12	.08	.	.	.13	.12	.02	.06	.27	.01	.	.	12
13	.	.03	.	.09	.	.	.91	.	.06	.01	.	.02	13
14	.23	.02	.	.	.	.	.07	.16	.	.	.03	.	14
15	.	.	.	.03	.14	.	.	.	.	.04	.01	.03	15
16	.13	.	.	.22	.13	.	.01	.	.	.	.	.	16
17	.	.	.	.	.	.	.06	.	.	.07	.	.	17
18	.	.	.	.	.04	.	.	.	.	.	.	.	18
19	.	.	.	.	.	.	.	.	.	.17	.	.	19
20	.	.	.16	.10	.	.	.	.33	.	.49	.10	.	20
21	.	.	.17	.10	1.49	.	.	.46	.	.30	.	.07	21
22	.	.	.32	.02	.04	.	.49	.	.70	.05	.40	.	22
23	.	.	.	.	.71	.	.01	.	.04	.	.08	.08	23
24	.	.01	.	.	.01	.	.12	.	.02	.05	.31	.	24
25	.	.05	.	.	.	.	.40	.	.07	.18	.	.	25
26	.	.	.	.35	.22	.	.02	.	.69	.	.02	.01	26
27	.	.	.33	.17	.46	.	.20	.	.01	.	.07	.	27
28	.	.	.01	.02	.31	.01	.01	.28	.07	.	.	.	28
29	.	.	.18	.24	.04	.06	.17	.02	.60	.28	.01	.08	29
30	.02	×	.08	.	.01	.35	.03	.09	.	.21	.36	.23	30
31	.	×	.04	×	.02	×	.77	.	×	.	×	.	31
TOTAL	1.14	.26	1.41	2.38	4.88	.63	3.65	1.59	2.89	2.75	1.81	.67	24.01
*Days with .01 in. or more.	11	8	9	20	21	5	16	8	19	17	14	9	157
*Days with .04 in. or more.	8	3	8	14	16	4	10	7	15	15	8	6	114

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No.

2497
2497

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Fulk
662223/26

Kept at *Peatling Magna*

in the County of *Leicester*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *1* in.

Ground Sea Level *354.4* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.21	.05								.09			1
2	.25		.36		.06						.05			2
3		.20	.16		.21						.01			3
4	.07		.01		.21						.02			4
5	.06	.02	.19		.11									5
6		.12	.10		.22					.07	.01			6
7	.01	.33	.03		.02					.13	.01			7
8	.02		.07		.11		.26							8
9					.09		.23			.06	.08			9
10	.01	.01				.07		.08		.84	.10			10
11						.02	.07							11
12	.05					.01	.04		.12					12
13	.01				.01	.04	.22			.03	.23			13
14	.01				.09		.01	.04		.13	.42	.03		14
15	.46		.01				.15	.10			.23	.01		15
16	.09		.38		.05	.19	.58				.03	.02		16
17	.02	.02	.39			.02			.05		.03			17
18	.01	.02	.03			.09					.03			18
19	.02	.01	.52			.04			.08					19
20		.02	.01	.01		.07		.06		.06	.01			20
21		.01			.04	.09		.15	.02					21
22						.38		.34		.59				22
23				.02					.21					23
24		.14		.07	.07	.19			.58	.04				24
25		.57		.21		.60			.01		.04	.03		25
26		.46		.08		.25				.05				26
27		.01							.22	.01	.01			27
28		X		.29			.01			.43		.06		28
29	.06	X		.24			.04			.05		.01		29
30	.08	X	.04	.07			.09			.01		.05		30
31		X	.36	X		X	.01	.16	X	.16	X			31
TOTAL	1.38	2.15	2.65	.99	1.29	2.06	1.71	.93	1.29	2.36	1.40	.21	18.42	
*Days with or in. or more.	17	15	16	8	13	14	12	7	8	15	13	7	149	
*Days with .04 in. or more.	9	7	11	6	11	11	9	7	6	12	8	2	99	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

C. D. Jones

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2492

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Peatling Magna, Peatling St.
in the County of Leicestershire

Copied from original 1090

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04													1
2														2
3	.06													3
4	.05													4
5	.04													5
6														6
7														7
8														8
9														9
10														10
11	.56													11
12														12
13	.35													13
14	.08													14
15	.02													15
16	.10													16
17	.04													17
18	.06													18
19														19
20														20
21														21
22														22
23														23
24														24
25	.16													25
26	.01													26
27														27
28														28
29														29
30	.02	X												30
31	.01	X		X		X			X		X			31
TOTAL	1.63												Year's Total	
*Days with .01 in. or more.	15													
*Days with .04 in. or more.	11													

Kept at **H**
in the County of **Leicestershire**

Diameter of Funnel of Gauge **5** in
Height of top of Gauge above Ground **1**
Ground Sea Level

THE MORNING MEASUREMENT
An observer who does not conform to this rule s
year in the space on the right of this paragraph
Please r

249717 - 098200

HINCKLEY - BOWLING GREEN
ROAD

1934 - 1940

103438/35
Station No. **2497/7**
RAINFALL ORGANIZATION.
1934 vii/Leics/4
~~1934~~

S DAY.
of the following

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	M	Nov.	Dec.	Date
	in.	in.	in.	in.		in.	in.	†
1						0.21	0.2	1
2						0.02	0.22	2
3						0.03	Trace	3
4						0.07	0.4	4
5						0.04	0.04	5
6						—	0.43	6
7						—	0.22	7
8						0.13	0.02	8
9						0.5	0.3	9
10						0.04	0.01	10
11						Trace	0.12	11
12						—	0.06	12
13						Trace	0.11	13
14						0.36	0.29	14
15						0.22	0.02	15
16						0.04	0.06	16
17						0.03	0.18	17
18						—	Trace	18
19						Trace	0.02	19
20						—	0.01	20
21						—	0.01	21
22						—	Trace	22
23						—	0.11	23
24						Trace	0.01	24
25						—	0.38	25
26						Trace	0.11	26
27						Trace	0.13	27
28						0.07	0.37	28
29						Trace	0.02	29
30		X				—	0.12	30
31		X		X	X	X	0.07	31
TOTAL						1.81	3.96	Year's total
*Days with or in. or more.						13	2.8	
*Days with .04 in. or more.						10	2.0	

Section

A

for the entry of Daily Observations.

Station No.

2497/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

VII/LEICS/4

Kept at Hinckley
in the County of Leicestershire

Cup 1934

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 300 approx.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											0.21	0.2		1
2											0.02	0.22		2
3											0.03	Trace		3
4											0.07	0.4		4
5											0.04	0.04		5
6											—	0.43		6
7											—	0.22		7
8											0.13	0.02		8
9											0.5	0.3		9
10											0.09	0.01		10
11											Trace	0.12		11
12											—	0.06		12
13											Trace	0.11		13
14											0.26	0.29		14
15											0.22	0.02		15
16											0.04	0.06		16
17											0.03	0.18		17
18											—	Trace		18
19											Trace	0.02		19
20											—	0.01		20
21											—	0.01		21
22											—	Trace		22
23											—	0.11		23
24											Trace	0.01		24
25											—	0.38		25
26											Trace	0.11		26
27											Trace	0.13		27
28											0.07	0.37		28
29											Trace	0.02		29
30		X									—	0.12		30
31		X		X		X			X		X	0.07		31
TOTAL											1.81	3.96	Year's Total	
*Days with 0.1 in. or more.											13	2.8		
*Days with 0.4 in. or more.											10	2.0		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. S. Webster ESQ

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No. 2497/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at X Hinckley (Bosching Green Rd.)
in the County of LeicestershireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 300 ft.f 403428/35
Com. up 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.14	0.01	0.01	0.02	0.03	0.03	0.02	—	0.72	0.08	0.33	0.05		1
2	0.01	0.02	0.1	Trace	—	0.06	Trace	—	0.2	0.32	0.01	0.14		2
3	Trace	0.23	0.03	Trace	—	0.06	Trace	—	0.26	0.05	0.22	0.03		3
4	nil	0.01	0.01	0.11	—	0.11	—	—	0.02	0.34	0.01	0.05		4
5	0.01	0.6	0.09	0.07	—	0.52	0.04	—	Trace	0.09	0.05	—		5
6	0.01	0.02	0.02	0.27	—	0.22	—	—	—	—	Trace	0.01		6
7	0.02	Trace	0.01	0.37	—	0.1	—	—	—	0.01	0.5	0.17		7
8	—	Trace	Trace	0.16	—	0.04	—	0.12	—	0.22	0.01	0.03		8
9	Trace	—	Trace	0.18	—	0.16	—	—	—	0.43	0.42	0.01		9
10	Trace	0.01	—	0.11	—	0.04	—	—	—	Trace	0.1	Trace		10
11	0.12	—	—	0.03	—	0.09	0.03	0.01	—	0.04	0.21	0.05		11
12	0.04	0.01	—	—	—	0.3	—	0.1	0.01	—	—	Trace		12
13	0.1	0.01	—	0.13	0.13	Trace	—	—	—	0.01	0.01	—		13
14	Trace	—	Trace	Trace	0.05	0.03	0.04	—	Trace	—	0.38	0.12		14
15	—	0.1	—	0.7	0.04	0.42	0.02	—	0.37	—	0.23	0.14		15
16	Trace	0.07	0.12	0.19	Trace	0.26	—	—	0.5	0.2	0.7	0.38		16
17	—	Trace	Trace	0.04	Trace	0.22	—	—	Trace	0.05	0.7	—		17
18	Trace	—	—	0.24	0.04	0.09	0.14	Trace	0.25	0.11	0.01	Trace		18
19	0.02	Trace	—	0.07	0.7	0.22	0.08	—	0.01	0.05	0.29	Trace		19
20	0.03	0.28	—	0.25	0.03	0.13	0.09	—	0.05	—	0.22	—		20
21	0.01	0.35	0.04	0.22	—	Trace	—	—	0.4	0.04	0.13	—		21
22	Trace	0.13	Trace	0.09	—	—	—	Trace	0.06	—	Trace	—		22
23	0.02	0.02	0.19	—	Trace	—	—	0.67	0.01	0.28	—	Trace		23
24	0.05	0.2	0.03	—	—	—	—	Trace	0.84	0.1	—	0.36		24
25	0.18	0.05	—	0.04	—	0.53	—	0.02	—	—	—	0.03		25
26	0.1	0.01	—	Trace	—	—	—	0.26	0.25	Trace	0.04	0.34		26
27	Trace	0.27	—	0.01	—	Trace	Trace	nil	0.04	0.04	0.24	1.3		27
28	0.03	0.1	—	—	0.03	—	—	nil	0.02	0.06	0.01	0.2		28
29	Trace	X	0.04	—	Trace	—	—	0.01	0.1	0.01	0.05	0.11		29
30	0.05	X	Trace	0.06	0.41	—	—	0.3	0.08	0.19	0.32	0.06		30
31	0.01	X	—	X	—	X	—	0.15	X	0.5	X	0.1		31
TOTAL	1.00	2.5	0.69	3.36	1.46	3.62	0.72	1.64	4.19	3.22	5.19	3.68	31.29	
* Days with .01 in. or more.	18	20	12	21	9	20	8	9	19	22	24	20	202	
* Days with .04 in. or more.	8	10	6	12	6	17	5	6	14	19	13	15	142	

40-9999

* See Instruction 2 (f) on other side.

X S. Webster Esq

Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2497/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hinckley

in the County of Leicester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	0.3	0.11	0.49	—	0.16	0.06	x Trace	—	0.13	0.1	—	—	1
2	0.05	0.02	0.18	0.1	—	0.38	1.17	Trace	Trace	0.08	0.19	—	—	2
3	Trace	0.02	Trace	—	—	0.68	0.01	0.23	—	0.16	—	—	—	3
4	Trace	Trace	0.11	—	—	0.17	Trace	0.23	—	0.03	0.06	—	—	4
5	0.03	0.05	0.04	Trace	—	Trace	Trace	0.12	0.28	Trace	—	0.13	—	5
6	0.09	—	—	—	0.15	0.12	0.3	0.13	Trace	0.11	—	—	—	6
7	0.19	—	0.05	—	0.01	0.03	0.54	0.12	—	0.02	Trace	—	—	7
8	0.28	—	0.06	—	Trace	—	—	0.06	Trace	0.16	0.11	—	—	8
9	0.32	—	0.04	—	Trace	0.04	1.12	0.05	0.08	—	—	—	—	9
10	0.04	—	0.04	Trace	0.01	—	0.28	—	0.02	Trace	0.01	—	—	10
11	—	—	Trace	0.05	—	0.03	0.27	0.01	—	—	0.28	—	—	11
12	—	—	—	0.14	0.02	0.26	0.48	0.02	0.85	—	0.04	0.09	—	12
13	—	—	—	0.03	—	0.39	0.02	Trace	—	0.04	0.02	0.25	—	13
14	—	—	—	0.19	—	0.07	0.2	Trace	0.31	0.05	0.01	0.57	—	14
15	—	0.01	—	0.01	Trace	0.04	0.24	—	0.04	—	0.06	0.13	—	15
16	0.14	0.12	—	—	—	—	0.04	—	—	—	0.62	0.01	—	16
17	—	0.47	—	0.07	0.03	—	0.1	Trace	Trace	0.13	0.09	0.12	—	17
18	—	0.03	—	—	0.04	0.05	0.21	0.01	—	0.12	—	0.06	—	18
19	0.35	0.07	0.04	0.18	—	0.13	Trace	0.11	—	0.14	—	—	—	19
20	0.01	0.05	—	0.19	—	0.01	Trace	Trace	Trace	0.02	—	0.01	—	20
21	—	0.01	0.07	0.16	Trace	1.24	Trace	—	—	Trace	—	—	—	21
22	—	0.52	0.05	0.02	0.26	—	0.08	—	—	Trace	—	0.1	—	22
23	—	0.07	0.11	0.1	0.09	—	0.5	—	—	0.02	—	—	—	23
24	0.25	0.11	—	0.01	0.04	—	0.01	—	0.12	0.14	0.02	—	—	24
25	0.09	0.01	0.02	0.25	Trace	Trace	0.07	—	0.22	Trace	—	Trace	—	25
26	—	0.08	0.52	Trace	—	—	0.06	—	0.06	0.11	0.02	—	—	26
27	0.05	0.05	0.03	—	—	—	0.01	—	0.1	0.04	Trace	—	—	27
28	0.36	0.15	0.06	Trace	—	—	0.13	—	0.01	—	—	0.09	—	28
29	0.25	0.34	0.34	—	Trace	0.02	Trace	—	—	0.07	0.28	0.11	—	29
30	0.06	x	—	—	0.77	0.25	0.07	—	—	0.24	0.07	—	—	30
31	0.36	x	0.06	x	0.03	x	0.09	Trace	x	0.16	x	0.02	—	31
TOTAL	3.09	2.54	1.93	1.99	1.45	4.17	6.16	0.87	2.83	1.37	2.21	2.15	30.832	Year's Total.
* Days with .01 in. or more.	18	19	18	15	11	18	24	10	16	14	19	17	149	199
* Days with .04 in. or more.	16	13	16	11	6	14	20	5	14	12	12	14	152	147

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) S. Webster

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2497/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Hinckley

in the County of Leicester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1...ft....0...in.

,, Ground ,, Sea Level ..300.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.29	0.01	Trace	—	—	—	Trace	—	0.07	Trace	0.12	0.06		1
2	0.01	0.05	0.03	0.62	—	—	—	—	—	—	—	0.24		2
3	—	0.05	0.01	0.01	0.26	0.01	0.02	—	0.06	—	—	0.10		3
4	0.08	0.13	Trace	Trace	0.06	—	Trace	—	—	—	—	0.47		4
5	0.32	Trace	0.16	—	—	—	0.01	Trace	—	—	—	0.05		5
6	0.2	—	0.19	0.01	0.13	—	Trace	—	—	0.01	0.01	Trace		6
7	—	0.49	0.13	0.13	Trace	0.04	—	—	—	0.01	Trace	—		7
8	—	0.21	—	Trace	Trace	—	—	—	—	—	0.3	0.02		8
9	—	—	0.01	0.04	0.28	—	0.32	—	0.14	—	—	0.07		9
10	0.01	0.06	0.3	0.63	—	0.21	0.01	—	—	—	—	0.08		10
11	Trace	—	0.41	—	0.6	Trace	0.02	—	—	Trace	—	0.13		11
12	0.08	0.26	0.16	—	0.4	0.15	—	—	0.15	—	—	0.01		12
13	0.06	0.09	Trace	0.11	0.03	0.07	—	0.5	0.03	—	—	0.18		13
14	—	0.01	0.32	0.02	—	—	—	0.17	0.01	—	—	0.16		14
15	0.14	0.03	0.04	0.2	Trace	—	1.95	—	0.07	Trace	—	0.01		15
16	0.08	0.16	0.42	0.29	—	Trace	—	0.07	0.28	—	—	Trace		16
17	0.19	0.05	0.25	0.47	—	Trace	Trace	—	0.3	—	Trace	Trace		17
18	0.5	0.09	0.18	0.02	—	—	—	—	0.06	—	0.36	0.01		18
19	0.02	0.14	0.02	0.12	0.02	0.06	0.23	—	—	Trace	0.11	Trace		19
20	0.3	0.02	Trace	0.36	0.46	0.03	—	—	—	0.02	—	0.03		20
21	0.14	0.2	0.05	Trace	Trace	—	0.26	Trace	—	Trace	—	0.03		21
22	0.14	0.01	0.19	Trace	0.06	0.26	0.05	—	—	0.3	0.12	Trace		22
23	0.25	—	Trace	—	0.01	—	0.19	—	—	0.67	0.24	—		23
24	0.12	0.3	0.05	—	0.02	—	Trace	—	0.01	0.26	—	Trace		24
25	0.14	0.28	—	—	Trace	—	Trace	—	0.06	0.23	—	Trace		25
26	Trace	0.24	0.1	—	0.34	—	Trace	Trace	—	—	—	0.03		26
27	Trace	0.37	0.01	0.28	—	—	—	—	—	0.64	Trace	Trace		27
28	0.01	0.04	Trace	—	—	Trace	—	—	—	0.02	—	0.06		28
29	0.04	X	—	—	—	Trace	—	—	—	0.04	0.05	0.01		29
30	0.36	X	—	—	—	0.01	—	0.05	—	Trace	0.09	0.01		30
31	0.3	X	—	X	—	X	—	—	X	0.12	X	0.01		31
TOTAL	3.78	3.32	3.03	3.31	2.57	0.64	3.04	0.79	1.24	2.42	1.40	1.85	Year's Total 39 27.21	✓
* Days with .01 in. or more.	23	23	20	15	13	9	10	4	12	11	9	21	170	✓
* Days with .04 in. or more.	19	18	15	11	9	6	6	4	9	7	8	11	123	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

S. Webster

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2497/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ...Hinckley

in the County of ...Leicester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1...ft...0....in.

,, Ground ,, Sea Level ...300.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.01	—	—	0.01	0.27	—	—	0.01	0.05	—	0.08		1
2	0.03	Trace	—	0.06	0.02	0.3	—	—	—	0.26	—	0.02		2
3	0.04	—	—	—	0.03	0.03	0.06	—	Trace	0.61	0.05	Trace		3
4	0.05	—	—	—	—	—	0.13	0.51	—	0.19	Trace	0.35		4
5	—	—	—	Trace	—	—	0.67	0.05	0.01	0.02	—	0.03		5
6	—	Trace	—	—	—	Trace	0.21	0.15	0.35	0.1	—	—		6
7	0.18	Trace	—	—	—	0.03	0.11	0.05	0.05	0.11	—	0.02		7
8	0.26	—	—	—	—	—	0.11	0.02	—	0.2	—	0.03		8
9	0.02	0.06	—	—	—	—	0.01	—	—	—	—	0.26		9
10	—	Trace	—	—	—	0.14	0.23	0.04	0.01	—	—	0.07		10
11	0.51	0.04	—	—	—	—	Trace	—	Trace	0.01	0.1	0.02		11
12	0.2	Trace	—	—	0.1	—	0.03	—	—	0.37	0.02	—		12
13	—	0.03	—	—	Trace	—	—	—	—	Trace	0.14	0.42		13
14	0.18	0.02	—	—	0.1	—	0.45	—	0.07	—	—	—		14
15	0.04	—	—	—	0.01	Trace	0.39	—	—	—	—	0.33		15
16	0.44	—	Trace	—	Trace	—	0.1	0.02	—	—	Trace	0.2		16
17	—	0.04	—	Trace	—	—	0.06	—	0.03	0.15	0.07	Trace		17
18	0.04	—	—	—	0.27	0.05	0.02	—	0.02	0.01	0.42	Trace		18
19	—	—	—	—	Trace	—	—	0.13	0.05	—	—	0.07		19
20	Trace	Trace	—	—	—	—	—	—	0.02	—	0.45	0.07		20
21	0.03	—	—	—	—	—	—	—	Trace	—	0.07	0.35		21
22	Trace	Trace	—	Trace	—	0.21	—	Trace	—	—	0.35	0.34		22
23	Trace	—	—	Trace	0.05	—	Trace	—	0.03	—	Trace	0.1		23
24	—	—	0.01	—	0.03	—	0.15	—	0.39	—	0.02	0.05		24
25	0.07	0.1	0.13	Trace	Trace	—	0.03	0.23	—	0.1	0.29	0.15		25
26	0.02	0.36	0.15	—	0.02	—	—	0.02	0.01	0.21	Trace	0.2		26
27	0.08	Trace	Trace	—	0.06	0.15	0.35	0.14	0.2	0.05	0.32	—		27
28	0.24	Trace	—	—	0.27	0.09	0.02	1.05	0.07	—	0.06	0.19		28
29	0.51	X	—	Trace	0.33	—	0.09	—	Trace	0.03	0.1	0.17		29
30	0.05	X	—	—	0.03	0.14	—	—	0.4	0.04	0.21	0.17		30
31	0.17	X	—	X	0.15	X	—	—	X	0.15	X	0.35		31
TOTAL	3.26	0.66	0.24	0.06	1.48	1.41	3.04	2.41	1.71	2.65	2.8	4.05	23.83	✓ ✓
* Days with .01 in. or more.	20	8	3	1	15	10	19	12	16	19	15	24	161	✓ ✓
* Days with .04 in. or more.	16	5	2	1	8	8	14	9	8	14	13	19	117	✓
Year's Total														✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

S. Webster

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2497/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hinchley

in the County of Leicester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level...200.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	—	Trace	0.26	0.07	—	—	0.13	0.12	Trace	Trace	Trace		1
2	0.1	—	Trace	0.11	Trace	—	0.01	0.28	0.77	0.01	0.04	0.03		2
3	0.33	—	—	0.41	—	—	—	0.65	0.04	0.08	0.2	0.3		3
4	0.24	—	0.44	0.44	—	—	0.09	0.33	Trace	0.08	0.07	0.02		4
5	—	—	—	0.13	0.35	—	0.15	0.64	—	0.16	0.3	0.19		5
6	0.6	—	0.07	Trace	—	—	0.3	—	—	0.03	0.01	—		6
7	0.1	0.03	—	—	—	—	0.02	—	—	—	0.4	0.07		7
8	Trace	0.06	0.22	—	—	—	0.5	0.17	—	0.2	0.26	0.43		8
9	—	0.06	—	—	—	—	0.06	0.14	—	0.52	0.04	0.22		9
10	0.41	Trace	0.04	—	—	Trace	—	0.30	0.04	Trace	—	Trace		10
11	0.01	0.01	0.19	—	—	0.05	—	0.07	Trace	Trace	—	Trace		11
12	—	0.02	Trace	—	Trace	0.01	—	—	—	—	—	Trace		12
13	—	—	Trace	0.03	—	0.02	0.03	—	0.05	0.11	—	Trace		13
14	0.41	—	Trace	0.04	0.57	0.12	0.68	—	Trace	0.35	0.12	—		14
15	0.29	—	—	Trace	0.09	0.25	0.5	—	—	0.3	Trace	Trace		15
16	0.15	—	0.14	Trace	0.25	0.29	0.12	—	Trace	—	0.2	—		16
17	0.42	0.05	Trace	0.01	0.05	Trace	0.59	—	Trace	2.07	0.03	—		17
18	0.12	0.01	0.05	—	Trace	0.34	0.1	—	—	Trace	0.55	Trace		18
19	0.2	0.04	—	—	—	—	0.7	—	—	—	Trace	—		19
20	0.02	—	Trace	—	0.05	0.05	0.01	0.23	—	—	—	—		20
21	0.23	0.25	0.21	0.01	0.01	0.05	0.8	0.74	0.02	—	—	—		21
22	0.19	0.3	0.06	—	—	0.1	0.05	Trace	0.03	—	0.28	—		22
23	Trace	Trace	Trace	0.02	—	Trace	0.02	—	Trace	0.12	0.77	—		23
24	0.05	—	Trace	0.01	—	0.05	0.05	—	—	0.09	—	—		24
25	1.4	0.4	0.06	Trace	—	Trace	0.03	—	—	—	0.26	—		25
26	0.35	—	Trace	Trace	—	—	—	0.02	—	0.06	0.13	0.03		26
27	—	0.15	0.1	0.03	—	Trace	0.11	Trace	0.01	0.02	0.11	0.01		27
28	0.02	0.24	0.15	0.03	—	0.12	0.03	Trace	—	—	0.18	0.05		28
29	—	X	Trace	0.28	—	—	0.24	0.06	—	0.22	0.04	—		29
30	—	X	—	0.04	—	0.12	Trace	—	—	—	0.08	—		30
31	—	X	—	X	—	X	—	0.01	X	—	X	—		31
TOTAL	5.66	1.26	1.93	1.87	1.44	1.57	5.19	3.79	1.14	4.43	4.06	1.41	33.53	
* Days with .01 in. or more.	21	13	12	15	8	13	23	14	8	16	20	10	17.3	
* Days with .04 in. or more.	18	9	12	8	7	11	16	12	6	13	18	7	12.1	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) S. Webster

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2497/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hinckleyin the County of LeicesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.15	—	0.02	—	—	—	—	—	—	0.15	Trace		1
2	—	Trace	—	0.3	—	—	Trace	—	—	—	0.68	0.02		2
3	—	Trace	—	0.1	—	—	—	—	—	0.11	0.35	0.09		3
4	—	0.34	—	0.03	—	—	Trace	—	—	0.14	0.66	0.05		4
5	—	—	—	—	0.04	—	0.04	—	—	0.14	0.37	0.17		5
6	0.13	0.20	—	—	Trace	—	0.11	—	—	0.4	0.35	Trace		6
7	0.05	0.32	—	0.05	0.03	—	Trace	—	0.02	—	—	0.02		7
8	—	Trace	—	0.02	Trace	—	0.05	—	—	0.12	0.02	0.2		8
9	—	Trace	0.07	—	—	1.34	0.09	0.06	0.02	0.09	0.29	0.28		9
10	—	—	—	—	—	—	0.64	Trace	Trace	0.03	0.09	0.14		10
11	—	Trace	0.07	0.03	—	—	0.26	Trace	—	—	0.47	0.19		11
12	—	Trace	0.15	Trace	—	0.02	0.25	—	0.07	—	0.02	—		12
13	—	0.05	0.39	0.04	—	—	0.01	0.01	0.05	Trace	—	—		13
14	—	—	0.06	0.09	0.25	—	Trace	0.07	0.09	Trace	0.01	0.37		14
15	—	Trace	0.04	0.13	0.14	—	0.03	—	0.02	Trace	0.11	0.01		15
16	0.06	0.34	0.31	0.06	—	0.02	0.23	—	0.11	1.06	0.65	Trace		16
17	—	0.06	0.39	—	—	—	0.05	—	0.03	—	0.02	—		17
18	0.07	0.56	0.24	0.42	—	—	—	0.04	—	0.1	0.13	0.05		18
19	—	0.22	0.06	0.22	—	—	0.35	Trace	0.22	0.25	0.13	0.02		19
20	—	0.02	Trace	0.05	—	Trace	0.1	0.02	—	0.12	0.02	Trace		20
21	0.04	0.02	Trace	—	0.06	Trace	0.21	0.02	—	0.06	1.2	—		21
22	Trace	—	0.05	Trace	0.4	0.37	—	Trace	0.1	—	0.02	—		22
23	—	0.32	0.03	0.03	0.07	0.13	—	0.01	—	0.07	—	0.06		23
24	0.02	—	Trace	0.03	—	—	0.09	—	Trace	0.02	—	0.02		24
25	Trace	—	—	—	Trace	—	0.07	Trace	—	0.01	—	Trace		25
26	0.80	0.12	—	—	0.06	Trace	0.09	Trace	—	0.01	Trace	—		26
27	0.88	0.05	Trace	0.06	—	—	0.25	Trace	Trace	—	0.02	Trace		27
28	0.87	0.33	—	0.03	0.3	—	—	0.02	—	—	—	—		28
29	0.11	—	0.15	Trace	0.05	Trace	—	Trace	—	Trace	—	0.24		29
30	Trace	✕	—	0.67	—	—	Trace	—	—	0.53	—	0.04		30
31	Trace	✕	0.04	✕	—	✕	—	—	✕	0.77	✕	0.01		31
TOTAL	2.98	3.10	2.05	2.38	1.40	1.88	3.02	0.26	0.73	4.03	5.88	1.98	29.69	
* Days with .01 in. or more.	10	15	14	19	10	5	18	9	10	18	21	18	166	
* Days with .04 in. or more.	9	13	13	12	9	3	16	3	6	14	16	12	126	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

S. Webster

[P.T.O.]

TRENT RI

2497/9

RAINFALL STATION Hinckley Sewage Works

HEIGHT ABOVE SEA LEVEL.....

2497/9 - 098210

UND.....

DIAMETER OF FUNNEL OF GAUGE.....

HINCKLEY S.W.

RIVER.....

1931 - 1940

REMARKS

780408

	Jan.	Feb.	March	April	May	June							REMARKS
1	.02		)										
2		.26	)	.12	Tr	.07							
3			)			.07							
4			)	.82									
5			)										
6		.12	)			.95							
7			)	.25			.04	.14	11				
8			)			.28	.01	.41			.20		
9		.05	)	.10	.04	Tr	.02				.29	Tr	
10		.15	)	.04				.76			.01		
11			)		.02	.05	.04	.14	.12		.06		
12	.18	.22	)			.06			.18	.06	.01		
13	.05	.12	)			-	.87	.01		.01			
14			)			-	.03	.19	.28		.11		
15			)			.35	.59	1.16	.05			.01	
16		.17	)	.11	.25	-	.14		.11				
17	.05		)	.09		.55	.07	.53	.12				
18		.55	)	.44	.88	.01					.29		
19	.11	.03	)			.12		.19	.11	)	Tr	)	
20			)	.41		.38	.21	.04		Tr	.02	.01	
21		.07	)	.03				.38			.06		
22	.14		)		.52			.07					
23	.18		)		.01				.05		.17	.05	
24	.12		.36	)	.07	)	.10	.04					
25				.10		)	.03				.03		
26	.09				.69	)					.17		
27		.04		1.08			.43		.05		.13	.19	
28		.58			.47		Tr		.02			.20	
29	.14			.02	.16				.25		.02	.02	
30	.03	> <			.35		.10						
31		> <		> <		> <			> <		> <		
TOTALS	1.11	2.36	0.36	3.68	3.39	3.01	3.17	3.06	2.77	0.59	2.44	0.88	Total 26.82"

TRENT RIVER BOARD

2497/9

RAINFALL STATION Hinokley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR 1931.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1	.02		)										
2		.26	)	.12	Tr	.07			.35	.04	.04	.06	
3			)			.07			.42		.55	.08	
4			)	.82			.02		.92		.07		
5			)					.11	.03			.25	
6		.12	)			.95	.57	.03		.19	.21		
7			)	.25			.04		.14	Tr		.01	
8			)			.28	.01	.41			.20		
9		.05	)	.10	.04	Tr	.02				.29	Tr	
10		.15	)	.04		.02		.76			.01		
11			)		.02	.05	.04	.14	.12		.06		
12	.18	.22	)			.06			.18	.06	.01		
13	.05	.12	)			-	.87	.01		.01			
14			)			-	.03	.19	.28		.11		
15			)			.35	.59	1.16	.05			.01	
16		.17	)	.11	.25	-	.14	.12					
17	.05		)	.09		.55	.07	.53	.12				
18		.55	)	.44	.88	.01					.29		
19	.11	.03	)			.12		.19	.11	)	Tr	)	
20			)	.41		.38	.21	.04		Tr)	.02	.01)	
21		.07	)	.03				.38			.06		
22	.14		)		.52			.07					
23	.18		)		.01				.05		.17	.05	
24	.12		.36)	.07		.10		.04					)
25				.10		)	.03				.03		)
26	.09				.69)						.17		)
27		.04		1.08			.43			.05	.13	.19	)
28		.58			.47		Tr			.02	)	.20	
29	.14			.02	.16					.25	.02	)	.02
30	.03	> <			.35		.10						
31		> <		> <		> <			> <		> <		
TOTALS	1.11	2.36	0.36	3.68	3.39	3.01	3.17	3.06	2.77	0.59	2.44	0.88	Total 26.82"

TRENT RIVER BOARD

2497/9

RAINFALL STATION.....Hinckley Sewage Works......

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....1932.....

RIVER.....

YEAR.....

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1	.05	.02		.07	.54	.08		.28	.08	.26	Tr		
2	.04				.20			Tr	.22	.08	.01	.05	
3				.17	.01					Tr			
4	.01			.13							.38		
5	.15		)		Tr				.09				
6	.21		.01)	.25			.02		.47				
7			.25	.26	)				.05	.08		Tr	
8	.01			.09	.01	)			.08	.20			
9		) .09		)	.03								
10	.37	) .05		.07)	Tr					.16			
11	Tr	Tr		.09	.14		.01		.12	) .02	.02		
12	.24			-	.14				.08	.23	)		
13	.10	)		.19	.01		1.57		.06	.05	.06	) .02	
14	.17	.05)		.11			.04	Tr		.04	.08	.04	
15		Tr		.04	)					)		.04	
16	)			.18	.36	)				.01	)		
17	.20	)								.08			
18					.04					-	.04		
19		Tr		Tr	.01					.15	)		
20				.08	.69		Tr	)		.42	.10	)	
21	Tr		.19	.14	2.17			.60	)	.26	Tr	.09	
22	Tr		.18	.05	.04		.27		.66	)	.38		
23		.03			.53				.03	.13	) .06	.06	
24					Tr	.03	.08		)	Tr	.40		
25		.05			-	)	.25		.07	) .14	Tr	)	
26				.35	.23	Tr	) .08		.06	.04	) .02	)	
27			.40	.23	.48	.05	.17				.07	)	
28				.16	)	.04	.17	.29		.08		.02	
29			.28	.19	.40	) .09	.02	.51	.10	)	.02	.09	
30	) > <		.17			.72	)	.17	.33	.48	) .33	.20	
31	Tr	) > <	.11	> <	.01	> <	1.00	)	> <		> <		
TOTALS	1.55	0.29	1.59	2.85	6.04	1.01	3.68	1.85	2.50	2.93	1.95	0.63	Total 26.85"

TRENT RIVER BOARD

2497/9

RAINFALL STATION Hinckley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR.....1933

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1	.34	.22	.02								.05		
2	.21		.38		.06						.08		
3		.22	.13		.41						.05		
4	.23	)	)		.22								
5	.07	.02)	.18)		.05						Tr		
6		.19	.03		.39					.05	Tr	Tr	
7		.29	.10		Tr					.15			
8	.07	Tr	.08		.14		.31						
9					.06		.23			.10	.09		
10	.02	.24				.08				1.17	.14		
11	.01				.03	Tr	.09			.01	)		
12	.06					.02	.08	.04	.19		Tr	) .04	
13	.02				.05	.03	.24			.05	.26		
14	)				.13		.03	.02		.25	.28	.01	
15	.50)					.08	.40	.06			.32	.02	
16	.07		.49	.04	.06	.11	.19			.02	.07	.01	
17			.46			.15	Tr		.03		.10		
18	.06	)	)			.12	.04				Tr		
19		.06)	.46)	.01		.08		.03	.06		Tr		
20		.04	.07		.01	.01		.02		.02	Tr		
21		.05			.10	.11		.11					
22						.12		.34		.30	Tr		
23				.11		.02			.36	Tr			
24		)		.08	.08	.68			.53	.02	.05		
25		1.07)		.28		.14			.01		.02	.03	
26		.36		.07		.09			Tr	.07			
27									.11	Tr			
28	)			.30	.18		Tr		Tr	.08		.06	
29	.02)			.33			.16			.03		.01	
30	.03	> <	.09	.02			.04			.03		.10	
31	Tr	> <	.38	> <		> <		.10	> <	.20	> <		
TOTALS	1.71	2.76	2.87	1.24	1.97	1.84	1.81	0.72	1.29	2.48	1.51	0.28	Total 20.48"

TRENT RIVER BOARD

2497/9

RAINFALL STATION Hinckley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR.....1934.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1	.03							.18		.02	.20	.37	
2	.01	.02	.08						.22	.02	.03	.01	
3	.04	.05								.06			
4	.06	Tr	.02	.33	.06			)	.10	.14	.08	.35	
5	Tr		.06	.05	.05			)			.04	.04	
6			.04	.03	.24	.03		.25	)	.19		.41	
7	.06	Tr	Tr			.03		.08		.04		.21	
8					.08	.07		.09			.12	Tr	
9	Tr		.15	.02				.03			.47	.28	
10	.05		.13	.12				.01			.07	Tr	
11	.58		.22	.30				.18				.14	
12		Tr	.45	Tr			.02	.06		.01		Tr	
13	.38		Tr	.09	.05		.23	.16			.01	.12	
14	.01		.25		.02					.32	.47	.26	
15	.03		.07		.10				Tr	.05	.19	.05	
16	.10	)	.14		.04					.16	.02		
17	.01	Tr)			.02		.01		.20		.02	.10	
18	.14			.15			.35		.05		Tr		
19			.10			.02			Tr		Tr	.03	
20	Tr		.04	.10					.01				
21						.13		.03		.04		.01	
22								.27	.14			.08	
23				.21	Tr	.16	.15						
24		.25	.08	.05		.01	Tr		.26	.01			
25	.12			.03		.14				.15		.36	
26	.03		.03	.06		.04			.05	.01		.14	
27	Tr	.23		.15			Tr			.07	Tr	.12	
28				.34		.18	.01	.36			.05	.32	
29							.10	.07	.40	Tr		.05	
30	.04	> <					.02		.01	.02		.08	
31	Tr	> <		> <		> <			> <	.25	> <	.05	
TOTALS	1.69	0.55	1.86	2.03	0.66	0.81	0.89	1.77	1.44	1.54	1.77	3.58	Total 18.59"

TRENT RIVER BOARD

2497/9

RAINFALL STATION Hinokley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR 1935.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1	.08	Tr	.01	.01	Tr	.07	.02		.54	.04	.15	.08	
2		.02	.10			.03			.19	.30		.12	
3		.16	.01	.03		.07			.23	.21	.21	.06	
4		)	Tr	.07		.06				.21	Tr		
5	Tr	.48	)	.08	.04	.30	.04		Tr	Tr	.05	Tr	
6	.01	.01	Tr	.31		.21				Tr			
7	.02			.24		.05				.15	.47	)	
8				.15		)				.06	.14	.19)	
9				.13		)				.32	.37		
10				.03		.19	)					.01	
11	.14			Tr		.07	.03			.03	.19	.01	
12		Tr				.24		.33	.01		Tr		
13	.08			.12	.12								
14				Tr	.04	.05	.18		)		.34	)	
15		.06		.63	.03	)	Tr		.31)		.21	.34)	
16		Tr	.10	.15		.63	)		.36	.19	)	.12	
17				.03		.23	Tr			.02	.81	)	Tr
18	Tr			.20	.09	.09	.10		.19	.04		Tr	
19	.01			.06	.54	.18	.07		.04		.24	Tr	
20	.02	.20		.25		.10	)		Tr	Tr	.18		
21	Tr	.31	.03	.13			.07	)	.33	.04	.10		
22		.05		.11				.10	.04	Tr			
23	.01	.02	.12					.52	.06	.33	Tr	.04	
24	.03	.15	.02						.60	.02		)	
25	.11	.05		.03		.81				Tr		)	
26		.02						.24	.21		.02	.77)	
27		.16							.02	Tr	.21	1.14	
28	.03	.08			.03				)	.05	Tr		
29		XXXX	.04		.15			.01	.09)	Tr	.06	.15)	
30	.04	> <		.07	.33			.41	.03	.16	.16	.07	
31		> <		> <		> <			> <	.53	> <	.11	
TOTALS	0.58	1.77	0.51	2.79	1.33	3.38	0.51	1.61	3.25	2.70	3.91	3.21	Total 25.55"

TRENT RIVER BOARD

2497/9

RAINFALL STATION.....Hinckley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR.....1936.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1		)		.39		.70	) .09	.12	Tr		.05	.08	
2	.04	.12)	.16	.09		.39	1.05*	)			.21	.09	*Gauge overflowing.
3	Tr	Tr				.60		.04	) .28		Tr		
4	)		.10			.14	Tr		.33		.01	.07	
5	.08	) .03	.02				.02		)			.08	
6	Tr				.22	.10	.26	.35	.18)		.10		
7	.17		.04				.51		.14		Tr	Tr	
8	.27		.05						.01		.14	.09	
9	.22		.04		)	.02	1.06*		.04	.05			* " "
10	.02				Tr)		.24		Tr				
11				)		.05	)	Tr	.08		.32	.02	
12				)	Tr	.29	.76	)		)	.02		)
13				.20	)		.03		.67	) .05	Tr	.35	)
14	.01	Tr		.20		.31	) .33		.27	.01	Tr	.39	
15		)			Tr	.03	.16		.01		.05	.09	
16	.15	.11)			)		.04				.55	Tr	
17		.43		.09	.04	)	.08			.08	.10	.10	
18	)	Tr		)		.07	)	Tr		.16		.01	
19	.27	) .06	.03	.31	)	.11	.18	) .11		.09			
20		.06	.05	.05			)	Tr		Tr			
21			)	.17		1.05)				)			)
22		)	.04)	Tr	)		.16		Tr	)	.01	) .09	
23		.71)	.11	.10	)		.36			.01	Tr	.01	
24	.21	.11		Tr	.33	)		)	.13	.09	Tr		)
25	.06		.18	)		.02	)		.24	.04	Tr		)
26	Tr	.12	.34	.21	)		.12	)		) .04	Tr		)
27	.04		.01				)	Tr	.16	) .02	Tr		)
28	.38	.14	)	Tr			.17)				Tr	.05	)
29	.11	.37	.31)			.02				.04	.21	.09	
30	.04	> <			see)	.17	.10			.25	.07		
31	.56	> <	.06	> <	1/6.)	> <	.02		> <	.15	> <	.24	
TOTALS	2.63	2.26	1.54	1.81	0.59	4.07	5.74	0.62	2.54	1.08	1.84	1.85	Total 26.57"

TRENT RIVER BOARD

2497/9

RAINFALL STATION Hinckley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR.....1937.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1	.02		Tr						.06		.10	.20	
2		.03	.02	.55						)		.10	
3		.03		)	.26	.04			.04	Tr)	Tr	.15	
4	.07	.10		Tr)	.06		Tr	Tr			Tr		)
5	.29		.17				Tr	Tr					)
6	.14		)	.01	.13					.01		.46	)
7		.55	.09	)	.11	.02			Tr	Tr			
8		.13		Tr	)		.02				.30	.02	
9			Tr	.05	.27)		.34		.13	)	Tr	.04	
10	Tr		.19	)		.21				Tr)		.05	
11			.21	.63	)	.11					Tr	.07	
12	.06	.25	.14		.93	)		.43	.16			.18	
13	.07	.05	)	.11	.02	.15	)	.12	.01				)
14			.32	)	Tr			)	.01		Tr	.15	
15	.18	.02	.01	.19			1.79	.14)	.06			.01	
16	Tr	.14	.38	.34				.05	.36	)	Tr		
17	.19	.03	.36	)			)		.22	Tr)			
18	.44	.06	.06	.35	)		.02	)		.01	.29		)
19	.01	.06	.02	.12			)	.19	.03	)	.01	.09	.01)
20	.26	Tr	)	.34	.39	.24	)			Tr		.02	
21	)	.17	.03	)	Tr		.23			Tr	.01	)	
22	)	Tr	.20		.05	.23	.15		Tr	.23	.16		
23	)		Tr		.01		.05			.50	.14		
24	)	.28	.04		.02				.01	.26		Tr	
25	.69)	.26			.09					)	.27	)	.01
26		.21	.07		.27				.04	)	Tr	Tr	)
27		)	)	.26		Tr				.63			
28		.11	)	Tr	)		Tr	.10		.01		.05	
29	.06	XXXX							Tr	.03	.04	.01	
30	.27	><					)	.05		.01	.07	.01	
31	.24	><		><		><	Tr	)	><	.10	><	Tr	
TOTALS	2.96	2.48	2.31	3.06	2.50	0.97	2.89	0.79	1.13	2.07	1.20	1.54	Total 23.90"

TRENT RIVER BOARD

2497/9

RAINFALL STATION Hinckley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR 1938.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1					.03	.26	Tr		Tr	)		Tr	
2	.06			.03	Tr	.22	)			.28	)	.05	
3	.02				.02	.02	.07	)		.50	.02	)	
4	.01		Tr				.12	.27	Tr	)	.16	Tr	.22
5				Tr			)	.36	.06	Tr	Tr		Tr
6			Tr				)	.21		)	.47	.07	
7	.13					.02	)	.11	.14	)	.04	.06	.02
8	.25						.07	.05		)	Tr	Tr	
9	.02	.06					)	Tr		.15	)	.24	
10		Tr				.16	.20	)	.04	)			)
11	.51	.02					Tr	.02	Tr	)	.05	.10	.05
12	.12	)			.09		.02			.27	)	Tr	
13		.02	)						.04		.10	)	.40
14	.22	Tr			.09		.61		Tr		Tr	.01	
15	)				.01		.14			)		.38	
16	.27	)					)	.01		Tr	)	Tr	.11
17		.04					.15	)		)	.14	.01	)
18	.06				.26	.03			.07	)	.02	Tr	)
19					Tr			.10	)	Tr	.32	.06	
20								)	.09	)	Tr	)	.05
21			)				Tr	Tr	)	Tr		.41	.28
22		Tr	Tr	)		.02				)	.32	.27	
23	Tr				.04		)			Tr	)	Tr	.08
24			Tr		.03		.03	)		)	Tr	)	
25	.05	.10	.12		Tr		.02	.27	.31	)	.09	.26	)
26	.01	.30	)		.01			Tr	.03	.17	)		)
27	.06	Tr	.10	)	.07	.10	.34		.20	.05	.20	.26	)
28	.22	Tr	Tr		.25	.05	.04	.07	)	Tr	.05	.16	
29	)	XXX		Tr	.30		.03	Tr		)	.14	.14	
30	.44	> <			Tr	.20			.36	.04	)	.19	.19
31	.11	> <		> <	.14	> <			> <	.10	> <	.25	
TOTALS	2.56	0.54	0.22	0.03	1.34	1.08	2.52	2.03	1.61	2.13	2.14	3.22	Total 19.42"

TRENT RIVER BOARD

2497/9

RAINFALL STATION.....Hinckley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR.....1939.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1	.08		Tr	)	.03		)	.17					
2	.04			.41	)		Tr	)	.24	)	Tr	.02	)
3	.20			.42				.73	.82	)	.07	.16	.30)
4	.15		)	.32	.03		.07	.30	.02	.25		)	.05
5	Tr		.39	)	.32		.06	)		.02	.30	)	.16
6	.59		.01	.10		)	.29	.43	)		Tr	Tr	
7	)	.02			Tr	)		.06		)	.37	.19	
8	.02	)	.04	.23			)	.04		.30	)	.24	.26
9	Tr	.05	Tr				.34	)	.15	)	.39	Tr	)
10	.39	Tr	.04			)	Tr	.24	.03	)	.02		.17)
11	Tr	)		)		.04	)	.02		Tr	)	Tr	
12	Tr	.02	)	.17	)	Tr	Tr			Tr	Tr	)	
13	Tr		Tr	.03	)	.02	.12			.23			
14	)		Tr	.03	.64	)	.09	.36		.03	)	.07	
15	.64	)	Tr		)	.25	.31	.39		.51	)	.04	
16	.13		.12	Tr	)	.08	.18	.11		Tr	.15		
17	.40	.03		.01		)	.34	Tr		2.07	.02		
18	.09	)	)			.36	)	.08		Tr	)		
19	.19	.35	)	.05	)		.49	)			.49	)	
20	.14		Tr		)	.08	.02	.17	)	Tr	Tr		
21	)	.30	.13	.01	.04	)	.14	.99	.31	.02	)		
22	.26	)	.22	.04	)		.05	Tr	.02	.01	)	.27	.02
23	Tr			.02	)			Tr		.09	.67	)	
24	.13	Tr		.02		)	.06			.05	.01	)	
25	1.34	)	)			.03	)	.03		Tr	)	)	
26	.14	.02	)	.05	)			)	.01	.04	.68	)	.02)
27	Tr	.18	.09	.04		Tr	.10	.02	)	.02	.02	.06	
28	)	.18	.13			.10	.05			)	.17	Tr	
29	Tr	)	XXX	Tr	)		)	.27		.20	)	.02	
30		> <		.38	)	.25	.21	)		Tr	.05		
31		> <		> <		> <		.06	> <		> <		
TOTALS	4.93	1.41	1.45	1.79	1.39	1.60	4.16	3.21	0.95	4.27	3.75	1.23	Total 30.14"

TRENT RIVER BOARD

2497/9

RAINFALL STATION Hinckley Sewage Works.

COUNTY.....

HEIGHT ABOVE SEA LEVEL.....

HEIGHT OF RIM ABOVE GROUND.....

DIAMETER OF FUNNEL OF GAUGE.....

RECORDS BY.....

RIVER.....

YEAR.....1940.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	REMARKS
1		Tr		.02									
2	.03	.04		.31			.01					.10	
3		)		.07			Tr			.10	1.15	) .06	
4	Tr	.25)		.02		)	.01				.30	.02	
5		Tr			.06	)	.02				) .39	.12	
6		) .24				)				.46	) .40		
7	.10	) .24		.03	) .02		.14	)					)
8		Tr		.02			) .11			.12	.04	.21)	
9				) Tr		1.17)	.10	.01	.04	Tr		) .26	
10			.06	) Tr			.61				.31	) .13	
11	Tr		.04	.02			.45				.41	.18	
12		Tr	.10			.02	.25				Tr		
13		.02	.28	)			)		.08				
14		Tr		.09	) .26		.02	) .05		) .04	.02	)	
15			.06	.11	.04		) .06		.09	)	.12	.35)	
16	.02	.12	)	.03		.02	) .24		.10	.96	.17)		
17		) .59	)				.03	)					
18	.05	.56	) .20	.31				.03	) Tr		.13		
19		.20	.04	.18			.34		.20		)	.06	
20		) Tr		)		Tr	) .07			.10	) .02		
21	.08	)		) .04	) .17	.15	.27	) .01		)	1.23		
22			.04	)	.30		)		.08	)			
23		.23	)	.02	.03	.31	)						
24	.02		)	.02			.07			.13	Tr	)	
25			)				.07			.02			
26	.85	.09	.03)		.05	)	.24						
27		) .16		)			)						
28	.13	) .16		.05	) .15		.05	)				)	
29			.15	Tr	.03		)					.26)	
30		> <	)	.65		Tr	)			.47		.02	
31	.75	> <	.03	) > <		> <			> <	.70	> <		
TOTALS	2.03	2.31	1.62	1.99	1.11	1.67	3.09	0.17	0.59	3.10	4.69	1.77	Total 24.14"

Kept at Hinkley
in the County of Lea

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

2498
HINKLEY
1931-137

780408

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3									1.00		.58		3
4													4
5						.98							5
6													6
7													7
8													8
9													9
10													10
11													11
12							.91						12
13													13
14								1.16					14
15													15
16													16
17													17
18													18
19													19
20													20
21					.50								21
22													22
23			.15										23
24													24
25				.90									25
26													26
27		.60											27
28												.32	28
29										.28			29
30		X											30
31	.31	X		X		X			X		X		31
TOTAL	1.64	2.95	0.21	4.01	2.96	2.82	3.62	4.66	3.02	0.84	2.58	1.11	YEAR'S TOTAL 30.42
*Days with or in. or more.	24	25	6	21	14	16	22	18	12	13	21	14	206
*Days with or in. or more.	14	15	1	19	10	11	11	14	12	6	13	7	133

Section

A

for the entry

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH

OR OFFICIAL USE.

ORGANIZATION.

FORM 1990.

REGISTER OF RAINFALL IN 1931.

Kept at Hinckley
in the County of Leicester

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3									1.00		.58		3
4													4
5						.98							5
6													6
7													7
8													8
9													9
10													10
11													11
12							.91						12
13													13
14								1.16					14
15													15
16													16
17													17
18													18
19													19
20													20
21					.50								21
22													22
23			.15										23
24													24
25				.90									25
26													26
27		.60											27
28												.32	28
29										.28			29
30		X											30
31	.31	X		X		X			X		X		31
TOTAL	1.64	2.95	0.21	4.01	2.96	2.82	3.62	4.66	3.02	0.84	2.58	1.11	YEAR'S TOTAL
*Days with or in. or more.	24	25	6	21	14	16	22	18	12	13	21	14	206
*Days with or in. or more.	14	15	1	19	10	11	11	14	12	6	13	7	133

40-9999 41.7 74.9 5.3 101.9 75.2 71.6 91.9 118.4 76.7 21.3 65.5 28.2 102.6

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A**
FORM

for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2498
FOR OFFICIAL USE.

139
REGISTER OF RAINFALL IN 1932.

Kept at Hinckley
in the County of Leicester
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3													3
4													4
5													5
6	.26												6
7													7
8													8
9		.09											9
10													10
11													11
12													12
13							1.50						13
14													14
15													15
16	.26												16
17													17
18													18
19													19
20								.46		.42			20
21					2.36								21
22									.70				22
23													23
24											.41		24
25													25
26				.37									26
27			.39										27
28													28
29													29
30		X				.65						.21	30
31		X		X		X			X		X		31
TOTAL	1.80	0.50	1.80	3.26	6.38	.99	3.65	1.79	2.78	3.65	2.23	0.78	YEAR'S TOTAL 29.61
*Days with or in. or more.	17	11	10	24	21	8	18	8	18	24	18	13	190
*Days with .04 in. or more.	10	6	7	19	14	5	11	6	17	20	10	10	135

40-9999

45.7 12.7 45.7 82.8 162.1 25.1 92.7 45.5 70.6 90.4 56.6 19.8

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

REGISTER OF RAINFALL IN 1933.

Kept *Hinckley*
in the County of *Leicester*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level *425* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6					.43								6
7													7
8							.26						8
9													9
10										1.32			10
11													11
12													12
13													13
14													14
15	.48						.26				.36		15
16			.50										16
17													17
18													18
19													19
20													20
21													21
22								.84					22
23													23
24		.68				.51			.53				24
25													25
26													26
27													27
28													28
29				.53									29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.90	3.42	2.96	1.51	1.88	1.77	2.10	1.32	1.45	3.11	1.82	0.34	YEAR'S TOTAL 23.58
*Days with "or in. or more.	19	14	15	8	17	15	13	8	8	21	18	5	161
*Days with ".04 in. or more.	12	11	12	7	11	9	12	5	6	14	11	5	45

Section



for the entry of Daily Observations.

Station No.

2498

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gloucesterin the County of Gloucester

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 4.25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6					.31							.49		6
7														7
8														8
9											.39			9
10														10
11	.91													11
12														12
13							.27							13
14			.45							.45				14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24		.31												24
25														25
26														26
27				.39										27
28					.20			.36						28
29									.43					29
30		X												30
31		X		X		X			X		X			31
TOTAL	2.76	.74	2.30	2.62	1.07	.92	1.06	2.08	1.73	2.42	2.45	14.37	24.52	Year's Total
*Days with or in. or more.	17	5	19	16	10	11	12	13	12	20	15	25	175	
*Days with .04 in. or more.	15	3	16	14	8	9	7	13	9	12	13	21	140	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Sect **A** for the entry of Daily Observations.

Station No. 2498

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Stickle*in the County of *Leicester*

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground *1* ft. _____ in.,, Ground ,, Sea Level *425* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5		<i>0.52</i>												5
6														6
7														7
8														8
9														9
10														10
11	<i>0.12</i>													11
12														12
13														13
14														14
15				<i>0.89</i>										15
16											<i>0.93</i>			16
17														17
18							<i>0.32</i>							18
19					<i>0.43</i>									19
20														20
21														21
22														22
23			<i>0.18</i>					<i>0.56</i>						23
24									<i>0.73</i>					24
25						<i>0.60</i>								25
26														26
27												<i>1.15</i>		27
28														28
29														29
30		<i>X</i>												30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>	<i>0.57</i>	<i>X</i>			31
TOTAL	<i>0.82</i>	<i>2.49</i>	<i>0.82</i>	<i>3.55</i>	<i>1.10</i>	<i>3.72</i>	<i>0.71</i>	<i>1.48</i>	<i>3.92</i>	<i>3.38</i>	<i>5.13</i>	<i>3.71</i>	<i>30.93</i>	Year's Total
*Days with or in. or more.	<i>14</i>	<i>19</i>	<i>12</i>	<i>20</i>	<i>7</i>	<i>20</i>	<i>9</i>	<i>7</i>	<i>20</i>	<i>22</i>	<i>21</i>	<i>20</i>	<i>191</i>	
*Days with .04 in. or more.	<i>14</i>	<i>12</i>	<i>8</i>	<i>17</i>	<i>6</i>	<i>19</i>	<i>5</i>	<i>4</i>	<i>17</i>	<i>16</i>	<i>18</i>	<i>15</i>	<i>148</i>	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.
(Signed)

P.T.O.

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

2498
139

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hinckley

in the County of Leicester

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0.47										1
2							1.21							2
3														3
4														4
5														5
6								0.34						6
7														7
8														8
9														9
10														10
11														11
12									0.71					12
13														13
14												.39		14
15														15
16												.63		16
17														17
18														18
19														19
20														20
21						1.45								21
22		0.58												22
23														23
24														24
25														25
26			0.38											26
27														27
28														28
29														29
30		X			0.49					0.25				30
31	0.60	X		X		X			X		X			31
TOTAL	3.61	2.67	1.85	2.23	1.12	4.39	6.34	0.86	2.71	1.66	2.75	2.26	32.45	†
* Days with .01 in. or more.	18	16	16	14	8	17	28	7	14	15	19	14	186	†
* Days with .04 in. or more.	16	15	14	13	7	14	21	5	14	13	16	14	159	†

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2498

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Henckley*

in the County of *Leicester*

Diameter of Funnel of Gauge *1* in.

Height of top of Gauge above Ground *1* ft. *—* in.

Ground Sea Level *427* ft.

Closed after Aug. 1937

139

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2				<i>.69</i>										2
3														3
4														4
5														5
6														6
7		<i>.54</i>												7
8														8
9														9
10			<i>.51</i>											10
11														11
12														12
13								<i>.25</i>						13
14														14
15							<i>1.70</i>							15
16														16
17														17
18														18
19														19
20					<i>.42</i>									20
21														21
22														22
23	<i>.41</i>													23
24														24
25														25
26						<i>.47</i>								26
27														27
28														28
29														29
30		<i>X</i>												30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>		<i>X</i>			31
TOTAL	<i>3.59</i>	<i>3.84</i>	<i>3.08</i>	<i>3.10</i>	<i>2.60</i>	<i>2.60</i>	<i>2.61</i>	<i>1.67</i>					Year's Total	
*Days with .01 in. or more.	<i>20</i>	<i>22</i>	<i>20</i>	<i>14</i>	<i>13</i>	<i>13</i>	<i>9</i>	<i>5</i>						
*Days with .04 in. or more.	<i>17</i>	<i>18</i>	<i>17</i>	<i>11</i>	<i>12</i>	<i>11</i>	<i>5</i>	<i>5</i>						

Section **A** for t
AIR

FORM 1090.

Kept at **WIST**
in the County of...

Diameter of Funnel of

Height of top of Gauge above Ground... ft. in.

Ground Sea Level **309.5** ft.

2499
LEICESTER - WISTOW

1931 - 1940

78 04 08

2499
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1931.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.08	.05	.06	.03	.18	.	.	.31	.01	.	.	1
2	.	.08	.	.73	.	.07	.	.03	.33	.07	.	.05	2
3	.	.02	.	.08	.	.	.01	.	.89	.	.49	.10	3
4	.	.06	.	.16	.	.	.37	.15	.08	.	.14	.	4
5	.	.	.	.06	.07	.71	.02	.	.19	.	.	.24	5
6	.	.19	.	.	.	.04	.	.	.	.	.18	.	6
7	.	.	.	.	.	.	.	.28	.	.26	.05	.	7
8	.04	.08	.07	.04	.07	.18	.06	.47	.	.	.23	.	8
9	.	.35	.	.04	.	.	.	.12	.	.	.28	.02	9
10	.03	.03	.	.	.	.02	.	.16	.01	.	.	.	10
11	.10	.26	.	.	.	.06	.	.	.14	.	.05	.	11
12	.06	.09	.	.	.	.	.50	.	.26	.	.	.	12
13	.01	.	.	.	.	.	.49	.09	.01	.	.	.	13
14	.	.07	.	.	.	.19	.90	.96	.	.	.12	.	14
15	.	.11	.	.22	.24	.	.09	.08	.	.	.01	.06	15
16	.08	.28	.	.10	.12	.38	.01	.01	.19	.	.	.	16
17	.04	.43	.	.47	.37	.01	.17	.	.	.	.	.	17
18	.03	.04	.	.36	.	.11	.07	.12	.06	.	.34	.	18
19	.04	.	.	.33	.00	.11	.08	.07	.	.	.	.	19
20	.	.05	.	.07	.	.	.15	.45	.	.03	.	.01	20
21	.12	.	.	.	.44	.	.	.23	.	.	.	.	21
22	.12	.	.	.	.	.	.	.	.	.	.	.	22
23	.14	.03	.01	.06	.35	.03	.	.	.29	.	.24	.02	23
24	.	.	.	.08	.42	.	.09	.	.	.	.	.	24
25	.06	.01	.	.65	.	.	.58	.	.	.	.02	.	25
26	.	.02	.	.32	.03	.	.07	.	.	.	.18	.	26
27	.09	.50	.	.	.03	.	.04	.	.	.03	.20	.19	27
28	.11	.22	.	.07	.26	.	.	.	.	.	.	.15	28
29	.10	X	.	.	.02	.	.07	.	.	.24	.	.03	29
30	.27	X	.	.	.	.	.	.	.	.	.	.	30
31	.37	X	.	X	.	X	.	.	X	.	X	.01	31
TOTAL	1.81	3.00	.13	3.90	2.55	2.09	3.77	3.22	2.76	.64	2.53	.88	YEAR'S TOTAL 27.28
*Days with or in. or more.	18	21	3	18	14	13	18	14	12	6	14	11	162
*Days with or in. or more.	15	16	2	18	10	10	15	12	10	3	12	6	129

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Letterloe

P.T.O.

REGISTER OF RAINFALL IN 1931 .

Kept at WISTOW
in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge FIVE in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 309.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.08	.05	.06	.03	.18	.	.	.31	.01	.	.	1
2	.	.08	.	.73	.	.07	.	.03	.33	.07	.	.05	2
3	.	.02	.	.08	.	.	.01	.	.89	.	.49	.10	3
4	.	.06	.	.16	.	.	.37	.15	.08	.	.14	.	4
5	.	.	.	.06	.07	.71	.02	.	.19	.	.	.24	5
6	.	.19	.	.	.	.04	.	.	.	.	.18	.	6
7	.	.	.	.	.	.	.	.28	.	.26	.05	.	7
8	.04	.08	.07	.04	.07	.18	.06	.47	.	.	.23	.	8
9	.	.35	.	.04	.	.	.	.12	.	.	.28	.02	9
10	.03	.03	.	.	.	.02	.	.16	.01	.	.	.	10
11	.10	.26	.	.	.	.06	.	.	.14	.	.05	.	11
12	.06	.09	.	.	.	.	.50	.	.26	.	.	.	12
13	.01	.	.	.	.	.	.49	.09	.01	.	.	.	13
14	.	.07	.	.	.	.19	.90	.96	.	.	.12	.	14
15	.	.11	.	.22	.24	.	.09	.08	.	.	.01	.06	15
16	.08	.28	.	.10	.12	.38	.01	.01	.19	.	.	.	16
17	.04	.43	.	.47	.37	.01	.17	.	.	.	.	.	17
18	.03	.04	.	.36	.	.11	.07	.12	.06	.	.34	.	18
19	.04	.	.	.33	.00	.11	.08	.07	.	.	.	.	19
20	.	.05	.	.07	.	.	.15	.45	.	.03	.	.01	20
21	.12	.	.	.	.44	.	.	.23	.	.	.	.	21
22	.12	.	.	.	.	.	.	.	.	.	.	.	22
23	.14	.03	.01	.06	.35	.03	.	.	.29	.	.24	.02	23
24	.	.	.	.08	.42	.	.09	.	.	.	.	.	24
25	.06	.01	.	.65	.	.	.58	.	.	.	.02	.	25
26	.	.02	.	.32	.03	.	.07	.	.	.	.18	.	26
27	.09	.50	.	.	.03	.	.04	.	.	.03	.20	.19	27
28	.11	.22	.	.07	.26	.	.	.	.	.	.	.15	28
29	.10	X	.	.	.02	.	.07	.	.	.24	.	.03	29
30	.27	X	.	.	.	.	.	.	.	.	.	.	30
31	.37	X	.	X	.	X	.	.	X	.	X	.01	31
TOTAL	1.81	3.00	.13	3.90	2.55	2.09	3.77	3.22	2.76	.64	2.53	.88	YEAR'S TOTAL 27.28
*Days with .01 in. or more.	18	21	3	18	14	13	18	14	12	6	14	11	162
*Days with .04 in. or more.	15	16	2	18	10	10	15	12	10	3	12	6	129

REGISTER OF RAINFALL IN 1932.

Kept at WISTON
in the County of LEICESTERSHIRE
Diameter of Funnel of Gauge FIVE in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 309.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.05	.	.07	.40	.11	.	.16	.12	.21	.	.	1
2	.04	.	.	.02	.18	.	.	.08	.30	.09	.05	.16	2
3	.	.	.	.20	.03	.	.	.	.	.	.	.	3
4	.03	.	.	.05	.	.	.03	.	.	.	.31	.	4
5	.23	.01	.	.	.02	.	.02	.	.07	.	.	.	5
6	.24	.	.09	.44	.	.	.	.	.42	.	.	.	6
7	.	.	.11	.23	.	.	.	.	.07	.	.	.	7
8	.	.01	.	.08	.	.	.	.	.13	.14	.	.	8
9	.02	.08	.	.01	.01	.	.	.	.	.	.	.	9
10	.07	.08	.	.11	.02	.	.	.	.10	.17	.	.	10
11	.	.02	.07	.04	.16	.03	.26	.	.07	.	.04	.	11
12	.12	.01	.	.	.15	.	.03	.	.06	.26	.01	.	12
13	.	.06	.	.11	.	.	.82	.	.05	.05	.	.	13
14	.25	.01	.	.	.	.	.07	.06	.	.	.04	.	14
15	.	.	.	.06	.21	.	.	.	.	.05	.	.08	15
16	.16	.	.	.31	.14	.	.	.	.	.	.	.	16
17	.	.	.	.	.	.	.09	.	.	.20	.	.	17
18	.	.	.	.	.03	.	.	.	.01	.	.	.	18
19	.	.	.	.	.	.	.	.	.	.19	.	.	19
20	.	.	.	.14	.21	.	.	.40	.	.50	.12	.01	20
21	.	.	.12	.11	1.48	.	.	.55	.	.27	.	.09	21
22	.	.	.27	.02	.05	.	.46	.	.72	.06	.42	.	22
23	.	.01	.	.	.43	.	.01	.	.04	.04	.08	.10	23
24	.	.	.	.	.	.	.08	.	.03	.05	.33	.	24
25	.	.08	.	.	.	.	.35	.	.11	.23	.	.	25
26	.	.	.	.40	.24	.	.01	.	.14	.02	.	.	26
27	.	.	.37	.18	.48	.	.56	.	.07	.	.16	.	27
28	.	.	.	.02	.34	.	.18	.32	.	.06	.	.	28
29	.	.	.17	.10	.10	.06	.02	.07	.06	.27	.01	.08	29
30	.	×	.12	.	.01	.36	.	.16	.61	.37	.31	.22	30
31	.	×	.05	×	.02	×	1.26	.	×	.	×	.05	31
TOTAL	1.24	.42	1.37	2.70	4.71	.56	4.25	1.80	3.18	3.23	1.88	.79	YEAR'S TOTAL 26.63
*Days with ".01 in. or more.	10	11	9	20	21	4	16	8	19	19	12	8	157
*Days with ".04 in. or more.	8	5	9	16	14	3	10	8	17	18	10	7	125

Section

A

for the entry of Daily Observations.

Station No.

2499

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WISTOW

in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge. FIVE in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 309.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.24	.11	.00	.00	.00	.00	.00	.00	.00	.09	.00	1
2	.21	.00	.33	.00	.04	.00	.00	.00	.00	.00	.08	.00	2
3	.00	.27	.17	.00	.14	.00	.00	.00	.00	.00	.04	.00	3
4	.09	.00	.03	.00	.29	.00	.00	.00	.00	.00	.03	.00	4
5	.06	.02	.19	.00	.10	.00	.00	.00	.00	.00	.00	.00	5
6	.00	.14	.10	.00	.25	.00	.00	.00	.00	.08	.02	.00	6
7	.01	.30	.00	.00	.03	.00	.00	.00	.00	.16	.01	.00	7
8	.03	.00	.08	.00	.06	.00	.20	.00	.00	.00	.00	.00	8
9	.00	.00	.00	.00	.10	.00	.21	.00	.00	.07	.12	.00	9
10	.01	.00	.00	.00	.02	.05	.00	.09	.00	.83	.14	.00	10
11	.00	.00	.00	.00	.02	.00	.04	.00	.00	.00	.00	.00	11
12	.06	.00	.60	.00	.00	.00	.09	.00	.11	.01	.00	.04	12
13	.01	.00	.00	.00	.01	.05	.18	.00	.00	.05	.25	.00	13
14	.00	.00	.00	.00	.13	.00	.00	.02	.00	.14	.45	.00	14
15	.45	.00	.00	.00	.00	.00	.25	.09	.00	.00	.25	.00	15
16	.13	.00	.38	.00	.10	.20	.09	.00	.00	.00	.05	.07	16
17	.00	.00	.45	.00	.00	.10	.00	.00	.08	.00	.05	.01	17
18	.00	.03	.03	.00	.00	.16	.00	.00	.00	.00	.02	.00	18
19	.00	.00	.47	.00	.00	.01	.03	.00	.22	.00	.00	.00	19
20	.00	.04	.05	.01	.00	.68	.00	.09	.00	.05	.01	.00	20
21	.00	.05	.00	.00	.00	.31	.00	.14	.05	.00	.00	.00	21
22	.00	.00	.00	.00	.00	.00	.00	.32	.00	.42	.00	.00	22
23	.00	.00	.00	.02	.00	.00	.00	.00	.47	.00	.00	.00	23
24	.00	.12	.00	.09	.08	.29	.00	.00	.55	.05	.03	.00	24
25	.00	.66	.00	.21	.00	.93	.00	.00	.04	.00	.07	.04	25
26	.00	.45	.00	.07	.00	.02	.00	.00	.00	.06	.02	.00	26
27	.00	.00	.00	.00	.01	.00	.00	.00	.55	.00	.00	.00	27
28	.00	.00	.00	.10	.00	.00	.05	.00	.00	.22	.00	.09	28
29	.07	~~X~~	.00	.34	.00	.00	.10	.00	.00	.09	.00	.00	29
30	.06	~~X~~	.07	.06	.00	.00	.09	.00	.00	.02	.00	.10	30
31	.06	~~X~~	.34	~~X~~	.00	~~X~~	.01	.16	~~X~~	.13	~~X~~	.00	31
TOTAL	1.41	2.32	3.40	.90	1.38	2.80	1.34	.91	2.07	2.38	1.73	.35	YEAR'S TOTAL 20.99
*Days with .01 in. or more.	14	11	15	8	15	11	12	7	8	15	18	6	140
*Days with .04 in. or more.	10	9	13	6	10	9	10	6	8	13	11	5	110

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. H. H. H.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2499

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at **WISTOW**in the County of **LEICESTERSHIRE**Diameter of Funnel of Gauge **Five** in.Height of top of Gauge above Ground **1** ft **0** in.,, Ground ,, Sea Level **309.5** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.	.	.	.	.	.01	.15	.04	.	.15	.24		1
2	.04	.05	.04	.	.	.	.	.	.20	.05	.02	.18		2
3	.06	.06	.	.	.	.	.	.	.	.09	.	.		3
4	.06	.01	.03	.44	.	.	.	.	.03	.07	.08	.32		4
5	.	.	.03	.03	.05	.	.	.11	.	.	.08	.05		5
6	.	.	.	.09	.33	.03	.	.19	.	.14	.	.37		6
7	.09	.	.	.	.	.08	.	.03	.	.04	.	.19		7
8	.	.	.	.	.07	.05	.	.07	.	.03	.10	.		8
9	.	.	.15	.02	.	.	.	.03	.	.	.60	.29		9
10	.	.	.12	.16	.	.	.	.03	.	.	.10	.02		10
11	.56	.	.12	.20	.	.	.	.06	.	.	.	.15		11
12	.	.	.19	.01	.	.	.01	.09	.	.	.	.05		12
13	.41	.	.	.01	.	.	.41	.05	.	.	.	.44		13
14	.05	.	.19	.	.	.01	.	.	.	.20	.46	.27		14
15	.04	.	.11	.	.10	.	.	.	.05	.01	.09	.		15
16	.09	.	.16	.	.10	.	.	.	.	.11	.03	.04		16
17	.06	.	.	.07	.	.	.	.	.04	.19	.05	.14		17
18	.08	.	.	.13	.	.	1.16	.	.	.	.	.02		18
19	.	.	.07	.	.	.11	.	.	.02	.	.	.01		19
20	.	.	.09	.11	.	.	.	.	.02	.	.	.		20
21	.	.	.	.	.	.17	.	.02	.	.06	.	.		21
22	.	.	.	.	.	.	.	.10	.16	.	.	.07		22
23	.	.	.	.25	.	.08	.14	.	.	.	.	.15		23
24	.	.28	.09	.04	.	.02	.28	.	.30	.05	.	.		24
25	.14	.	.	.02	.	.	.	.	.	.07	.	.25		25
26	.03	.	.02	.15	.	.03	.	.	.08	.	.	.04		26
27	.	.11	.	.15	.	.	.	.	.	.08	.	.15		27
28	.03	.	.	.42	.	.18	.	.34	.	.	.	.40		28
29	.	.	.	.	.	.	.10	.12	.30	.02	.04	.05		29
30	.04	×	.	.	.	.	.	.	.01	.	.	.05		30
31	.	×	.	×	.	×	.	.	×	.14	×	.08		31
TOTAL	1.82	.51	1.41	2.30	.65	.76	2.11	1.39	1.25	1.35	1.80	4.02	19.37	Year's Total.
* Days with .01 in. or more.	16	5	14	17	5	10	7	14	12	16	12	25	153	
* Days with .04 in. or more.	14	4	11	12	5	6	5	10	8	13	10	22	120	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

H. H. H. H.

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No.

2499

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **WISTOW**in the County of **LEICESTERSHIRE**Diameter of Funnel of Gauge **Five** in.Height of top of Gauge above Ground **1** ft **0** in.,, Ground ,, Sea Level **309.5** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.32	.	.03	.09	.	.	.	.	.03	.10	.16	.03		1
2	.	.	.	.	.	.27	.	.	.22	.20	.	.12		2
3	.	.13	.06	.03	.	.58	.	.	.04	.	.21	.		3
4	.	.	.	.11	.	.05	.	.	.	.26	.	.01		4
5	.	.67	.07	.06	.	.01	.07	.	.	.	.07	.		5
6	.01	.	.04	.25	.	.23	.	.	.	.	.03	.		6
7	.	.	.	.32	.	.15	.	.	.	.12	.40	.16		7
8	.	.	.	.15	.	.03	.	.	.	.15	.10	.14		8
9	.	.	.	.29	.	.11	.	.	.	.41	.32	.02		9
10	.	.	.	.	.	.03	.	.	.	.	.07	.		10
11	.11	.	.	.	.	.08	.08	.	.	.01	.21	.05		11
12	.	.	.	.	.	.17	.	.23	.01	.	.	.		12
13	.09	.	.	.05	.16	.	.	.	.	.01	.	.		13
14	.	.	.	.	.05	.02	.19	.	.	.	.	.10		14
15	.	.09	.	.61	.03	.21	.09	.	.62	.	.62	.28		15
16	.	.	.05	.22	.	.61	.	.	.26	.22	.27	.23		16
17	.	.	.	.05	.	.14	.02	.	.	.	.62	.		17
18	.	.07	.	.21	.	.09	.10	.	.22	.05	.47	.		18
19	.02	.	.	.02	.39	.20	.04	.	.04	.	.	.		19
20	.	.29	.	.28	.02	.10	.09	.	.03	.	.09	.		20
21	.	.34	.02	.01	.	.	.	.	.28	.05	.09	.		21
22	.	.08	.	.10	.	.	.	.	.20	.	.	.		22
23	.05	.	.15	.	.	.	.	.83	.04	.15	.	.		23
24	.12	.20	.05	.	.	.	.	.01	.77	.	.	.18		24
25	.12	.05	.	.04	.	.41	.	.	.	.	.	.		25
26	.04	.	.	.	.	.	.	.12	.25	.	.	.49		26
27	.	.19	.	.	.	.	.	.	.04	.03	.26	.90		27
28	.	.	.	.	.05	.	.	.	.03	.	.01	.05		28
29	.	.	.04	.	.	.	.	.01	.11	.01	.05	.11		29
30	.10	×	.	.04	.01	.	.	.61	.08	.22	.18	.07		30
31	.	×	.	×	.	×	.	.28	×	.60	×	.14		31
TOTAL	.982.11		.512.93	.713.49	.682.09	3.27	2.59	4.23	3.08	26.67			Year's Total.	
* Days with .01 in. or more.	10	10	9	19	7	19	8	7	18	16	19	17	159	✓
* Days with .04 in. or more.	8	10	7	16	4	15	7	5	14	12	17	14	129	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. T. O.

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **2499**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **WISTOW**in the County of **LEICESTERSHIRE**Diameter of Funnel of Gauge **FIVE** in.Height of top of Gauge above Ground **1** ft. **0** in.,, Ground ,, Sea Level **309.5** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.08	.08	.43	.	.04	.15	.09	.	.	.07	.07		1
2	.02	.04	.14	.09	.	.96	1.03	.04	.	.	.27	.06		2
3	.	.	.	.	.	.25	.	.01	.19	.	.01	.		3
4	.02	.02	.12	.	.	.32	.	.02	.38	.	.	.05		4
5	.04	.	.08	.	.	.	.01	.	.22	.01	.	.07		5
6	.03	.	.	.	.21	.14	.07	.78	.13	.	.06	.		6
7	.35	.	.01	.	.	.	.17	.	.09	.	.01	.		7
8	.33	.	.09	.	.	.	.	.	.	.04	.10	.09		8
9	.28	.	.04	.	.	.07	.73	.	.	.08	.	.		9
10	.01	.	.	.	.	.	.45	.11	.	.02	.	.02		10
11	.	.	.	.10	.	.	.28	.	.02	.	.25	.		11
12	.	.	.	.17	.	.28	.37	.	.44	.	.12	.09		12
13	.	.	.	.07	.	.23	.	.	.	.05	.04	.34		13
14	.	.	.	.21	.	.10	.40	.	.34	.04	.	.30		14
15	.	.	.01	.02	.	.03	.15	.	.08	.13	.10	.08		15
16	.20	.10	.	.	.	.	.06	.	.	.	.55	.01		16
17	.	.39	.	.	.17	.	.13	.	.	.	.	.08		17
18	.	.	.	.	.	.21	.10	.	.	.16	.18	.11		18
19	.37	.09	.01	.28	.	.42	.	.08	.	.06	.	.		19
20	.04	.05	.	.05	.	.04	.	.	.04	.	.	.		20
21	.01	.	.	.16	.	1.39	.	.	.	.01	.	.		21
22	.	.59	.05	.01	.29	.04	.14	.	.	.	.02	.		22
23	.	.01	.15	.08	.05	.	.31	.	.	.05	.	.09		23
24	.14	.06	.	.	.02	.	.	.	.17	.24	.	.		24
25	.08	.	.10	.27	.	.21	.06	.	.37	.04	.	.		25
26	.	.09	.32	.03	.	.	.	.	.01	.07	.	.		26
27	.05	.	.	.	.	.	.	.	.14	.11	.	.		27
28	.25	.12	.08	.	.	.01	.24	.	.03	.	.04	.05		28
29	.50	.40	.04	.	.	.04	.	.	.	.05	.45	.10		29
30	.04	~~X~~	.	.	.15	.09	.08	.	.	.21	.02	.		30
31	.57	~~X~~	.10	~~X~~	.	~~X~~	.02	.	~~X~~	.15	~~X~~	.15		31
TOTAL	3.37	2.04	1.42	1.97	.89	4.87	4.95	1.13	2.65	1.52	2.29	1.76	28.86	Year's Total
* Days with .01 in. or more.	20	13	16	14	6	19	20	7	15	18	16	17	181	
* Days with .04 in. or more.	15	11	13	11	5	17	18	5	12	15	12	15	149	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. T. C. Doe

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2499

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at ...WISTOW.....

in the County of ...LEICESTER.....

Diameter of Funnel of Gauge...FIVE...in.

Height of top of Gauge above Ground...1...ft...0...in.


„ Ground „ Sea Level...309.5...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.	.	.	.	.	.	.	.07	.	.15	.19		1
2	.	.04	.02	.36	.	.	.	.	.	.	.	.16		2
3	.	.05	.	.	.21	.	.	.	.03	.	.	.10		3
4	.08	.07	.	.	.03	.	.	.02	.	.	.	.61		4
5	.38	.	.18	.	.	.	.	.01	.	.	.	.01		5
6	.08	.	.14	.	.13	.	.05	.	.	.	.01	.		6
7	.	.45	.01	.12	.03	.	.01	.	.	.01	.	.		7
8	.	.15	.	.	.	.	.	.	.	.	.41	.04		8
9	.	.	.02	.01	.18	.	.22	.	.11	.	.	.17		9
10	.	.04	.15	.62	.	.29	.	.	.	.	.	.06		10
11	.	.	.30	.	.38	.07	.03	.	.	.	.	.13		11
12	.08	.24	.06	.	.40	.12	.	.02	.13	.	.	.09		12
13	.	.04	.10	.05	.01	.19	.	.35	.	.	.	.04		13
14	.	.01	.37	.	.	.	.	.20	.	.	.	.10		14
15	.17	.03	.04	.20	.	.	.94	.	.08	.	.	.02		15
16	.05	.13	.33	.35	.	.	.	.07	.21	.	.	.02		16
17	.10	.03	.26	.32	.	.	.	.	.08	.	.	.		17
18	.48	.09	.21	.03	.	.	.	.	.26	.	.25	.		18
19	.05	.10	.02	.09	.02	.19	.24	.	.	.	.11	.		19
20	.16	.05	.06	.47	.64	.09	.	.	.	.	.	.		20
21	.07	.20	.15	.01	.	.	.25	.	.	.	.	.06		21
22	.09	.	.	.	.29	.02	.07	.	.	.38	.14	.		22
23	.20	.	.02	.	.11	.	.10	.	.	.69	.20	.01		23
24	.25	.37	.07	.	.03	.	.	.	.	.21	.	.		24
25	.14	.24	.06	.	.14	.	.	.	.04	.19	.	.01		25
26	.	.21	.04	.	.42	.	.	.	.	.02	.	.		26
27	.	.31	.07	.26	.	.	.	.	.	.52	.	.		27
28	.01	.07	.	.	.	.	.	.	.	.01	.	.04		28
29	.02	.	.	.	.	.01	.	.	.	.02	.04	.03		29
30	.33	X	.	.	.	.	.	.	.	.01	.09	.		30
31	.30	X	.	X	.	X	.	.	X	.14	X	.03		31
TOTAL	3.32	2.92	2.68	2.89	3.02	.98	2.91	.67	1.01	2.20	1.40	1.92	25.92	✓
* Days with .01 in. or more.	20	21	22	13	15	8	9	6	9	11	9	20	163	✓
* Days with .04 in. or more.	18	18	17	10	10	6	7	3	8	6	8	13	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Forster

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2499

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WISTOWin the County of LEICESTERDiameter of Funnel of Gauge FIVE in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 309.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.	.	.	.	.57	.	.	.	.05	.	.04		1
2	.02	.05	.	.03	.01	.21	.	.	.	.19	.	.02		2
3	.05	.	.	.	.	.01	.10	.	.	.53	.03	.		3
4	.01	.	.	.02	.	.	.02	.67	.	.14	.	.30		4
5	.	.	.	.02	.	.	.07	.02	.	.03	.	.01		5
6	.	.	.	.	.	.02	.04	.	.40	.11	.	.		6
7	.19	.	.	.	.	.01	.10	.32	.05	.11	.	.04		7
8	.20	.	.	.	.	.	.11	.14	.	.16	.	.02		8
9	.02	.05	.	.	.	.	.05	.54	.	.	.	.25		9
10	.	.11	.	.	.	.01	.24	.02	.	.	.	.05		10
11	.48	.01	.	.	.	.	.	.	.	.01	.09	.01		11
12	.21	.	.	.	.08	.	.	.01	.	.26	.01	.		12
13	.01	.03	.	.	.	.	.01	.	.	.01	.04	.15		13
14	.27	.02	.	.	.05	.	.57	.	.09	.	.	.02		14
15	.09	.	.	.	.	.	.33	.	.	.	.	.21		15
16	.16	.	.	.	.	.	.10	.01	.	.	.01	.11		16
17	.	.05	.	.	.02	.	.11	.	.01	.06	.	.		17
18	.03	.	.	.	.32	.01	.	.	.20	.01	.35	.		18
19	.	.	.	.	.	.	.	.09	.10	.	.08	.07		19
20	.	.	.	.	.	.	.	.	.02	.	.45	.10		20
21	.	.	.	.	.	.	.	.	.	.	.01	.35		21
22	.	.	.	.	.	.42	.	.	.	.	.29	.29		22
23	.	.	.	.	.04	.	.06	.	.03	.	.	.04		23
24	.	.	.04	.	.05	.	.27	.	.22	.	.02	.04		24
25	.07	.10	.06	.	.	.	.02	.07	.	.06	.25	.09		25
26	.01	.27	.11	.	.	.	.	.03	.03	.13	.	.11		26
27	.05	.01	.01	.	.16	.11	.20	.10	.20	.04	.24	.		27
28	.28	.	.	.	.31	.07	.02	.32	.02	.	.06	.14		28
29	.45	.	.	.	.35	.	.04	.01	.	.03	.11	.11		29
30	.02	X	.	.	.01	.32	.	.	.13	.01	.18	.07		30
31	.13	X	.	X	.15	X	.	.	X	.11	X	.39		31
TOTAL	2.76	.70	.22	.07	1.55	1.70	2.46	3.37	1.50	2.05	2.22	3.03	21.63	Year's Total
* Days with .01 in. or more.	21	10	4	3	12	11	19	14	13	19	16	25	167	
* Days with .04 in. or more.	13	6	3	0	9	6	15	8	8	13	11	20	112	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

L. A. Sloc

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2499

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WISTOWin the County of LEICESTERDiameter of Funnel of Gauge FIVE in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 309.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.	.	.02	.03	.	.	.14	.14	.05	.	.		1
2	.08	.	.	.08	.	.	.	.35	.26	.03	.04	.		2
3	.16	.	.	.29	.	.	.	.49	.	.04	.21	.22		3
4	.20	.	.38	.55	.	.	.02	.33	.	.07	.04	.05		4
5	.	.	.	.15	.15	.	.02	.95	.	.20	.25	.19		5
6	.40	.	.04	.	.	.	.49	.	.	.01	.02	.		6
7	.10	.02	.	.	.	.	.09	.	.	.	.19	.12		7
8	.01	.02	.17	.	.	.	.38	.69	.	.21	.01	.30		8
9	.	.11	.	.	.	.	.01	.12	.	.42	.20	.17		9
10	.35	.	.02	.	.	.	.	.24	.01	.02	.01	.01		10
11	.01	.01	.25	.	.	.10	.	.	.02	.02	.	.		11
12	.	.01	.01	.	.	.	.	.	.	.01	.	.		12
13	.	.	.	.	.	.02	.01	.	.05	.06	.	.		13
14	.40	.	.02	.06	.42	.06	.22	.	.	.10	.12	.		14
15	.28	.	.02	.	.05	.29	.41	.	.04	.54	.01	.		15
16	.14	.	.11	.14	.18	.42	.04	.	.01	.03	.17	.		16
17	.25	.01	.04	.01	.15	.	.26	.	.	1.14	.01	.		17
18	.02	.04	.07	.	.	.48	.12	.	.	.	.54	.		18
19	.21	.	.	.	.	.01	.13	.	.01	.	.	.		19
20	.05	.	.02	.	.	.05	.17	.32	.	.	.	.		20
21	.18	.22	.15	.	.01	.06	.	.22	.03	.	.	.		21
22	.17	.21	.03	.01	.	.01	.07	.	.02	.	.18	.		22
23	.03	.01	.	.08	.	.	.09	.	.01	.04	.63	.		23
24	.13	.	.	.	.	.03	.30	.	.	.05	.	.		24
25	1.18	.07	.22	.01	.	.	.06	.09	.	.	.28	.		25
26	.31	.	.02	.	.	.	.	.06	.01	.07	.19	.03		26
27	.01	.09	.13	.04	.	.	.06	.	.	.09	.02	.03		27
28	.01	.14	.12	.04	.	.	.06	.04	.	.02	.15	.04		28
29	.	.	.01	.26	.	.	.08	.57	.	.29	.02	.		29
30	.	X	.	.08	.	.10	.	.	.	.	.05	.		30
31	.	X	.	X	.	X	.01	.01	X	.	X	.		31
TOTAL	4.75	.96	1.83	1.82	.99	1.63	3.74	4.62	.61	3.51	3.34	1.16	28.96	✓
* Days with .01 in. or more.	24	13	19	15	7	12	22	15	12	22	22	10	193	✓
* Days with .04 in. or more.	18	7	11	11	5	8	17	14	4	15	15	7	132	✓

Year's Total

† Spare column, no entries required.

(Signed)

L. J. S. Loe

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 2499

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ...WISTOW...

in the County of ...Leicestershire...

Diameter of Funnel of Gauge...FIVE...in.

Height of top of Gauge above Ground...1 ft...0...in.

,, Ground ,, Sea Level 309.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.16	.	.02	.	.	.	.	.	.	.15	.		1
2	.	.30	.	.29	.	.	.	.	.	.	.65	.08		2
3	.	.	.	.13	.	.	.	.	.	.12	.48	.07		3
4	.	.35	.	.02	.	.	.	.	.	.11	.51	.04		4
5	.	.04	.	.	.03	.	.	.	.	.11	.22	.14		5
6	.09	.28	.	.	.	.	.	.	.	.37	.15	.01		6
7	.06	.19	.	.02	.02	.	.	.	.	.	.	.02		7
8	.	.	.	.	.	.	.	.	.	.08	.02	.21		8
9	.	.	.07	.01	.	.44	.04	.06	.02	.01	.15	.20		9
10	.	.	.01	.	.	.	.91	.03	.	.05	.12	.31		10
11	.	.	.04	.04	.	.	.38	.	.	.	.54	.24		11
12	.	.01	.07	.	.	.	.08	.	.04	.	.04	.		12
13	.	.03	.47	.01	.	.	.03	.	.14	.	.02	.		13
14	.	.12	.05	.07	.21	.	.	.	.05	.02	.	.30		14
15	.	.	.	.08	.01	.07	.01	.	.15	.22	.11	.02		15
16	.03	.	.38	.01	.	.01	.37	.	.09	.89	.72	.		16
17	.	.28	.44	.	.	.	.05	.	.	.	.01	.		17
18	.05	.44	.35	.59	.	.	.	.04	.	.07	.08	.04		18
19	.	.18	.04	.18	.	.	.27	.	.24	.	.15	.02		19
20	.	.	.	.05	.	.01	.02	.02	.	.08	.06	.		20
21	.13	.	.	.	.06	.08	.04	.	.	.13	1.48	.		21
22	.	.	.02	.	.30	.32	.	.06	.21	.	.	.		22
23	.	.29	.03	.04	.22	.15	.	.01	.	.15	.	.05		23
24	.01	.	.	.03	.	.	.11	.	.	.03	.01	.02		24
25	.	.01	.	.	.	.	.	.	.	.04	.	.		25
26	.79	.11	.	.01	.03	.	.34	.	.	.04	.01	.		26
27	.69	.03	.	.01	.	.	.03	.	.	.	.	.		27
28	.25	.24	.	.01	.16	.	.	.03	.	.	.	.		28
29	.	.	.14	.01	.02	.01	.02	.	.	.	.	.30		29
30	.	X	.	.59	.	.	.	.	.	.40	.	.07		30
31	.	X	.01	X	.	X	.	.	X	.68	X	.		31
TOTAL	2.10	3.06	2.12	2.22	1.06	1.09	2.70	.25	.94	3.60	5.68	2.14	26.96	✓
* Days with .01 in. or more.	9	17	14	21	10	8	15	7	8	19	21	18	167	✓
* Days with .04 in. or more.	7	13	10	10	5	5	10	3	7	16	16	13	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. T. T. Sloe

[P.T.O.]

Section **A** for the entry of Data
AIR MINISTRY.

FORM 1090.

REGISTRATION

Kept at Savage Farm Com
in the County of Leicestershire

Diameter of Funnel of Gauge 8
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p
Pl

2500 - 111947

WIGSTON S.W.

1931 - 1940

2500
COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

1931.

927927/29

2500

574/32

W.D.

IS DAY.

t of the following

af.

Jan. 1, following

.02.

Date	Jan.	Feb.	March	Apr	May	June	July	Aug	Sept	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.27	.22	-	-	-	-	-	-	-	-	.01	1
2	-	.03	.02	.05	-	.07	-	-	.33	.01	-	-	2
3	-	.03	-	.64	.02	.05	-	-	.39	.05	.01	.02	3
4	.02	-	-	.07	-	-	.02	-	.82	-	.38	.05	4
5	-	.05	-	.13	-	-	.39	.16	.06	-	.09	-	5
6	-	-	-	.04	.07	.77	-	-	.17	-	-	.23	6
7	.01	.17	-	.01	-	.24	.02	-	-	.20	.15	.01	7
8	-	-	-	.01	-	-	-	.43	-	.06	.03	.01	8
9	.02	.05	.03	.04	.05	.40	.03	.85	-	-	.16	-	9
10	-	.25	.01	.04	-	.02	-	.15	-	-	.23	-	10
11	.01	.02	-	-	.01	.01	-	.10	.02	.01	-	-	11
12	.08	.21	-	-	-	.03	.01	-	.20	-	.04	-	12
13	.04	.07	-	-	-	-	.34	-	.13	-	.01	-	13
14	.01	-	.07	.07	-	-	.05	.04	.07	-	-	-	14
15	-	.05	-	-	.03	.13	1.12	1.06	-	-	.05	-	15
16	-	.11	-	.26	.18	-	.03	.17	-	-	.01	.03	16
17	.11	.15	-	.07	.15	.38	.02	.10	.16	-	-	-	17
18	.03	.34	-	.42	.24	.02	.14	-	.01	-	-	-	18
19	.04	.05	-	.25	-	.09	.15	.23	-	-	.27	-	19
20	.03	.02	-	.26	-	.25	.03	.01	.07	-	-	-	20
21	-	.02	-	.04	-	-	.06	.41	-	.03	.01	.01	21
22	.09	.01	-	.01	.47	-	-	.12	-	-	.02	-	22
23	.03	.01	-	-	-	-	-	-	-	-	-	-	23
24	.20	.01	.01	.03	.40	.03	-	-	.22	.01	.17	.02	24
25	-	-	-	.10	.48	-	.09	-	-	.01	-	-	25
26	.05	.01	-	.72	-	-	.23	-	-	-	.02	-	26
27	-	.02	-	.22	-	-	.03	-	-	-	.19	-	27
28	.07	.50	-	-	.05	-	.02	-	-	.03	.15	.15	28
29	.09	X	-	.06	.24	-	-	-	-	.02	.01	.12	29
30	.06	X	-	-	.02	-	.08	-	-	.21	.01	.01	30
31	.10	X	-	X	-	X	-	-	X	-	X	.02	31
TOTAL	1.25 1.36	2.45 2.40	.36 .14	3.54	2.41	2.49	2.86	3.83	2.65	.64	2.01 2.02	.67 .65	YEAR'S TOTAL 25.16
*Days with "or in. or more.	20	23	85	22	14	14	19	13	13	11	20	12	187
*Days with ".04 in. or more.	12	13	21	18	10	9	10	12	11	4	11	4	115

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. J. Hay

Savagny to the Wigolins 1/15

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Savage Farm, Conlisk, N. I.
in the County of Leicester

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 9 ft.
Ground Sea Level 256.85 ft.

FILE REF. 927927/29

STATION N^o 2500

Circ C sent 5/4/32
Corr for W.D.

W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

02.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.27	.22	-	-	-	-	-	-	-	-	.01	1
2	-	.03	.02	.05	-	.07	-	-	.33	.01	-	-	2
3	-	.03	-	.64	.02	.05	-	-	.39	.05	.01	.02	3
4	.02	-	-	.07	-	-	.02	-	.82	-	.38	.05	4
5	-	.05	-	.13	-	-	.39	.16	.06	-	.09	-	5
6	-	-	-	.04	.07	.77	-	-	.17	-	-	.23	6
7	.01	.17	-	.01	-	.24	.02	-	-	.20	.15	.01	7
8	-	-	-	.01	-	-	-	.43	-	.06	.03	.01	8
9	.02	.05	.03	.04	.05	.40	.03	.85	-	-	.16	-	9
10	-	.25	.01	.04	-	.02	-	.15	-	-	.33	-	10
11	.01	.02	-	-	.01	.01	-	.10	.02	.01	-	-	11
12	.08	.21	-	-	-	.03	.01	-	.20	-	.04	-	12
13	.04	.07	-	-	-	-	.34	-	.13	-	.01	-	13
14	.01	-	.07	.07	-	-	.05	.04	.07	-	-	-	14
15	-	.05	-	-	.03	.13	1.12	1.06	-	-	.05	-	15
16	-	.11	-	.26	.18	-	.03	.17	-	-	.01	.03	16
17	.11	.15	-	.07	.15	.38	.02	.10	.16	-	-	-	17
18	.03	.34	-	.42	.24	.02	.14	-	.01	-	-	-	18
19	.04	.05	-	.25	-	.09	.15	.23	-	-	.27	-	19
20	.03	.02	-	.26	-	.25	.03	.01	.07	-	-	-	20
21	-	.02	-	.04	-	-	.06	.41	-	.03	.01	.01	21
22	.09	.01	-	.01	.47	-	-	.12	-	-	.02	-	22
23	.03	.01	-	-	-	-	-	-	-	-	-	-	23
24	.20	.01	.01	.03	.40	.03	-	-	.22	.01	.17	.02	24
25	-	-	-	.10	.48	-	.09	-	-	.01	-	-	25
26	.05	.01	-	.72	-	-	.23	-	-	-	.02	-	26
27	-	.02	-	.22	-	-	.03	-	-	-	.19	-	27
28	.07	.50	-	-	.05	-	.02	-	-	.03	.15	.15	28
29	.09	~~.22~~	-	.06	.24	-	-	-	-	.02	.01	.12	29
30	.06	X	-	-	.02	-	.08	-	-	.21	.01	.01	30
31	.50	X	-	X	-	X	-	-	X	-	X	-	31
	~~.57~~	~~.22~~	-	-	-	-	-	-	-	-	-	-	
TOTAL	1.25 ~~1.36~~	2.45 ~~2.40~~	3.6 ~~.14~~	3.54	2.41	2.49	2.86	3.83	2.65	.64	2.01 ~~2.02~~	.67 ~~.65~~	YEAR'S TOTAL 25.16
*Days with "or in. or more.	20	23	85	22	14	14	19	13	13	11	20	12	187
*Days with ".04 in. or more.	12	13	21	18	10	9	10	12	11	4	11	14	116

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. J. Haas

Savvy w to the Wigolin 4/15/32

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Wiggin U.D.C. Sewage Farm*
Cornhill Works Road
in the County of *Leicester*

Diameter of Funnel of Gauge *EIGHT* in.
Height of top of Gauge above Ground *9* ft. in.
Ground Sea Level *256.85* ft.

FILE: 927927/29

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.04

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	-	.06	-	.02	.36	.65	-	.52	-	.30	1
2	.05	.02	-	.05	.46	.07	-	.05	.09	.25	.01	-	2
3	.04	-	-	.02	.21	-	-	.02	.32	.06	.03	.08	3
4	-	-	-	.26	.01	-	-	-	-	-	-	-	4
5	.02	-	-	.01	-	-	-	-	.01	-	.32	-	5
6	.20	-	.01	-	.03	-	-	-	.05	-	-	-	6
7	.16	-	.09	.41	-	-	-	-	.45	-	-	-	7
8	-	-	.18	.20	-	-	-	-	.03	-	-	-	8
9	.01	.01	-	.07	-	-	-	-	.05	.14	-	-	9
10	.03	.06	-	.02	.06	-	-	-	-	-	-	-	10
11	.07	.04	-	.10	.01	-	-	-	.10	.16	-	-	11
12	-	.01	-	.02	.16	.34	.29	.01	.06	.01	.01	-	12
13	.11	.01	-	-	.12	-	.01	-	.06	.29	.01	-	13
14	.02	.03	-	.14	-	-	.93	-	.03	.02	.01	.01	14
15	.17	.02	-	.01	-	-	.05	.12	-	.01	.04	-	15
16	-	-	-	.04	.17	-	-	-	-	.03	.01	.03	16
17	.09	-	-	.27	.18	-	-	-	-	-	-	-	17
18	-	-	-	.01	-	-	.05	-	-	.14	-	-	18
19	-	-	-	-	.02	-	-	-	.01	-	-	-	19
20	-	.01	-	.04	-	-	-	-	-	.17	-	-	20
21	-	-	-	.12	.21	-	-	.30	-	.47	.10	-	21
22	-	-	.12	.08	1.42	-	-	.43	-	.33	-	.06	22
23	-	-	.24	.04	.04	.01	.64	-	.64	.04	.38	-	23
24	-	-	-	.01	.71	-	.01	-	.02	.02	.06	.06	24
25	-	.01	-	-	.01	-	.19	-	.04	.02	.27	-	25
26	-	.04	-	-	-	-	.10	-	.02	.23	-	.01	26
27	-	-	-	.40	.29	-	.02	-	.11	.02	-	-	27
28	-	-	.33	.16	.47	-	.38	-	.01	-	.13	-	28
29	-	-	.01	.02	.40	.02	.18	.55	-	.06	-	.01	29
30	-	X	.19	.14	.03	.05	.01	.01	.05	.21	.01	.05	30
31	.01	X	.85	X	.02	X	.25	.07	X	.38	X	.20	31
TOTAL	.98	.26	1.28	2.64	5.03	.85	3.76	1.56	2.67	3.06	1.69	.55	24.33
*Days with .01 in. or more.	13	X21	X10	25	20	6	15	X09	X20	X22	X15	10	175
*Days with .04 in. or more.	8	3	X8	X16	14	X4	11	X6	X13	X14	X8	6	X16

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. J. Stacy

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wigston U.S. Airways Farm, Cranston Rd

in the County of Leicester

FILE NO. 927927/29

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground - 9 in.

Ground Sea Level 256.85 ft.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

NIL

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	.38	.05	-	-	.02	.14	-	.13	-	1
2	.16	.23	.06	-	-	-	-	-	-	-	.12	-	2
3	.17	-	.26	-	.05	-	-	-	-	-	.04	-	3
4	-	.26	.12	-	.18	-	-	-	-	-	.01	-	4
5	.15	-	.01	-	.34	-	-	-	-	-	.01	-	5
6	.06	.01	.17	-	.02	-	-	-	-	-	.01	-	6
7	-	.12	.14	-	.23	-	-	-	-	.06	.01	.01	7
8	.01	.35	-	-	.02	-	-	-	-	.19	.01	-	8
9	.03	-	.06	-	.07	-	.29	-	-	.02	-	-	9
10	-	-	-	-	.08	-	.35	-	-	.07	.11	-	10
11	.01	.01	-	-	.01	.05	.01	.06	-	.77	.08	-	11
12	-	-	-	-	.04	-	.04	-	-	.02	-	-	12
13	.04	-	-	-	-	.06	.08	-	.12	-	-	.03	13
14	.03	-	-	-	.01	.04	.15	-	-	.04	.25	-	14
15	.01	-	-	-	.10	-	.01	.08	-	.18	.37	.02	15
16	.46	-	.01	-	-	.09	.24	.05	-	-	.23	.01	16
17	.06	-	.40	-	.07	.17	.09	.01	-	-	.05	.03	17
18	.02	.04	.43	-	-	.11	-	-	.06	-	.06	.01	18
19	.02	.03	.03	-	-	.08	-	-	-	-	.03	-	19
20	.01	.01	.47	-	-	.03	.10	-	.04	-	-	-	20
21	-	.03	.04	-	-	.06	-	.09	-	.02	.01	-	21
22	-	.02	-	-	.04	.09	-	.14	.06	.01	-	-	22
23	-	-	-	-	-	.46	-	.33	-	.51	-	-	23
24	-	-	-	.02	-	-	-	-	.24	-	-	-	24
25	-	.08	-	.07	.07	.65	-	-	.60	.04	.01	-	25
26	-	.64	-	.21	-	.33	-	-	.02	-	.04	.03	26
27	-	.47	-	.08	-	.05	-	-	.01	.04	-	.01	27
28	-	-	-	-	-	-	-	-	.53	.02	-	-	28
29	-	X	-	.22	.01	-	.02	-	-	.13	-	.05	29
30	.05	X	-	.43	-	-	.04	-	-	.06	-	.01	30
31	.05	X	.07	.05	-	X	.03	.14	X	.05	X	.09	31
TOTAL	1.38	2.30	2.27	1.08	1.34	2.27	1.45	.90	1.68	2.32	1.45	.30	19.18
*Days with ".01 in. or more.	18	14	15	7	16	14	14	8	12	18	18	11	16
*Days with ".04 in. or more.	12	8	12	6	11	13	9	4	8	12	10	2	10

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. J. Stacy

2/1/34.

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WIGSTON U.D.C. Sewage Farm Countesthorpe

in the County of LEICESTER

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 9 in.

„ Ground „ Sea Level 256.85 ft.

FILE NO 927927/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

11

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	-	-	-	-	-	.02	.20	-		1
2	.06	-	-	-	-	-	-	.18	.01	-	.18	.23		2
3	.03	.04	.05	-	-	-	-	-	.19	.04	.02	.17		3
4	.06	.05	-	.01	-	-	-	-	-	.06	-	-		4
5	.07	.01	.04	.51	.06	-	-	-	.01	.02	.07	.24		5
6	-	-	.07	.04	.05	-	-	.13	-	-	.06	.06		6
7	-	-	.02	.07	.27	.03	-	-	-	.15	-	.38		7
8	.07	-	-	-	.01	.12	-	.04	-	.04	-	.20		8
9	-	-	-	-	.07	.01	-	.07	-	.03	.09	.01		9
10	-	-	.13	.03	-	-	-	.04	-	-	.62	.38		10
11	-	-	.09	.16	-	-	-	.04	-	-	.09	.01		11
12	.56	-	.10	.27	-	-	-	.10	-	-	-	.12		12
13	-	-	.15	-	-	-	.01	.08	-	-	-	.02		13
14	.33	.01	-	.01	.02	-	.12	.03	-	-	.01	.29		14
15	.05	-	.18	-	-	.01	-	-	-	.24	.53	.30		15
16	.04	-	.06	-	.13	-	.01	-	.04	-	.11	-		16
17	.09	.01	.14	-	.11	-	-	-	.01	.18	.02	.06		17
18	.06	-	-	-	-	-	.02	-	.06	.13	.06	.10		18
19	.13	-	-	.22	-	-	.37	-	.02	-	-	.01		19
20	-	-	.10	-	-	.05	-	.01	.01	.01	-	.02		20
21	-	-	.17	.12	-	-	-	-	.02	-	-	-		21
22	-	-	-	-	-	.14	-	.03	-	.08	-	.01		22
23	-	-	-	-	-	-	-	.16	.16	-	-	.02		23
24	-	-	.01	.27	-	.11	.47	-	.01	-	-	.14		24
25	-	.31	.10	-	-	.03	.03	-	.35	.06	-	-		25
26	.13	-	-	-	-	-	-	-	-	.08	-	.29		26
27	.01	-	.03	.17	-	.04	-	-	.11	.03	-	.06		27
28	.03	.15	-	.15	-	.02	.02	-	-	.09	-	.14		28
29	-	XX	-	.34	-	.08	-	.36	-	-	.03	.33		29
30	-	XX	-	-	-	-	.10	.10	.32	.04	.01	.01		30
31	.04	X	-	X	-	X	-	-	X	.20	X	.13		31
TOTAL	1.78	.58	1.44	2.37	.72	.64	1.15	1.37	1.38	1.48	2.10	3.84	Year's Total	18.44
*Days with .01 in. or more.	17	8	16	14	8	11	9	14	15	17	15	26		168
*Days with .04 in. or more.	13	4	13	11	6	6	4	11	7	12	10	7		118

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

1-1-35.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wigston JDC Sewage Farm Leicester
in the County of Leicester

FILE N^o. 927927/29.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 9 ft.
Ground 256.85 Sea Level 85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

12

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	-	.01	-	.05	-	-	-	-	.03	.62	.16		1
2	.26	-	.07	.08	-	.05	.01	-	.21	.15	.11	.03		2
3	-	.02	.07	.03	-	.05	-	-	.07	.18	.01	.14		3
4	-	.70	.03	.03	-	.14	-	-	.24	.23	.20	.01		4
5	-	-	.01	.11	-	.06	-	-	.01	.06	.01	-		5
6	-	.55	.07	.07	-	.08	.08	-	.01	-	.06	.02		6
7	.01	.01	.02	.21	-	.22	-	-	-	-	.01	-		7
8	.01	-	-	.34	-	.21	-	-	-	.15	.40	.16		8
9	-	-	-	.13	-	.03	-	-	-	.09	.11	.10		9
10	-	-	-	.40	-	.11	-	-	-	.36	.35	.02		10
11	-	.01	-	.02	-	-	-	-	-	-	.05	.01		11
12	.12	-	.01	-	-	.10	.07	-	-	.02	.21	.03		12
13	.01	.02	-	-	-	.20	-	.11	-	-	.01	-		13
14	.08	-	-	.08	.15	.04	-	-	-	.01	-	-		14
15	-	-	-	-	.10	-	.48	-	.02	-	.47	.03		15
16	.01	.09	-	.61	.04	.14	.01	-	.35	-	.25	.40		16
17	-	.04	.06	.23	-	.40	-	-	.30	.31	.55	.16		17
18	-	-	-	.06	-	.17	.06	-	-	.07	.44	-		18
19	.01	.08	-	.22	.02	.05	.07	-	.22	.09	-	-		19
20	.01	.01	-	.06	.46	.25	.03	-	.07	.02	.22	-		20
21	.03	.25	-	.31	.02	.12	.02	-	-	-	.12	-		21
22	-	.31	.02	-	-	-	-	-	.50	.03	.08	.02		22
23	-	.06	-	.14	-	-	-	.16	.15	.01	-	-		23
24	.01	-	.17	-	-	-	-	.61	.07	.17	-	-		24
25	.12	.12	.04	-	-	-	-	-	.69	-	.01	.20		25
26	.12	.05	-	.04	-	.73	-	-	-	-	-	.03		26
27	-	.01	-	-	-	-	-	.17	.24	.01	.01	.41		27
28	-	.19	-	-	-	-	.01	-	.04	.02	.26	.98		28
29	.01	-	-	-	.03	-	-	-	.02	.01	.01	.10		29
30	-	XX	.04	-	.06	-	-	.01	.15	.01	.10	.15		30
31	.08	XX	-	XX	.01	XX	-	.72	XX	.18	XX	.96		31
TOTAL	.89	1.93	.61	3.22	.89	3.15	.84	1.78	3.39	2.78	4.21	3.18	Year's Total.	26.87
	1576	7718	7312	7420	7029	19	10	6	1978	22	25	21	196	/
	67	11	7	7617	65	18	5	5	14	7213	18	12	131	/

* Days with .01 in. or more.
* Days with .04 in. or more.

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Wigston, U.D.C., Sewage Farm, Leicestershire*
 in the County of *Leicestershire*

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....ft. 9.....in.

,, Ground ,, Sea Level 256.8.5..ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.17

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.12	.54	.22	.10	-	-	.10	.02	.01	-	.14	.03		1	
2	.03	.04	.16	.45	-	.06	.12	.15	.01	-	.06	.08		2	
3	.02	.03	.04	.08	-	.54	1.02	-	.01	-	.21	.08		3	
4	.01	.01	-	-	-	.49	-	.02	.26	-	.01	-		4	
5	.03	.01	.13	-	-	.33	-	.06	.35	.01	.02	-		5	
6	.04	.01	.10	-	-	-	.03	.05	.14	-	-	.06		6	
7	.01	-	.01	-	.14	.14	.06	.29	.13	.01	.05	-		7	
8	.29	-	.01	-	-	-	.30	-	.09	.01	.01	.01		8	
9	.24	-	.04	-	-	-	-	-	.01	.01	.11	.04		9	
10	.27	-	.05	-	-	.08	.64	-	-	.05	-	.01		10	
11	.01	-	.01	.01	-	-	.30	1.45	-	.01	-	.02		11	
12	-	-	-	.10	-	.03	.34	-	.17	-	.23	-		12	
13	-	-	-	.10	.01	.24	.39	-	.53	-	.10	.06		13	
14	-	-	-	.05	-	.13	-	-	-	.04	.03	.28		14	
15	-	-	-	.21	-	.04	.36	-	.15	.03	.03	.30		15	
16	-	.01	.01	.01	-	.03	.08	-	.06	-	.10	.09		16	
17	.07	.09	.01	-	-	-	.06	-	-	-	.60	.01		17	
18	.02	.34	-	.01	-	-	.02	-	.01	.13	.04	.09		18	
19	-	.01	-	-	-	.04	.14	-	-	.16	.01	.03		19	
20	.40	.09	.01	.31	-	.22	-	.10	-	.06	.01	-		20	
21	.01	.04	.01	.03	-	.04	.01	-	.03	.01	-	-		21	
22	.01	-	-	.15	-	1.83	-	-	.01	-	.01	-		22	
23	-	.56	.05	.09	.38	.01	.14	-	.01	.01	.02	.10		23	
24	.01	.01	.10	.10	.04	-	.24	-	-	.04	.01	.01		24	
25	.10	.08	-	.01	.02	-	-	-	.12	.16	-	-		25	
26	.05	.01	.11	.30	-	.42	.06	-	.34	.04	.01	.01		26	
27	-	.10	.29	.03	-	-	.03	-	-	.08	.01	.01		27	
28	.05	-	.01	-	-	-	-	-	.11	.08	.01	-		28	
29	.33	.11	.09	-	-	.01	.01	-	.04	-	.01	.03		29	
30	.60	~~1.1~~	.05	-	-	.03	-	-	-	.06	.41	.18		30	
31	.59	.05	~~1.1~~	.10	.29	~~1.1~~	.09	~~1.1~~	~~1.1~~	.21	~~1.1~~	.17		31	
TOTAL	3.22	1.83	1.47	2.04	.88	4.93	11.49	2.13	2.61	1.38	2.17	1.75	Year's Total	28.85	28.90
* Days with .01 in. or more.	23	18	21	17	6	20	22	8	20	21	21	25	22	223	✓
* Days with .04 in. or more.	13	10	13	12	4	15	14	6	13	13	12	10	12	137	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *J. H. H. H.* [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wigston U.D. Sewage Farm, County Leicestersin the County of Leicesters

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....9.....ft.

,, Ground ,, Sea Level 256.85 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.02 ins.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.24	.03	-	-	-	.01	-	-	-	.08	.10		1
2	.16	.01	.01	-	-	-	.01	-	.07	-	.13	.18		2
3	.01	.03	.02	.38	-	-	-	-	-	-	-	.16		3
4	-	.03	.01	-	.15	.01	-	-	.03	-	.01	.10		4
5	.07	.07	-	-	.03	-	-	.01	-	-	.01	.46		5
6	.38	-	.18	-	-	-	-	-	-	-	-	.02		6
7	.08	-	.09	.02	.12	-	-	-	-	-	.01	-		7
8	-	.56	.03	.13	.05	-	-	-	-	.02	-	-		8
9	.01	.13	-	.01	-	-	.01	-	-	-	.32	.01		9
10	.01	-	.01	.06	.17	-	.28	-	.11	-	-	.10		10
11	-	.05	.22	.40	-	.29	-	-	-	-	-	.05		11
12	-	.01	.27	-	.39	.16	.02	-	-	-	-	.11		12
13	.07	.23	.03	-	.39	.11	-	.29	.15	-	-	.11		13
14	.05	.05	.06	.06	.01	.41	-	.14	-	-	-	.02		14
15	-	.01	.33	.03	-	.01	-	.14	.01	-	-	.08		15
16	.17	.04	.04	.27	-	.01	2.40	-	.06	-	-	.02		16
17	.03	.16	.35	.30	-	-	-	.12	.21	-	.01	.01		17
18	.11	.01	.19	.22	-	-	-	-	.34	-	-	-		18
19	.42	.10	.15	.03	-	-	.02	-	.08	.01	.26	.01		19
20	.03	.08	.01	.07	.01	.16	.16	-	-	.02	.11	-		20
21	.14	.05	.04	.41	.64	.09	-	-	.01	.01	.01	.03		21
22	.07	.21	.14	.01	-	-	.27	-	-	.01	.01	.01		22
23	.10	.01	.01	-	.15	.03	.17	-	.01	.39	.21	-		23
24	.19	-	.02	-	.15	-	-	-	-	.68	.07	.01		24
25	.18	.30	.07	-	.01	-	-	-	.02	.17	-	.01		25
26	.11	.25	.03	-	.13	-	-	-	.03	.45	.02	.02		26
27	-	.18	.04	-	.62	.01	-	-	.01	.02	.01	.01		27
28	-	.15	.03	.23	-	-	-	-	-	.58	-	-		28
29	.01	~~X~~	.01	-	-	.01	-	-	-	.02	-	.05		29
30	.02	~~X~~	-	-	-	.01	-	-	-	.02	.03	.03		30
31	.28	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.02	~~X~~	.01		31
TOTAL	2.87	2.96	2.42	2.63	3.02	1.27	3.35	.70	1.14	2.42	1.38	1.72	Year's Total	
* Days with .01 in. or more.	24	24	27	16	15	13	10	5	14	14	16	25	203	
* Days with .04 in. or more.	17	17	14	11	11	6	5	4	7	5	7	14	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. H. Hoar [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wighton, U.D.C. ... Leverage Farm, Crowthorne Rd.,

in the County of Leicestershire

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....ft.....9.....in.

„ Ground „ Sea Level ... 256.85..ft.

WD
mess.

File No. 927927/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

33 in.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.23	.01	-	-	.14	.35	.01	-	.19	.13	.22		1
2	.01	.01	-	-	.01	.35	-	-	-	.03	-	.06		2
3	.02	.08	-	.03	.01	.21	-	-	-	.17	-	.03		3
4	.04	.01	-	-	-	.01	.08	-	.06	.59	.06	-		4
5	.01	-	.01	.02	-	.01	.11	1.33	-	.17	.01	.30		5
6	.01	-	-	.02	-	-	.02	.03	.07	.01	-	.01		6
7	-	-	.01	-	-	.01	.05	-	.27	.10	-	.02		7
8	.16	.01	.01	-	-	.02	.18	.12	.12	.08	-	.05		8
9	.22	-	-	-	-	-	.13	.16	-	.17	-	.03		9
10	.04	.07	-	-	-	.01	.07	.20	.01	-	-	.22		10
11	.01	.06	-	-	-	.02	.23	.01	-	-	-	.05		11
12	.50	.01	-	-	-	-	.01	-	-	.01	.10	.01		12
13	.14	.02	-	-	.08	-	-	.06	-	.29	.01	-		13
14	.01	.06	-	-	-	-	-	-	-	.02	.06	.21		14
15	.33	.01	-	-	.05	-	.48	-	.08	-	.01	.01		15
16	.08	-	-	-	-	-	.32	-	-	-	.01	.22		16
17	.11	-	.01	-	-	-	.05	.04	-	-	.01	.08		17
18	-	.04	-	-	.02	-	.09	-	.01	.09	.03	-		18
19	.03	-	-	-	.28	.01	-	.01	1.03	.03	.33	-		19
20	.01	-	-	-	-	-	-	.08	.11	-	.10	.06 ^(s)		20
21	-	-	-	-	-	-	-	-	.01	-	.35	.06 ^(s)		21
22	.01	-	-	-	-	-	-	-	-	-	.04	.12 ^(s)		22
23	-	.01	-	.01	-	.26	-	-	-	-	.29	.21 ^(s)		23
24	-	-	-	-	.05	-	.04	-	.02	-	-	.05 ^(s)		24
25	-	.01	.04	-	.03	-	.10	-	.23	-	.02	.02 ^(s)		25
26	.06	.09	.05	-	-	-	.02	.03	-	.08	.22	.04		26
27	.01	.26	.14	-	.01	-	-	.01	.03	.12	-	.16		27
28	.06	.02	.01	-	.31	.12	.23	.15	.28	.03	.23	.01		28
29	.29	-	-	-	.27	.07	.07	1.25	.01	-	.07	.16		29
30	.47	XXX	-	.01	.29	-	.02	-	-	.02	.09	.11		30
31	.03	XXX	-	XXX	.01	33	.01	-	.19	XXX	.22	.33		31
TOTAL	2.89	1.00	.28	.09	1.56	1.45	2.31	2.53	2.14	2.26	2.72	2.61	Year's Total	22.49
* Days with .01 in. or more.	25	17	8	5	13/4	13	20	15/4	16	18	20	27	197	
* Days with .04 in. or more.	14	78	3	Nil	8	6	15/16	9	10/9	11	13	19	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E. Hoar

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at W.16 STON V. DC SEWAGE FARM

File No 927927/29

in the County of LEICESTER

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 9 ft.

Ground Sea Level 256.25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

NIL

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	-	.13	-	.06	-	.12	.03	.10	-	-	.06		1
2	.04	-	-	.08	.03	-	-	.34	.02	.09	-	-		2
3	.08	-	-	.12	-	-	-	.32	.43	.05	.04	-		3
4	.18	-	-	.33	-	-	-	.48	.02	.04	.17	.27		4
5	.12	-	.32	.45	.02	-	.03	.38	.01	.10	.06	.07		5
6	-	-	-	.07	.17	-	.02	.78	-	.11	.32	.17		6
7	.47	-	.05	-	-	-	.37	-	-	-	.01	-		7
8	.08	.03	-	-	-	-	.12	-	-	-	.34	.15		8
9	.01	.03	.18	-	-	-	.39	.20	-	.29	.07	.35		9
10	.01	.12	-	-	-	-	.06	.19	-	.28	.04	.15		10
11	.36	-	.05	-	-	-	-	.29	.03	.02	.01	.01		11
12	.01	.01	.22	-	.01	.15	-	-	-	-	-	-		12
13	-	.02	.05	-	-	-	-	-	-	.01	-	-		13
14	-	-	-	-	.01	.03	.03	-	.05	.11	-	-		14
15	.34	-	.01	.01	.31	.06	.11	-	.01	.12	.10	-		15
16	.25	-	.04	.02	.07	.30	.30	-	.03	.49	.05	-		16
17	.10	-	.09	.07	.21	.21	.19	-	.01	.09	.13	-		17
18	.31	.02	.01	-	.09	-	.27	-	-	1.30	.02	-		18
19	.03	.03	.06	-	-	.31	.18	-	.01	.01	.53	-		19
20	.21	-	-	-	-	.01	.53	-	-	-	-	.01		20
21	.11	.01	.01	-	-	.11	.01	.22	-	-	-	-		21
22	.09	.22	.15	.02	-	.07	.07	.21	.04	.01	-	-		22
23	.14	.15	.05	.01	-	-	.05	-	.02	-	.21	.01		23
24	.03	-	.01	.07	-	-	.09	-	-	.06	.69	.01		24
25	.10	-	.01	-	-	.05	.20	-	-	.05	.01	.01		25
26	.25	.05	.12	-	-	-	.08	.06	-	-	.23	.01		26
27	.23	-	.01	-	-	-	-	.05	.01	.04	.21	.02		27
28	.02	.11	.16	.07	-	.01	.08	.01	-	.13	.02	.04		28
29	.02	X	.14	.05	-	.01	.06	.04	-	.03	.16	.03		29
30	-	X	-	.22	-	-	.07	1.10	-	.26	.03	-		30
31	-	X	-	X	-	X	-	.03	.10	X	-	.06		31
TOTAL	4.14	.93	1.74	1.59	.92	1.44	3.32	4.77	.69		3.51	1.31	Year's Total	28.12
* Days with .01 in. or more.	25	13	20	15	9	13	23	16	13	22	23	15		207
* Days with .04 in. or more.	18	6	14	10	5	9	19	14	3	17	17	8		139

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2500

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at WIGSTON L.I.C. SEWAGE FARM

in the County of LEICESTER

Diameter of Funnel of Gauge..... 8 in.

Height of top of Gauge above Ground..... 9 in.

,, Ground ,, Sea Level 256.85 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

0.01

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.02	-	.02	1.05	-	-	-	-	-	.69	-		1
2	-	.08	-	.03	-	-	-	-	-	-	.17	.01		2
3	.02	.01	-	.28	-	-	.01	-	-	.04	.67	.07		3
4	-	.22	-	.11	-	-	-	-	-	.06	.65	.08		4
5	-	.12	-	.02	-	-	-	-	-	.12	.26	.06		5
6	-	.02	-	-	.04	-	.01	-	-	.13	.22	.12		6
7	.07	.22	-	-	.01	-	-	-	-	.37	.11	.01		7
8	.06	.21	-	.04	.03	-	-	-	.03	-	.01	.02		8
9	.01	.02	-	.01	-	.02	-	-	-	.05	.04	.22		9
10	-	-	.09	.01	-	.06	.04	.07	.01	.03	.13	.19		10
11	-	-	.02	-	-	-	.74	.01	-	.03	.11	.45		11
12	-	.01	.04	.04	-	.03	.21	-	-	-	.45	.03		12
13	-	.03	.07	-	-	-	.20	-	.05	-	.03	-		13
14	-	.08	.34	.03	-	-	.02	-	.11	-	-	.01		14
15	.01	.01	.02	.10	.21	-	-	.03	.04	.02	-	.26		15
16	-	-	.03	.07	.03	.12	-	-	.09	.30	.09	.01		16
17	.02	.17	.35	.04	-	.02	.47	-	.06	.86	.73	-		17
18	-	.05	.39	-	-	-	.06	-	-	.01	.01	.01		18
19	.03	.46	.32	.35	-	-	-	.05	.01	.10	.02	.05		19
20	-	.18	.06	.13	-	-	.32	.01	.23	.01	.12	.02		20
21	-	.01	-	.04	-	.01	.05	.04	-	.06	.03	-		21
22	.04	.01	-	-	.09	.24	.03	-	-	.08	1.43	-		22
23	-	-	.03	-	.21	.26	-	.02	.28	.01	.01	-		23
24	-	.14	.04	.05	.28	.10	-	-	-	.10	.01	.04		24
25	.03	-	-	.04	-	-	.09	-	-	.03	.01	.02		25
26	.01	-	-	.01	-	-	.01	-	-	.06	-	-		26
27	.77	.11	-	.02	.05	-	.64	-	-	.02	.02	-		27
28	.35	.16	-	.02	-	-	.18	-	-	-	.02	-		28
29	.78	.14	-	-	.17	-	-	.04	-	-	-	-		29
30	-	X	.11	-	.02	-	.01	-	-	.01	-	.31		30
31	.06	X	-	X	X	X	-	-	X	.40	X	.06		31
TOTAL	2.26 ⁸	2.48 ⁶	1.9X3	1.05	1.14	0.86	3.09	0.27	0.91	3.59	5.35	2.05	Year's Total	26.42 ³
* Days with .01 in. or more.	15	23	15	21	12	9	17	8	10	23	25	21	147	200
* Days with .04 in. or more.	7	14	10	13	8	5	11	4	7	14	15	12	119	121

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

E. H. H. H.

[P.T.O.]

Kept at *Kirby Mallory*
in the County of *Wichita*
Diameter of Funnel of Gauge..
Height of top of Gauge above
Ground

THE MORNING MEAS

An observer who does not conform
year in the space on the right

on No. **2500/3**
ORGANIZATION

2500/3
KIRBY MALLORY
1937-40

AY
wing

Jan. 1, following

780408

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.01	.07	-	-	-	-	-	.08	-	.09	.28		1
2	-	.05	.03	.41	-	-	-	-	-	-	-	.23		2
3	-	.03	-	.05	.16	-	.04	-	.08	-	.01	.13		3
4	.08	.09	.02	-	.03	-	-	.01	-	-	-	.25		4
5	.33	-	.14	-	-	-	-	-	-	-	-	.27		5
6	.11	-	.10	.09	.11	-	-	-	-	-	.01	-		6
7	-	.55	.01	.05	-	-	-	-	-	.01	.01	-		7
8	-	.10	-	-	-	-	-	-	-	-	-	.05		8
9	-	-	.01	.08	.24	-	-	-	.12	-	.26	-		9
10	.02	.07	-	.15	-	.13	-	-	-	-	-	.08		10
11	-	-	.83	-	.17	.09	.44	-	-	-	-	-		11
12	.10	.26	.15	-	.33	.09	-	.30	.19	-	-	.26		12
13	.04	.10	.11	.02	.02	.03	.03	.06	-	-	-	-		13
14	-	.01	.18	-	-	-	-	.07	-	-	-	.10		14
15	.20	.10	.04	.25	-	-	1.38	-	.07	-	.01	.14		15
16	-	.11	.55	.47	-	-	-	.13	.37	-	-	-		16
17	.46	.03	.34	.34	-	-	-	-	.32	-	-	-		17
18	.22	.14	.10	.02	-	-	.03	-	.31	.01	.37	-		18
19	.02	.10	.03	.12	-	.14	.31	-	-	.01	.13	-		19
20	.27	.03	.01	.30	.47	.03	.03	-	-	.01	-	.03		20
21	.07	.23	.02	.02	-	-	.35	-	-	.01	-	.02		21
22	.26	-	.12	-	.06	.03	.17	-	-	.46	.25	.01		22
23	.14	-	.01	-	-	-	.02	-	-	.55	.09	.01		23
24	.14	.38	.07	-	.01	-	.02	-	-	.21	.07	-		24
25	.10	.39	-	-	.10	-	-	-	.06	.31	-	-		25
26	-	.09	.08	-	.26	-	-	-	-	.13	-	-		26
27	-	.13	-	.24	-	-	-	-	-	.25	-	-		27
28	-	.20	-	-	-	-	-	-	-	.02	-	.08		28
29	-	-	-	-	-	-	-	-	-	.03	.07	-		29
30	.41	~~X~~	-	-	-	-	-	.02	-	.01	.09	-		30
31	.23	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.06	~~X~~	.02		31
TOTAL	3.23	3.20	3.02	2.61	1.96	.54	2.82	.59	4.60	2.08	1.46	1.96	25.07	
* Days with .01 in. or more.	19	22	22	15	12	7	11	6	9	15	13	16	167	
* Days with .04 in. or more.	16	17	16	12	9	6	6	4	9	7	9	11	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *The Hon. Maud Russell* [P.T.O.]

Section

A

for the entry of Daily Observations

on No.

2500/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Killy Mallory*

in the County of *Co. Clare*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

„ Ground „ Sea Level 3.8.6.....ft.

Readings taken at *4.15 p.m.*

COPY BY B.R.O.

Leic. 4

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.01	.07	-	-	-	-	-	.08	-	.09	.28		1
2	-	.05	.03	.41	-	-	-	-	-	-	-	.23		2
3	-	.03	-	.05	.16	-	.04	-	.08	-	.01	.13		3
4	.08	.09	.02	-	.03	-	-	.01	-	-	-	.25		4
5	.33	-	.14	-	-	-	-	-	-	-	-	.27		5
6	.11	-	.10	.09	.11	-	-	-	-	-	.01	-		6
7	-	.55	.01	.05	-	-	-	-	-	.01	.01	-		7
8	-	.10	-	-	-	-	-	-	-	-	-	.05		8
9	-	-	.01	.08	.24	-	-	-	.12	-	.26	-		9
10	.02	.07	-	.15	-	.13	-	-	-	-	-	.08		10
11	-	-	.83	-	.17	.09	.44	-	-	-	-	-		11
12	.10	.26	.15	-	.33	.09	-	.30	.19	-	-	.26		12
13	.04	.10	.11	.02	.02	.03	.03	.06	-	-	-	-		13
14	-	.01	.18	-	-	-	-	.07	-	-	-	.10		14
15	.20	.10	.04	.25	-	-	1.38	-	.07	-	.01	.14		15
16	-	.11	.55	.47	-	-	-	.13	.37	-	-	-		16
17	.46	.03	.34	.34	-	-	-	-	.32	-	-	-		17
18	.22	.14	.10	.02	-	-	.03	-	.31	.01	.37	-		18
19	.02	.10	.03	.12	-	.14	.31	-	-	.01	.13	-		19
20	.27	.03	.01	.30	.47	.03	.03	-	-	.01	-	.03		20
21	.07	.23	.02	.02	-	-	.35	-	-	.01	-	.02		21
22	.26	-	.12	-	.06	.03	.17	-	-	.46	.25	.01		22
23	.14	-	.01	-	-	-	.02	-	-	.55	.09	.01		23
24	.14	.38	.07	-	.01	-	.02	-	-	.21	.07	-		24
25	.10	.39	-	-	.10	-	-	-	.06	.31	-	-		25
26	-	.09	.08	-	.26	-	-	-	-	.13	-	-		26
27	-	.13	-	.24	-	-	-	-	-	.25	-	-		27
28	-	.20	-	-	-	-	-	-	-	.02	-	.08		28
29	-	-	-	-	-	-	-	-	-	.03	.07	-		29
30	.41	~~X~~	-	-	-	-	-	.02	-	.01	.09	-		30
31	.23	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.06	~~X~~	.02		31
TOTAL	3.23	3.20	3.02	2.61	1.96	.54	2.82	.59	1.60	2.08	1.46	1.96	25.07	
* Days with .01 in. or more.	19	22	22	15	12	7	11	6	9	15	13	16	167	
* Days with .04 in. or more.	16	17	16	12	9	6	6	4	9	7	9	11	122	
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *The Hon. Maud Russell* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2500/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Kirby Muxton*in the County of *Leicestershire*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 3.86.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	—	—	tr	.3	—	tr	.03	.12	.16	.11		1
2	.06	.02	—	.03	tr	.34	—	—	—	.11	—	.02		2
3	.03	tr	—	—	tr	.03	.04	—	tr	.51	.03	tr		3
4	.02	—	tr	—	—	tr	—	.32	—	.05	tr	.24		4
5	—	—	—	tr	—	tr	.08	.06	.16	.03	—	.01		5
6	tr	—	tr	—	—	.02	.26	—	.34	.16	—	tr		6
7	.21	—	—	—	—	.02	.11	.11	.06	tr	—	.04		7
8	.27	—	tr	—	—	—	.27	.06	—	.25	—	tr		8
9	.02	—	—	—	—	.03	.08	.44	tr	—	—	.28		9
10	.05	.21	—	—	—	tr	.26	.01	—	—	—	.05		10
11	.48	tr	—	—	—	—	.02	—	—	.02	.1	.01		11
12	.12	.05	—	—	.09	—	—	—	—	.3	.09	—		12
13	.02	.02	—	—	tr	—	—	—	—	—	—	.24		13
14	.22	.01	—	—	.09	—	.79	—	—	.03	tr	.42		14
15	.11	—	—	—	tr	—	.06	.01	.06	—	—	.01		15
16	.2	—	—	—	—	—	.08	—	—	—	.01	.23		16
17	tr	.04	—	—	.04	—	—	—	.03	.15	.02	.02		17
18	.04	—	—	—	.16	.04	—	.09	.38	.06	.52	—		18
19	tr	tr	—	—	—	—	—	.02	.26	—	.08	—		19
20	.02	—	—	—	—	—	—	—	.01	—	.33	—		20
21	tr	—	—	—	—	—	—	—	.02	—	—	—		21
22	tr	—	—	—	—	.07	—	—	—	—	.36	.18		22
23	—	tr	—	—	.11	—	.07	—	.05	—	tr	.32		23
24	.1	.01	.07	—	.03	tr	.06	—	.3	—	—	.13		24
25	.01	.09	.04	—	—	—	.03	.09	.03	.1	.28	.11		25
26	.02	.31	.21	—	.01	—	.02	.04	—	.19	—	.36		26
27	.09	.01	—	—	.21	.13	.27	.15	.24	.06	.3	.01		27
28	.27	.01	—	—	.19	.08	.11	.9	.01	.07	.05	.13		28
29	.58	X	—	—	.42	tr	.04	—	—	—	.23	.11		29
30	.05	X	—	—	.02	.3	—	—	.38	—	.18	.08		30
31	.12	X	—	X	.13	X	tr	—	X	—	X	.41		31
TOTAL	3.12	.78	.32	.03	1.5	1.36	2.65	2.3	2.36	2.21	2.74	3.52	Year's Total	22.89
* Days with .01 in. or more.	24	11	3	1	12	11	18	13	16	16	15	23		163
* Days with .04 in. or more.	16	5	3	—	9	7	15	10	10	13	12	17		117

† Spare column, no entries required.

(Signed) *David C. Russell* [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 2500/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ... *Northy Malton* ...in the County of ... *Lincoln* ...Diameter of Funnel of Gauge ... *5* ... in.Height of top of Gauge above Ground ... *1* ... ft. ... in.,, Ground ,, Sea Level ... *3.86* ... ft.*Annual total inserted for arithmetic. Observer informed*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	-	-	.17	.01	-	.01	.42	.03	-	-	-		1
2	.11	-	.01	.06	-	-	.04	.3	.61	-	.04	tr		2
3	.01	-	-	.41	-	-	-	.44	.08	.04	.19	.24		3
4	.03	-	.39	.21	.08	-	.08	.22	-	.19	.05	.3		4
5	-	-	-	.09	.25	-	.07	.41	-	.15	.25	.19		5
6	.87	-	.01	tr	.01	-	.26	.01	-	-	.04	tr		6
7	.36	-	.02	-	tr	-	.32	tr	-	-	.35	.27		7
8	-	.05	.24	-	-	-	.23	.09	-	.45	.18	.15		8
9	.02	.03	-	-	-	-	.07	.35	-	.3	tr	.22		9
10	.37	.1	.07	-	-	.05	-	.17	.04	.03	-	-		10
11	.01	.02	.2	-	.01	tr	-	tr	.05	tr	-	tr		11
12	tr	.01	tr	-	-	tr	-	-	tr	tr	-	.01		12
13	-	-	tr	.02	.02	.03	.08	-	.01	.46	-	tr		13
14	.43	-	-	.09	.49	.1	.65	-	.04	.21	.11	tr		14
15	.22	-	-	.03	.07	tr	.5	-	tr	.19	.08	-		15
16	.13	-	.15	.01	.25	.36	.08	-	tr	.18	.1	-		16
17	.4	.04	tr	-	.01	.01	.53	-	-	1.84	.02	-		17
18	.1	.02	.06	-	-	.21	.17	-	-	tr	.55	-		18
19	.21	-	-	-	-	.15	.63	-	tr	-	tr	-		19
20	.23	-	tr	-	.04	.06	.01	.17	-	tr	-	-		20
21	.07	.29	.18	.03	tr	.01	.01	1.48	tr	tr	-	-		21
22	.18	.22	.16	.03	-	-	.07	tr	.04	.16	.46	tr		22
23	tr	-	-	.04	-	tr	.06	-	-	.02	.61	tr		23
24	-	tr	.15	-	-	.06	-	tr	-	-	tr	-		24
25	.93	.08	.04	-	-	tr	tr	-	-	.17	.51	-		25
26	.28	-	.01	tr	-	-	.05	tr	-	.05	.31	-		26
27	.01	.2	.15	.01	-	-	.11	.07	-	.03	-	.05		27
28	tr	.16	.13	.06	-	.22	.07	.07	-	.05	.25	-		28
29	-	-	tr	.12	-	.04	.29	-	-	.15	.04	-		29
30	-	X	-	.06	-	.07	-	-	-	-	.07	-		30
31	-	X	-	X	-	X	-	.18	X	-	X	tr		31
TOTAL	5.05	1.22	1.97	1.44	1.24	1.37	4.39	4.38	.90	4.67	4.21	1.43	Year's Total	32.27
* Days with .01 in. or more.	21	12	16	16	11	13	23	14	8	18	19	8	171	✓
* Days with .04 in. or more.	16	8	12	10	6	10	20	13	6	15	18	7	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

David C. Russell

P.T.O.

Section



for the entry of Daily Observations

Station No. 2500/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at Kirtley Malloy

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 286 ft.

Jan 25th 3rd col'd.
Feb. 1st 21st n.

9 read at 11 am
BA
10/10

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	+	-	-	.01	-	-	-	-	-	.17	tr		1
2	-	+	-	.58	.02	-	-	-	-	.10	.59	.06		2
3	-	+	-	.12	-	-	-	-	-	.06	.63	.08		3
4	-	+	-	.01	-	-	tr	-	-	.14	.18	.02		4
5	-	-	-	-	-	-	.10	-	-	.17	.28	.16		5
6	.17	+	-	.58	-	-	.14	-	-	.31	.09	-		6
7	.08	+	-	-	-	-	.02	-	.03	.06	-	.01		7
8	tr	-	-	.04	-	.27	.02	-	-	.14	.11	.29		8
9	-	(2.25)	-	-	-	-	.14	.08	.02	.06	.29	.21		9
10	-	-	.17	tr	-	-	.48	.03	-	-	.03	.39		10
11	-	-	.10	-	-	-	.75	-	-	-	.47	-		11
12	tr	✓	.08	tr	-	-	.31	tr	.17	-	.02	-		12
13	-	+	.19	.03	-	-	.09	.02	.03	-	-	-		13
14	-	-	.09	.11	.23	-	-	.06	.07	tr	-	.31		14
15	-	-	tr	.03	.05	-	-	-	.04	.04	.09	-		15
16	-	+	.53	.03	-	-	tr	-	.11	.17	.69	-		16
17	-	+	.39	-	-	-	.42	.02	tr	tr	.04	-		17
18	-	+	.25	.20	-	-	-	.07	.28	.11	.05	-		18
19	-	+	.08	.21	-	-	.50	-	.04	tr	.18	-		19
20	-	+	tr	.05	.08	-	.28	.11	-	.17	.03	.11		20
21	-	2.35	-	-	tr	.36	tr	tr	-	.01	.83	-		21
22	-	-	.06	tr	.29	.10	-	-	.07	tr	tr	-		22
23	-	-	-	.02	.19	.05	-	tr	-	.04	tr	tr		23
24	.05	.16	tr	.04	-	-	.09	-	-	-	tr	.03		24
25	+	-	-	-	-	-	.08	-	-	-	-	tr		25
26	+	.11	-	.04	.05	-	.38	-	tr	.02	.02	-		26
27	+	.32	tr	.03	tr	-	.04	-	-	.01	.1	-		27
28	+(2.60)	.14	-	tr	.15	tr	-	.08	tr	tr	-	-		28
29	+	-	.15	-	.14	.02	.01	-	-	-	-	.13		29
30	+	+	tr	.83	-	-	tr	-	-	.45	-	.07		30
31	+	+	.05	+	-	+	-	-	+	.81	+	-		31
TOTAL	(4.30)	(2.98)	2.14	2.55	1.21	.80	3.85	.47	.86	2.87	4.89	1.87	Year's Total 25.99	2.7029
* Days with .01 in. or more.	9	14	12	17	10	5	17	9	10	18	20	13	155	"d"
* Days with .04 in. or more.	7	15	12	11	8	4	14	5	7	15	16	10	124	

† Spare column, no entries required.

(Signed) M. and C. Russell [P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry
AIR MINIST
FORM 1090. **REGIS**
Kept at "Overstrand"
in the County of *Le*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
Ground " Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

2500/5
FOR OFFICIAL USE.
ORGANIZATION. *un A.*
Leics/4.

2500/5
LEICESTER, LONDON ROAD
1932—40

/107.
neighbouring obs.

Jan. 1, following
18

780408

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.15	.60	.15				.31			1
2					.20							.10	2
3				.21								.12	3
4				.15				.14			.34		4
5						.21			.11				5
6				.22					.43				6
7			.20	.18					.11				7
8				.15					.10	.16			8
9				.10									9
10	.16			.11					.15	.18			10
11	.16				.21				.12	.11			11
12	~~.17~~									.42			12
13				.12	.15								13
14	.17							.15		—	.15		14
15				.08	.24							.11	15
16				.38	.16								16
17										.13			17
18													18
19										.27			19
20				.10	.21				.10	.59	.12		20
21			.21	.11	1.75			.51	.71	.33			21
22			(.30)	.08				.39	.15		.45		22
23					.58						.11	.12	23
24										.10	.21		24
25										.41			25
26				.45	.27								26
27			.32	.18	.51						.16		27
28				.11	.39			.48		.10			28
29			.23	.10	.10					.25			29
30		X	.12		.46				.51	.34	.31	.21	30
31		X	.20	X		X			X		X	.06	31
TOTAL	—	—	(1.58)	2.98	58.3	—	—	1.67	249	370	1.85	.72	YEAR'S TOTAL
*Days with "or in. or more.													imp
*Days with "04 in. or more.													

40-9999

*See Instruction 2 (f) on other side.

N. (Signed) *Leonard Herbert.*

[P.T.O.]

REGISTER OF RAINFALL IN 1932.

Kept at "Overstrand" London Road. Leicester.
in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 10 in.
Ground Sea Level 300 ft.

Ry. Cae. B/MO7.
Monthly values in good agreement with neighbouring sites.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
18

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.15	.60	.15				.31			1
2					.20							.10	2
3				.21								.12	3
4				.15				.14			.34		4
5						.21			.11				5
6				.22					.43				6
7			.20	.18					.11				7
8				.15					.10	.16			8
9				.10									9
10	.16			.11					.15	.18			10
11	.16				.21				.12	.11			11
12	~~.17~~									.42			12
13				.12	.15								13
14	.17							.15			.15		14
15				.08	.24							.11	15
16				.38	.16								16
17										.13			17
18													18
19										.27			19
20				.10	.21				.10	.59	.12		20
21			.21	.11	1.75			.51	.71	.33			21
22			(.30)	.08				.39	.15		.45		22
23					.58						.11	.12	23
24										.10	.21		24
25										.41			25
26				.45	.27								26
27			.32	.18	.51						.16		27
28				.11	.39			.48		.10			28
29			.23	.10	.10					.25			29
30		X	.12		1.46				.51	.34	.31	.21	30
31		X	.20	X		X			X		X	.06	31
TOTAL	—	—	(1.58)	2.98	58.3	—	—	1.67	2.49	3.70	1.85	.72	YEAR'S TOTAL
*Days with .01 in. or more.													imp
*Days with .04 in. or more.													

Section

A

for the entry of Daily Observations.

Station No. 2500/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ~~London Road~~ (London Road) Leicester, 1932

in the County of Leicestershire.

Diameter of Funnel of Gauge 5 in s

Height of top of Gauge above Ground 4 ft 0 in

Ground Sea Level 300 ft.

Days.
(send letter)No record daily
good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'18	'21	'11		'1				'16		'16		1
2	'21		'29		'06								2
3		'49	'15		'14								3
4	'25		'05		'25								4
5			'15		'14								5
6		'21	'12		'31					'08			6
7		'50			'04					'25			7
8					'07		'28						8
9					'11		'20			'10	'12		9
10										'82			10
11							'07						11
12					'07		'08		'22			'15	12
13					'04		'55			'08	'27		13
14					'17	'13	'04			'19	'39		14
15	'52				'10	'12	'26				'25		15
16	'20		'41			'23	'12				'10		16
17			'42			'14	'04		'10		'12		17
18			'05			'30					'03		18
19			'38			'11							19
20						'04		'12					20
21					'13	'12		'24	'13				21
22								'38		'40			22
23						1'25			'26				23
24		'28		'12		'54			'60	'10			24
25		'91		'23		'21			'15			'1	25
26		'57		'10								'06	26
27									'72			'1	27
28		'39		'11						'19		'09	28
29				'47						'10			29
30		X	'12	'06								'05	30
31		X	'31	X		X			X		X		31
TOTAL	1'36	3'56	2'56	1'09	1'73	3'19	1'64	'74	2'34	2'31	1'44	'55	22'51
*Days with '01 in. or more.	5	8	12	6	14	11	9	3	8	10	8	6	100
*Days with '04 in. or more.	5	8	12	6	14	11	9	3	8	10	7	6	99

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Leonard Herbert. P.T.O.

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2500/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at "Overstrand" London Road. Leicester.

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 0 in.

Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								.21			.22	.27		1
2									.20	.06	.04	.21		2
3		.1								.18	.1			3
4		.11	.1	.6						.02	.1	.23		4
5		.04		.06	.1			.14			.07	.10		5
6			.1	.05	.27			.12		.19		.36		6
7						.11				.06		.17		7
8					.1			.04		.04	.16			8
9			.21							.03	.59	.34		9
10			.12	.17				.06			.12			10
11	.5		.12	.27	.1			.05				.13		11
12			.2		.1			.15						12
13	.3				.06			.08				.29		13
14	.1		.22							.15	.40	.30		14
15					.14				.11		.10			15
16	.1		.18		.12					.12		.03		16
17	.11								.06	.22	.05	.08		17
18	.14			.27			.50		.03					18
19			.11	.07		.06								19
20			.12	.14		.02								20
21						.22			.04	.05				21
22									.14					22
23				.27		.09			.01			.19		23
24		.27	.12				.25		.38					24
25				.06			.20		.01	.1		.30		25
26			.06	.29		.04			.10			.13		26
27		.13		.19		.02				.06		.11		27
28				.64		.08		.26				.36		28
29							.08	.30	.33	.05		.03		29
30		X										.15		30
31		X		X		X			X	.18	X	.06		31
TOTAL	1.25	.65	1.66	3.08	.99	.64	1.03	1.41	1.41	1.33	1.95	3.84	19.24	"d"
*Days with or in. or more.														
*Days with .04 in. or more.														

40-9999

† Spare column, no entries required.

*See Instruction 2 (f) on other side.

(Signed)

Leonard Herbert

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2500/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Overstrand" 240 London Road.

in the County of Leicestershire Leicester

Diameter of Funnel of Gauge five in ("5")

Height of top of Gauge above Ground four ft. — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33		.12	.12			.02		.20	.06	.13	.06		1
2			.05			.08			.06	.23	.04	.17		2
3		.13				.12			.34	.10	.17			3
4			.02			.11			.20	.43	.07			4
5		.58	.06	.16		.18				.03				5
6				.25		.17								6
7				.30		.16				.12	.45	.16		7
8				.15		.06		.06		.03	.12	.12		8
9				.19		.12				.38	.30	.06		9
10				.03		.03		.04		.02	.10	.03		10
11						.09		.07		.10	.21			11
12	.12					.19		.05			.02			12
13					.13							.05		13
14					.10	.02	.36		.03		.43	.15		14
15		.15		.67	.03	.10			.40		.25	.25		15
16		.06	.10	.24		1.14			.35	.16	.46	.16		16
17				.07		.14			.02	.03	.49			17
18				.23	.02	.05			.25	.06				18
19	.03			.10	.45	.31			.03	.03	.22			19
20	.04	.25		.35	.05	.17	.12			.05	.09			20
21		.28		.11					.72	.03	.04			21
22		.12		.09					.11		.02			22
23			.20					.80	.08	.16				23
24	.11	.18	.05						.71	.07		.26		24
25	.12	.06				.81						.10		25
26								.15	.28			.25		26
27		.28							.03	.12	.25	1.01		27
28		.10			.11				.03			.07		28
29			.04						.16	.03	.03	.10		29
30		X	.03		.07			.55	.10	.13	.16	.06		30
31	.07	X		X		X			X	.55	X	.11		31
TOTAL	.82	2.19	.67	3.06	.96	4.05	.50	1.72	4.10	2.92	4.05	3.17	28.21	
*Days with ".01 in. or more.	7	11	9	15	8	19	3	7	19	22	21	18	159	
*Days with ".04 in. or more.	6	11	7	14	6	17	2	7	14	15	18	17	134	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Leonard Herbert.

T.O.

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Leicester... (London Road)in the County of LeicestershireDiameter of Funnel of Gauge... five inches (5")Height of top of Gauge above Ground... 3 ft... 10 ins.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.07	.07	.49	-	.05	.11	.10	-	-	.04	.05		1
2	.04	-	.06	.10	-	.93	1.07	.14	-	-	.23	.04		2
3	.02	-	-	-	-	.16	.06	.04	.11	-	.02	.05		3
4	.02	-	.11	-	-	.37	.03	.05	.37	-	.02	.07		4
5	.07	-	.06	-	-	-	-	.03	.19	-	-	.10		5
6	.03	-	.05	-	.20	.12	.11	.22	.16	-	.06	.01		6
7	.32	-	-	-	-	-	.22	-	-	-	.03	.02		7
8	.31	-	.11	-	-	-	.03	-	.03	.16	.13	.08		8
9	.28	-	-	-	-	-	.48	-	-	-	-	-		9
10	.01	-	-	-	-	.05	.47	.18	.04	-	-	-		10
11	-	-	-	.11	-	-	.12	.05	-	-	.25	-		11
12	-	-	-	.12	.02	-	.53	.25	.72	-	.10	.10		12
13	-	-	-	.03	-	.27	.02	-	-	.06	.05	.29		13
14	-	-	-	.26	-	.15	.32	-	.22	.02	.03	.29		14
15	-	-	-	.03	-	.10	.12	-	-	-	.12	.10		15
16	.26	.15	-	-	-	.10	.05	-	-	-	.46	.02		16
17	.10	.46	-	-	-	-	.17	-	-	.10	.12	.08		17
18	-	-	-	-	-	.15	.07	-	-	.15	-	.05		18
19	.44	-	-	.32	-	.49	-	-	-	.10	-	-		19
20	.11	.06	-	.05	-	-	-	.11	-	-	-	-		20
21	.12	-	-	.21	-	1.42	-	-	-	.06	-	-		21
22	-	.57	.06	.02	.27	-	.16	-	-	-	-	.04		22
23	-	.06	.15	.11	.07	-	.25	-	-	.03	-	-		23
24	.14	.15	-	.01	.03	-	-	-	.10	.27	-	-		24
25	.08	.03	.12	.30	-	.32	.03	-	.36	.04	-	-		25
26	.05	.05	.30	.04	-	-	-	-	.06	.15	-	-		26
27	.05	.02	.04	-	-	-	-	-	.12	.12	-	-		27
28	.27	.16	.08	-	-	-	.02	-	-	.01	.04	.08		28
29	.52	.35	.03	-	-	.12	-	-	-	.07	.51	.15		29
30	.06	~~X~~	-	-	.21	.07	.11	-	-	.25	-	-		30
31	.62	~~X~~	.10	~~X~~	-	~~X~~	.02	-	~~X~~	.13	~~X~~	.12		31
TOTAL	3.94	2.13	1.34	2.20	.80	4.87	4.57	.92	2.48	1.72	2.21	1.74	Year's Total 28.92	
* Days with .01 in. or more.	23	12	14	15	6	16	23	9	12	16	16	19	181	
* Days with .04 in. or more.	18	10	13	11	4	16	17	8	11	13	12	16	151	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Leonard Herbert.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2500/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at "Overstrand" London Road
in the County of Leicestershire Leicester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...4...ft.....in.

,, Ground ,, Sea Level ...300...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15		.03								.21	.20		1
2		.04	.02	.40					.13			.17		2
3		.03			.32							.10		3
4		.04			.03			.06				.65		4
5	.41		.24					.03				.02		5
6	.08		.19	.02	.11									6
7		.53	.03	.14	.02									7
8		.13		.02							.41	.02		8
9				.15	.18		.35		.11			.06		9
10		.06	.38	.49		.25					.01	.10		10
11			.22		.39			.01				.12		11
12	.04	.27	.05		.53	.16		.03	.18			.14		12
13	.03	.03	.02		.03	.30		.30	.04					13
14			.37	.02	.01			.13	.02			.10		14
15	.16	.04	.05	.24			3.15		.20					15
16	.05	.15	.33	.35					.18					16
17	.12	.03	.20	.26					.38					17
18	.46	.09	.16	.04					.43	.10	.23			18
19	.03	.03	.02	.08		.30	.40			.01	.11			19
20	.17	.06	.04	.38	.66	.11			.02	.01				20
21	.08	.17	.21				.37		.01					21
22	.12				.14		.15			.43	.24			22
23	.20		.04		.13		.03			.64	.12			23
24	.22	.27	.09		.01		.05			.20				24
25	.17	.29	.10		.12					1.02		.01		25
26		.18	.06		.51					.02		.02		26
27	~~---~~	.30	.05	.25						.64				27
28	.02	.04								.02				28
29	.02									.01		.02		29
30	.34	~~---~~								.03	.10	.01		30
31	.27	~~---~~		~~---~~		~~---~~			~~---~~	.14	~~---~~	.01		31
TOTAL	3.13	2.78	2.90	2.84	3.19	1.12	4.50	.56	1.70	3.27	1.43	1.75	29.17	Year's Total
* Days with .01 in. or more.	28	20	22	14	15	5	7	6	11	13	8	16	165	
* Days with .04 in. or more.	16	16	17	11	10	5	6	3	8	7	7	9	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Leonard Herbert [P.T.O.]

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Leicester (470 London Road.)in the County of LeicestershireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...4..ft...0....in.,, Ground ,, Sea Level 300....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.50	.12			.108		.10		1
2		.03		.02		.45				.12		.03		2
3	.03					.03	.04			.54		.02		3
4	.03	.02		.03			.20	1.10				.28		4
5	.02						.07	.03		.02		.01		5
6	.01						.10		.76	.13		.02		6
7	.22					.02	.18	1.18	.12	.06		.02		7
8	.24						.19	.12		.25		.05		8
9	.02	.15					.07	.34				.26		9
10	.05					.11	.18	.07				.06		10
11	.45						.03			.01	.06			11
12	.17				.07		.03			.28	.13			12
13	.02	.12						.05		.01	.03	.15		13
14	.28				.04		.52		.14			.02		14
15	.10						.28				.02	.22		15
16	.16						.13				.01	.10		16
17							.16			.10	.02			17
18	.01				.31				.63	.04	.36			18
19								.10	.26		.10	.10		19
20	.02								.02		.34	.12		20
21											.06	.26		21
22								.21			.25	.30		22
23					.04						.02	.06		23
24			.03		.02		.06		.24			.08		24
25	.10	.05	.07					.05		.08	.25	.16		25
26	.03	.25	.14						.03	.11		.19		26
27	.06	.02	.02		.20		.26	.15	.45	.03	.21			27
28	.10				.30	.05	.10	1.41		.02	.10	.15		28
29	.45				.37		.02			.04	.08	.10		29
30	.04	~~X~~				.15			.22		.20	.05		30
31	.15	~~X~~		~~X~~	.	~~X~~			~~X~~	.14	~~X~~	.48		31
TOTAL	2.76	.64	.26	.05	1.50	1.31	2.74	4.81	2.87	2.06	2.24	3.39	24.63	Year's Total
* Days with .01 in. or more.	23	7	4	2	8	7	19	12	10	18	17	26	153	
* Days with .04 in. or more.	14	4	2	0	7	5	16	11	8	13	12	20	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Leonard Herbert P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2500/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939Kept at 470 London Road, Leicesterin the County of LeicestershireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground....4 ft. 0 in.,, Ground ,, Sea Level 300 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08			.04				.23	.10		.01			1
2	.07			.15			.02	.31	1.10		.03			2
3	.18			.35				.35			.19	.29		3
4	.16		.26	.32			.04	.43		.11	.04	.10		4
5				.15	.24		.07	.72		.21	.26			5
6	.44						.32				.03			6
7	.11	.05					.16				.34	.15		7
8	.02	.05	.20				.27	.07		.20	.03	.36		8
9		.02					.06	.16		.31	.02	.18		9
10	.37		.03				.02		.02	.01	.01			10
11		.04	.22			.23				.02				11
12		.02				.02			.01					12
13					.02	.03				.19				13
14	.33				.24	.11	.26		.30	.16				14
15	.36		.03		.22	.25	.55		.21	.49	.04			15
16	.13		.12		.26	.31	.04				.17			16
17	.35	.03	.02			.02	.31			1.20				17
18	.02	.02				.26	.16	.22		.03	.54			18
19	.23					.03	.79							19
20	.00		.03			.04								20
21	.13	.20	.16			.08			.01					21
22	.15	.17				.04	.19				.21			22
23	.03						.11			.06	.62			23
24	.10		.02			.03	.24				.01			24
25	1.45	.09	.04				.07	.21			.30			25
26	.24		.03					.16			.16	.02		26
27	.02	.15	.18							.04		.01		27
28	.05	.15	.16	.07		.01	.06	.03		.11	.17			28
29				.31			.08	.84		.03	.05	.02		29
30		X		.32		.05	.07			.30	.03			30
31		X		X		X		.02	X		X			31
TOTAL	5.11	1.09	1.53	1.71	.98	1.51	3.86	3.75	1.75	3.47	3.36	1.13	29.15	
* Days with .01 in. or more.	23	12	14	8	5	14	21	13	6	16	21	8	161	
* Days with .04 in. or more.	19	8	8	8	4	9	19	11	4	12	13	5	120	
Year's Total														5

† Spare column, no entries required.

* See Instruction 3 (†) on other side.

(Signed)

Leonard Herbert

P.T.O.

I hereby acknowledge receipt & oblige

Section

A

for the entry of Daily Observations

Station No. 2500/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at LEICESTER. (470 LONDON ROAD)

in the County of ... LEICESTERSHIRE

Diameter of Funnel of Gauge.....5" ins.

Height of top of Gauge above Ground....4 ft....0 ins.

,, Ground ,, Sea Level 3.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		31									16			1
2				46							58	11		2
3		15		08							50	10		3
4		15				11				23	50	05		4
5	01									12	17	04		5
6	06	40			14					34	07			6
7	01	15		03	02									7
8		02		02					06		03	26		8
9						13		05	03	03	19	17		9
10							90	08		11	12	36		10
11		02	09			10	28				35	05		11
12			14			02	24		05		05	01		12
13		12	33				02		04			01		13
14			05	12	17					11		38		14
15			03	22	05	10			15	29	10			15
16		38	35	03		02	41	10	13	95	70			16
17		15	54				02	05	04	02	01			17
18		46	25	40								06		18
19	05	24	09	13			43		16	10	11	03		19
20				06			11			11	05	05		20
21	11					09	02			21	140			21
22					23	60			03					22
23		18	03		24	12				10		02		23
24	14				03		06			06				24
25										07				25
26	3	10					32			03				26
27	5	08												27
28	4	32			12									28
29	2				16		01					35		29
30	05	X		75						36		12		30
31		X		X		X			X	65	X	02		31
TOTAL	1.83	3.23	1.90	2.30	1.16	1.29	2.82	.28	.69	3.89	5.09	2.19	26.67	Year's Total
* Days with .01 in. or more.	11	16	10	11	9	9	12	14	9	18	17	18	144	
* Days with .04 in. or more.	9	14	8	8	7	7	8	4	7	15	15	13	115	

† Spare column, no entries required.

(Signed) Leonard Herbert

P.T.O.

* See Instruction 3 (f) on other side.

Kept at *bartmel close*
in the County of *Leice*

Diameter of Funnel of Gauge...
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEA

An observer who does not conform
year in the space on the right of

2501
OR OFFICIAL USE.
ORGANIZATION.

2501
LEICESTER, CARTMEL CLOSE
1931—40

Jan. 1, following

740407

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	'05	'09	'03	—	'25	—	—	'41	'01	—	'02	1
2	—	'04	—	'69	'03	'05	—	—	'40	'11	'30	'04	2
3	'03	'01	—	'07	—	'01	'03	—	'72	—	'09	—	3
4	—	'06	—	'13	—	—	'40	'12	'15	—	—	'26	4
5	—	—	—	'07	'09	'76	—	'01	'17	—	'17	—	5
6	—	'20	—	'01	—	'31	'01	—	—	'18	'02	'01	6
7	—	—	—	—	—	—	—	'37	—	'03	'15	—	7
8	'02	'07	'07	'03	'14	'29	'06	'91	—	—	'23	'02	8
9	—	'22	—	'03	—	'02	'02	'15	—	—	'01	—	9
10	'04	'02	—	—	'02	'03	—	'15	—	—	'03	—	10
11	'08	'22	—	—	—	'05	—	—	'13	—	'03	—	11
12	'06	'11	—	—	—	—	'29	—	'24	—	—	—	12
13	'01	—	'04	'01	—	—	'03	'10	—	—	'05	—	13
14	—	'06	—	—	—	'20	1'00	1'25	'02	—	'02	'04	14
15	'02	'12	—	'15	'25	—	'09	'11	—	—	—	—	15
16	'06	'11	—	'06	'21	'39	—	'05	'14	—	—	—	16
17	'07	'51	—	'46	'49	'07	'04	—	—	—	'28	—	17
18	'05	'04	—	'29	—	'07	'02	'19	—	—	'02	—	18
19	'03	'03	—	'32	—	'12	'07	'01	'07	—	'17	'01	19
20	—	'05	—	'05	—	—	'04	'30	—	'06	—	—	20
21	'09	—	—	—	'40	—	—	'39	—	—	—	—	21
22	'05	'01	—	'02	—	—	—	'01	—	—	'20	'02	22
23	'20	—	'02	'03	'37	'11	—	—	'29	—	—	—	23
24	'04	'01	—	'06	'44	—	'12	—	'01	—	'03	—	24
25	'05	—	—	'65	—	—	'41	—	—	—	'17	'01	25
26	'02	'04	—	'27	—	—	'04	—	—	—	'19	'11	26
27	'11	'50	—	—	'03	—	—	—	—	—	—	'18	27
28	'07	'18	—	'03	'23	—	—	—	—	'25	'02	—	28
29	'10	×	—	—	'03	—	'09	—	—	—	—	—	29
30	'26	×	—	'02	—	—	—	—	—	—	—	'05	30
31	'19	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1'65	2'66	'22	3'48	2'73	2'73	2'76	4'12	2'75	'64	2'18	'77	26'69
*Days with '01 in. or more.	22	22	4	22	13	15	17	15	12	6	19	12	179
*Days with '04 in. or more.	16	17	3	13	9	12	12	12	10	5	11	6	125

Section

A

for the entry of Daily Observations

OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *Barthelme Stoughton Drive South*
in the County of *Leicester*

Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....ft. *12* in.
,, Ground ,, Sea Level*315* ft.

Note Should this record appear neither here nor there
year the gauge was removed
end of November (and the 9th)
the file is left up next year to obtain the effect
of the month.
100
Please
23/12/31

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	'05	'09	'03	—	'25	—	—	'41	'01	—	'02	1
2	—	'04	—	'69	'03	'05	—	—	'40	'11	'30	'04	2
3	'03	'01	—	'07	—	'01	'03	—	'72	—	'09	—	3
4	—	'06	—	'13	—	—	'40	'12	'15	—	—	'26	4
5	—	—	—	'07	'09	'76	—	'01	'17	—	'17	—	5
6	—	'20	—	'01	—	'31	'01	—	—	'18	'02	'01	6
7	—	—	—	—	—	—	—	'37	—	'03	'15	—	7
8	'02	'07	'07	'03	'14	'29	'06	'91	—	—	'23	'02	8
9	—	'22	—	'03	—	'02	'02	'15	—	—	'01	—	9
10	'04	'02	—	—	'02	'03	—	'15	—	—	'03	—	10
11	'08	'22	—	—	—	'05	—	—	'13	—	'03	—	11
12	'06	'11	—	—	—	—	'29	—	'24	—	—	—	12
13	'01	—	'04	'01	—	—	'03	'10	—	—	'05	—	13
14	—	'06	—	—	—	'20	1'00	1'25	'02	—	'02	'04	14
15	'02	'12	—	'15	'25	—	'09	'11	—	—	—	—	15
16	'06	'11	—	'06	'21	'39	—	'05	'14	—	—	—	16
17	'07	'51	—	'46	'49	'07	'04	—	—	—	'28	—	17
18	'05	'04	—	'29	—	'07	'02	'19	—	—	'02	—	18
19	'03	'03	—	'32	—	'12	'07	'01	'07	—	'17	'01	19
20	—	'05	—	'05	—	—	'04	'30	—	'06	—	—	20
21	'09	—	—	—	'40	—	—	'39	—	—	—	—	21
22	'05	'01	—	'02	—	—	—	'01	—	—	'20	'02	22
23	'20	—	'02	'03	'37	'11	—	—	'29	—	—	—	23
24	'04	'01	—	'06	'44	—	'12	—	'01	—	'03	—	24
25	'05	—	—	'65	—	—	'41	—	—	—	'17	'01	25
26	'02	'04	—	'27	—	—	'04	—	—	—	'19	'11	26
27	'11	'50	—	—	'03	—	—	—	—	—	—	'18	27
28	'07	'18	—	'03	'23	—	—	—	—	'25	'02	—	28
29	'10	X	—	—	'03	—	'09	—	—	—	—	—	29
30	'26	X	—	'02	—	—	—	—	—	—	—	'05	30
31	'19	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1'65	2'66	'22	3'48	2'73	2'73	2'76	4'12	2'75	'64	2'18	'77	26'69
*Days with or in. or more.	22	22	4	22	13	15	17	15	12	6	19	12	179
*Days with or in. or more.	16	17	3	13	9	12	12	12	10	5	11	6	125

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Theodore B. Ellis* [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Cartmel Close, Stoughton Drive South*
in the County of *Leicester*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *12* ft. in.Ground Sea Level *315* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.10</i>	<i>.06</i>	—	<i>.08</i>	<i>.57</i>	<i>.13</i>	—	<i>.13</i>	<i>.12</i>	<i>.29</i>	—	—	1
2	<i>.05</i>	—	—	<i>.02</i>	<i>.20</i>	—	—	<i>.06</i>	<i>.24</i>	<i>.04</i>	<i>.04</i>	<i>.10</i>	2
3	—	—	—	<i>.17</i>	<i>.05</i>	—	—	—	—	—	—	—	3
4	<i>.02</i>	—	—	<i>.11</i>	—	—	—	—	<i>.02</i>	—	<i>.32</i>	—	4
5	<i>.20</i>	—	<i>.05</i>	—	<i>.04</i>	—	<i>.01</i>	—	<i>.06</i>	—	—	—	5
6	<i>.18</i>	—	<i>.11</i>	<i>.24</i>	—	—	—	—	<i>.41</i>	—	—	—	6
7	—	—	<i>.20</i>	<i>.22</i>	—	—	—	—	—	—	—	—	7
8	—	<i>.02</i>	—	<i>.09</i>	—	—	—	—	<i>.07</i>	<i>.13</i>	<i>.01</i>	—	8
9	<i>.03</i>	<i>.07</i>	—	<i>.05</i>	<i>.02</i>	—	—	—	—	—	—	—	9
10	<i>.10</i>	<i>.08</i>	—	<i>.12</i>	—	—	—	—	<i>.13</i>	<i>.12</i>	—	—	10
11	—	<i>.04</i>	—	<i>.05</i>	<i>.22</i>	<i>.07</i>	<i>.35</i>	—	<i>.07</i>	<i>.04</i>	<i>.03</i>	—	11
12	<i>.12</i>	<i>.02</i>	—	<i>.01</i>	<i>.14</i>	—	<i>.09</i>	—	—	<i>.38</i>	<i>.02</i>	—	12
13	<i>.10</i>	<i>.05</i>	—	<i>.10</i>	—	—	<i>.17</i>	—	<i>.05</i>	<i>.03</i>	<i>.04</i>	<i>.03</i>	13
14	<i>.16</i>	—	—	<i>.01</i>	—	—	<i>.05</i>	—	—	<i>.01</i>	<i>.10</i>	<i>.01</i>	14
15	—	—	—	<i>.07</i>	<i>.22</i>	—	—	—	—	<i>.05</i>	—	<i>.05</i>	15
16	<i>.10</i>	—	—	<i>.40</i>	<i>.16</i>	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	<i>.07</i>	—	—	<i>.08</i>	—	—	17
18	—	—	—	—	<i>.02</i>	—	—	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	<i>.20</i>	—	—	19
20	—	—	—	<i>.09</i>	<i>.22</i>	—	—	<i>.33</i>	—	<i>.54</i>	<i>.12</i>	—	20
21	—	—	<i>.20</i>	<i>.09</i>	<i>1.75</i>	—	—	<i>.50</i>	—	<i>.30</i>	—	<i>.06</i>	21
22	—	—	<i>.32</i>	<i>.07</i>	<i>.02</i>	—	<i>.25</i>	—	<i>.73</i>	<i>.06</i>	<i>.46</i>	—	22
23	—	—	—	<i>.02</i>	<i>.50</i>	—	—	—	<i>.03</i>	<i>.03</i>	<i>.09</i>	<i>.09</i>	23
24	<i>.02</i>	—	—	<i>.45</i>	<i>.03</i>	—	<i>1.11</i>	—	<i>.11</i>	<i>.05</i>	<i>.22</i>	—	24
25	—	<i>.08</i>	—	—	<i>.01</i>	—	<i>.17</i>	—	<i>.04</i>	<i>.42</i>	—	—	25
26	—	—	—	—	<i>.28</i>	—	<i>.06</i>	—	<i>.12</i>	<i>.02</i>	—	<i>.02</i>	26
27	—	—	<i>.33</i>	<i>.14</i>	<i>.52</i>	—	<i>.29</i>	—	<i>.04</i>	—	<i>.15</i>	—	27
28	—	—	<i>.03</i>	<i>.06</i>	<i>.39</i>	<i>.09</i>	<i>.20</i>	<i>.42</i>	—	<i>.07</i>	—	<i>.01</i>	28
29	—	—	<i>.22</i>	<i>.12</i>	<i>.09</i>	<i>.07</i>	<i>.02</i>	<i>.04</i>	<i>.05</i>	<i>.24</i>	<i>.01</i>	<i>.03</i>	29
30	—	<i>X</i>	<i>.12</i>	—	<i>.02</i>	<i>.39</i>	<i>.22</i>	<i>.14</i>	<i>.47</i>	<i>.35</i>	<i>.28</i>	<i>.18</i>	30
31	—	<i>X</i>	<i>.17</i>	<i>X</i>	<i>.02</i>	<i>X</i>	<i>.56</i>	—	<i>X</i>	—	<i>X</i>	<i>.05</i>	31
TOTAL	<i>1.18</i>	<i>.42</i>	<i>1.75</i>	<i>2.78</i>	<i>5.49</i>	<i>.75</i>	<i>4.32</i>	<i>1.62</i>	<i>2.76</i>	<i>3.45</i>	<i>1.89</i>	<i>.63</i>	YEAR'S TOTAL <i>27.04</i>
*Days with or in. or more.	<i>12</i>	<i>8</i>	<i>10</i>	<i>23</i>	<i>22</i>	<i>5</i>	<i>15</i>	<i>7</i>	<i>17</i>	<i>21</i>	<i>14</i>	<i>11</i>	<i>165</i>
*Days with .04 in. or more.	<i>9</i>	<i>6</i>	<i>9</i>	<i>19</i>	<i>15</i>	<i>5</i>	<i>13</i>	<i>7</i>	<i>15</i>	<i>17</i>	<i>10</i>	<i>6</i>	<i>131</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Theodore B. Ellis

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Cartmel Close, Slough Drive South*
in the County of *Leicester*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *12* ft. in.
Ground Sea Level *315* ft.

100.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'16	'23	'09	—	—	—	—	—	—	'02	'09	—		1
2	'20	—	'28	—	'03	—	—	—	—	—	'07	—		2
3	—	'32	'13	—	'15	—	—	—	—	—	'04	—		3
4	'13	—	'03	—	'28	—	—	—	—	—	'02	—		4
5	'07	'03	'14	—	'15	—	—	—	—	—	—	—		5
6	—	'14	'12	—	'22	—	—	—	—	'07	'03	—		6
7	—	'23	'01	—	'04	—	—	—	—	'22	—	—		7
8	'05	'01	'07	—	'07	—	'25	—	—	'03	—	—		8
9	—	—	—	—	'10	—	'21	—	—	'08	'13	—		9
10	—	—	—	—	'02	'04	—	'03	—	'79	'12	—		10
11	—	—	—	—	—	'01	'04	—	—	'02	—	—		11
12	'10	—	—	—	—	'01	'07	—	'14	—	—	—		12
13	—	—	—	—	'03	'07	'39	—	—	'07	'27	—		13
14	—	—	—	—	'15	—	'04	—	—	'14	'37	—		14
15	'41	—	—	—	—	'08	'22	'08	—	'03	'24	'10		15
16	'10	—	'44	—	'09	'24	'14	—	—	—	'08	'03		16
17	—	—	'43	—	—	'25	—	—	'09	—	'12	—		17
18	'11	'07	'05	—	—	'26	—	—	'01	—	'03	—		18
19	—	—	'39	—	—	'04	'05	—	'06	—	—	—		19
20	—	'07	'01	—	—	'12	—	'04	—	'02	'02	—		20
21	—	'04	—	—	'07	—	—	'13	'09	—	—	—		21
22	—	—	—	—	—	'01	—	'36	—	'44	—	—		22
23	—	—	—	'05	—	—	—	—	'29	'01	—	—		23
24	—	—	—	'07	'10	'84	—	—	'64	'07	'03	—		24
25	—	'78	—	'24	—	'09	—	—	'03	—	'06	'05		25
26	—	'54	—	'08	—	—	—	—	—	'06	—	'01		26
27	—	—	—	—	—	—	—	—	'73	—	—	—		27
28	—	0.2	—	'23	'01	—	'01	—	—	'17	—	'09		28
29	'05	X	—	'41	—	—	'04	—	—	'09	—	—		29
30	'06	X	'11	'04	—	—	'02	—	—	—	—	'07		30
31	—	X	'33	X	—	X	'03	'15	X	'10	X	—		31
TOTAL	1.44	2.48	2.63	1.12	1.51	2.06	1.51	.79	2.08	2.43	1.72	.35	Year's Total	20.12
*Days with "or in. or more.	11	12	15	7	15	13	13	6	9	18	16	6		141
*Days with ".04 in. or more.	11	9	12	7	11	10	10	5	7	12	11	4		109

Section **A** for the entry of Daily Observations.

Station No. 2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Eastmead House, Stoughton Drive S.*
in the County of *Leicester*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *12* ft. *12* in.
Ground Sea Level *315* ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'07	—	—	—	—	—	—	'18	'05	—	'23	'27		1
2	'03	—	'05	—	—	—	—	—	'19	'06	'05	'22		2
3	'04	'10	—	—	—	—	—	—	—	'20	—	—		3
4	'05	'02	'10	'56	—	—	—	—	'02	'02	'10	'23		4
5	—	—	'27	'05	'09	—	—	'13	—	—	'06	'09		5
6	—	—	'03	'08	'29	'02	—	'14	—	'20	—	'37		6
7	'08	—	—	—	—	'11	—	'04	—	'06	—	'17		7
8	—	—	'03	—	'09	'03	—	'08	—	'02	'15	—		8
9	—	—	'13	'03	—	—	—	'06	—	—	'59	'36		9
10	—	—	'12	'17	—	—	—	—	—	—	'14	'01		10
11	'50	—	'14	'26	—	—	—	'07	—	—	—	'14		11
12	—	—	'20	—	'03	—	'09	'11	—	—	'02	'03		12
13	'29	—	'18	—	'01	—	'08	'05	—	'04	—	'33		13
14	'10	—	—	—	'02	'03	—	—	—	'16	'37	'27		14
15	'04	—	'07	—	'12	—	—	—	'13	—	'08	'03		15
16	'09	—	'15	—	'12	—	—	—	—	'12	'03	'02		16
17	'10	—	—	'03	—	—	'02	—	'07	'21	'06	'07		17
18	'15	—	—	'29	—	—	'45	—	'02	—	—	'01		18
19	—	—	'07	'05	—	'04	—	—	'02	—	—	'03		19
20	—	—	'14	'13	—	'02	—	—	'04	'06	—	—		20
21	—	—	'01	—	—	'20	—	'04	—	—	—	—		21
22	—	—	—	—	—	—	—	'20	'14	—	—	'07		22
23	—	—	—	'28	'04	'08	'36	—	—	—	—	'13		23
24	—	'31	'11	'02	—	'04	'04	—	'38	'05	—	—		24
25	'15	—	—	'01	—	—	—	—	—	'08	—	'27		25
26	'03	—	'06	'35	—	'04	—	—	'10	—	'03	'14		26
27	—	'13	—	'20	—	—	—	—	—	'02	—	'13		27
28	—	—	—	'64	—	'07	—	'35	—	'02	'02	'36		28
29	—	X	—	—	—	—	'08	'30	'32	—	'02	'08		29
30	'06	X	—	—	—	—	—	—	'03	—	—	'08		30
31	'02	X	—	X	—	X	—	—	X	'20	X	'06		31
TOTAL	1.80	'56	1.86	3.15	'81	'68	1.12	1.75	1.51	1.52	1.95	3.97	20.68	
*Days with "or in. or more.	16	4	17	16	9	11	7	13	13	16	15	26	163	
*Days with ".04 in. or more.	13	3	14	12	6	7	6	13	9	12	10	20	125	

Section

A

for the entry of Daily Observations.

Station No. 2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Cartmel Close, Staughton Drive South*
in the County of *Leicester*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *12* ft.
Ground Sea Level *315* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.35</i>	<i>.04</i>	<i>.11</i>	<i>.10</i>	—	<i>.03</i>	<i>.02</i>	—	<i>.23</i>	<i>.07</i>	<i>.11</i>	<i>.06</i>		1
2	—	<i>.10</i>	—	<i>.02</i>	—	<i>.06</i>	—	—	<i>.07</i>	<i>.20</i>	<i>.01</i>	<i>.19</i>		2
3	—	—	<i>.04</i>	<i>.02</i>	—	<i>.11</i>	—	—	<i>.31</i>	<i>.38</i>	<i>.16</i>	<i>.02</i>		3
4	—	<i>.59</i>	<i>.03</i>	<i>.10</i>	—	<i>.08</i>	—	—	<i>.27</i>	<i>.06</i>	<i>.01</i>	—		4
5	—	<i>.04</i>	<i>.06</i>	<i>.10</i>	—	<i>.19</i>	<i>.03</i>	—	<i>.02</i>	<i>.02</i>	<i>.05</i>	—		5
6	—	—	<i>.01</i>	<i>.23</i>	—	<i>.19</i>	—	—	—	—	<i>.01</i>	—		6
7	—	<i>.01</i>	—	<i>.31</i>	—	<i>.17</i>	—	—	—	<i>.13</i>	<i>.46</i>	<i>.17</i>		7
8	—	—	—	<i>.14</i>	—	<i>.06</i>	—	<i>.03</i>	—	<i>.06</i>	<i>.11</i>	<i>.14</i>		8
9	—	—	—	<i>.20</i>	—	<i>.12</i>	—	—	—	<i>.38</i>	<i>.29</i>	<i>.05</i>		9
10	<i>.15</i>	<i>.01</i>	—	<i>.02</i>	—	<i>.01</i>	—	—	—	—	<i>.07</i>	<i>.04</i>		10
11	—	—	—	—	—	<i>.09</i>	<i>.09</i>	<i>.01</i>	—	<i>.08</i>	<i>.17</i>	<i>.05</i>		11
12	<i>.09</i>	<i>.03</i>	—	—	—	<i>.20</i>	—	<i>.11</i>	<i>.01</i>	—	<i>.02</i>	—		12
13	—	<i>.02</i>	—	<i>.08</i>	<i>.14</i>	<i>.01</i>	—	—	—	<i>.01</i>	<i>.01</i>	—		13
14	—	—	—	—	<i>.09</i>	—	<i>.42</i>	—	<i>.01</i>	—	<i>.46</i>	<i>.11</i>		14
15	—	<i>.12</i>	—	<i>.63</i>	<i>.04</i>	<i>.12</i>	<i>.03</i>	—	<i>.37</i>	—	<i>.24</i>	<i>.30</i>		15
16	—	<i>.07</i>	<i>.08</i>	<i>.23</i>	—	<i>1.03</i>	—	—	<i>.34</i>	<i>.20</i>	<i>.47</i>	<i>.16</i>		16
17	<i>.02</i>	—	—	<i>.13</i>	—	<i>.12</i>	<i>.03</i>	—	<i>.02</i>	<i>.03</i>	<i>.54</i>	—		17
18	<i>.03</i>	<i>.06</i>	—	<i>.24</i>	<i>.01</i>	<i>.06</i>	<i>.04</i>	—	<i>.27</i>	<i>.07</i>	—	—		18
19	<i>.06</i>	—	—	<i>.06</i>	<i>.47</i>	<i>.30</i>	<i>.07</i>	—	<i>.04</i>	<i>.04</i>	<i>.22</i>	—		19
20	—	<i>.28</i>	—	<i>.35</i>	<i>.03</i>	<i>.17</i>	<i>.03</i>	—	<i>.02</i>	—	<i>.09</i>	—		20
21	—	<i>.32</i>	<i>.02</i>	—	—	—	—	—	<i>.69</i>	<i>.04</i>	<i>.16</i>	—		21
22	<i>.01</i>	<i>.10</i>	—	<i>.20</i>	—	—	—	<i>.03</i>	<i>.10</i>	—	<i>.04</i>	—		22
23	<i>.10</i>	—	<i>.20</i>	—	—	—	—	<i>.85</i>	<i>.06</i>	<i>.14</i>	—	—		23
24	<i>.14</i>	<i>.18</i>	<i>.06</i>	—	—	—	—	—	<i>.71</i>	—	—	<i>.21</i>		24
25	<i>.01</i>	<i>.06</i>	—	<i>.07</i>	—	<i>.66</i>	—	—	—	—	—	<i>.07</i>		25
26	—	—	—	—	—	—	—	<i>.15</i>	<i>.28</i>	<i>.03</i>	<i>.03</i>	<i>.49</i>		26
27	<i>.01</i>	<i>.18</i>	—	—	—	—	—	—	<i>.03</i>	<i>.04</i>	<i>.25</i>	<i>1.04</i>		27
28	—	<i>.01</i>	—	—	<i>.11</i>	—	—	—	<i>.03</i>	<i>.01</i>	—	<i>.07</i>		28
29	<i>.07</i>	<i>x</i>	<i>.06</i>	—	—	—	—	<i>.02</i>	<i>.14</i>	<i>.03</i>	<i>.04</i>	<i>.14</i>		29
30	—	<i>x</i>	—	<i>.09</i>	<i>.06</i>	—	—	<i>.57</i>	<i>.09</i>	<i>.14</i>	<i>.14</i>	<i>.06</i>		30
31	—	<i>x</i>	—	<i>x</i>	—	<i>x</i>	—	—	<i>x</i>	<i>.60</i>	<i>x</i>	<i>.11</i>		31
TOTAL	<i>1.04</i>	<i>2.22</i>	<i>.67</i>	<i>3.32</i>	<i>.95</i>	<i>3.78</i>	<i>.76</i>	<i>1.77</i>	<i>4.11</i>	<i>2.76</i>	<i>4.10</i>	<i>3.48</i>	<i>28.96</i>	✓
* Days with .01 in. or more.	<i>12</i>	<i>18</i>	<i>10</i>	<i>20</i>	<i>8</i>	<i>20</i>	<i>9</i>	<i>8</i>	<i>22</i>	<i>22</i>	<i>25</i>	<i>19</i>	<i>193</i>	✓
* Days with .04 in. or more.	<i>7</i>	<i>13</i>	<i>7</i>	<i>17</i>	<i>6</i>	<i>17</i>	<i>4</i>	<i>4</i>	<i>15</i>	<i>16</i>	<i>19</i>	<i>18</i>	<i>143</i>	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Theodore B. Ellis

[P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. 2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Cartmel Close, Stoughton Drive South
in the County of LeicesterDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....ft. 12 in.,, Ground ,, Sea Level 3/5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	'03	'08	'09	<u>'48</u>	—	'03	<u>1'11</u>	'20	—	—	'04	'08		1
2	'04	'06	'11	'09	—	'95	'05	'03	—	—	21	'06		2
3	'01	'02	—	—	—	'16	—	'03	'17	—	'01	'02		3
4	'01	—	'12	—	—	'37	'04	'05	'38	'01	'02	'05		4
5	'04	'03	'07	'01	—	'14	'07	'04	'17	'02	'01	'05		5
6	'02	—	—	—	'20	—	'22	'19	'14	'01	'06	—		6
7	'32	—	'01	—	—	'01	'01	—	'05	'01	'01	'01		7
8	'28	—	'12	—	—	—	'48	—	'01	—	'12	'09		8
9	'27	—	'04	—	—	'07	'59	—	'02	'11	—	—		9
10	'02	—	—	—	'01	—	'11	'16	—	—	—	—		10
11	—	—	—	'11	—	'03	'50	'07	'02	—	'14	—		11
12	—	—	—	'13	'01	27	—	—	'66	—	'20	'07		12
13	—	—	—	'01	—	'12	'33	—	—	'01	'05	'30		13
14	—	—	—	'26	—	'11	'12	—	'20	'01	'02	'33		14
15	—	—	'01	'02	—	'10	'06	—	'04	—	'12	'12		15
16	'20	'08	—	'01	—	—	'06	—	—	—	'46	'01		16
17	'02	'38	—	—	'05	—	'16	—	—	'12	'13	'08		17
18	—	'01	—	—	—	'22	—	—	—	'16	'03	'02		18
19	'39	'08	'01	'32	—	'48	'01	'12	—	'06	—	—		19
20	'05	'04	—	'05	—	—	—	'01	—	'01	—	—		20
21	'08	—	—	'18	—	<u>1'45</u>	'21	—	—	—	—	—		21
22	'01	<u>'55</u>	'05	'01	'27	—	—	—	—	—	'02	'10		22
23	'02	'04	'19	'10	'05	—	'05	—	—	'05	—	—		23
24	'12	'12	—	—	'03	'01	'03	—	'10	<u>'25</u>	—	—		24
25	'06	'01	'12	'30	—	'27	—	—	'38	'04	—	'01		25
26	'01	'08	<u>'30</u>	'04	—	—	'02	—	'02	'15	'01	—		26
27	'04	—	'01	—	—	—	—	—	'15	'13	—	'01		27
28	'26	'16	'06	—	—	'12	'09	—	'07	'01	'01	'06		28
29	'51	'37	'05	—	—	'07	—	—	—	'08	<u>'54</u>	'16		29
30	'06	~~'06~~	—	—	'18	'12	'16	—	—	'24	'02	—		30
31	<u>'61</u>	~~'06~~	'09	~~'09~~	—	~~'03~~	'03	—	~~'03~~	'12	~~'02~~	'23		31
TOTAL	3'48	2'11	1'45	2'12	'80	5'10	4'51	'90	2'58	1'60	2'23	1'86	Year's Total	28'74
* Days with .01 in. or more.	25	16	17	16	8	20	23	10	16	20	21	20	212	✓
* Days with .04 in. or more.	16	12	13	11	5	16	18	7	12	12	11	14	147	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Theodore B. Ellis [P.T.O.]

Section



for the entry of Daily Observations

Station No.

2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Cartmel Close, Stoughton Drive South*in the County of *Leicester*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....ft. *12* in.,, Ground ,, Sea Level*315* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	<i>'04</i>	<i>'01</i>	<i>'02</i>	—	—	—	—	—	<i>'09</i>	—	<i>'21</i>	<i>'19</i>		1
2	—	<i>'03</i>	<i>'02</i>	<i>39</i>	—	—	—	—	<i>'02</i>	—	—	<i>'20</i>		2
3	<i>'01</i>	<i>'03</i>	—	—	<i>'36</i>	—	—	—	<i>'04</i>	—	<i>'01</i>	<i>'10</i>		3
4	<i>'07</i>	<i>'03</i>	—	—	<i>'01</i>	—	—	<i>'03</i>	—	—	<i>'01</i>	<i>'62</i>		4
5	<i>'42</i>	—	<i>'22</i>	—	—	—	—	<i>'01</i>	—	—	—	<i>'02</i>		5
6	<i>'09</i>	—	<i>'16</i>	<i>'03</i>	<i>'12</i>	—	—	—	—	—	<i>'01</i>	—		6
7	—	<i>'55</i>	<i>'03</i>	<i>'14</i>	<i>'02</i>	—	—	—	—	—	—	—		7
8	<i>'01</i>	<i>'11</i>	—	<i>'01</i>	—	—	—	—	—	—	<i>'43</i>	<i>'02</i>		8
9	—	—	<i>'01</i>	<i>'10</i>	<i>'18</i>	—	<i>'34</i>	—	<i>'11</i>	—	—	<i>'12</i>		9
10	—	<i>'05</i>	<i>'67</i>	<i>'59</i>	—	<i>'28</i>	—	—	—	—	<i>'01</i>	<i>'07</i>		10
11	—	—	<i>'25</i>	—	<i>'37</i>	<i>'04</i>	<i>'02</i>	—	<i>'13</i>	—	—	<i>'15</i>		11
12	<i>'06</i>	<i>'23</i>	<i>'04</i>	—	<i>'49</i>	<i>'04</i>	—	<i>'07</i>	<i>'07</i>	—	—	<i>'11</i>		12
13	<i>'07</i>	<i>'03</i>	<i>'01</i>	<i>'02</i>	<i>'01</i>	<i>'19</i>	—	<i>'19</i>	<i>'01</i>	—	—	<i>'02</i>		13
14	—	<i>'01</i>	<i>'36</i>	<i>'03</i>	<i>'01</i>	<i>'01</i>	<i>+</i>	<i>'15</i>	<i>'09</i>	—	<i>'01</i>	<i>'06</i>		14
15	<i>'17</i>	<i>'03</i>	<i>'02</i>	<i>'26</i>	—	—	<i>'238</i>	—	—	—	—	<i>'05</i>		15
16	<i>'02</i>	<i>'14</i>	<i>'30</i>	<i>'37</i>	—	—	—	<i>'13</i>	<i>'20</i>	—	—	<i>'02</i>		16
17	<i>'15</i>	<i>'02</i>	<i>'25</i>	<i>'27</i>	—	—	—	—	<i>'33</i>	—	—	—		17
18	<i>'41</i>	<i>'10</i>	<i>'16</i>	<i>'03</i>	—	—	<i>'01</i>	—	<i>'40</i>	—	<i>'25</i>	—		18
19	<i>'02</i>	<i>'07</i>	<i>'02</i>	<i>'09</i>	<i>'01</i>	<i>'29</i>	<i>'44</i>	—	—	<i>'01</i>	<i>'10</i>	—		19
20	<i>'15</i>	<i>'06</i>	<i>'02</i>	<i>'43</i>	<i>'64</i>	<i>'10</i>	—	—	<i>'03</i>	<i>'01</i>	—	<i>'02</i>		20
21	<i>'08</i>	<i>'19</i>	<i>'21</i>	<i>'01</i>	—	—	<i>'30</i>	<i>'03</i>	—	—	<i>'02</i>	<i>'02</i>		21
22	<i>'12</i>	<i>'01</i>	—	—	<i>'13</i>	<i>'12</i>	<i>'16</i>	—	—	<i>'44</i>	<i>'26</i>	<i>'01</i>		22
23	<i>'19</i>	<i>'01</i>	<i>'04</i>	—	<i>'12</i>	—	<i>'04</i>	—	—	<i>'66</i>	<i>'10</i>	<i>'01</i>		23
24	<i>'20</i>	<i>'27</i>	<i>'07</i>	—	<i>'02</i>	—	<i>'03</i>	—	<i>'01</i>	<i>'17</i>	—	<i>'01</i>		24
25	<i>'18</i>	<i>'27</i>	<i>'08</i>	—	<i>'14</i>	—	—	—	<i>'02</i>	<i>'85</i>	—	<i>'02</i>		25
26	—	<i>'17</i>	<i>'07</i>	—	<i>'64</i>	—	—	—	—	<i>'04</i>	<i>'01</i>	<i>'01</i>		26
27	—	<i>'27</i>	<i>'06</i>	<i>'25</i>	—	—	—	—	—	<i>'58</i>	—	—		27
28	—	<i>'04</i>	<i>'01</i>	—	—	—	—	—	—	<i>'01</i>	—	<i>'08</i>		28
29	<i>'06</i>	<i>X</i>	—	—	—	<i>'03</i>	—	—	—	<i>'02</i>	<i>'06</i>	<i>'02</i>		29
30	<i>'29</i>	<i>X</i>	—	—	—	—	—	—	—	<i>'02</i>	<i>'11</i>	<i>'01</i>		30
31	<i>'28</i>	<i>X</i>	—	<i>X</i>	—	<i>X</i>	—	—	<i>X</i>	<i>'13</i>	<i>X</i>	<i>'01</i>		31
TOTAL	<i>3'09</i>	<i>2'73</i>	<i>3'10</i>	<i>3'02</i>	<i>3'27</i>	<i>1'10</i>	<i>3'72</i>	<i>'61</i>	<i>1'55</i>	<i>2'94</i>	<i>1'60</i>	<i>1'97</i>	<i>28'70</i>	✓
* Days with .01 in. or more.	<i>22</i>	<i>24</i>	<i>24</i>	<i>16</i>	<i>16</i>	<i>9</i>	<i>9</i>	<i>7</i>	<i>14</i>	<i>12</i>	<i>15</i>	<i>25</i>	<i>193</i>	✓
* Days with .04 in. or more.	<i>18</i>	<i>14</i>	<i>15</i>	<i>10</i>	<i>10</i>	<i>7</i>	<i>6</i>	<i>4</i>	<i>9</i>	<i>7</i>	<i>8</i>	<i>11</i>	<i>119</i>	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Theodore B. Ellis* [P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. 2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Carlton Close, Sloughon Drive Southin the County of LeicesterDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....ft. 12 in.,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.54	—	—	—	.05	—	.09		1
2	.05	.02	—	.03	.01	.44	.04	—	—	.13	—	.04		2
3	.03	—	—	—	—	.03	.10	—	.01	.59	.05	—		3
4	.02	—	—	.03	—	.02	.09	.79	—	.09	.01	.28		4
5	.01	—	—	.02	—	—	.06	.02	.02	.01	.01	.01		5
6	—	—	—	—	—	—	.16	—	.60	.14	—	—		6
7	.26	—	.01	—	—	.02	.18	.10	.12	.07	—	.05		7
8	.20	.01	—	—	—	—	.24	.03	—	.21	—	.03		8
9	.05	.16	—	—	—	—	—	.34	—	—	—	.22		9
10	.01	.02	—	—	—	.10	.01	.06	.01	—	—	.05		10
11	.53	.01	—	—	—	—	.04	—	—	—	.08	—		11
12	.15	.01	—	—	.07	—	—	.09	—	.31	—	—		12
13	.01	.14	—	—	—	—	.55	—	—	.01	.09	.76		13
14	.33	.02	—	—	.05	—	.28	—	.12	—	—	—		14
15	.03	—	—	—	—	—	.21	.01	—	—	—	.20		15
16	.24	—	—	—	—	—	.17	—	—	—	.02	.08		16
17	—	.06	—	—	—	—	—	—	.02	.09	.03	—		17
18	.04	—	—	—	.32	—	—	—	.45	.03	.29	—		18
19	.01	—	—	—	—	—	—	.10	.24	—	.08	—		19
20	.01	—	—	—	—	—	—	—	.01	—	.35	.19		20
21	—	—	—	—	—	—	—	—	—	—	.03	.43		21
22	.01	.01	—	—	—	.02	—	.21	—	—	.23	.30		22
23	—	—	—	—	.02	—	.11	—	.01	—	—	.09		23
24	.01	.01	.04	—	.05	—	.02	—	.23	—	.02	—		24
25	.10	.07	.07	—	—	—	—	.02	—	.10	.23	.19		25
26	.02	.25	.14	—	—	—	.21	—	.02	.11	—	.10		26
27	.06	.01	—	—	.18	.11	.06	.14	.42	.03	.24	—		27
28	.11	.01	—	—	.30	.07	.07	1.44	.01	.01	.08	.14		28
29	.40	X	—	—	.30	.14	—	.01	—	.04	.08	.11		29
30	.04	X	—	—	—	—	—	—	.19	—	.21	.08		30
31	.14	X	—	X	.14	X	.02	—	X	.13	X	.37		31
TOTAL	2.87	.81	.26	.08	1.44	1.49	2.62	3.36	2.48	2.15	2.13	3.21	Year's Total	22.90
* Days with .01 in. or more.	26	15	4	3	10	10	19	14	16	18	18	21		174
* Days with .04 in. or more.	15	5	3	0	8	6	16	9	8	13	12	19		114

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Theodore B. Ellis [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Cartmel Close, Houghton Drive South*
in the County of *Leicester*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....12 in.

Ground Sea Level 315 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	—	.02	.02	—	—	.26	.11	.05	—	—		1
2	.08	—	—	.13	—	—	.02	.30	1.19	.01	.02	—		2
3	.24	—	—	.36	—	—	—	.35	—	—	.20	.23		3
4	.17	—	.26	.37	—	—	.02	.45	—	.10	.04	.11		4
5	—	—	—	.09	.17	—	.03	.72	—	.17	.23	.20		5
6	.42	—	—	—	—	—	.33	—	—	—	.02	—		6
7	.07	.04	—	—	—	—	.12	—	—	—	.33	—		7
8	.01	.03	.17	—	—	—	.30	.07	—	.24	.03	.17		8
9	.02	.13	—	—	—	—	.02	.17	—	.27	—	.32		9
10	.36	—	.03	—	—	—	—	.28	.02	.03	—	.20		10
11	.01	.01	.24	—	.01	.18	—	.01	.02	—	—	—		11
12	—	.01	.01	—	—	.01	—	—	—	—	—	—		12
13	—	—	—	—	—	.03	.02	—	.06	.17	—	—		13
14	.33	—	.01	—	.37	.10	.24	—	—	.49	.18	—		14
15	.29	—	.03	—	.09	.23	.46	—	.03	.52	.02	—		15
16	.11	—	.09	.06	.28	.33	.02	—	—	—	.13	—		16
17	.35	.03	.01	—	.10	—	.33	—	—	1.25	.01	—		17
18	.01	.02	.06	—	—	.27	.20	—	.02	.03	.51	—		18
19	.23	—	—	—	—	.01	.85	—	.01	—	—	—		19
20	.12	—	.01	—	—	.08	.01	.07	—	—	—	.02		20
21	.11	.19	.15	.01	—	.05	.02	.23	.06	—	—	—		21
22	.13	.12	.03	—	—	.01	.17	—	.02	—	.24	—		22
23	.03	—	—	.10	—	—	.10	—	—	.05	.63	—		23
24	.14	—	—	.02	—	.03	.19	—	—	.01	—	—		24
25	1.66	.06	.09	—	—	—	.07	.19	—	—	.33	—		25
26	.16	—	.01	—	—	—	—	.04	.02	.03	.20	.04		26
27	.04	.10	.17	.09	—	.01	.08	.23	—	.15	.01	.03		27
28	.03	.15	.15	.06	—	.01	.06	.02	—	.02	.17	.03		28
29	—	X	—	.27	—	—	.07	.92	—	.30	.06	.03		29
30	—	X	—	.11	—	.08	—	—	—	—	.06	—		30
31	—	X	—	X	—	X	—	.02	X	—	X	—		31
TOTAL	5.20	.89	1.52	1.69	1.04	1.43	3.73	4.33	1.56	3.59	3.42	1.38	29.78	✓
* Days with .01 in. or more.	25	12	17	13	7	15	23	17	11	18	20	11	189	✓
* Days with .04 in. or more.	19	7	9	10	5	8	15	14	4	12	14	7	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. B. Ellis

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2501

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940 File No.

Kept at Bartmel Close, Loughlin Drive South

814089/27

in the County of Leicester

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 12 in.

,, Ground ,, Sea Level 3.15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	10	—	02	—	—	—	—	—	—	14	—		1
2	—	02	—	26	—	—	—	—	—	—	61	08		2
3	—	20	—	10	—	—	—	—	—	19	52	09		3
4	—	16	—	01	—	—	—	—	—	12	44	05		4
5	—	—	—	—	04	—	—	—	—	10	18	06		5
6	08	—	—	—	03	—	—	—	—	39	05	—		6
7	07	22	—	04	02	—	03	—	02	—	—	—		7
8	01	14	—	01	—	01	06	—	—	04	02	27		8
9	—	—	10	01	—	12	04	—	03	03	15	18		9
10	—	—	01	—	—	—	87	—	—	—	72	38		10
11	—	—	04	04	—	07	33	—	—	—	42	—		11
12	—	01	05	—	—	—	21	—	04	—	03	—		12
13	—	02	48	04	—	—	—	—	12	—	—	—		13
14	—	11	03	09	19	—	—	11	04	02	—	32		14
15	—	—	02	02	—	05	—	—	03	21	09	—		15
16	03	—	40	09	—	02	39	—	08	87	73	—		16
17	—	20	41	—	—	—	01	—	—	—	01	—		17
18	04	—	23	46	—	—	—	06	01	10	05	07		18
19	—	44	09	11	—	—	37	—	16	01	10	05		19
20	—	18	01	05	—	02	07	04	—	09	03	—		20
21	10	—	—	—	03	11	—	—	—	11	142	—		21
22	01	02	02	—	21	41	—	04	14	—	—	—		22
23	—	15	02	04	15	12	—	—	01	10	01	04		23
24	03	—	—	04	—	—	06	—	—	04	01	—		24
25	—	—	—	—	—	—	—	—	—	04	—	—		25
26	88	09	—	03	03	02	30	—	—	—	01	—		26
27	45	09	01	03	—	—	01	—	—	—	02	—		27
28	30	40	—	—	14	—	—	—	—	—	—	02		28
29	—	—	13	01	12	—	—	—	—	—	—	32		29
30	08	—	—	79	—	—	—	—	—	38	—	11		30
31	03	—	02	—	—	—	—	—	—	65	—	01		31
TOTAL	2.11	2.55	2.07	2.29	.96	.95	2.75	.25	.68	3.49	5.16	2.05	Year's Total	25.31
* Days with .01 in. or more.	13	17	17	21	10	10	13	4	11	18	22	15		171
* Days with .04 in. or more.	8	13	9	13	6	6	10	4	6	15	14	13		117

† Spare column, no entry required.

(Signed)

Theodore B. Ellis

(P.T.O.)

* See Instruction 3 (f) on other side.

Section **A** for the ent
AIR MIN
FORM 90
Kept at
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above
Ground
THE MORNING MEA

2501/5

LEICESTER COUNTY HOSPITAL
1937-40

tion No. 2501/5
ORGANIZATION
138/5

W.R.

DAY
lowing
Jan. 1, following

780408

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4												.60		4
5														5
6														6
7														7
8											.41			8
9														9
10														10
11														11
12														12
13														13
14														14
15							1.85							15
16								.14						16
17									.70					17
18														18
19														19
20														20
21														21
22														22
23											.77			23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30th
31		X		X		X			X		X			31
TOTAL							3.07	.50	1.67	2.86	1.31	1.90	Year's Total	
* Days with .01 in. or more.							8	5	9	7	7	12		
* Days with .04 in. or more.							7	5	9	7	7	12		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section **A**

for the entry of Daily Observations

Station No. **2501/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 90

REGISTER OF RAINFALL IN 1937

Kept at **City General Hospital Leicester (City Hospital)**

in the County of **Leicester**

Diameter of Funnel of Gauge.....**5** in.

Height of top of Gauge above Ground.....**1** ft.....in.

„ Ground „ Sea Level**325.2** ft.

138/5

M.W.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4												.60		4
5														5
6														6
7														7
8											.41			8
9														9
10														10
11														11
12														12
13														13
14														14
15							1.85							15
16								.14						16
17									.70					17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30														30th
31														31st
TOTAL							3.07	.50	1.67	2.86	1.31	1.90		Year's Total
* Days with .01 in. or more.							8	5	9	7	7	12		
* Days with .04 in. or more.							7	5	9	7	7	12		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

1395
25015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at Leicester (City General Hospital)

in the County of Leicester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level 325.2.....ft.

e. wind 37.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.44								1
2														2
3										.49				3
4														4
5				.05										5
6														6
7														7
8														8
9														9
10														10
11	.55													11
12														12
13														13
14							.55							14
15														15
16														16
17														17
18														18
19														19
20											.36			20
21														21
22														22
23														23
24														24
25														25
26		.20	.11											26
27									.51					27
28								1.41						28
29					.36									29
30		X												30
31		X		X		X			X		X			31
TOTAL	2.64	.66	.21	.05	1.56	1.32	2.61	3.53	1.94	2.02	2.10	3.07	21.71	Year's Total
* Days with .01 in. or more.	16	6	3	1	8	9	19	12	11	17	14	22	138	
* Days with .04 in. or more.	16	6	2	1	7	5	17	9	8	12	11	19	113	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

MEDICAL OFFICER OF HEALTH

Section **A**

for the entry of Daily Observations

Station No. 2501/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Leicester (County Hospital)
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 325.2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									1.05					2
3				.35										3
4			.24											4
5														5
6														6
7														7
8												.31		8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16					.28	.34								16
17										1.15				17
18														18
19							.63							19
20														20
21		.20												21
22														22
23											.65			23
24														24
25	1.51													25
26														26
27														27
28														28
29								1.12						29
30		X												30
31		X		X		X			X		X			31
TOTAL	5.25	.78	1.24	1.83	.95	1.27	3.27	4.51	1.45	3.32	3.26	1.35	28.48	✓
* Days with .01 in. or more.	24	9	11	14	7	10	20	16	9	16	15	7	158	✓
* Days with .04 in. or more.	20	6	8	10	5	7	16	15	4	11	13	7	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section



for the entry of Daily Observations

Station No.

139/5

250/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Leicester (County Hospital)in the County of LeicesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 325.2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.20		✓							.15			1
2				.25						.04	.55	.06		2
3		.15		.08						.20	.60	.08		3
4		.20								.4	.38	.4		4
5		T			.05					.22	.14	.10		5
6		.25			✓					.37	.04			6
7		.13		.05	✓									7
8						.43	.4			.07	.4	.4		8
9			.10			.04	.10	.04	.03	.02	.18	.40		9
10							.90	.07			.13	.35		10
11		✓	.05	.03		.15	.31				.51	.10		11
12		✓	.06				.24		.03		.04	✓		12
13		X	.31	.05					.20			✓		13
14			.15	.4	.20				✓	.02		.31		14
15			✓	.43		.04	.05		.05	.20	.11			15
16	.05	.40	.39	✓			.42		.07	1.04	.65			16
17			.45				✓				✓			17
18		.49	.27	.32				.05	.08	.10	.04	.4		18
19	.04	.22	.12	.4			.45	T	.12	T	.10	.10		19
20		.01		.4		.03	.18	.05		.09	.4			20
21	.20				.02	.10				.16	.45			21
22			✓		.4	.50			.10					22
23		.21	.05		.48					.11		.05		23
24	✓			.10						.4				24
25				✓	T	.15	.05			.10				25
26	.954	.08		.05	.03		.41							26
27	.65	.15		T	.4		.05							27
28	.60	.40		.42										28
29			.4							.05		.4		29
30		X								.35		.45		30
31		X	.15	X		X			X	.75	X			31

TOTAL

2.49 3.19 2.10 2.07 1.20 1.44 3.16 .21 .68 3.89 5.07 2.00 24.50

* Days with

.01 in.

or more.

987 316 114 515 108 8 12 8 113 4 988 194 124 152 148 (150) 143

* Days with

.04 in.

or more.

886 113 210 154 10 6 8 7 112 4 56 176 1515 14 148 109 (119) 122

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

9

19

18

17

(150)

P.T.O.

7

16

14

15

10

8

13

12

4

5

17

15

14

(119)

6

13

10

10

6

7

12

4

5

17

15

14

(119)

REGISTER

Kept at Leicester Town Hall
in the County of Leicester
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 1/2
" Ground " Sea Level 211

THE MORNING MEASUREMENT

An observer who does not conform to this rule shall be liable to be removed from the list of observers for the year in the space on the right of this paragraph.

Please re

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

193/ .

see Enc 219 f 662867/26.

2502 - 112178

LEICESTER - TOWN HALL

SQUARE

US DAY.

st of the following

af.

Jan. r, following

1931 - 1940

780409

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.						in.	in.	in.	
1	"	.020	Snow .030	Trace						.010	"	"	1
2	"	.010	"	.340						.040	"	.020	2
3	.030	"	"	.050						"	.170	.100	3
4	"	Snow .020	"	.120						"	.050	"	4
5	"	Snow .030	"	.040						"	"	.300	5
6	"	S.R. .190	"	"	"	.070	"	"	"	.160	.120	"	6
7	"	"	"	"	"	"	"	.380	"	.030	.020	.010	7
8	"	.050	Snow .010	.020	.090	.020	.030	.950	"	"	.120	"	8
9	"	.140	Snow .020	.030	"	.020	"	.160	"	"	.190	"	9
10	.010	"	"	"	.010	.020	"	.130	"	"	"	"	10
11	.040	.250	"	"	"	.050	"	"	.180	"	.030	"	11
12	.020	Snow .040	"	"	"	"	.440	"	.130	"	.020	"	12
13	"	Trace	.010	"	"	"	.060	.110	.010	"	"	"	13
14	"	.050	"	"	.020	.050	.800	1.160	"	"	.080	"	14
15	.010	.160	"	.150	.220	"	.070	.170	"	"	"	"	15
16	.040	Snow .210	"	.070	.320	.400	"	.050	.140	"	"	"	16
17	.060	S.R. .350	"	S.R. .460	.430	.220	.020	"	"	"	"	"	17
18	.070	.010	"	.220	.010	.020	.120	.180	"	"	.290	"	18
19	.010	.030	"	.180	"	.040	.040	.030	.100	"	"	"	19
20	"	.050	"	.030	"	"	.030	.240	"	.020	.010	"	20
21	.050	"	"	"	.400	"	"	.290	"	"	.040	"	21
22	.020	"	"	Trace	"	"	"	"	"	"	"	"	22
23	.120	"	"	.010	.420	.060	"	"	.100	"	.160	Trace	23
24	.060	"	"	.060	.450	.010	.130	"	.010	"	"	"	24
25	.030	Trace	"	.770	"	"	.320	"	"	"	.020	"	25
26	.010	.020	"	.250	"	"	.040	"	"	"	.140	Trace	26
27	.120	.460	"	"	.020	"	"	"	"	"	.220	.120	27
28	.050	.230	"	.040	.240	"	"	"	"	"	"	Sheet .180	28
29	.050	"	"	"	.040	"	.070	"	"	.240	.020	Trace	29
30	.210	X	"	.010	"	"	"	"	"	"	"	"	30
31	.170	X	"	X	"	X	"	"	X	"	X	.020	31
TOTAL	1.180	2.320	.070	2.850	2.680	2.000	2.660	4.050	2.330	.500	1.700	.750	YEAR'S TOTAL 23.09
*Days with "or in. or more.	20	19	4	18	14	16	15	13	12	6	17	7	161
*Days with "or in. or more.	12	12	N.A.	13	9	10	11	12	10	3	11	9	107

40-9999

*See Instruction 2 (1) on other side.

(Signed)

[P.T.O.]

Footnote: - Record too low. Gauge over-shalland

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Leicester. Town Hall. Square.
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 211.66 ft.

Authority for footnote see Enc 21^a f 662867/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	.020	<i>Trace</i> .030	<i>Trace</i>	"	.180	"	"	.380	.010	"	"	1
2	"	.010	"	.340	"	.040	"	"	.450	.040	"	.020	2
3	.030	"	"	.050	"	.010	.030	"	.560	"	.170	.100	3
4	"	<i>Trace</i> .020	"	.120	"	"	.460	.200	.120	"	.050	"	4
5	"	<i>Trace</i> .030	"	.040	.010	.790	"	"	.150	"	"	.300	5
6	"	.190	"	"	"	.070	"	"	"	.160	.120	"	6
7	"	"	"	"	"	"	"	.380	"	.030	.020	.010	7
8	"	.050	<i>Trace</i> .010	.020	.090	.020	.030	.950	"	"	.120	"	8
9	"	.140	<i>Trace</i> .020	.030	"	.020	"	.160	"	"	.190	"	9
10	.010	"	"	"	.010	.020	"	.130	"	"	"	"	10
11	.040	.250	"	"	"	.050	"	"	.180	"	.030	"	11
12	.020	<i>Trace</i> .040	"	"	"	"	.440	"	.130	"	.020	"	12
13	"	<i>Trace</i>	.010	"	"	"	.060	.110	.010	"	"	"	13
14	"	.050	"	"	.020	.050	.800	1.160	"	"	.080	"	14
15	.010	.160	"	.150	.220	"	.070	.170	"	"	"	"	15
16	.040	<i>Trace</i> .210	"	.070	.320	.400	"	.050	.140	"	"	"	16
17	.060	<i>Trace</i> .350	"	<i>Trace</i> .460	.430	.220	.020	"	"	"	"	"	17
18	.070	.010	"	.220	.010	.020	.120	.180	"	"	.290	"	18
19	.010	.030	"	.180	"	.040	.040	.030	.100	"	"	"	19
20	"	.050	"	.030	"	"	.030	.240	"	.020	.010	"	20
21	.050	"	"	"	.400	"	"	.290	"	"	.040	"	21
22	.020	"	"	<i>Trace</i>	"	"	"	"	"	"	"	"	22
23	.120	"	"	.010	.420	.060	"	"	.100	"	.160	<i>Trace</i>	23
24	.060	"	"	.060	.450	.010	.130	"	.010	"	"	"	24
25	.030	<i>Trace</i>	"	.770	"	"	.320	"	"	"	.020	"	25
26	.010	.020	"	.250	"	"	.040	"	"	"	.140	<i>Trace</i>	26
27	.120	.460	"	"	.020	"	"	"	"	"	.220	.120	27
28	.050	.230	"	.040	.240	"	"	"	"	"	"	<i>Trace</i> .180	28
29	.050	"	"	"	.040	"	.070	"	"	.240	.020	<i>Trace</i>	29
30	.210	×	"	.010	"	"	"	"	"	"	"	"	30
31	.170	×	"	×	"	×	"	"	×	"	×	.020	31
TOTAL	1.180	2.320	.070	2.850	2.680	2.000	2.660	4.050	2.330	.500	1.700	.750	YEAR'S TOTAL 23.09
*Days with "or in. or more.	20	19	4	18	14	16	15	13	12	6	7	7	161
*Days with ".04 in. or more.	12	12	<i>Nil</i>	13	9	10	11	12	10	3	11	9	107

40-9999

*See Instruction 2 (1) on other side.

(Signed)

[P.T.O.]

Footnote: - Record too low. Gauge over-sheltered

Section

A

for the entry of Daily Observations.

Station No.

2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Leicester Town Hall Square.

in the County of Leicester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 211 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	060	040	.	080	400	060	.	240	110	300	.	010	1
2	050	.	.	010	150	.	.	010	190	070	030	060	2
3	.	.	.	140	010	.	.	.	.	.	.	.	3
4	010	.	.	190	.	.	.	.	020	20	230	.	4
5	170	.	040	.	030	.	.	.	050	.	.	.	5
6	140	.	080	240	.	.	.	.	400	.	.	.	6
7	.	.	200	150	.	.	.	.	020	.	.	.	7
8	010	.	.	030	.	.	.	.	040	100	.	.	8
9	030	030	.	020	060	.	.	.	010	.	.	.	9
10	080	020	.	050	TRACE	.	.	.	130	160	.	.	10
11	010	.	.	040	200	320	210	TRACE	040	020	020	.	11
12	100	.	.	.	140	.	210	.	010	240	.	.	12
13	060	060	.	060	.	.	610	.	030	000	010	.	13
14	150	.	.	030	TRACE	.	020	020	.	010	150	010	14
15	.	.	.	070	180	.	.	.	.	030	.	040	15
16	120	.	.	280	100	.	.	.	.	.	.	.	16
17	.	.	.	.	.	.	040	.	.	090	.	.	17
18	.	.	.	.	020	.	.	.	010	.	.	.	18
19	.	.	.	070	.	.	.	.	.	180	.	.	19
20	.	.	.	030	350	.	.	620	.	400	100	.	20
21	.	.	120	120	1750	.	.	330	.	280	.	060	21
22	.	.	330	050	030	.	270	.	650	040	450	.	22
23	.	.	010	020	400	.	040	.	020	040	080	060	23
24	.	.	.	.	.	.	050	.	070	090	180	.	24
25	.	040	.	.	.	.	120	.	060	270	.	.	25
26	.	.	.	360	290	.	030	.	100	.	.	.	26
27	.	.	300	140	430	.	160	.	020	.	150	.	27
28	.	.	010	100	380	170	190	660	.	080	.	.	28
29	.	.	210	070	050	070	020	010	040	250	010	040	29
30	.	X	040	.	020	400	170	120	320	420	220	140	30
31	.	X	110	X	040	X	660	.	X	.	X	040	31
TOTAL	990	190	1450	2350	5030	1020	2800	2010	2340	3170	1630	460	23440
*Days with 0.1 in. or more.	13	5	11	23	20	5	15	8	21	20	12	9	162
*Days with 0.4 in. or more.	9	3	9	17	15	5	12	5	13	17	8	7	120

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Town Hall Square, Leicester.

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 211.66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.020	.210	.060	-	-	-	-	-	-	.005	.070	-		1
2	.160	-	.270	-	.030	-	-	-	-	-	.050	-		2
3	-	.260	.080	-	.130	-	-	-	-	-	.005	-		3
4	.220	-	.030	-	.320	-	-	-	-	-	.010	-		4
5	.060	-	.120	-	.080	-	-	-	-	-	-	-		5
6	-	.180	.080	-	.390	-	-	-	-	.060	-	.030		6
7	-	.240	-	-	.020	-	-	-	-	.160	.020	-		7
8	.020	-	.030	-	.050	-	.400	-	-	-	-	-		8
9	-	-	-	-	.120	-	.160	-	-	.070	.010	-		9
10	-	-	-	-	.020	.030	-	-	-	.840	.010	-		10
11	.010	-	-	-	.005	.030	.060	-	-	-	-	-		11
12	.060	-	-	-	-	.010	.130	-	.070	-	-	.030		12
13	.030	-	-	-	.030	.050	.500	-	-	.050	.250	-		13
14	-	-	-	-	.120	-	.010	.010	-	.650	.330	.020		14
15	.420	-	-	-	-	.150	.410	.030	-	.010	.270	.010		15
16	.100	-	.130	-	.090	.150	.050	.005	-	-	.060	.005		16
17	.030	-	.320	-	-	.150	-	-	.060	-	.070	-		17
18	-	-	.030	-	-	.180	-	-	-	-	.010	-		18
19	-	.020	.300	-	-	.010	.010	-	.050	-	.030	.005		19
20	-	-	-	-	-	.010	-	.040	-	.010	.010	-		20
21	-	snow frozen	-	-	.370	.180	-	.090	.030	-	-	-		21
22	-	frozen	-	-	-	-	-	.290	-	.400	-	-		22
23	-	frozen	-	.090	-	-	-	-	.220	.005	-	.040		23
24	-	frozen	-	.070	.070	.770	-	-	.440	.080	.020	-		24
25	-	.900	-	.250	-	.130	-	-	-	-	.040	.040		25
26	-	.600	-	.060	-	-	-	-	.010	.080	-	.010		26
27	-	-	-	-	-	-	-	-	.570	-	-	-		27
28	-	-	-	.250	.010	-	-	-	-	.150	-	.050		28
29	.020	-	-	.370	-	-	.030	-	-	.100	-	.005		29
30	-	X	.130	.030	-	-	.010	-	-	.010	-	.060		30
31	-	X	.270	X	-	X	.020	.110	X	.090	X	-		31
TOTAL	1.150	2.670	1.900	1.120	1.855	1.850	1.790	.575	1.450	2.770	1.265	305	18.70	Year's Total
*Days with or in. or more.	12	9	13	7	16	13	12	7	8	17	16	12	142	
*Days with .04 in. or more.	6	7	10	6	10	8	7	4	6	12	8	4	88	

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Town Hall Square, Leicester

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 211.66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.040	-	-	-	-	-	-	.190	.020	-	.160	.260		1
2	-	.040	.050	-	-	-	-	-	.200	.030	.060	.250		2
3	.040	.040	-	-	-	-	-	-	-	.070	.040	-		3
4	.060	.020	.080	.550	.050	-	-	-	.030	-	.120	.240		4
5	-	-	.130	.040	.100	-	-	.140	-	-	.070	.120		5
6	-	-	.020	.060	.320	.010	-	.050	-	.180	-	.400		6
7	.070	-	-	-	.010	.050	-	.040	-	.060	-	.170		7
8	-	-	.060	-	.080	.020	-	.070	-	.030	.170	-		8
9	-	-	.170	.020	-	-	-	.060	-	-	.540	.280		9
10	-	-	.100	.160	-	-	-	.020	-	-	.050	.020		10
11	.540	-	.120	.310	-	-	-	.040	-	-	.100	.140		11
12	-	-	.200	-	.040	-	.050	.090	-	-	-	.030		12
13	.320	-	.010	.010	.020	-	.070	.020	-	-	-	.210		13
14	.010	-	.250	-	.040	.040	-	-	-	.170	.440	.330		14
15	.050	-	.050	-	.110	-	-	-	.070	-	.100	-		15
16	.080	-	.140	-	.140	-	-	-	-	.110	.030	.050		16
17	.140	-	.010	-	.020	-	.020	-	.060	.210	.040	.060		17
18	.090	-	.005	.190	-	-	.200	-	.030	-	-	-		18
19	-	-	.100	.060	-	.070	-	-	-	-	-	.060		19
20	-	-	.070	.130	-	-	-	.005	.020	-	-	-		20
21	-	-	-	-	-	.200	-	.260	-	.040	-	-		21
22	-	-	-	-	-	-	-	-	.100	-	-	.050		22
23	-	-	-	.360	.020	.090	.230	-	.030	-	-	-		23
24	-	.250	.120	.020	-	.030	.050	-	.350	.040	-	-		24
25	.180	-	-	-	-	-	-	-	.010	.070	-	.280		25
26	.040	-	.040	.200	-	.040	.010	-	.080	-	-	.160		26
27	.010	.180	-	.250	-	-	.030	.280	-	.040	-	.100		27
28	-	-	-	.760	-	.040	-	.370	-	.040	-	.330		28
29	-	-	-	-	-	-	.060	-	.330	.020	-	.040		29
30	.050	X	-	-	-	-	.010	-	.020	-	-	.240		30
31	.010	X	-	X	-	X	-	-	X	.230	X	.050		31
TOTAL	1.730	.530	1.725	3.120	.950	.590	.730	1.635	1.350	1.340	1.920	3.870	19.490	
* Days with .01 in. or more.	16	5	18	15	12	10	10	14	14	15	13	23	165	
* Days with .04 in. or more.	13	4	15	12	8	7	6	11	7	12	12	21	128	

Section



for the entry of Daily Observations.

Station No.

2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Town Hall Square, Leicester...

in the County of Leicestershire.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0....in.

,, Ground ,, Sea Level 211.66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.300	-	.240	.110	-	.060	.020	-	.160	.130	.120	.080		1
2	-	-	-	.020	-	.070	-	-	.270	.180	-	.260		2
3	-	.120	.040	.020	-	.020	-	-	.300	.380	.180	.020		3
4	-	-	.040	.120	-	.160	-	-	.040	.050	-	-		4
5	-	.460	.060	.100	-	.270	.010	-	.010	-	.060	-		5
6	.010	.020	.030	.180	-	.160	-	-	-	-	-	-		6
7	.020	-	-	.350	-	.080	-	-	-	.150	.460	.180		7
8	-	-	-	.150	-	.050	-	-	-	.080	.100	.120		8
9	-	-	-	.120	-	.160	-	-	-	.440	.350	.020		9
10	-	-	-	.170	-	-	-	-	-	-	-	.030		10
11	.100	-	-	-	-	.060	.040	.010	-	-	.240	.020		11
12	-	.050	-	-	-	.200	-	.050	.010	-	-	-		12
13	.070	.040	-	.080	.120	-	-	-	-	.020	-	.010		13
14	-	-	-	.040	.240	.010	.070	-	.010	-	.680	.130		14
15	-	.140	-	.690	.030	.370	-	-	.360	-	.220	.380		15
16	-	.080	.120	.200	-	.540	-	-	.370	.200	.540	.020		16
17	-	-	-	.170	-	.100	.040	-	-	.040	.450	-		17
18	-	-	-	.190	.020	.040	.050	-	.300	.060	-	-		18
19	.020	-	-	.070	.340	.280	.060	-	.040	.040	.200	-		19
20	.030	.200	-	.380	.020	.180	.120	-	-	-	.060	-		20
21	-	.280	.030	.030	-	-	-	-	.480	.040	.070	-		21
22	-	.130	-	.100	-	-	-	.040	.060	-	.010	-		22
23	-	.020	.230	-	-	-	-	.780	.100	.190	-	-		23
24	.100	.160	.060	-	-	-	-	-	.620	-	-	.400		24
25	.160	.050	-	.060	-	1.700	-	-	-	-	-	.060		25
26	-	-	-	-	-	-	-	.210	.270	.010	-	.470		26
27	-	.280	-	-	-	-	-	-	.020	.050	.220	1.130		27
28	-	.070	-	-	.060	-	-	1.240	.040	.010	-	.100		28
29	-	XXX	.050	-	.120	-	-	-	.120	.040	.010	.120		29
30	.070	X	-	.080	.020	-	-	.440	.100	.160	.150	.070		30
31	-	X	-	X	-	X	-	-	X	.560	X	.110		31
TOTAL	.880	2.100	.900	3.430	.970	4.510	.410	2.770	3.680	2.830	4.120	3.730	30.330	
* Days with .01 in. or more.	10	15	10	22	9	19	8	7	20	20	18	20	178	
* Days with .04 in. or more.	6	13	8	19	5	17	6	6	16	17	16	14	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hecester Town Hall.....

in the County of hemp.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1..ft....0...in.

Ground Sea Level 211.66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.06	.08	.48	-	.05	.13	.22	-	-	.030	.060		1
2	.04	-	.07	.06	-	.76	.46	.03	-	-	.160	.050		2
3	-	.05	-	-	-	.17	.01	.06	.22	-	.020	-		3
4	.01	-	.11	-	-	.14	-	.05	.32	-	.020	.050		4
5	.04	.02	.09	-	-	-	.10	.02	.12	.010	-	.130		5
6	-	-	-	-	.18	.11	.12	.15	.19	.010	.050	-		6
7	.30	-	.01	-	-	-	.31	-	.04	-	.010	-		7
8	.22	-	.12	-	-	-	-	-	.01	.020	.100	.060		8
9	.29	-	.02	-	-	.06	.40	-	-	.120	-	-		9
10	-	-	-	.01	-	-	.35	.39	-	.010	-	-		10
11	-	-	-	.10	-	.02	.10	-	.12	-	.220	-		11
12	-	-	-	.13	.01	.29	.65	-	.43	-	.030	.050		12
13	-	-	-	.10	-	.10	-	-	-	.050	.050	.320		13
14	-	-	-	.23	-	.08	.34	-	.23	.020	.010	.380		14
15	-	.02	-	.02	-	.03	.12	-	-	-	.100	.090		15
16	.18	.07	-	-	-	-	.06	-	-	-	.470	-		16
17	-	.43	-	-	-	-	.02	-	-	.150	.060	.070		17
18	-	.02	-	-	-	.08	.19	-	-	.120	-	.040		18
19	.46	.11	.01	.38	-	.54	-	.16	-	.050	-	-		19
20	.02	.04	-	.02	-	-	-	.02	-	-	-	-		20
21	.16	-	-	.16	-	.85	-	-	-	-	-	-		21
22	-	.64	.04	-	.22	-	.19	-	-	-	.020	.040		22
23	-	.20	.13	.13	.07	-	.21	-	-	.030	.010	-		23
24	.16	.16	-	-	.02	-	-	-	.07	.350	-	-		24
25	.06	-	.10	.25	-	.49	.02	-	.26	.040	-	-		25
26	-	.05	.25	.03	-	-	.01	-	.02	.050	.010	-		26
27	.03	-	-	-	-	-	-	-	.11	.140	-	-		27
28	.43	.21	.08	-	-	-	-	-	.03	-	-	.060		28
29	.58	.33	.05	-	-	.09	-	-	-	.050	.430	.070		29
30	.06	~~X~~	-	-	.17	.10	.08	-	-	.120	.030	-		30
31	.62	~~X~~	.06	~~X~~	-	~~X~~	.02	-	~~X~~	.100	~~X~~	.180		31
TOTAL	3.66	2.31	1.22	2.10	.67	3.96	3.79	1.10	2.17	1.440	1.830	1.650	25.900	
* Days with .01 in. or more.	17	15	15	14	6	17	21	9	14	18	19	15	180	
* Days with .04 in. or more.	14	12	12	10	4	15	16	6	11	10	9	15	136	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required
(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No. 2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937. 100

Kept at Leicester (Town Hall sq.)

in the County of Leicestershire.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.....in.

Ground Sea Level...211.66...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.060	-	-	-	-	-	-	-	.070	-	.150	.200		1
2	-	.040	.020	.450	-	-	-	-	-	-	-	.260		2
3	-	.030	-	-	.200	-	-	-	.040	-	-	.100		3
4	.060	.030	-	-	.140	-	-	.270	-	-	-	.540		4
5	.420	-	.190	-	-	-	-	.030	-	-	-	-		5
6	.130	-	.130	-	.080	-	-	-	-	-	-	-		6
7	-	.470	.150	.140	.040	-	-	-	-	.010	-	-		7
8	-	.140	-	-	-	-	.020	-	-	-	.360	-		8
9	-	-	-	.120	.190	-	.350	-	.100	-	-	.100		9
10	-	.050	.180	.380	-	.200	-	-	-	-	-	.040		10
11	-	-	.520	-	.360	.020	.020	.010	-	-	-	.100		11
12	.040	.290	.080	-	.540	.020	-	.190	.120	-	-	.140		12
13	.040	.040	.060	.010	.010	.330	-	.100	.030	-	-	-		13
14	-	.010	.210	.010	-	-	-	.090	.010	-	-	.080		14
15	.170	.030	.040	.220	-	-	2.750	-	.160	-	-	-		15
16	.020	.320	.310	.320	-	-	-	.110	.180	-	-	-		16
17	.100	-	.230	.240	-	-	-	-	.150	-	-	-		17
18	.440	.060	.190	.040	-	-	.020	-	.100	-	.360	-		18
19	.010	.060	.010	.090	-	.200	.320	-	-	-	.060	-		19
20	.180	.100	.040	.330	.520	.190	-	-	.020	.010	-	.010		20
21	.050	.150	.150	.010	-	-	.270	.040	-	-	-	-		21
22	.110	.550	.020	.020	.080	-	.200	-	-	.340	.160	-		22
23	.170	-	.020	-	.040	-	.010	-	-	.640	.110	-		23
24	.320	.180	.060	-	.010	-	.050	-	-	.160	-	-		24
25	.180	.250	.070	-	.160	-	-	-	.010	.060	-	-		25
26	-	.210	.080	-	.500	-	-	-	-	-	-	-		26
27	-	.200	.040	.240	-	-	-	-	-	.690	-	-		27
28	-	.210	-	-	-	-	-	-	-	.020	-	.040		28
29	.050	X	-	-	-	.010	-	-	-	.020	.060	.020		29
30	.260	X	-	-	-	-	-	-	-	.010	.080	.020		30
31	.250	X	-	X	-	X	-	-	X	.120	X	.010		31
TOTAL	3.060	2.870	2.850	2.620	2.870	0.970	4.010	.840	0.990	3.080	.340	1.660	27.160	Year's Total
* Days with .01 in. or more.	20	20	22	15	14	7	10	8	12	11	8	14	161	
* Days with .04 in. or more.	18	16	18	11	12	4	6	6	8	6	8	10	123	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

City Engineer & Surveyor.

Sec. **A**

for the entry of Daily Observations

Station No. **2502**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938Kept at Leicester, Town Hall Squarein the County of LeicesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level 211.66.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	.320	.020	-	.010	.080	-	.090		1
2	.040	.010	-	.020	-	.360	-	-	-	.120	-	-		2
3	.020	-	-	-	-	.020	.030	-	-	.370	.040	-		3
4	-	-	-	.020	-	.010	.230	1.180	-	.060	-	.290		4
5	.010	-	-	.020	-	-	.050	.020	.020	.010	-	-		5
6	-	-	-	-	-	.020	.190	-	.490	.100	-	-		6
7	.260	-	-	-	-	.040	.170	.060	.060	.050	-	.040		7
8	.220	-	-	-	-	-	.140	.020	-	.220	-	-		8
9	.040	.120	-	-	-	-	.050	.180	-	Nil	-	.260		9
10	-	.020	-	-	-	.050	.180	.080	-	-	-	.050		10
11	.320	.010	-	-	-	-	.020	-	-	.020	.090	-		11
12	.120	.020	-	-	.080	-	.020	.220	-	.300	.020	-		12
13	.010	.120	-	-	-	-	-	-	-	.010	.090	.210		13
14	.230	.010	-	-	.060	-	.520	-	.100	-	-	-		14
15	.200	-	-	-	-	-	.220	.010	-	-	-	.230		15
16	.130	-	-	-	-	-	.070	-	-	-	-	.210		16
17	-	.060	-	-	.030	-	.120	-	-	.100	.010	-		17
18	.030	-	-	-	.290	.010	.010	.020	.370	-	.360	-		18
19	-	-	-	-	-	-	.090	.120	-	.080	.010	snow		19
20	-	-	-	-	-	-	-	.020	-	.340	.070	"		20
21	-	-	-	-	-	-	.020	-	-	.020	.080	"		21
22	-	-	-	-	-	.020	-	.150	-	-	.260	.300	"	22
23	-	-	-	-	.010	-	-	-	.010	-	-	.060		23
24	-	-	.030	-	.030	-	.030	-	.280	-	-	.030		24
25	.130	.070	.060	-	-	-	.010	.010	-	.090	.240	-		25
26	-	.210	.140	-	-	-	-	-	.010	.010	-	.220		26
27	.060	-	-	-	.260	.120	.170	.080	.350	.030	.310	-		27
28	.120	-	-	-	.290	.060	.100	1.250	-	-	.100	.140		28
29	.460	X	-	-	.360	-	.030	-	-	.030	.090	.090		29
30	.040	X	-	-	.020	.160	-	-	.240	-	.180	.060		30
31	.140	X	-	X	.150	X	.020	-	X	.150	X	.360		31
TOTAL	2.580	.650	.230	.060	1.580	1.190	2.400	3.390	2.080	1.750	2.230	2.800	20.940	Year's Total
* Days with .01 in. or more.	19	10	3	3	11	12	22	15	13	17	15	19	159	
* Days with .04 in. or more.	15	5	2	0	7	7	13	9	8	11	12	17	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

City Engineer & Surveyor.

[P.T.O.]

28

Section

A

for the entry of Daily Observations

Station No. 2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Leicester, Town Hall Square
in the County of Leicestershire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

TRAVELLING
VALUES FORWARDED MONTHLY

M. R. R. R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.080	Nil	Nil	.020	.020	Nil	Nil	.280	.060	.020	Nil	Nil		1
2	.060	Nil	Nil	.120	.010	Nil	Nil	.270	.320	.020	.030	Nil		2
3	.130	Nil	Nil	.360	Nil	Nil	Nil	.420	Nil	Nil	.170	.270		3
4	.040	Nil	.260	.270	.010	Nil	.020	.650	.030	.120	.050	.170		4
5	Nil	Nil	Nil	.120	.180	Nil	.020	1.040	Nil	.100	.220	.170		5
6	.350	Nil	.010	Nil	Nil	Nil	.250	Nil	Nil	Nil	.020	Nil		6
7	.130	.040	Nil	Nil	Nil	Nil	.200	Nil	Nil	Nil	.270	.150		7
8	Nil	.020	.220	Nil	Nil	Nil	.200	.200	Nil	.410	.030	.330		8
9	Nil	.120	Nil	Nil	Nil	Nil	.040	.180	Nil	.250	Nil	.200		9
10	.320	Nil	.010	Nil	Nil	Nil	Nil	.200	.020	.020	Nil	Nil		10
11	Nil	Nil	.180	Nil	Nil	.180	Nil	Nil	.020	.040	Nil	Nil		11
12	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil		12
13	Nil	Nil	Nil	Nil	.010	.020	.030	Nil	.060	.280	Nil	Nil		13
14	.340	Nil	.010	.140	.300	.100	.140	Nil	Nil	.240	.050	Nil		14
15	.390	Nil	.020	Nil	.100	.240	.560	Nil	.020	.440	.030	Nil		15
16	.100	Nil	.090	.060	.290	.200	.050	Nil	Nil	.050	.130	Nil		16
17	.340	.020	Nil	.010	.070	Nil	.200	Nil	Nil	1.250	Nil	Nil		17
18	Nil	.010	.040	Nil	Nil	.280	.180	Nil	Nil	Nil	.580	Nil		18
19	.250	Nil	Nil	Nil	Nil	.010	.600	Nil	Nil	Nil	Nil	Nil		19
20	.070	Nil	Nil	Nil	.040	.060	.010	.020	Nil	Nil	Nil	Nil		20
21	.150	.180	.120	.010	Nil	.030	Nil	.200	.040	Nil	Nil	Nil		21
22	.130	.130	.020	Nil	Nil	Nil	.250	Nil	.020	Nil	.280	Nil		22
23	.030	Nil	Nil	.140	Nil	Nil	.100	Nil	Nil	.050	.680	Nil		23
24	Nil	Nil	Nil	.030	Nil	.030	.500	Nil	Nil	.010	Nil	Nil		24
25	1.150	.060	.030	Nil	Nil	Nil	.050	.070	Nil	Nil	.320	Nil		25
26	.140	.010	Nil	.010	Nil	Nil	Nil	.030	Nil	.070	.180	.030		26
27	Nil	.130	.130	.020	Nil	Nil	.040	.160	Nil	.100	.020	Nil		27
28	.030	.190	.100	.050	Nil	.010	.040	.030	Nil	Nil	.180	.010	snow	28
29	Nil	X	Nil	.250	Nil	Nil	.120	.820	Nil	.300	.020	Nil		29
30	Nil	X	Nil	.140	Nil	.030	Nil	Nil	Nil	Nil	.050	Nil		30
31	Nil	X	Nil	X	Nil	X	Nil	.060	X	Nil	X	Nil		31
TOTAL	4.230	.910	1.240	1.750	1.030	1.190	3.600	4.630	.590	3.770	3.310	1.330	Year's Total	27.580
* Days with .01 in. or more.	19	11	14	16	10	12	21	16	8	18	19	8		173
* Days with .04 in. or more.	17	7	8	10	6	6	17	13	4	14	13	6		121

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [Signature] [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2502

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934-0.

Kept at Leicestershire Town Hall Square
in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground....1.....ft.....in.
Ground Sea Level ..211.66..ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Nil	.450	Nil	.030	Nil	Nil	Nil	Nil	Nil	Nil	.150	Nil		1
2	Nil	Nil	Nil	.260	Nil	Nil	Nil	Nil	Nil	.070	.550	.040		2
3	Nil	.180	Nil	.070	Nil	Nil	Nil	Nil	Nil	.120	.660	.060		3
4	Nil	.140	Nil	.010	Nil	Nil	.040	Nil	Nil	.160	.300	.050		4
5	Nil	Nil	Nil	Nil	.020	Nil	Nil	Nil	Nil	.080	.140	.050		5
6	.060	.200	Nil	Nil	Nil	Nil	.090	Nil	Nil	.260	.030	.020		6
7	.050	.160	Nil	.060	.020	Nil	Nil	Nil	.020	Nil	Trace	.030		7
8	Nil	Nil	Nil	.005	Nil	Nil	.070	Nil	Nil	.050	.020	.260		8
9	Nil	Nil	.090	Nil	Nil	.040	.050	.020	.010	.030	.160	.150		9
10	Nil	Nil	.005	Nil	Nil	Nil	1.080	.100	Nil	.005	.140	.440		10
11	Nil	Trace	.050	.020	Nil	.260	.200	Nil	Nil	Nil	.540	.020		11
12	Nil	Trace	.070	Nil	Nil	Nil	.280	Nil	.020	Nil	.030	Nil		12
13	Nil	.080	.390	.040	Nil	Nil	Nil	Nil	.240	Nil	Nil	Nil		13
14	Nil	Nil	.030	.100	.220	Nil	Nil	.005	.030	Nil	Nil	.340		14
15	Nil	Nil	.020	.040	.010	.070	.005	Nil	.030	.180	.060	Nil		15
16	(.05) Nil	.380	.350	.030	Nil	.010	.310	Nil	.070	.880	.620	Nil		16
17	Nil	Nil	.480	Nil	Nil	Nil	Nil	Nil	Nil	Trace	Nil	Nil		17
18	(.05) Nil	.460	.250	.320	Nil	Nil	Nil	.040	.060	.110	Trace	.050		18
19	Nil	.250	.080	.150	Nil	Nil	.320	Nil	.090	Nil	.120	.030		19
20	Nil	Nil	Nil	.040	Nil	Trace	.360	.050	Nil	.070	.030	Nil		20
21	Nil	Nil	Nil	Nil	.020	.260	Trace	Nil	Nil	.070	1.360	Nil		21
22	Nil	Nil	.020	Nil	.200	.220	Nil	.020	.100	Nil	Trace	Nil		22
23	Nil	.120	.020	.040	.230	.120	Nil	Nil	Nil	.070	Nil	.040		23
24	Trace	Nil	Nil	.020	Nil	Nil	.050	Nil	Nil	Trace	Nil	Nil		24
25	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.040	Nil	Nil		25
26	(.80) 2.60	.060	Nil	Nil	.020	.020	.430	Nil	Nil	Nil	Trace	Nil		26
27	(.55) 3.60	.080	.005	Nil	Nil	Nil	.070	Nil	Nil	Nil	.020	Nil		27
28	(.54) 3.40	.380	Nil	Nil	.100	Nil	Trace	Nil	Nil	Nil	Nil	Nil		28
29	Nil	Nil	.120	.010	.100	Nil	Nil	Nil	Nil	Nil	Nil	Nil		29
30	.030	X	Nil	.590	Nil	Nil	Nil	Nil	Nil	.430	Nil	.070		30
31	Nil	X	.020	X	Nil	X	Nil	Nil	X	.720	X	Nil		31
TOTAL	(210) 1.100	3.040	2.000	1.835	.940	1.000	3.355	.235	.670	3.345	4.930	1.650	Year's Total 25.39	
* Days with .01 in. or more.	8	13	14	18	10	8	13	5	10	17	17	15	148	
* Days with .01 in. or more.	7	13	9	11	5	6	13	3	5	15	12	11	110	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

2502/4

LEICESTER, WOODVILLE RD

AUG 1937-1940

	Jan	Feb	Mar						ov	Dec	
1									14	.09	
2									-	.27	
3									-	.12	
4									rf	<u>.51</u>	
5									-	.02	
6							-	-	-	.02	
7							-	-	Tr	-	
8							-	-	Tr	.33	Tr
9							-	.11	-	-	.09
10							-	-	-	-	.04
11							.04	-	-	-	.16
12							-	.15	-	-	.13
13							<u>.35</u>	.04	-	-	.01
14							.07	.01	-	Tr	.08
15							-	.08	-	Tr	Tr
16							.12	.07	-	-	.01
17							-	<u>.24</u>	-	-	-
18							-	.23	-	<u>.39</u>	-
19							-	-	.01	.08	-
20							-	-	Trf	-	<u>.03</u>
21							-	-	-	Tr	.01
22							-	-	.35	.14	-
23							-	-	.66	.13	Tr
24							-	-	.12	-	.01
25							-	Tr	<u>.92</u>	-	} .03
26							-	-	-	.01	
27							-	-	.80	-	
28							-	-	.01	-	.03
29							-	-	Tr	.06	.02
30							-	-	-	.10	.02
31							-	X	.08	X	.02
Total							.58	1.05	2.95	1.38	1.72
+01							4	10	8	9	
+04							4	8	6	8	

1937

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
1								-	.11	-	.14	.09	
2								-	Tr	-	-	.27	
3								-	.01	-	-	.12	
4								-	-	-	Trf	<u>.51</u>	
5								-	-	-	-	.02	
6								-	-	-	-	.02	
7								-	-	Tr	-	-	
8								-	-	Tr	.33	Tr	
9								-	.11	-	-	.09	
10								-	-	-	-	.04	
11								.04	-	-	-	.16	
12								-	.15	-	-	.13	
13								<u>.35</u>	.04	-	-	.01	
14								.07	.01	-	Tr	.08	
15								-	.08	-	Tr	Tr	
16								.12	.07	-	-	.01	
17								-	<u>.24</u>	-	-	-	
18								-	.23	-	<u>.39</u>	-	
19								-	-	.01	.08	-	
20								-	-	Trf	-	<u>.03</u>	
21								-	-	-	Tr	.01	
22								-	-	.35	.14	-	
23								-	-	.66	.13	Tr	
24								-	-	.12	-	.01	
25								-	Tr	<u>.92</u>	-	} .03	
26								-	-	-	.01		
27								-	-	.80	-		
28								-	-	.01	-	.03	
29								-	-	Tr	.06	.02	
30								-	-	-	.10	.02	
31								-	X	.08	X	.02	
Total								.58	1.05	2.95	1.38	1.72	
+01								4	10	8	9		
+04								4	8	6	8		

1938

1938

RAINFALL FOR THE YEAR 1939

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
1	.07	-	-	.03	.02	-	-	.34	.21	.01	-	-	
2	.06	-	-	.07	-	-	.02	.28	<u>.53</u>	.02	.03	.02	
3	.27	-	-	<u>.33</u>	-	-	-	.44	.01	-	.16	.24	
4	.20	-	<u>.29</u>	.28	Tr	-	.03	<u>.55</u>	.05	.09	.05	.20	
5	-	-	-	.11	.20	-	.03	.53	-	.07	.22	.19	
6	.41	-	.01	Tr	Tr	-	.23	-	-	.04	.03	-	
7	.16	.04	-	-	-	-	.19	-	-	.01f	.25	.14	
8	-	.03	.21	-	-	-	.30	.19	-	.13	.05	<u>.33</u>	
9	.04	.13	.01	-	-	Tr	.03	.15	-	.33	.01	.22	
10	.32	-	.03	-	-	Tr	-	.34	.02	.02	Tr	Tr	
11	-	Tr	.17	-	Tr	.18	-	Tr	.01	.01	Tr	-	
12	-	.02	.01	-	.01	-	-	-	-	.01	-	-	
13	.01	-	-	.02	.02	.04	.03	-	.04	.26	-	-	
14	.31	-	.01	.14	<u>.30</u>	.09	.27	-	-	.30	.06	-	
15	.32	-	.04	.02	.10	.18	.50	-	.03	.41	.02	-	
16	.10	Tr	.08	.04	<u>.30</u>	.23	.21	-	-	-	.15	-	
17	.35	.04	.02	.01	.06	-	.26	-	-	<u>1.39</u>	.01	-	
18	.01	.03	.05	-	-	<u>.26</u>	.16	-	Tr	.01	.58	-	
19	.22	-	-	-	-	.02	.52	-	-	-	-	Tr	
20	.04	Tr	.03	-	.06	.05	.24	.05	Tr	-	-	Tr	
21	.18	.14	.14	.02	-	.05	.05	.16	.06	-	-	-	
22	.13	.12	.03	Tr	-	Tr	.92	Trf	.03	-	.29	.01	
23	.05	-	-	.13	-	.01		Trf	Tr	.05	<u>.61</u>	.01	
24	.07	.01	-	.01	-	.04		.01	-	.02	Tr	-	
25	<u>1.00</u>	.07	.05	-	-	-		.05	-	Tr	.37	.02	
26	.17	.01	.01	.01	-	-		.02	Tr	.10	.17	Tr	
27	.02	.14	.16	.04	-	-		.26	-	.06	.02	.03 _s	
28	.03	<u>.20</u>	.11	.05	-	.05		.03	-	Tr	.19	.01 _s	
29	-	X	-	.23	-	-		.24	-	.29	.02	-	
30	-	X	-	.15	-	.03	-	-	-	-	.06	Tr	
31	-	X	-	X	-	X	-	.03	X	-	X	Tr	
Total	4.54	.98	1.46	1.69	1.07	1.23	3.99	3.67	.99	3.63	3.35	1.42	28.02
+01	24	13	19	18	9	13	41	low 17.00	10	21	21	12	
+04	20	8	10	11	6	10	13	low 13.00	5	13	14	6	

RAINFALL FOR THE YEAR 1940

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
1	-	.09	-	.02	-	-	-	-	-	-	.16	.01	
2	Tr	.01	-	.24	-	-	-	-	-	-	.63	.04	
3	-	.20	-	.08	-	-	-	-	-	.22	.48	.08	
4	-	.20	-	Tr	-	-	.09	-	-	.15	.50	.05	
5	-	-	-	-	.02	-	.01	-	-	.10	.15	.07	
6	.09	.21	-	-	Tr	-	.19	-	-	.29	.05	Tr	
7	.05	.14	-	.06	.02	-	.02	-	.03	-	-	.02	
8	Tr	-	-	Tr	-	-	.01	-	-	.07	.02	.26	
9	-	-	.11	.01	-	.06	.04	.01	.02	.06	.19	.15	
10	-	-	Tr	-	-	-	<u>.90</u>	<u>.10</u>	-	.01	.15	<u>.42</u>	
11	-	-	Tr	.02	-	.17	.11	-	-	Trf	.52	.12	
12	-	Tr	.13	-	-	-	.29	-	.05	-	.04	-	
13	-	.08	.40	.03	-	-	-	Tr	.21	-	-	.01	
14	.03	-	.03	.08	.25	-	-	.01	.02	.01	-	.32	
15	-	-	.01	.02	.01	.06	.02	-	.03	.07	.07	-	
16	.04	.35	.28	.01	-	.01	.28	-	.09	<u>.90</u>	.56	-	
17	-	~~.23~~	<u>.50</u>	-	-	-	.01	-	-	Tr	.01	-	
18	.02	~~.44~~	.24	.30	-	-	-	.05	Tr	.13	.02	.07	
19	-	.20	.07	.17	-	-	.42	-	<u>.27</u>	Tr	.12	.03	
20	-	~~.2~~	-	.05	-	.02	.36	.05	-	.07	.03	-	
21	.12	~~.02~~	-	-	.04	.07	Tr	-	-	.07	<u>1.39</u>	-	
22	-	<u>.01</u>	.01	-	.18	<u>.32</u>	-	.05	.16	.01	-	-	
23	-	.19	.03	.04	<u>.33</u>	.17	-	Tr	-	.07	.01	.04	
24	.03	Tr	-	.04	-	-	.06	-	-	.01	.01	-	
25	-	-	-	Tr	-	-	Tr	-	-	.04	-	-	
26	<u>.78</u> _s	.08	-	-	.03	.02	.45	-	-	.01	.01	-	
27	<u>.68</u> _s	.02	-	Tr	-	-	.21	.01	-	-	.03	-	
28	<u>.37</u> _s	<u>.52</u>	-	Tr	.13	-	-	.01	-	-	-	Tr	
29	-	-	.11	.01	.32	-	-	-	-	-	-	.35	
30	.07	X	-	<u>.57</u>	-	-	-	-	-	.45	Tr	.15	
31	-	X	.02	X	-	X	-	-	X	.64	X	-	
Total	2.28	2.99	1.94	1.75	1.33	.90	3.47	.29	.88	3.38	5.15	2.19	26.55
+01	11	17	13	17	10	9	17	8	9	20	22	17	170
+04	8	13	8	10	6	6	12	4	5	15	14	13	114

1940

REGISTER

Kept at CITY MENTAL HOSPITAL H
in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge 8 in
Height of top of Gauge above Ground 1
Ground Sea Level 2002 ft. |

2503 -
LEICESTER - TOWERS HOSPITAL

1931 - 1940

78 04 09

1931 1940
1931

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		<u>.11</u>	.02		.07			.37	.01			1
2	.03	.07		<u>.63</u>	.01	.08			.46	.08	.15	.03	2
3	.03	.01		.07		.01	.03		<u>.70</u>		.29	.07	3
4		.06		.14			.57	.13	<u>.15</u>		.07		4
5		.02		.05	.03	<u>.82</u>			.15			<u>.30</u>	5
6		.16				.08				.20	.18		6
7							.06	.45		.03	.08	.01	7
8	.03	.07	.04	.04	.06	.02	.05	.70			.09		8
9		.19	.04	.03			.01	.19			.20		9
10	.02		.01		.01	.02		.20					10
11	.06	.25				.06	.03		.22		.04		11
12	.05	.07					.38		.20				12
13		.01	.02	.01			.14	.09	.02				13
14	.01	.05				.20	<u>1.24</u>	<u>1.18</u>	.01		.05		14
15	.01	.15		.17	.25		.05	.13				.02	15
16	.03	.21		.08	.50	.45	.01	.10	.20				16
17	.13	.33		.46	<u>.55</u>	.11	.02						17
18	.06	.02		.30		.04	.10	.19			<u>.32</u>		18
19	.04	.03		.22	.01	.07	.04	.03	.05	.02			19
20	.01	.06		.04				.24		.02		.01	20
21	.09				.45			.28			.08		21
22	.05			.01									22
23	.17		.01	.02	.46	.09			.19		.12		23
24	.04			.07	.42		.15		.01				24
25	.10	.02		<u>.63</u>	.01		.48				.02		25
26	.04	.03		.24			.07				.16	.005	26
27	.13	<u>.51</u>			.05					.03	.26	.21	27
28	.05	.23		.05	.19							.15	28
29	.11				.02		.07			<u>.22</u>	.03		29
30	<u>.26</u>	×											30
31	.25	×		×		×			×		×		31
TOTAL	1.81	2.61	.23	3.28	3.02	2.12	3.50	3.91	2.73	.61	2.14	.805	YEAR'S TOTAL 26.768
*Days with "or in. or more.	25	21	6	20	15	14	18	13	13	8	16	8	177
*Days with "or in. or more.	16	14	3	15	9	11	13	12	10	3	14	4	124

REGISTER OF RAINFALL IN 1931.

Kept at CITY MENTAL HOSPITAL HUMBERSTONE
in the County of LEICESTERSHIRE.

Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. 7 in.
Ground Sea Level 266 1/2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		<u>.11</u>	.02		.07			.37	.01			1
2	.03	.07		<u>.63</u>	.01	.08			.46	.08	.15	.03	2
3	.03	.01		.07		.01	.03		<u>.70</u>		.29	.07	3
4		.06		.14			.57	.13	<u>.15</u>		.07		4
5		.02		.05	.03	<u>.82</u>			.15			<u>.30</u>	5
6		.16				.08				.20	.18		6
7							.06	.45		.03	.08	.01	7
8	.03	.07	.04	.04	.06	.02	.05	.70			.09		8
9		.19	.04	.03			.01	.19			.20		9
10	.02		.01		.01	.02		.20					10
11	.06	.25				.06	.03		.22		.04		11
12	.05	.07					.38		.20				12
13		.01	.02	.01			.14	.09	.02				13
14	.01	.05				.20	<u>1.24</u>	<u>1.18</u>	.01		.05		14
15	.01	.15		.17	.25		.05	.13				.02	15
16	.03	.21		.08	.50	.45	.01	.10	.20				16
17	.13	.33		.46	.55	.11	.02						17
18	.06	.02		.30		.04	.10	.19			<u>.32</u>		18
19	.04	.03		.22	.01	.07	.04	.03	.05	.02			19
20	.01	.06		.04				.24		.02		.01	20
21	.09				.45			.28			.08		21
22	.05			.01									22
23	.17		.01	.02	.46	.09			.19		.12		23
24	.04			.07	.42		.15		.01				24
25	.10	.02		<u>.63</u>	.01		.48				.02		25
26	.04	.03		.24			.07				.16	.005	26
27	.13	<u>.51</u>			.05					.03	.26	.21	27
28	.05	.23		.05	.19							.15	28
29	.11				.02		.07			<u>.22</u>	.03		29
30	<u>.26</u>	×											30
31	.25	×		×		×			×		×		31
TOTAL	1.81	2.61	.23	3.28	3.02	2.12	3.50	3.91	2.73	.61	2.14	.805	YEAR'S TOTAL 26.768
*Days with "or in. or more.	25	21	6	20	15	14	18	13	13	8	16	8	177
*Days with "04 in. or more.	16	14	3	15	9	11	13	12	10	3	14	4	124

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at CITY MENTAL HOSPITAL HUMBERSTONE
in the County of LEICESTERSHIREDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 7 in.,, Ground ,, Sea Level 266 1/2 ft.CITY MENTAL HOSPITAL,
HUMBERSTONE, LEICESTERSHIRE
RECEIVED
29 DEC 1932
CLERK & STENOGRAPHER'S OFFICE.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.04	-	.10	.44	.09	-	.12	.14	.32	-	-	1
2	.06	-	-	-	.18	-	-	.09	.10	.04	.02	.09	2
3	-	-	-	.14	.03	-	-	-	-	.01	-	-	3
4	.02	-	-	.18	-	-	-	-	.03	-	.33	-	4
5	.23	-	.05	-	.06	-	-	-	.06	-	-	-	5
6	.19	-	.08	.18	-	-	-	-	.38	-	-	-	6
7	-	-	.21	.32	-	-	-	-	.04	-	-	-	7
8	-	.01	-	.10	-	-	-	-	-	.10	.01	.03	8
9	.05	.06	-	.04	.01	-	-	-	-	-	-	-	9
10	.05	.04	-	.04	.04	-	-	-	.22	.15	-	-	10
11	.01	.02	.01	.04	.19	.62	.34	-	-	.03	.02	-	11
12	.10	-	-	-	.14	-	.08	.01	.02	.33	.03	-	12
13	.06	.04	-	.04	-	-	.50	-	.03	.06	.02	.01	13
14	.14	-	-	.02	-	-	.03	.15	-	.03	.09	-	14
15	-	-	-	.05	.22	-	-	-	-	.03	-	.04	15
16	.15	-	-	.35	.14	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	.06	-	-	.13	-	-	17
18	-	-	-	-	.02	-	-	-	.02	-	-	-	18
19	-	-	-	.04	-	-	-	-	-	.19	-	-	19
20	-	-	-	.08	.24	-	-	.55	-	.59	.11	-	20
21	-	-	.20	.16	1.92	-	-	.41	-	.23	-	.05	21
22	-	-	.23	.05	.06	-	.48	-	.42	.06	.43	.08	22
23	-	-	-	-	.38	-	.05	-	.03	-	.04	-	23
24	.04	-	-	-	.01	-	.09	-	.15	.02	.16	.10	24
25	-	.04	-	-	-	-	.14	-	.09	.18	.01	.01	25
26	-	-	-	.42	.31	-	.03	-	.11	.02	.02	-	26
27	-	-	.29	.13	.56	-	.20	-	.03	-	.18	-	27
28	-	-	.01	.08	.46	.40	.21	.56	-	-	.01	-	28
29	-	-	.20	.11	.15	.09	.01	.02	.04	.40	-	.03	29
30	-	X	.05	-	.46	.41	.01	.11	.34	.28	.34	.18	30
31	-	X	.19	X	.05	X	.48	-	X	-	X	.05	31
TOTAL	1.22	0.28	1.52	2.43	6.06	1.61	3.04	2.02	2.61	3.23	1.45	0.40	YEAR'S TOTAL 26.84
*Days with ".01 in. or more.	13	4	11	21	22	5	15	9	18	20	16	11	164
*Days with ".04 in. or more.	11	5	9	20	18	5	11	4	12	14	8	4	124

40-9999

*See Instruction 2 (f) on other side,

(Signed)

Edgar Muston
Clerk & Steno.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2503

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at City Mental Hospital, Humberstone, 906 sent re heavy fall on 23/6/33. Observer says it should be on 24th as was a thunderstorm.

in the County of Leicestershire

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 266½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.22	.08	-	-	-	-	-	-	.01	.05	-		1
2	.16	-	.25	-	.05	-	-	-	-	-	.06	-		2
3	-	.28	.10	-	.15	-	-	-	-	-	.03	-		3
4	.18	.01	.02	-	.28	-	-	-	-	-	-	-		4
5	.08	.02	.11	-	.10	-	-	-	-	-	.01	-		5
6	-	.06	.07	-	.22	-	-	-	-	.09	.02	.04		6
7	.01	.50	-	-	.04	-	-	-	-	.25	.03	-		7
8	.02	-	.06	-	.04	-	.31	-	-	.01	-	-		8
9	-	-	-	-	.03	-	.21	-	-	.09	.11	-		9
10	.02	.02	-	-	-	.04	-	-	-	.82	.11	-		10
11	-	-	-	-	-	.04	.07	-	-	.01	-	-		11
12	.10	-	-	-	-	.03	.08	-	.10	-	.01	.40		12
13	-	-	-	-	.04	.04	.45	-	.04	.06	.23	-		13
14	.02	-	-	-	.14	-	.05	.07	-	.85	.39	.01		14
15	.28	-	-	-	-	.18	.21	.07	-	.03	.20	.01		15
16	.20	.01	.49	-	.11	.17	.05	-	-	.01	.08	.02		16
17	.01	-	.43	-	-	.28	-	-	.07	-	.08	.01		17
18	.01	.07	-	-	-	.14	-	-	-	-	.03	-		18
19	.01	-	.35	.02	-	.09	.03	-	.05	-	.02	.01		19
20	-	-	-	-	-	.01	-	.07	-	.03	.02	-		20
21	-	.08	-	-	.03	.10	-	.24	.02	-	.01	-		21
22	-	-	-	-	-	.05	-	.30	-	.34	.01	-		22
23	-	-	-	.10	-	1.25	-	-	.38	.03	-	-		23
24	-	.27	-	.06	-	.65	-	-	.45	.08	.03	-		24
25	-	.36	-	.28	-	-	-	-	.02	-	.08	.04		25
26	-	.27	-	.10	-	-	-	-	.03	.11	-	.02		26
27	-	-	-	-	-	-	-	-	.66	.01	-	.01		27
28	-	-	-	.21	-	-	.01	-	.05	.21	-	.08		28
29	.05	X	-	.43	-	-	.04	-	.01	.08	-	.01		29
30	.06	X	.18	.07	-	-	.01	-	-	.03	-	.05		30
31	-	X	.23	X	-	X	.01	.13	X	.05	X	-		31
TOTAL	1.39	2.17	2.37	1.27	1.23	3.07	1.53	.88	1.88	3.20	1.66	.41	Year's Total	21.06
*Days with or more.	16	13	12	8	12	14	13	6	12	21	21	13		161
*Days with or more.	9	9	11	7	10	12	9	6	8	12	10	5		108

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Edgar Muston
Clark & Stewart

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2503

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.
Leicester

REGISTER OF RAINFALL IN 1934.

Kept at City Mental Hospital, Humberstone,
in the County of LeicestershireDiameter of Funnel of Gauge. 8 in.
Height of top of Gauge above Ground. 1 ft. in.
,, Ground ,, Sea Level 266½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	-	-	-	-	-	-	.20	.03	.01	.08	.50		1
2	.01	.07	.06	-	-	-	-	.02	.20	.04	.08	.10		2
3	.03	.05	-	-	-	-	-	-	-	.10	.01	-		3
4	.06	.02	.09	.54	.03	-	-	-	.02	.03	.11	.19		4
5	-	-	.14	.06	.12	-	-	.14	-	-	.07	.14		5
6	-	.01	.03	.08	.30	.01	-	.14	-	.16	.01	.34		6
7	.07	-	-	-	.01	.04	-	.04	-	.08	-	.17		7
8	-	-	.08	-	.09	.03	-	.07	-	.05	.19	-		8
9	.01	-	.13	.05	-	-	-	.06	-	-	.53	.28		9
10	.02	.01	.12	.15	-	-	-	.02	-	-	.20	.02		10
11	.47	-	.13	.25	-	-	Tra	.12	-	-	.01	.13		11
12	.01	.01	.21	-	-	-	.06	.04	-	-	-	.02		12
13	.34	-	.01	.02	-	-	.06	.09	-	Tra	.02	.23		13
14	.02	-	.23	-	.04	.05	-	-	-	.08	.45	.26		14
15	.05	-	.06	-	.14	-	-	-	.22	-	.09	.04		15
16	.12	-	.15	-	.12	-	-	-	-	.07	.04	.01		16
17	.14	-	.01	.02	.02	-	.02	-	.07	.12	.07	Tra		17
18	.08	-	.02	.24	-	-	.18	-	.03	-	.01	.08		18
19	-	-	.10	.14	-	.07	-	-	.01	.01	Tra	.01		19
20	-	-	.08	.12	-	.02	-	-	.03	-	-	.02		20
21	-	-	.01	.01	-	.20	-	.05	.02	.05	-	.01		21
22	-	-	-	-	-	-	-	.23	.11	.01	-	.09		22
23	-	-	.02	.40	.03	.09	.23	-	-	-	-	.05		23
24	-	.22	.10	.02	-	.05	.04	-	.40	.05	-	-		24
25	.17	-	-	.02	-	-	-	-	.02	.07	-	.26		25
26	.04	-	.08	.67	-	.05	-	-	.10	-	.02	.22		26
27	-	.15	-	.30	-	-	.01	-	.01	.04	-	.10		27
28	-	-	-	.75	-	.12	-	.37	-	-	.02	.32		28
29	-	X	-	-	-	-	.05	.43	.31	.04	.02	.11		29
30	.05	X	-	-	-	-	-	-	.03	.03	-	.19		30
31	.02	X	-	X	-	X	-	-	X	.25	X	.04		31
TOTAL	1.77	0.54	1.86	3.84	0.90	0.73	0.65	2.02	1.61	1.29	2.03	3.93	Year's Total	21.17
*Days with "or in." or more.	19	8	21	18	10	11	8	15	16	19	19	27		191
*Days with ".04 in." or more.	12	4	15	13	6	8	6	13	7	14	11	21		130

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Clerk & Steward

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No.

2503

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at City Mental Hospital, Humberstone,
in the County of Leicestershire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 266½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	-	.13	.12	-	-	.04	-	.16	.18	.12	.06		1
2	-	.03	.01	.04	-	.05	+	-	.33	.22	-	.24		2
3	-	.12	.05	.01	-	.04	-	-	.30	.09	.20	.02		3
4	-	-	.04	.08	-	.14	-	-	.05	.20	.01	-		4
5	-	.57	.07	.10	-	.07	.02	-	.01	.14	.07	-		5
6	.02	-	.02	.15	-	.14	-	-	-	-	-	.01		6
7	.02	.03	-	.35	-	.09	-	-	-	.14	.50	.21		7
8	-	-	-	.18	-	.09	-	.21	-	.06	.11	.11		8
9	-	Tr.	-	.12	-	.13	-	-	-	.54	.36	.02		9
10	-	-	-	.16	-	.02	-	-	-	-	.05	.04		10
11	.11	-	-	-	-	.07	.14	.01	-	.03	.18	.04		11
12	.01	.04	-	-	-	.24	-	.05	.02	-	.01	-		12
13	.09	.02	-	.10	.17	-	-	-	-	Tr.	-	.02		13
14	.01	-	-	.03	.19	.03	.06	-	.15	-	.47	.10		14
15	-	.11	-	.68	.04	.48	-	-	.24	-	.21	.35		15
16	-	.07	.10	.24	-	.42	-	-	.38	.25	.65	.17		16
17	-	-	-	.19	-	.09	.10	Tr.	-	.05	.53	-		17
18	.03	.02	-	.18	.07	.10	.03	Tr.	.31	.11	-	-		18
19	.02	-	-	.07	.30	.30	.07	-	.02	Tr.	.20	.01		19
20	.03	.20	-	.20	.04	.18	.11	-	.01	.02	.06	-		20
21	-	.36	.04	.01	-	.01	-	-	.78	.03	.09	-		21
22	-	.15	-	.23	-	-	-	.04	.06	.01	.02	-		22
23	.02	.01	.23	.05	-	-	-	.90	.04	.13	-	-		23
24	.10	.14	.07	-	-	-	-	-	.60	-	.01	.08		24
25	.15	.05	-	.05	-	.65	-	-	-	.01	-	.12		25
26	.02	.02	-	.01	-	-	-	.22	.32	Tr.	-	.45		26
27	.01	.18	-	-	-	-	-	-	.03	.07	.22	1.10		27
28	-	.08	-	-	.06	-	-	.09	.13	-	-	.09		28
29	-	-	.08	-	.08	-	-	.01	.07	.07	.04	.11		29
30	.08	×	.01	.13	.04	-	-	.55	.05	.24	.15	.07		30
31	Tr.	×	-	×	-	×	-	-	×	.55	×	.11		31
TOTAL	1.05	2.20	0.85	3.48	0.99	3.34	0.57	2.08	4.06	3.14	4.26	3.53	29.55	
* Days with .01 in. or more.	16	18	12	24	9	20	8	9	21	21	22	22	202	
* Days with .04 in. or more.	6	12	9	20	9	17	6	7	16	16	18	17	153	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Edgar M. Steward
Clerk and Steward

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2503

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at City Mental Hospital, Humberstone,
in the County of Leicester

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft.....in.

,, Ground ,, Sea Level...266½.....ft.

INITIALS IF ACK

RELEVANT FILE & LAT

FILE No

TO

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.06	.06	.45	-	.03	.13	.19	-	-	.04	.06		1
2	.05	.05	.12	.07	-	.80	.91	.04	Tr	-	.20	.05		2
3	.02	-	-	-	-	.17	.04	.03	.24	-	-	.03		3
4	Tr	Tr	.12	-	-	.23	-	.07	.18	Tr	.03	.11		4
5	.06	.04	.09	-	-	-	.03	.01	.08	.03	-	.09		5
6	.03	-	-	-	.44	.08	.13	.22	.22	Tr	.07	-		6
7	.33	-	-	-	-	-	.33	-	.03	Tr	Tr	.02		7
8	.24	-	.09	-	-	-	-	-	-	-	.12	.06		8
9	.26	-	.03	-	-	.06	.41	-	-	.18	-	-		9
10	.02	-	.01	-	-	-	.34	.05	-	Tr	-	.02		10
11	-	-	-	.13	-	.02	.08	Tr	.18	-	.26	-		11
12	-	-	-	.15	.02	.29	.58	-	.61	-	.09	.02		12
13	-	-	-	.12	-	.14	-	-	-	.06	.05	.29		13
14	-	-	-	.25	-	.10	.38	-	.35	.02	Tr	.27		14
15	Tr	-	Tr	.03	-	.15	.09	-	-	-	.18	.09		15
16	.28	.07	-	Tr	-	-	.04	-	-	-	.46	.03		16
17	Tr	.35	-	-	-	-	.03	-	-	.18	.09	.09		17
18	-	.02	-	-	-	.06	.20	-	-	.14	.03	.07		18
19	.38	.09	Tr	.35	-	.80	-	.18	-	.06	-	-		19
20	.01	.04	-	.02	-	-	-	Tr	-	.01	-	-		20
21	.15	Tr	-	.18	-	.83	-	-	-	-	-	-		21
22	-	.49	.06	-	.29	-	.20	-	-	-	-	.07		22
23	-	.03	.15	.14	.12	-	.20	-	-	.04	-	Tr		23
24	.13	.12	-	-	-	.10	-	-	.07	.30	-	-		24
25	.05	.01	.10	.28	-	.27	.02	-	.32	.05	-	Tr		25
26	-	.05	.30	.03	-	-	Tr	-	.05	.08	-	Tr		26
27	.03	-	-	-	-	-	-	-	.12	.22	-	-		27
28	.32	.20	.10	-	-	-	Tr	-	-	.01	.07	.08		28
29	.66	.42	.01	-	-	.12	-	-	-	.07	.50	.08		29
30	.06	~~Tr~~	-	-	.11	.04	.09	-	-	.25	.04	-		30
31	.60	~~Tr~~	.09	~~Tr~~	-	~~Tr~~	.02	-	~~Tr~~	.02	~~Tr~~	.20		31
TOTAL	3.70	2.04	1.33	2.20	0.98	4.29	4.25	0.79	2.45	1.72	2.23	1.73	Year's Total	27.71
* Days with .01 in. or more.	20	15	14	13	5	18	20	8	12	17	15	19	176	
* Days with .04 in. or more.	14	12	11	10	4	16	16	5	11	12	13	14	138	

† Spare column, no entries required.

(Signed)

Acting Clerk and Steward.

[P.T.O.]

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A**

for the entry of Daily Observations

Station No. 2503

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at City Mental Hospital, Humberstone
in the County of Leicestershire.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 266 1/2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	Trace	.01	-	-	-	-	-	.10	-	.18	.32		1
2	Tr.	.04	.03	.35	-	-	-	-	-	-	-	.18		2
3	Tr.	.03	Tr.	.02	.30	Tr.	Tr.	-	.06	Tr.	Tr.	.10		3
4	.07	.04	-	-	.16	-	-	.20	-	-	Tr.	.56		4
5	.41	-	.18	-	-	-	-	.04	-	Tr.	-	.05		5
6	.12	-	.21	.03	.15	-	-	-	-	-	Tr.	-		6
7	-	.54	-	.14	.03	-	-	-	-	.01	-	-		7
8	-	.09	-	.02	-	Tr.	.02	-	-	-	.41	.02		8
9	-	-	-	.16	.22	-	.56	-	.09	-	-	.10		9
10	-	.13	.40	.48	-	.22	Tr.	-	-	-	.01	.05		10
11	-	.02	.27	-	.50	.03	.04	Tr.	-	-	-	.12		11
12	.05	.32	.08	-	.47	.17	-	.05	.18	-	-	.14		12
13	.03	.05	.14	-	.02	1.08	-	.09	.03	-	-	Tr.		13
14	Tr.	-	.18	.03	Tr.	Tr.	-	.10	.03	-	-	.11		14
15	.21	.07	.05	.23	-	-	2.04	-	.16	-	-	.01		15
16	Tr.	.27	.28	.44	-	-	-	.14	.25	-	-	.01		16
17	.20	.03	.31	.35	-	-	-	-	.09	-	-	-		17
18	.46	.08	.20	.04	-	-	.01	-	.23	.01	.31	-		18
19	.03	.04	.03	.09	Tr.	.28	.32	-	-	.02	.07	-		19
20	.16	.10	.05	.33	.69	.09	-	-	.02	.01	-	.03		20
21	.05	.16	.20	-	-	-	.33	-	Tr.	-	.02	.01		21
22	.12	-	Tr.	-	.15	Tr.	.21	-	-	.41	.18	Tr.		22
23	.16	-	.05	-	.14	-	.02	-	-	.72	.12	-		23
24	.22	.16	.10	-	.01	-	.07	-	Tr.	.18	Tr.	-		24
25	.13	.27	.06	-	.24	-	-	-	Tr.	.83	-	-		25
26	-	.21	.10	-	.62	-	-	-	.01	.06	-	.02		26
27	Tr.	.17	.08	.24	-	-	-	-	-	.69	-	.02		27
28	.01	.10	.01	-	-	-	-	-	-	.02	-	.07		28
29	.04	X	-	-	-	Tr.	-	-	-	.02	.07	.03		29
30	.30	X	-	-	-	Tr.	-	-	-	Tr.	.09	.02		30
31	.28	X	-	X	-	X	-	-	X	.16	X	Tr.		31
TOTAL	3.08	2.92	3.02	2.95	3.70	1.87	3.62	0.62	1.25	3.14	1.46	1.97	Year's Total 29.60	✓✓
* Days with .01 in. or more.	20	21	22	15	14	6	10	6	12	13	10	20	169	✓✓
* Days with .04 in. or more.	16	18	18	11	11	5	7	6	8	7	8	11	126	✓✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Edgar Muston
Clerk and Steward.

Leicester City Mental Hospital.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2503.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at City Mental Hospital, Humberstone.

in the County of Leicestershire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 266 1/2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	-	-	-	Tr.	.51	.12	.01	Tr.	.07	-	.12		1
2	.05	.02	-	.01	Tr.	.47	-	-	-	.13	-	.03		2
3	.03	-	-	-	Tr.	.03	.04	-	Tr.	.51	.04	Tr.		3
4	.02	-	Tr.	.03	-	-	.20	.74	-	.06	-	.32		4
5	Tr.	-	-	.02	-	-	.11	.04	.02	.01	Tr.	Tr.		5
6	Tr.	-	Tr.	-	-	.02	.07	-	.32	.13	-	.01		6
7	.21	-	Tr.	-	-	.02	.15	.10	.09	.06	-	.05		7
8	.22	-	-	-	-	-	.15	.03	-	.25	-	.01		8
9	.04	.11	-	-	-	-	.03	1.18	.01	-	-	.20		9
10	Tr.	.02	-	-	-	.01	.26	.07	Tr.	-	-	.04		10
11	.58	-	-	-	-	-	.03	.01	-	.01	.08	-		11
12	.11	-	-	-	.09	-	.03	.45	-	.34	.13	Tr.		12
13	.03	.11	-	-	-	-	-	-	-	.01	.02	.19		13
14	.26	.02	-	-	.05	-	.55	-	.13	-	Tr.	.02		14
15	.09	-	-	-	-	-	.36	.02	-	-	.01	.20		15
16	.12	-	-	-	-	-	.17	-	-	-	.01	.09		16
17	-	.05	-	-	.09	-	.12	-	Tr.	.13	.02	-		17
18	.02	-	-	-	.33	-	-	.02	.30	-	.38	-		18
19	-	Tr.	-	-	-	-	-	.11	.07	-	.19	.07		19
20	-	-	-	-	-	-	-	-	Tr.	-	.27	.11		20
21	-	-	-	-	-	-	Tr.	-	-	-	.02	.30		21
22	-	Tr.	-	Tr.	-	-	-	.05	-	-	.29	.32		22
23	-	-	-	-	.06	-	-	-	Tr.	-	Tr.	.08		23
24	-	-	.04	-	.03	-	.04	-	.24	-	-	.07		24
25	.08	.09	.07	-	-	-	.01	.06	-	.12	.30	.06		25
26	.02	.23	.12	-	-	-	-	Tr.	.03	.11	Tr.	.19		26
27	.05	Tr.	-	-	.20	.14	.19	.17	.47	.04	.31	-		27
28	.09	.01	-	-	.32	.05	.05	1.41	.02	.02	.10	.15		28
29	.47	X	-	.01	.37	-	.08	Tr.	-	.04	.09	.10		29
30	.04	X	-	-	-	.17	-	-	.22	-	.18	.05		30
31	.17	X	-	X	.17	X	-	-	X	.16	X	.55		31
TOTAL	2.70	0.66	0.23	0.07	1.71	1.42	2.76	4.47	1.92	2.20	2.44	3.33	Year's Total 23.91	✓
* Days with .01 in. or more.	20	9	3	4	10	9	20	16	12	18	17	24	162	✓
* Days with .04 in. or more.	15	5	3	Nil	9	5	16	11	8	14	12	20	118	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Edgar M. H. (Signed) Clerk P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2,503

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at City Mental Hospital, Humberstone

in the County of Leicestershire.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level.....266½.....ft.

CITY MENTAL HOSPITAL,
HUMBERSTONE, LEICESTER.

RECEIVED

29 DEC 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	-	-	.05	.03	-	-	.44	.10	.01	-	.01		1
2	.07	-	-	.10	Tre	-	Tre.	.28	.66	.02	-	-		2
3	.19	-	-	.37	-	-	-	.36	-	-	.03	.25		3
4	.16	-	.24	.33	-	-	.02	.54	-	.10	.18	.22		4
5	-	-	-	.11	.23	-	.04	1.19	-	.19	.05	.19		5
6	.40	-	.03	Tre	-	-	.26	-	-	Tre.	.23	-		6
7	.09	.05	-	-	-	-	.20	-	-	Tre.	.03	.20		7
8	.03	.03	.26	-	-	-	.26	.10	-	.22	.31	.40		8
9	-	.11	Tre	-	-	-	.08	.19	-	.28	.03	.26		9
10	.30	-	.01	-	-	Tre	-	.30	.01	.04	Tre	Tre.		10
11	-	Tre	.23	-	.02	.03	-	Tre	.05	Tre	Tre	-		11
12	-	.02	Tre	-	.01	.02	-	-	-	Tre.	Tre.	-		12
13	-	-	-	.01	Tre	.04	.03	-	.09	.33	-	-		13
14	.30	-	Tre	.08	.24	.10	.30	-	Tre	.27	-	-		14
15	.38	-	.04	Tre	.13	.24	.30	-	.03	.53	.06	-		15
16	.12	-	.09	.04	.30	.28	.03	-	-	.03	.03	-		16
17	.40	.03	.02	.02	.11	-	.36	-	-	1.22	.18	-		17
18	.02	-	.06	-	-	.23	.37	-	.02	.03	.02	-		18
19	.27	-	-	-	-	Tre	.73	-	-	-	.62	Tre		19
20	.11	-	.02	-	.03	.06	.01	.05	-	-	-	-		20
21	.10	.22	.12	.03	-	.14	-	.35	.06	.01	-	-		21
22	.15	.15	.03	Tre	-	Tre	.20	.01	.03	-	.26	.01		22
23	.04	Tre	-	.10	-	Tre	.16	Tre	-	.02	.69	-		23
24	.08	-	.01	.03	-	.02	.21	Tre	-	Tre	.01	-		24
25	1.33	.09	.04	-	-	-	.08	.18	-	Tre	.41	.04		25
26	.19	.01	.02	Tre	-	-	-	.01	-	.08	.20	-		26
27	.02	.12	.18	.04	-	-	.08	.15	-	.12	.03	.02		27
28	.08	.21	.13	.06	-	.03	.04	.02	-	.02	.17	Tre		28
29	-	X	Tre	.33	-	-	.09	.55	-	.30	.03	-		29
30	-	X	-	.22	-	.08	-	-	-	-	.07	-		30
31	-	X	-	X	-	X	Tre	.02	X	-	X	-		31
TOTAL	4.91	1.04	1.53	1.92	1.10	1.27	3.85	4.74	1.05	3.82	3.64	1.60	Year's Total 30.47	✓
* Days with .01 in. or more.	23	11	17	16	9	12	21	17	9	19	21	10	185	✓
* Days with .04 in. or more.	20	7	10	12	5	8	17	13	5	12	13	7	129	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

CLERK & STEWARD.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2,503 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at City Mental Hospital, Humberstone

in the County of Leicestershire.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft. - ...in.

,, Ground ,, Sea Level ..266 $\frac{1}{2}$ ft.

27 DEC 1940

K & STEWARD

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.25	-	.05	-	-	-	-	-	-	.17	TR		1
2	-	-	-	.24	-	-	-	-	-	.02	.57	.05		2
3	-	.31	-	.10	-	-	-	-	-	.39	.70	.09		3
4	-	.12	-	-	-	-	TR	-	-	.17	.38	.02		4
5	-	-	-	-	.04	-	-	-	-	.07	.30	.08		5
6	.17	.27	-	-	.01	-	-	-	-	.32	.04	TR.		6
7	.07	.15	-	.06	.03	-	-	-	.03	-	TR	.02		7
8	TR	-	-	.01	-	-	.03	-	-	.13	.02	.26		8
9	-	-	.10	-	-	.08	.04	.02	.02	.03	.30	.15		9
10	-	-	.01	TR	-	-	1.05	.05	-	.01	.09	.34		10
11	-	.02	.07	.03	-	.23	.24	-	-	.01	.51	.03		11
12	-	.01	.07	-	-	-	.25	-	.05	TR	.06	.01		12
13	-	.12	.39	.09	-	-	.14	TR	.16	-	-	.02		13
14	-	-	.03	.10	.21	-	-	.02	.04	.02	.01	.32		14
15	-	-	-	.02	TR	.06	.02	-	.04	.05	.11	TR		15
16	.04	.27	.42	.02	-	.02	.44	-	.07	1.15	.63	-		16
17	-	-	.37	-	-	-	.01	-	-	.01	.01	-		17
18	.02	.38	.29	.39	-	-	-	.04	.01	.12	.02	.04		18
19	-	.22	.09	.12	-	-	.38	TR	.14	TR	.11	.04		19
20	-	.01	-	.04	-	.01	.45	.05	-	.10	.05	-		20
21	.10	TR	TR	-	TR	.15	.01	-	-	.11	2.04	-		21
22	-	-	.02	-	.17	.46	-	.02	.09	.01	-	-		22
23	-	.21	.02	.05	.38	.12	-	-	TR	.10	TR	.07		23
24	.01	-	-	.03	-	-	-	-	-	.01	.01	-		24
25	-	-	-	-	-	-	-	-	-	.08	.01	-		25
26	.73	.05	-	.02	.02	-	.63	TR	-	TR	.01	-		26
27	.71	.08	-	TR	-	-	.11	-	-	.01	.01	-		27
28	.77	.50	-	TR	.24	-	-	-	-	-	-	-		28
29	-	-	.15	TR	.10	-	-	-	-	-	-	.32		29
30	.02	~~X~~	-	.43	-	-	-	-	-	.41	TR	.10		30
31	-	~~X~~	.02	~~X~~	-	~~X~~	-	-	~~X~~	.79	~~X~~	-		31
TOTAL	2.64	2.97	2.05	1.80	1.20	1.13	3.80	0.20	0.65	4.12	6.16	1.96	Year's Total	28.68 ✓
* Days with .01 in. or more.	10	16	14	17	9	8	14	6	10	23	23	17		167 ✓
* Days with .04 in. or more.	7	13	9	11	6	6	10	3	7	14	15	12		113 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

REGISTER

Kept at Leicester - Gilroes. G
in the County of Leicester.

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1
Ground Sea Level 285

THE MORNING MEASUREMENT

An observer who does not conform to this rule sh
year in the space on the right of this paragraph
Please re

LEICESTER - GILROES
CENETARY

1931 - 1940

*late Dec to a better side
2867/26. & also be OK in 1932.
quired for 1931. Planch 26/22.*

US DAY.
st of the following
af.

Jan. 1, following

Date	Jan.	Feb.	March	April							Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.							in.	in.	in.	
1	"	"	'140	'050							"	"	"	1
2	"	'025	"	'600							'070	"	'020	2
3	"	"	"	'080							"	'325	'045	3
4	"	<i>Snow</i> '040	"	'145							"	'070	"	4
5	"	<i>Snow</i> '040	"	'050							"	"	'385	5
6	"	<i>Snow</i> '220	"	'015	"	'025	"	"	"	"	'175	'140	"	6
7	<i>Snow</i>	"	"	'015	"	"	'180	'380	"	"	'060	'040	'005	7
8	'070	'090	<i>Snow</i> '015	'030	'140	'035	'040	1.850	"	"	"	'185	"	8
9	"	'190	<i>Snow</i> '085	'050	"	'025	"	'180	"	"	"	'195	'005	9
10	'025	"	"	"	'025	'075	"	'150	"	"	"	"	"	10
11	'070	'280	"	"	"	'050	'020	"	'190	05	'050	"	"	11
12	'095	"	"	"	"	"	'540	"	'140	08	'030	"	"	12
13	"	"	'015	'020	"	'190	'020	'190	"	"	"	"	"	13
14	"	'110	"	"	'030	"	'880	1.130	"	'130	'130	"	"	14
15	'010	'165	"	'140	"	"	'105	'160	"	'005	'005	'020	"	15
16	'060	<i>Snow</i> '290	"	'100	'430	'480	'005	'190	'180	"	"	"	"	16
17	'080	<i>Sleet</i> '320	"	<i>Sleet</i> '500	'510	'070	'025	"	"	"	"	"	"	17
18	'030	"	"	'200	"	'020	'020	'200	"	360	'360	"	"	18
19	"	'060	"	'260	'010	"	'020	'030	'100	"	"	"	"	19
20	"	'080	"	'040	"	"	'020	'280	"	'030	'020	"	"	20
21	'125	"	"	"	'400	"	"	'285	"	10	'100	"	"	21
22	'050	"	"	'010	"	"	"	"	"	"	"	"	"	22
23	'140	"	"	'030	'415	'090	"	"	'080	16	'160	'025	"	23
24	"	"	"	'100	'520	"	'110	"	"	"	"	"	"	24
25	'080	'020	"	'850	'015	"	'700	"	"	03X	'025	"	"	25
26	'080	"	"	'300	"	"	'040	"	"	13	'130	'020	"	26
27	'140	<i>Sleet</i> '520	"	"	'045	"	"	"	"	25X	'255	'250	"	27
28	'070	<i>Snow</i> '240	"	'040	'220	"	"	"	"	040	"	<i>Snow</i> '110	"	28
29	<i>Sleet</i> '080	"	"	"	'030	"	'065	"	"	280	'020	"	"	29
30	<i>Snow</i> '160	X	"	"	"	"	"	"	"	"	"	"	"	30
31	<i>Sleet</i> '160	X	"	X	"	X	"	"	X	"	X	'130	"	31
TOTAL	~~1.485~~ 2.69	~~2.85~~ 3.63	~~2.79~~ 2.19	~~3.41~~ 5.14	~~2.51~~ 2.51	~~1.66~~ 2.24	~~1.01~~ 27.99							YEAR'S TOTAL
*Days with "or in. or more.	18	16	4	22	13	14	18	13	10	6	18	11	163	
*Days with "04 in. or more.	15	14	2	18	7	8	11	12	10	5	13	5	120	

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Leicester - Friars Cemetery
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 285.53 ft.

*This g. was moved in late Dec^r to a better site
see Enc 23A. f662867/26. & also be OK in 1932.
No footnote in 1931 required for 1931. Planch 26/2/32.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	'140	'050	"	'140	"	"	'350	"	"	"	1
2	"	'025	"	'600	"	'090	"	"	'460	'070	"	'020	2
3	"	"	"	'080	"	'020	'040	"	'740	"	'325	'045	3
4	"	<i>snow</i> '040	"	'145	"	"	'580	170	'115	"	'070	"	4
5	"	<i>snow</i> '040	"	'050	"	'930	"	"	'150	"	"	'385	5
6	"	<i>snow</i> '220	"	'015	"	'025	"	"	"	'175	'140	"	6
7	"	"	"	'015	"	"	'180	'380	"	'060	'040	'005	7
8	<i>snow</i> '070	'090	<i>snow</i> '015	'030	'140	'035	'040	1.850	"	"	'185	"	8
9	"	'190	<i>snow</i> '085	'050	"	'025	"	'180	"	"	'195	'005	9
10	'025	"	"	"	'025	'025	"	'150	"	"	"	"	10
11	'070	'280	"	"	"	'050	'020	"	'190	05	'050	"	11
12	'095	"	"	"	"	"	'540	"	'140	03	'030	"	12
13	"	"	'015	'020	"	'190	'020	'190	"	"	"	"	13
14	"	'110	"	"	'030	"	'880	1.130	"	'130	'130	"	14
15	'010	-165	"	'140	"	"	'105	'160	"	'005	'005	'020	15
16	'060	<i>snow</i> '290	"	'100	'430	'480	'005	'190	'180	"	"	"	16
17	'080	<i>sleet</i> '320	"	<i>sleet</i> '500	'510	'070	'025	"	"	"	"	"	17
18	'030	"	"	'200	"	'020	'020	'200	"	360	'360	"	18
19	"	'060	"	'260	'010	"	'020	'030	'100	"	"	"	19
20	"	'080	"	'040	"	"	'020	'280	"	'030	'020	"	20
21	'125	"	"	"	'400	"	"	'285	"	10	'100	"	21
22	'050	"	"	'010	"	"	"	"	"	"	"	"	22
23	'140	"	"	'030	'415	'090	"	"	'080	16	'160	'025	23
24	"	"	"	'100	'520	"	'110	"	"	"	"	"	24
25	'080	'020	"	'850	015	"	'700	"	"	03X	'025	"	25
26	'080	"	"	'300	"	"	'040	"	"	13	'130	'020	26
27	'140	<i>sleet</i> '520	"	"	'045	"	"	"	"	25X	'255	'250	27
28	'070	<i>snow</i> '240	"	'040	'220	"	"	"	"	'040	"	<i>snow</i> '110	28
29	<i>sleet</i> '080	"	"	"	'030	"	'065	"	"	'280	'020	"	29
30	<i>snow</i> '160	X	"	"	"	"	"	"	"	"	"	"	30
31	<i>sleet</i> '160	X	"	X	"	X	"	"	X	"	X	'130	31
TOTAL	~~1.745~~ 2.69	~~2.55~~ 2.69	~~2.55~~ 3.63	~~2.79~~ 3.63	~~2.79~~ 2.79	~~2.19~~ 2.19	~~3.41~~ 3.41	~~5.14~~ 5.14	~~2.51~~ 2.51	~~6.65~~ 6.65	~~2.24~~ 2.24	~~1.01~~ 1.01	YEAR'S TOTAL
*Days with "or in. or more.	18	16	4	22	13	14	18	13	10	6	18	11	163
*Days with "04 in. or more.	15	14	2	18	7	8	11	12	10	5	13	5	120

Section

A

for the entry of Daily Observations.

Station No.

2504

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Leicester - Gilders Cemetery
in the County of Leicester

Note change of rule - kept

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.Ground Sea Level 294 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.100	.025	.	.110	.49	.070	.	.290	.140	.250	.	.075	1
2	.060	.	.	.025	.18	.	.	.060	.070	.070	.035	.	2
3	.	.	.	.160	.015	.	.	.	.	.	.	.	3
4	.010	.	.	.130	.	.	.	.	.040	.	.290	.	4
5	.225	.015	.070	.	.01	.	.	.	.060	.	.	.	5
6	.200	.	.120	.200	.	.	.	.	.320	.010	.	.	6
7	.	.	.235	.250	.	.	.	.	.030	.	.	.	7
8	.	.	.	.120	.	.	.	.	.010	.100	.	.	8
9	.050	(SNOW) .060	.	.020	.	.	.	.	.	.	.	.	9
10	.095	(SNOW) .020	.	.050	.055	.	.	.	.145	.150	.	.	10
11	.	(SNOW) .030	.	.055	.22	.350	.380	.	.045	.030	.055	.	11
12	.150	.	.	.125	.155	.	.070	.	.040	.230	.020	.	12
13	.100	.040	.	.	.	.	.460	.	.040	.110	.	.040	13
14	.175	.015	.	.180	.005	.	.030	.080	.	.	.170	.030	14
15	.	.	.	.070	.185	.	.	.	.	.030	.	.060	15
16	.200	.	.	.250	.10	.	.	.	.	.	.	.	16
17	.	.	.	.	.	.	.020	.	.	.140	.	.	17
18	.	.	.	.	.005	.	.	.	.	.	.	.	18
19	.	.010	.	.060	.	.	.	.	.	.215	.	.	19
20	.	.	.	.020	.40	.	.	.450	.	.590	.145	.	20
21	.	.	.140	.110	1.72	.	.	.290	.	.315	.015	.090	21
22	.005	.	.315	.040	.035	.	.310	.	.690	.090	.495	.075	22
23	.	.020	.	.	.380	.	.035	.	.070	.080	.090	.	23
24	.010	.	.	.	.020	.	.135	.	.075	.010	.180	.	24
25	.	.070	.	.	.015	.	.565	.	.050	.260	.	.015	25
26	.	.	.	.395	.305	.145	.055	.	.100	.050	.	.	26
27	.	.	.320	.165	.495	.	.250	.	.	.060	.170	.	27
28	.	.	.095	.110	.425	.285	.280	.560	.	.	.	.	28
29	.	.	.210	.110	.04	.085	.030	.025	.105	.285	.045	.090	29
30	.	×	.070	.	.	.450	.245	.130	.360	.470	.215	.140	30
31	.	×	.140	×	.05	×	.630	.	×	.	×	.070	31
TOTAL	1.380	.305	1.715	2.755	5.305	1.385	3.495	1.885	2.390	3.545	1.925	.685	YEAR'S TOTAL 26.770
*Days with or in. or more.	13	10	10	22	22	6	15	8	18	21	13	10	168
*Days with .04 in. or more.	10	3	10	19	15	6	11	7	16	17	10	8	132

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No.

2504

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

Kept at Gilroes Cemetery, Leicester.

in the County of Leicester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 293.59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.240	.295	.050	-	-	-	-	-	-	-	.070	-		1
2	.230	-	.320	-	.060	-	-	-	-	-	.060	-		2
3	-	.280	.090	-	.160	-	-	-	-	-	.040	-		3
4	.190	-	.055	-	.310	-	-	-	-	-	-	-		4
5	.070	-	.100	-	.040	-	-	-	-	-	.030	-		5
6	-	.185	.130	-	.230	-	-	-	-	.075	-	-		6
7	.035	.420	-	-	.020	-	-	-	-	.140	-	-		7
8	-	-	.070	-	.050	-	.390	-	-	-	-	-		8
9	-	-	-	-	.120	-	.220	-	-	.130	.125	-		9
10	-	-	-	-	.035	.020	-	-	-	.130	.080	-		10
11	.040	-	-	-	-	.070	.110	-	-	-	-	-		11
12	.105	-	-	-	-	-	.120	-	.070	-	.240	.095		12
13	-	-	-	-	.030	.040	.315	-	-	.070	-	-		13
14	-	-	-	-	.160	-	.055	.060	-	.500	.350	-		14
15	.490	-	-	-	-	.160	.140	-	.050	.030	.350	-		15
16	.105	-	.520	-	.110	.150	.120	-	-	-	.050	-		16
17	.080	-	.430	-	-	.155	-	-	-	-	.045	-		17
18	-	-	.060	-	-	.200	-	-	-	-	.040	-		18
19	-	.030	.300	-	-	.020	.070	-	.060	-	-	-		19
20	-	.050	-	-	-	.080	-	.115	-	.030	.050	-		20
21	-	.030	-	-	.480	-	-	.115	.025	.420	-	-		21
22	-	-	-	-	-	-	-	.260	-	-	-	-		22
23	-	-	-	.160	-	-	-	-	.300	.030	-	-		23
24	-	.350	-	.090	.085	.680	-	-	.365	.055	.045	-		24
25	-	.390	-	.330	-	.300	-	-	-	-	.050	.060		25
26	-	.770	-	.080	-	-	-	-	.005	.100	-	-		26
27	-	-	-	-	-	-	-	-	.810	-	-	.040		27
28	-	-	-	.280	.040	-	-	-	-	.145	-	.080		28
29	-	-	-	.450	-	-	-	-	-	.090	-	-		29
30	.090	X	.180	.080	-	-	.045	-	-	.020	-	.070		30
31	.010	X	.250	X	-	X	-	.110	X	.100	X	-		31
TOTAL	1.685	2.800	2.555	1.470	1.930	1.875	1.535	.660	1.685	3.065	1.625	.345	21.280	Year's Total
*Days with or in. or more.	12	10	13	7	15	11	10	5	8	16	15	5	127	
*Days with .04 in. or more.	10	8	13	7	12	9	10	5	6	12	14	5	111	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **2504**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Gilroes Cemetery, Leicesterin the County of LeicestershireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.Ground Sea Level 293.59 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.020	-	-	-	-	-	-	.230	-	-	.095	.360		1
2	-	.060	.065	-	-	-	-	.490	.220	.075	.110	.215		2
3	.050	.050	-	-	-	-	-	-	-	.070	.065	-		3
4	.040	-	.095	.665	.050	-	-	-	.070	.050	.115	.290		4
5	-	-	.150	.030	.040	-	-	.145	-	-	.050	.095		5
6	-	-	.055	.050	.270	-	-	.035	-	.170	-	.440		6
7	.070	-	-	-	-	.090	-	.030	-	.060	-	.190		7
8	-	-	.080	-	.095	.020	-	.070	-	.025	.250	-		8
9	-	-	.180	.050	-	-	-	.065	-	.020	.570	.270		9
10	.550	†	.085	.120	-	-	-	.020	-	-	.100	-		10
11	-	-	.150	.305	-	-	-	.070	-	-	.055	.130		11
12	-	-	.220	-	-	-	.050	.035	-	-	-	.035		12
13	.360	-	-	.020	.030	-	.100	.020	-	-	-	.190		13
14	.095	-	.270	-	-	.030	-	-	-	.220	.420	.300		14
15	.055	-	.060	-	.130	-	-	-	.035	-	.110	.020		15
16	.100	-	.120	-	.140	-	-	-	-	.120	.060	.040		16
17	.120	-	-	.255	-	-	.050	-	.150	.170	.040	.080		17
18	.080	-	-	-	-	-	.160	-	.040	-	-	-		18
19	-	-	.030	.090	-	.030	-	-	-	-	-	.050		19
20	-	-	.060	.120	-	-	-	-	.040	-	-	-		20
21	-	-	-	-	-	.210	-	.060	.030	.090	-	-		21
22	-	-	-	-	-	-	-	.230	.140	-	-	-		22
23	-	-	-	.320	-	.090	.260	-	-	-	-	.135		23
24	-	.290	.130	-	-	.070	-	-	.350	.055	-	-		24
25	.180	-	-	-	-	-	-	-	-	.110	-	.310		25
26	.050	-	.030	.095	-	.020	-	-	.080	-	.020	.150		26
27	-	.280	-	.490	-	-	.015	-	-	-	-	.100		27
28	-	-	-	1.090	-	.140	-	.380	-	.050	-	.365		28
29	-	-	-	†	-	-	.050	.125	.360	-	-	.070		29
30	.035	X	-	-	-	-	-	-	.050	-	-	.200		30
31	-	X	-	X	-	X	.060	-	X	.270	X	.060		31
TOTAL	1.805	.630	1.830	3.770	.755	.750	.745	2.005	1.565	1.555	2.060	4.095	21.615	Year's Total.
• Days with .01 in. or more.	14	4	16	14	7	9	8	15	12	15	14	23	151	
• Days with .04 in. or more.	12	4	15	12	6	6	7	10	10	13	13	21	129	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gilroes Cemetery, Leicester.

in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level 293.59ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.265	-	.295	.090	-	.030	.010	-	.390	.075	.150	.020		1
2	-	-	.020	.020	-	.035	-	-	.210	.250	-	.255		2
3	-	.120	.050	-	-	-	-	-	.330	.350	.195	.060		3
4	-	-	.035	.100	-	.130	-	-	.080	.250	-	-		4
5	-	.505	.050	.110	-	-	-	-	.020	.050	.090	-		5
6	.030	-	.030	.170	-	.155	-	-	-	-	.440	.190		6
7	-	-	-	.420	-	.060	-	-	-	.120	-	.140		7
8	.060	-	-	.150	-	.070	-	-	-	.065	.110	-		8
9	-	-	-	.140	-	.140	-	-	-	.465	.310	-		9
10	-	.030	-	.090	-	-	-	-	-	-	.030	.030		10
11	.120	-	-	-	-	.070	.070	.005	-	.055	.210	.045		11
12	-	.030	-	-	-	.250	-	.010	-	-	-	-		12
13	.110	-	-	.160	.145	-	-	-	-	-	-	-		13
14	-	-	-	.050	.140	-	.270	-	.080	-	.605	.150		14
15	-	.130	-	.710	.070	.220	-	-	.230	-	.230	.440		15
16	-	.080	.120	.200	-	.590	-	-	.460	.210	.540	.160		16
17	-	-	-	.175	-	.125	.035	-	.320	.050	.535	-		17
18	-	-	-	.185	-	.050	.040	-	-	.080	-	-		18
19	.010	-	-	.050	.230	.290	.080	-	.050	.030	.195	-		19
20	.020	.185	-	.350	.015	.160	.350	-	-	-	.070	-		20
21	-	.295	.040	.035	-	-	-	-	.430	.060	.100	-		21
22	-	.160	-	.145	-	-	-	.010	.055	.185	.030	-		22
23	.010	-	.230	-	-	-	-	.750	.090	-	-	-		23
24	.120	.170	.040	-	-	-	-	-	.705	-	-	.110		24
25	.170	.040	-	.035	-	.830	-	-	-	-	-	.270		25
26	-	-	-	-	-	-	-	.260	.290	.025	-	.570		26
27	-	.240	-	-	-	-	-	-	.070	.050	.255	1.390		27
28	.010	.060	-	-	.055	-	-	-	.050	.020	-	.090		28
29	-	XXX	.050	-	.040	-	-	-	.120	.055	.050	.110		29
30	.050	X	-	.090	.070	-	-	.360	.060	.160	.290	.130		30
31	-	X	-	X	-	X	-	-	X	.585	X	.150		31
TOTAL	.975	2.045	.960	3.475	.765	3.205	.855	1.395	4.040	3.190	4.435	4.360	29.700	Year's Total
* Days with .01 in. or more.	12	13	11	21	8	16	7	6	19	21	19	18	171	✓
* Days with .04 in. or more.	7	11	8	18	7	14	5	3	13	13	17	16	142	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2504

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Gilroes Cemetery, Leicester.

in the County of Leicestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 293.59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.120	.110	.530	-	.025	.250	.190	-	-	.030	.090		1
2	.150	.035	.130	.065	-	.810	.780	.010	-	-	.150	.060		2
3	-	.040	-	-	-	.210	.070	.070	.250	-	-	-		3
4	.025	-	.120	-	-	.175	.015	.050	.230	-	.025	.090		4
5	.030	.030	.090	-	-	-	.040	.040	.080	.030	-	.110		5
6	-	-	.020	-	.200	.090	.180	.120	.185	-	.065	-		6
7	.300	-	.075	-	-	-	.370	-	.040	-	-	-		7
8	.170	-	.030	-	-	-	-	-	-	.020	.130	.110		8
9	.275	-	-	-	-	.050	.685	-	.010	.160	-	-		9
10	.050	-	-	.015	-	-	.240	.190	-	-	-	-		10
11	-	-	-	.090	-	.025	.085	-	.150	-	.260	-		11
12	-	-	-	.160	.015	.260	.680	-	.450	-	.040	.050		12
13	-	-	-	.130	-	.090	-	-	-	.060	.030	.200		13
14	-	-	-	.250	-	.110	.290	-	.350	.040	Nil.	.415		14
15	-	-	-	.025	-	.150	.110	-	-	-	.190	.085		15
16	.230	.100	-	-	-	-	.050	-	-	-	.520	.010		16
17	-	.410	-	-	-	-	.130	-	-	.120	.050	.110		17
18	-	.030	-	-	-	.055	.230	-	-	.140	-	.400		18
19	.410	.090	.005	.330	-	.860	-	.145	-	.075	-	-		19
20	-	.060	-	.110	-	-	-	-	-	.010	-	-		20
21	.135	-	-	.180	-	.865	-	-	-	-	-	-		21
22	-	.600	.060	.020	.250	-	.210	-	-	-	-	.040		22
23	-	.155	.120	.180	.110	-	.250	-	-	.020	-	-		23
24	.210	.140	-	-	.025	-	-	-	.110	.200	-	-		24
25	.060	-	.140	.260	-	.470	-	-	.290	.040	-	-		25
26	-	.040	.285	-	-	-	-	-	.020	.080	.015	-		26
27	.030	-	.015	-	-	-	-	-	.140	.180	-	-		27
28	.430	.160	.110	-	-	.010	.310	-	.035	-	-	.085		28
29	.670	.430	.055	-	-	.090	-	-	-	.060	.425	.050		29
30	.070	X	-	-	.090	.170	.095	-	-	.180	.030	-		30
31	.615	X	.070	X	-	X	.020	-	X	.100	X	.145		31
TOTAL	3.860	2.440	1.435	2.345	.690	4.515	5.090	.815	2.340	1.515	1.960	1.750	28755	
*Days with or in. or more.	17	15	15	14	6	18	21	8	14	17	14	16	175	
*Days with .04 in. or more.	14	12	12	11	4	15	19	7	11	13	9	15	142	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2504

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Leicester (Giltrow Cemetery).

in the County of Leics.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft....in.

Ground Sea Level...293.59...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.090	-	-	-	-	-	-	-	.115	-	.140	.115		1
2	-	.050	.050	.480	-	-	-	-	-	-	-	.310		2
3	-	.055	-	-	.200	-	-	-	.055	-	-	-		3
4	.180	.050	-	-	.205	-	-	.065	-	-	-	.700		4
5	.460	-	.180	-	-	-	-	-	-	-	-	.020		5
6	.160	-	.190	-	.095	-	.020	-	-	-	.010	-		6
7	-	.460	.050	.145	.050	-	-	-	-	.015	-	-		7
8	-	.190	-	.030	-	-	.015	-	-	-	.390	-		8
9	-	-	-	.080	.250	-	.625	-	.100	-	-	.150		9
10	-	.095	.300	.245	-	.190	-	-	-	-	-	.050		10
11	-	-	.480	-	.420	.020	.035	.055	-	-	-	.150		11
12	.050	.310	.250	-	.475	.030	-	.210	.160	-	-	.160		12
13	.030	.055	-	-	-	.245	-	.110	.070	-	-	-		13
14	-	-	.275	.030	-	-	-	.080	.015	-	-	.080		14
15	.160	.045	.060	.280	-	-	2.050	-	.040	-	-	-		15
16	-	.190	.395	.400	-	-	-	.170	.190	-	-	.050		16
17	.150	-	.250	.350	-	-	-	-	.110	-	-	-		17
18	.460	.090	.090	.070	-	-	.010	-	.280	-	.475	-		18
19	-	.055	.015	.105	-	.220	.245	-	.030	.020	.075	-		19
20	.210	.100	.040	.290	.610	.260	-	-	-	-	-	.050		20
21	.035	.160	.085	.020	-	-	.285	-	-	-	-	.035		21
22	.150	-	.020	-	.030	-	.220	-	-	.620	.200	-		22
23	.200	-	.025	-	.025	-	.010	-	-	.695	.125	-		23
24	.145	.200	.095	-	-	-	.030	-	-	.180	-	-		24
25	.170	.400	.060	-	.110	-	-	-	.025	.650	-	.025		25
26	-	.200	.110	-	.410	-	-	-	-	-	-	-		26
27	-	.330	-	.235	-	-	-	-	-	.750	-	-		27
28	-	.065	-	-	-	-	-	-	-	.015	-	.045		28
29	.120	X	-	-	-	-	-	-	-	.045	.060	.020		29
30	.280	X	-	-	-	-	-	-	-	.030	.105	.030		30
31	.275	X	-	X	-	X	-	-	X	.115	X	-		31
TOTAL	3.315	3.103	.020	2.760	2.880	.965	3.545	.690	1.190	3.135	1.580	1.990	28.170	Year's Total
* Days with .01 in. or more.	18	19	20	14	12	6	11	6	12	11	9	16	154	
* Days with .04 in. or more.	16	19	17	11	10	4	5	6	9	6	8	11	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

City Engineer & Surveyor.

[P.T.O.]

COPY FOR OFFICIAL USE

Sec. **A** for the entry of Daily Observations Station No. **2504**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Leicester Gilroy's Cemeteryin the County of LeicestershireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft.....in.,, Ground ,, Sea Level 293.59.....ft.TRAVELLING FORM
VALUES FORWARDED MONTHLYDaily
Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.015	-	-	-	-	.400	.030	-	-	.075	-	.110		1
2	.090	.015	-	.030	-	.440	-	-	-	.165	-	-		2
3	.040	-	-	-	.005	.025	.040	-	-	.460	.040	-		3
4	.015	-	-	-	-	.020	.080	1.30	-	.050	-	.270		4
5	.020	-	-	-	-	-	.095	.015	.180	.040	-	-		5
6	.015	-	-	-	-	-	.120	-	.390	.090	-	-		6
7	.295	-	-	-	-	.035	.150	.09	.120	.100	-	.050		7
8	.250	-	-	-	-	-	.140	.015	-	.260	-	-		8
9	.035	.125	-	-	-	-	.045	.12	-	-	-	.220		9
10	-	.025	-	-	-	-	.250	.015	-	-	-	.070		10
11	.560	-	-	-	-	-	.025	.04	-	.025	.080	-		11
12	.120	-	-	-	.070	-	-	-	-	.300	.090	-		12
13	.060	.050	-	-	-	-	-	-	-	.020	.130	.285		13
14	.210	-	-	-	.070	-	.540	-	.080	.160	-	-		14
15	.090	-	-	-	-	-	.380	-	-	-	-	.260		15
16	.170	-	-	-	-	-	.055	-	-	-	.010	.250		16
17	-	.090	-	-	.050	-	.120	-	.025	-	.015	-		17
18	.030	-	-	-	.365	.050	-	.04	.440	-	.450	-		18
19	-	-	-	-	-	-	-	.85	.070	-	.080	.060 (snow)		19
20	-	-	-	-	-	-	-	-	.010	-	.380	.060	"	20
21	.005	-	-	-	-	-	-	-	-	-	.025	.276	"	21
22	-	.020	-	-	-	-	-	.035	-	-	.290	.320	"	22
23	-	-	-	-	.060	-	-	-	.100	-	.030	.095	"	23
24	-	-	.060	-	.015	-	.050	-	.260	-	-	.050		24
25	.135	.110	.065	-	-	-	.015	.035	-	.110	.280	.070		25
26	.040	.340	.160	-	-	-	-	-	.040	.125	-	.230		26
27	.075	-	-	-	.270	.095	.200	.125	.380	.045	.330	-		27
28	.120	-	-	-	.250	.050	.110	1.17	.030	-	.060	.150		28
29	.500	-	-	-	.475	-	.035	-	-	.030	.090	.110		29
30	.040	X	-	-	-	.165	-	-	.260	-	.170	.090		30
31	.165	X	-	X	.170	X	-	-	X	.180	X	.530		31
TOTAL	3.095	.775	.285	.030	1.800	1.280	2.480	3.855	2.385	2.235	2.550	3.550	24.320	Year's Total
* Days with .01 in. or more.	23	8	3	1	10	9	19	13	14	17	17	20	154	
* Days with .04 in. or more.	17	5	3	0	9	6	15	8	11	14	13	20	121	

* See Instruction 3 (f) on other side.

† Spare column, no entries required
(Signed) *John F. ...*

[P.T.O.]

City Engineer & Surveyor

Section

A

for the entry of Daily Observations

Station No. 2504

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Leicester, Gilroy's Cemetery

in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground..1...ft.....in.

Ground Sea Level 293.59...ft.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

T. C. C.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.120	Nil	Nil	.030	.040	Nil	Nil	.470	.310	Nil	Nil	Nil		1
2	.065	Nil	Nil	.100	Nil	Nil	.020	.290	.640	.030	.100	Nil		2
3	.300	Nil	Nil	.395	Nil	Nil	Nil	.440	.020	Nil	.200	.230		3
4	.220	Nil	.290	.275	.030	Nil	.030	.640	.170	.070	.050	.240		4
5	Nil	Nil	Nil	.080	.210	Nil	.040	.600	Nil	.130	.215	.185		5
6	.460	Nil	Nil	Nil	Nil	Nil	.190	Nil	Nil	Nil	.070	Nil		6
7	Nil	.040	Nil	Nil	Nil	Nil	.260	Nil	Nil	Nil	.235	.170		7
8	.020	.020	.285	Nil	Nil	Nil	.250	.070	Nil	.130	.110	.290		8
9	Nil	.120	Nil	Nil	Nil	Nil	.105	.220	Nil	.305	Nil	.210		9
10	.410	Nil	.030	Nil	Nil	Nil	Nil	.290	.030	.040	Nil	Nil		10
11	Nil	Nil	.190	Nil	Nil	.210	Nil	Nil	.020	Nil	Nil	Nil		11
12	Nil	.020	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil		12
13	Nil	Nil	Nil	Nil	Nil	.050	.040	Nil	.040	.340	Nil	Nil		13
14	.380	Nil	.020	.040	.300	.080	.280	Nil	Nil	.350	.080	Nil		14
15	.210	Nil	.025	Nil	.100	.225	.530	Nil	Nil	.410	.050	Nil		15
16	.120	Nil	.120	.080	.335	.220	.220	Nil	Nil	Nil	.160	Nil		16
17	.390	.030	Nil	Nil	.035	Nil	.360	Nil	Nil	1.630	Nil	Nil		17
18	.040	.030	.045	Nil	Nil	.300	.140	Nil	.020	Nil	.690	Nil		18
19	.250	Nil	Nil	Nil	Nil	.040	.690	Nil	Nil	Nil	Nil	Nil		19
20	.080	Nil	Nil	Nil	.045	.090	.050	.080	Nil	Nil	Nil	Nil		20
21	.180	.170	.140	.045	Nil	.080	.050	.210	.080	Nil	Nil	Nil		21
22	.150	.110	.040	Nil	Nil	Nil	.210	Nil	.050	.050	.230	Nil		22
23	.060	Nil	Nil	.060	Nil	Nil	.100	Nil	.025	.045	.660	Nil		23
24	.060	Nil	Nil	.030	Nil	.045	.270	Nil	Nil	.030	Nil	Nil		24
25	.720	.100	.040	Nil	Nil	Nil	.070	.060	Nil	Nil	.295	Nil		25
26	.150	Nil	Nil	.035	Nil	Nil	Nil	Nil	Nil	.100	.190	.060		26
27	Nil	.170	.170	.080	Nil	Nil	.100	.505	Nil	.120	.150	.020	(Snow)	27
28	.050	.200	.120	.035	Nil	.085	.040	Nil	Nil	.060	.200	.050	(Snow)	28
29	Nil	X	Nil	.160	Nil	Nil	.165	.240	Nil	.295	.040	Nil		29
30	Nil	X	Nil	.250	Nil	.050	Nil	Nil	Nil	Nil	.085	Nil		30
31	Nil	X	Nil	X	Nil	X	Nil	.030	X	Nil	X	Nil		31
TOTAL	4.425	1.010	1.515	1.695	1.095	1.475	4.210	4.145	1.405	4.135	3.810	1.445	30.375	Year's Total
* Days with .01 in. or more.	21	11	13	15	8	12	23	14	11	17	19	9	173	
* Days with .04 in. or more.	20	7	10	11	6	12	21	13	6	15	19	8	148	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

20

Section

A

for the entry of Daily Observations

Station No. 2504

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Leicester, Gibsons Cemetery

in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

Ground Sea Level 293.59.....ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Nil	Nil	Nil	.065	Nil	Nil	Nil	Nil	Nil	Nil	.180	Nil		1
2	Nil	Nil	Nil	.330	Nil	Nil	Nil	Nil	Nil	Nil	.630	.070		2
3	Nil	Nil	Nil	.090	Nil	Nil	Nil	Nil	Nil	.160	.590	.070		3
4	Nil	.450	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.150	.470	.150		4
5	Nil	Nil	Nil	Nil	.080	Nil	.080	Nil	Nil	.120	.200	.060		5
6	.090	.950	Nil	Nil	Nil	Nil	.240	Nil	Nil	.310	.080	Nil		6
7	.050	.220	Nil	.080	.040	Nil	.100	Nil	.050	Nil	Nil	Nil		7
8	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.130	.090	.270		8
9	Nil	Nil	.120	Nil	Nil	.200	.050	.035	.030	.090	.300	.170		9
10	Nil	Nil	Nil	Nil	Nil	Nil	1.050	.060	Nil	Nil	.305	.480		10
11	Nil	Nil	.100	.040	Nil	.120	.140	Nil	.090	Nil	.510	Nil		11
12	Nil	Nil	.140	Nil	Nil	.040	.255	Nil	Nil	Nil	.080	Nil		12
13	Nil	.190	.180	Nil	Nil	Nil	Nil	Nil	.150	Nil	Nil	Nil		13
14	Nil	Nil	.080	.165	.290	Nil	Nil	.040	Nil	Nil	.090	.390		14
15	Nil	Nil	Nil	Nil	Nil	.150	.070	Nil	.090	.080	Nil	Nil		15
16	.100	1.250	.410	.035	Nil	Nil	.310	Nil	.080	.985	.590	Nil		16
17	Nil	Nil	.470	Nil	Nil	Nil	.040	Nil	Nil	Nil	Nil	Nil		17
18	.110	.700	.240	.300	Nil	Nil	Nil	.050	Nil	.140	.060	.070		18
19	Nil	.310	.100	.180	Nil	Nil	.330	Nil	.330	Nil	.150	.100		19
20	Nil	.060	Nil	.045	Nil	Nil	.365	.070	Nil	.170	.040	Nil		20
21	Nil	Nil	Nil	Nil	.050	.260	Nil	Nil	Nil	.080	1.550	Nil		21
22	Nil	Nil	Nil	Nil	.190	.220	Nil	.040	.130	Nil	Nil	Nil		22
23	Nil	.240	.050	.060	.370	.165	Nil	Nil	Nil	.160	Nil	.080		23
24	.020	Nil	Nil	.050	Nil	Nil	.105	Nil	Nil	Nil	.070	Nil		24
25	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.100	Nil	Nil		25
26	.900	.080	Nil	Nil	Nil	Nil	.535	Nil	Nil	Nil	Nil	Nil		26
27	(60) Nil	.150	Nil	Nil	Nil	Nil	.175	Nil	Nil	Nil	Nil	Nil		27
28	(80) Nil	.550	Nil	.065	.160	Nil	Nil	Nil	Nil	Nil	Nil	Nil		28
29	Nil	Nil	.150	.065	.160	Nil	Nil	Nil	Nil	Nil	Nil	.490		29
30	Nil	Nil	Nil	.610	Nil	Nil	Nil	Nil	Nil	.450	Nil	.130		30
31	Nil	Nil	.030	Nil	Nil	Nil	Nil	Nil	Nil	.710	Nil	Nil		31
TOTAL	(217) 1.270	5.150	2.070	2.180	1.340	1.155	3.845	.295	.950	3.835	5.985	2.530	Year's Total 31.70	
* Days with .01 in. or more.	88	13	3	6	8	9	15	6	89	215	22	7	137	169
* Days with .04 in. or more.	75	12	11	14	8	7	15	5	7	15	18	13	132	

† Spare column, no entries required.

(Signed)

P.T.O.

* See Instruction 3 (f) on other side.

Kept at The Gynsills
in the County of Leicester

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
Ground Sea Lev

2505
LEICESTER, THE GYNSILLS
1931—35

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this

P

Jan. 1, following

7P0409

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02	.01	.06	—	.10	—	—	.37	.01	—	—	1
2	.01	.03	.02	.67	—	.08	—	—	.46	.06	.03	.03	2
3	.04	—	—	.08	—	—	—	—	(.94)	—	(.40)	.05	3
4	.03	.06	—	.16	—	—	.70	.15	.12	.01	.07	—	4
5	—	.04	—	.05	—	(1.00)	—	.15	.16	—	.01	(.40)	5
6	.02	.25	—	.01	—	.06	.01	—	—	(.19)	.13	—	6
7	—	.03	—	.02	—	.02	.11	.36	—	.04	(.40)	.02	7
8	.03	.09	.02	.04	.12	.02	.04	(2.76)	—	—	.23	—	8
9	.01	.19	(.06)	.05	—	.01	—	.13	—	—	.24	—	9
10	.03	—	—	—	.03	.04	—	.19	.01	—	.01	—	10
11	.07	.28	—	—	—	.03	—	.01	.11	—	.06	—	11
12	.05	.08	—	—	—	—	.66	—	.22	.01	.04	—	12
13	—	—	—	.02	—	—	.04	.13	.01	—	.01	—	13
14	—	.07	—	—	—	.27	(.99)	1.22	.01	—	.10	—	14
15	.01	.15	—	.13	.26	—	.08	.26	—	—	.01	.02	15
16	.05	.50	—	.09	(.75)	.53	.02	.32	.18	.01	—	—	16
17	.08	.18	—	.55	.52	.06	.02	—	—	—	—	—	17
18	.09	.01	.01	.26	—	.01	.02	.19	—	—	.37	—	18
19	.03	.05	—	.27	.01	—	.01	.03	.13	.02	.02	—	19
20	—	.06	—	.03	—	—	.01	.35	—	.02	.03	.03	20
21	.12	.03	—	—	.42	—	—	.27	—	—	.12	—	21
22	.07	—	—	.03	—	—	—	—	—	—	—	—	22
23	.04	.02	.01	.03	.35	.08	—	—	—	—	.17	.02	23
24	.04	.01	—	.10	.65	—	.13	—	—	—	.01	—	24
25	.05	.02	—	(.85)	.01	—	.75	—	—	—	.02	—	25
26	.02	.03	.01	.27	—	—	.03	—	—	—	.13	—	26
27	.15	(.57)	—	—	.05	—	—	—	—	.05	.22	.23	27
28	.08	.05	—	.04	.25	—	.01	—	—	—	.01	.20	28
29	.10	X	—	—	.04	—	.07	—	—	—	.02	.02	29
30	(.22)	X	—	—	—	—	—	—	—	—	—	—	30
31	.11	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.67	2.82	.14	3.81	3.46	2.31	3.70	6.52	2.72	.42	2.86	1.02	31.45
*Days with or in. or more.	26	24	7	22	13	14	18	15	12	10	25	10	196
*Days with or in. or more.	16	15	1	16	10	9	10	13	9	4	14	4	121

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Gynalls
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
Ground Sea Level 244 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02	.01	.06	—	.10	—	—	.37	.01	—	—	1
2	.01	.03	.02	.67	—	.08	—	—	.46	.06	.03	.03	2
3	.04	—	—	.08	—	—	—	—	.94	—	.40	.05	3
4	.03	.06	—	.16	—	—	.70	.15	.12	.01	.07	—	4
5	—	.04	—	.05	—	1.00	—	.15	.16	—	.01	.40	5
6	.02	.25	—	.01	—	.06	.01	—	—	.19	.13	—	6
7	—	.03	—	.02	—	.02	.11	.36	—	.04	.40	.02	7
8	.03	.09	.02	.04	.12	.02	.04	2.76	—	—	.23	—	8
9	.01	.19	.06	.05	—	.01	—	.13	—	—	.24	—	9
10	.03	—	—	—	.03	.04	—	.19	.01	—	.01	—	10
11	.07	.28	—	—	—	.03	—	.01	.11	—	.06	—	11
12	.05	.08	—	—	—	—	.66	—	.22	.01	.04	—	12
13	—	—	—	.02	—	—	.04	.13	.01	—	.01	—	13
14	—	.07	—	—	—	.27	.99	1.22	.01	—	.10	—	14
15	.01	.15	—	.13	.26	—	.08	.26	—	—	.01	.02	15
16	.05	.50	—	.09	.75	.53	.02	.32	.18	.01	—	—	16
17	.08	.18	—	.55	.52	.06	.02	—	—	—	—	—	17
18	.09	.01	.01	.26	—	.01	.02	.19	—	—	.37	—	18
19	.03	.05	—	.27	.01	—	.01	.03	.13	.02	.02	—	19
20	—	.06	—	.03	—	—	.01	.35	—	.02	.03	.03	20
21	.12	.03	—	—	.42	—	—	.27	—	—	.12	—	21
22	.07	—	—	.03	—	—	—	—	—	—	—	—	22
23	.04	.02	.01	.03	.35	.08	—	—	—	—	.17	.02	23
24	.04	.01	—	.10	.65	—	.13	—	—	—	.01	—	24
25	.05	.02	—	.85	.01	—	.75	—	—	—	.02	—	25
26	.02	.03	.01	.27	—	—	.03	—	—	—	.13	—	26
27	.15	.57	—	—	.05	—	—	—	—	.05	.22	.23	27
28	.08	.05	—	.04	.25	—	.01	—	—	—	.01	.20	28
29	.10	X	—	—	.04	—	.07	—	—	—	.02	.02	29
30	.22	X	—	—	—	—	—	—	—	—	—	—	30
31	.11	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.67	2.82	.14	3.81	3.46	2.31	3.70	6.52	2.72	.42	2.86	1.02	YEAR'S TOTAL 31.45
*Days with ".01 in. or more.	26	24	7	22	13	14	18	15	12	10	25	10	196
*Days with ".04 in. or more.	16	15	1	16	10	9	10	13	9	4	14	4	121

Section

A

for the entry of Daily Observations.

Station No.

2505

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Gynsellsin the County of LeicesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 ft.Ground Sea Level 244 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.01	-	.13	.60	.10	-	.40	.15	.24	-	.02	1
2	.08	-	-	.02	.18	-	-	.02	.07	.08	.03	.09	2
3	-	-	-	.22	-	-	-	-	-	-	-	-	3
4	.02	-	-	.14	-	-	-	-	.03	-	.31	.01	4
5	.25	.02	.08	-	.02	-	-	-	.07	-	-	-	5
6	.19	-	.15	.21	-	-	-	-	.32	-	-	-	6
7	-	-	.25	.25	-	-	-	-	.04	.05	-	-	7
8	-	-	-	.13	-	-	-	-	.02	.09	-	-	8
9	.10	.08	.02	.02	.03	-	-	-	-	-	-	.04	9
10	.13	.10	-	.05	.04	-	-	-	.17	.18	.01	.01	10
11	.02	.02	.01	.05	-	.25	.26	-	.03	.05	.03	-	11
12	.15	-	-	-	.17	-	.04	-	.02	.21	.03	-	12
13	.07	.05	-	.13	-	-	.43	-	.07	.10	.02	.02	13
14	.19	.01	-	-	-	-	.05	.14	-	.03	.18	.04	14
15	.01	-	-	.20	.15	-	-	-	-	.04	.01	.08	15
16	.10	-	-	.26	.08	-	-	-	-	-	-	-	16
17	-	-	-	-	.01	-	.02	-	-	.15	-	-	17
18	-	-	-	-	.02	-	-	-	-	-	.01	-	18
19	-	.02	-	-	.01	-	-	-	.01	.26	-	.01	19
20	-	-	-	.09	-	-	.02	.30	.01	.64	.15	-	20
21	.01	-	.14	.14	.05	-	-	.44	-	.34	.03	.08	21
22	.01	-	-	.05	.04	-	.37	-	.78	.10	.58	-	22
23	-	.04	-	.01	.43	-	.04	-	.07	.09	.09	.06	23
24	.02	-	-	-	.02	-	.11	-	.07	.10	.22	.02	24
25	.01	-	-	-	.02	-	.52	-	.04	.26	.01	.02	25
26	-	.08	-	.45	.25	.02	.03	-	-	.01	-	-	26
27	-	-	.37	.24	.60	-	.23	-	-	-	.18	-	27
28	-	-	.19	.17	.58	.16	.45	.69	-	.07	-	.01	28
29	-	-	.18	.13	.04	.10	.03	.03	.11	.30	.05	.09	29
30	-	X	.03	-	.01	.53	.03	.10	.46	.46	.23	.15	30
31	.01	X	.04	X	.02	X	.92	-	X	.01	X	.08	31
TOTAL	1.49	.43	1.46	3.09	5.37	1.16	3.55	2.12	2.54	3.86	2.17	.83	YEAR'S TOTAL
*Days with .01 in. or more.	18	10	11	21	22	6	16	8	19	23	18	17	189
*Days with .04 in. or more.	10	5	8	18	13	5	11	6	13	20	9	9	127

Section , **A** for the entry of Daily Observations.

Station No. **2505**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.3

Kept at The Gynsells Gully Road
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 244 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.30	.05	—	—	—	—	—	—	.02	.06	—		1
2	.26	—	.46	—	.05	—	—	—	—	—	.08	—		2
3	<u>h</u>	.35	.10	—	.17	—	—	—	—	—	.05	—		3
4	.19	.01	.09	—	.24	—	—	—	—	—	.02	—		4
5	.09	.03	.12	—	.14	—	—	—	—	—	.01	—		5
6	<u>h</u>	.15	.15	—	.20	—	—	—	—	.08	.01	.03		6
7	.04	.49	.02	—	.02	—	—	—	—	.13	<u>h</u>	—		7
8	.03	<u>h</u>	.07	—	.04	—	.40	—	.03	.01	—	—		8
9	—	<u>h</u>	<u>h</u>	—	.14	—	.22	—	—	.09	.12	—		9
10	.02	.02	<u>h</u>	—	<u>h</u>	.04	—	—	—	1.18	.09	—		10
11	.04	—	<u>h</u>	—	—	.05	.13	<u>h</u>	—	.01	.02	—		11
12	.08	<u>h</u>	<u>h</u>	—	—	.01	.07	—	.11	—	—	.12		12
13	.03	—	—	—	.04	.03	.44	—	—	.06	.27	—		13
14	.02	.01	—	—	.20	—	.04	.03	—	.26	.37	.03		14
15	.58	—	—	—	—	.06	.15	.05	—	.02	.39	.02		15
16	.13	—	.53	.01	.12	.15	.16	—	—	.02	.05	.01		16
17	.09	—	.52	—	—	.14	—	—	.04	—	.05	<u>h</u>		17
18	.03	.02	.05	—	—	.25	—	—	—	—	.05	—		18
19	.03	—	.32	.04	—	.03	.19	—	.07	—	.01	—		19
20	—	.06	.03	—	—	—	—	.07	—	.01	.02	—		20
21	—	.02	.01	—	.65	.12	—	.24	.01	.02	.01	—		21
22	—	—	—	—	—	—	—	.27	—	.49	.01	—		22
23	—	—	—	.18	—	—	—	—	.35	.02	.04	—		23
24	—	—	—	.06	.10	.85	—	—	.40	.06	.04	—		24
25	—	1.05	—	.34	—	.29	—	—	.02	—	—	.06		25
26	—	.50	—	.07	—	.02	—	—	.01	.10	—	.02		26
27	—	.02	—	—	—	—	—	—	.78	.02	—	—		27
28	—	.01	—	.30	.04	—	—	—	<u>h</u>	.16	—	.08		28
29	.01	X	—	.45	—	—	.03	—	.01	.12	—	.02		29
30	—	X	.19	.07	—	—	.04	—	—	.03	—	.08		30
31	.10	X	.30	X	—	X	.02	.13	X	.11	X	—		31
TOTAL	2.04	3.04	3.01	1.52	2.15	2.04	1.89	.79	1.83	3.02	1.77	.47	23.57	
*Days with .01 in. or more.	18	15	16	9	14	13	12	6	11	22	21	10	167	
*Days with .04 in. or more.	11	7	13	8	13	9	10	5	6	12	13	4	111	

Year's Total

Section

A

for the entry of Daily Observations.

Station No. 2505

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Synnalls Groby Road
in the County of LeicestersDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 8 in.
,, Ground ,, Sea Level 144 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	-	-	-	-	.25	-	TR	.09	.35		1
2	.04	.03	-	-	-	-	-	.96	.25	.04	.15	.26		2
3	.04	.04	.08	-	-	-	-	-	-	.19	.06	TR		3
4	.06	-	.10	.04	.02	-	-	-	.10	.15	.12	.31		4
5	.02	-	.14	.50	.06	-	-	.17	-	.01	-	.09		5
6	-	-	.03	.04	-	.06	-	.03	-	-	-	.49		6
7	.08	.03	-	-	.33	.07	-	.05	-	.15	-	.20		7
8	-	-	-	.04	-	-	-	.08	-	.05	.29	.01		8
9	.03	-	.04	-	-	-	-	.06	-	.08	.68	.28		9
10	-	-	.20	.12	-	-	-	.03	-	.01	.07	.01		10
11	.56	-	.10	.35	.10	-	-	.08	-	.01	.07	.17		11
12	-	-	.20	-	-	-	.06	.05	-	.02	-	.04		12
13	.42	-	.25	.05	.05	.05	.12	.04	-	-	.02	.17		13
14	.14	-	.35	-	-	-	-	-	.03	.22	-	.34		14
15	.07	-	.06	-	.13	-	-	-	-	.01	.50	.01		15
16	.12	-	.25	-	-	-	-	-	-	.13	.11	.01		16
17	.15	.05	-	.30	.20	-	.06	-	.17	.17	.06	.09		17
18	.10	-	.01	.11	-	-	.09	-	.05	-	.06	TR		18
19	-	-	.08	.14	-	.08	-	-	.01	-	.01	.06		19
20	-	-	.08	-	-	-	-	-	.02	.07	.01	-		20
21	-	-	-	-	-	.23	-	-	-	.02	TR	-		21
22	-	-	-	-	-	-	-	.30	.20	-	-	.05		22
23	-	-	.02	.42	-	.11	.05	-	-	-	-	.13		23
24	-	.30	.11	-	-	.04	.25	-	.44	.03	.02	-		24
25	.24	-	-	.02	-	-	-	-	-	.12	-	.47		25
26	.08	-	.03	.12	-	-	.01	-	.03	.03	.04	.17		26
27	-	-	-	.46	-	-	.01	-	.05	-	-	.18		27
28	.02	-	-	1.30	-	.20	.07	.41	-	-	.02	.41		28
29	-	X	-	-	-	-	-	.10	.40	.02	TR	.05		29
30	.04	X	.27	-	-	-	-	-	.03	.04	-	.25		30
31	.02	X	-	X	-	X	-	-	X	.28	X	.07		31
TOTAL	2.26	.45	2.40	4.01	.89	.84	.72	2.61	1.78	1.85	2.38	4.67	Year's Total.	24.86
* Days with .01 in. or more.	19	5	19	15	7	8	9	14	13	22	18	26		175
* Days with .04 in. or more.	14	3	15	14	6	8	7	12	8	13	13	22		135

40-9999

* See Instruction 2 (f) on other side.

Spare column, no entries required.

(Signed)

Valera D. Ellis

[P.T.O.]

Station No. 2505

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Gypsills

in the County of Deerfield

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft in.

Ground Sea Level 244 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

[illegible]

2505/4
OSBASTON HALL

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION. *Jan 4*
1931.

Kept at OSBASTON HALL
in the County of LEICESTERS.

1931-1940

780409

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 393 ft.

NR 1929 81530
OK previously

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01		.07		.10			.34	.10			1
2		.08		.56		.10			.45		.04	.03	2
3				.09		.02	.05		.53		.34	.08	3
4		.05		.15			.81	.14	.03		.11		4
5		.01		.04		.77	.04		.22			.25	5
6		.20		.04	.03	.09	.02			.24	.22		6
7							.29	.40		.03	.05	.02	7
8	.09	.06	.03	.08	.07	.04	.05	.84		.01	.07		8
9		.16		.06		.03		.10			.33	.01	9
10	.01				.02	.03		.09	.05		.06		10
11	.08	.28				.04			.14		.11		11
12	.04	.12					1.15	.02	.20	.04	.03		12
13								.29					13
14		.05			.12	.20	.60	.55	.05		.11		14
15		.17		.20	.28		.14	.25			.01		15
16	.10	.41		.09	.40	.62		.17	.13				16
17	.02	.21		.51		.11	.03		.01				17
18	.07	.02		.32		.07	.08	.12					18
19	.03	.06		.24		.18	.03	.08	.10	.02	.25		19
20		.05		.05			.02	.58			.01	.06	20
21	.12				.42			.22			.01		21
22	.06				.01			.02	.02		.09		22
23	.13	.01	.37	.09	.35	.24			.04		.14	.07	23
24				.06	.52		.06			.01	.01		24
25	.06	.01		.93	.01		.38				.01	.01	25
26		.01		.25			.26				.21		26
27	.10	.43			.27		.01			.06	.21	.18	27
28	.12	.35		.06	.29						.01	.23	28
29	.03	X		.04	.02		.17			.26			29
30	.01	X											30
31	.15	X		X		X			X		X	.01	31
TOTAL	1.23	2.75	40	3.93	2.81	2.64	4.19	3.87	2.31	.77	2.43	.95	YEAR'S TOTAL 28.28
*Days with or in. or more.	18	21	2	20	14	15	18	15	14	9	22	11	179
*Days with or more.	12	15	1	20	9	12	13	13	11	5	15	6	132

40-9999

*See Instruction 2 (f) on other side.

(Signed) T.G. Cope [P.T.O.]

SIR THOMAS COPE, Bart.

Section

A

for the entry of Daily Observations

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at OSBASTON HALL

in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 393 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01		.07		.10			.34	.10			1
2		.08		.56		.10			.45		.04	.03	2
3				.09		.02	.05		.53		.34	.08	3
4		.05		.15			.81	.14	.03		.11		4
5		.01		.04		.77	.04		.22			.25	5
6		.20		.04	.03	.09	.02			.24	.22		6
7							.29	.40		.03	.05	.02	7
8	.09	.06	.03	.08	.07	.04	.05	.84		.01	.07		8
9		.16		.06		.03		.10			.33	.01	9
10	.01				.02	.03		.09	.05		.06		10
11	.08	.28				.04			.14		.11		11
12	.04	.12					1.15	.02	.20	.04	.03		12
13								.29					13
14		.05			.12	.20	.60	.55	.05		.11		14
15		.17		.20	.28		.14	.25			.01		15
16	.10	.41		.09	.40	.62		.17	.13				16
17	.02	.21		.51		.11	.03		.01				17
18	.07	.02		.32		.07	.08	.12					18
19	.03	.06		.24		.18	.03	.08	.10	.02	.25		19
20		.05		.05			.02	.58			.01	.06	20
21	.12				.42			.22			.01		21
22	.06				.01			.02	.02		.09		22
23	.13	.01	.37	.09	.35	.24			.04		.14	.07	23
24				.06	.52		.06			.01	.01		24
25	.06	.01		.93	.01		.38				.01	.01	25
26		.01		.25			.26				.21		26
27	.10	.43			.27		.01			.06	.21	.18	27
28	.12	.35		.06	.29						.01	.23	28
29	.03	X		.04	.02		.17			.26			29
30	.01	X											30
31	.15	X		X		X			X		X	.01	31
TOTAL	1.23	2.75	40	3.93	2.81	2.64	4.19	3.87	2.31	.77	2.43	.95	YEAR'S TOTAL
*Days with or in. or more.	18	21	2	20	14	15	18	15	14	9	22	11	179
*Days with or in. or more.	12	15	1	20	9	12	13	13	11	5	15	6	132

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. G. Cope

SIR THOMAS COPE, BART.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

250574

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at OSBASTON HALL
in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 39.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.01		.11	.32	.09		.36	.11	.24	.02	.01	1
2	.05			.01	.11			.02	.10	.10	.02	.06	2
3				.21	.03					.01			3
4	.01			.27					.01		.35		4
5	.16	.01	.04		.01			.01	.09				5
6	.21		.21	.26			.04		.27				6
7			.24	.36	.01				.03	.04			7
8		.01		.08					.07	.15			8
9	.11	.08			.09					.01			9
10	.18	.15			.01				.18	.20			10
11	.03	.02	.02	.08	.20	.08	.09		.08	.04	.01		11
12	.14				.17		.05		.07	.36	.01		12
13		.11		.09	.01		.54		.05	.09	.01	.04	13
14	.31	.03		.04			.06	.04		.03	.14	.01	14
15	.01			.08	.33					.02		.04	15
16	.16			.16	.08		.15						16
17				.01	.03		.02			.12			17
18					.03				.04		.01		18
19	.01				.68					.18			19
20				.08	1.66		.02	.39		.41	.20	.01	20
21			.15	.11	.03			.23		.24		.15	21
22	.01		.31	.04	.38		.36		.56	.10	.33		22
23		.06		.04	.01		.08		.07	.07	.10	.03	23
24		.01					.04		.07		.30		24
25		.07					.55		.06	.29	.04		25
26				.40	.22	.02	.01		.09	.03	.10	.02	26
27			.36	.12	.44	.03	.18						27
28			.42	.05	.42	.01	.31	.36		.05		.01	28
29		—	.18	.38	.07	.09	.03	.04	.08	.26	.03	.05	29
30		×	.06	.02		.51	.05	.08	.35	.49	.22	.15	30
31	.03	×	.10	×	.02	×	.67		×		×	.09	31
TOTAL	1.50	.56	2.09	3.00	5.36	.83	3.20	1.53	2.38	3.53	1.89	.67	YEAR'S TOTAL
*Days with or in. or more.	15	11	11	22	24	7	18	9	19	23	16	13	188
*Days with .04 in. or more.	9	5	10	19	14	4	13	7	17	18	9	7	132

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. G. Cope

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at OSBASTON HALL
in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. r. following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.37	.02								.06			1
2	.22		.28		.03						.06			2
3		.31	.16		.48						.07			3
4	.09		.03		.17									4
5	.07	.04	.12		.10						.03			5
6		.17	.05		.36					.10	.01	.03		6
7	.01	.39			.01		.01			.14	.01			7
8	.04		.09		.08		.37							8
9					.21		.32			.27	.09			9
10	.03	.03				.04				1.42	.16			10
11	.01					.01	.20			.03	.01			11
12	.04						.06		.09			.09		12
13					.05	.04	.33			.08	.26			13
14					.02	.03				.04	.20			14
15	.55					.01	.37	.06			.22	.07		15
16	.05		.44		.08	.13	.20			.02	.06	.02		16
17	.05		.46			.05	.02		.01		.05			17
18	.03		.04			.42	.05				.04			18
19		.04	.22			.27	.13		.05		.02			19
20		.05	.02		.01	.04		.01			.01			20
21		.08			.10	.07		.15			.01			21
22						.33		.27		.30	.02			22
23				.13		.16			.18	.01				23
24		.16		.09	.03	.88			.33	.04	.05			24
25		.48		.29		.25			.03		.02	.05		25
26		.53		.20		.33				.08	.05	.01		26
27					.07				.45					27
28				.31	.09					.06		.07		28
29		X		.21			.04			.03		.02		29
30	.08	X	.30				.01			.02		.07		30
31	.01	X	.48	X		X	.04	.09	X	.27	X			31
TOTAL	1.56	2.65	2.71	1.23	1.89	3.06	2.15	.58	1.14	2.91	1.51	.43	Year's total	21.82
*Days with .01 in. or more.	15	12	14	6	16	16	14	5	7	16	22	9		152
*Days with .04 in. or more.	10	11	11	6	11	13	11	4	5	11	13	5		111

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

T. G. Cope

[P. T. O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at OSBASTON HALL

in the County of LEICESTER

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11							.21	.02		.25	.33		1
2	.02	.03	.07					1.53	.23	.02	.12	.28		2
3	.13	.04								.03	.11			3
4	.06		.08	.36	.03				.20		.10	.36		4
5	—		.07	.03	.12			.27			.12	.09		5
6	.10		.05	.02	.34	.08		.12		.22		.49		6
7	—		.01			.22		.03		.05		.20		7
8	—		.04		.07	.16		.07		.03	.30	.02		8
9	.02		.15	.03				.10		.02	.46	.33		9
10	—		.14	.15				.05			.09	.02		10
11	.78		.17	.31				.14			.01	.15		11
12	—		.16	.01			.06	.12		.03		.05		12
13	.46	.02	.01	.10	.02		.12	.16		.02	.01	.07		13
14	.06		.34			.01				.39	.29	.32		14
15	.04		.07		.12					.06	.17	.03		15
16	.08		.13		.09			.01		.16	.06	.11		16
17	.10				.01		.03		.31	.23	.04	.07		17
18	.18		.01	.38			.03		.03	.01	.01	.01		18
19			.14			.07			.02			.04		19
20			.04	.15		.01			.04		.01			20
21						.23		.06		.04		.01		21
22			.01					.25	.17			.03		22
23			.01	.33	.03	.08	.27					.10		23
24		.29	.10			.03	.34		.32	.01				24
25	.19									.19		.36		25
26	.11		.03	.20		.02			.03		.04	.09		26
27	.01	.31		.37			.01			.06		.07		27
28				.99		.19	.42	.32		.05	.01	.49		28
29		X					.12	.09	.40	.04		.03		29
30	.08	X					.05		.04	.01		.36		30
31	.01	X		X		X	.01	.01	X	.14	X	.12		31
TOTAL	2.54	.69	1.80	3.43	.83	1.10	1.04	3.54	1.81	1.81	2.20	4.57	Year's Total.	1536
* Days with .01 in. or more.	18	5	21	14	9	11	10	17	12	21	18	28		184
* Days with .04 in. or more.	14	3	15	10	5	7	6	14	8	12	13	21		128

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

T.G. Cope

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at OSBASTON HALL

in the County of LEICESTER

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.01	.01	.05	.01	.03	-	-	.59	.09	.18	.07		1
2	.01	.01	.13	-	-	.43	.04	-	.14	.26	.02	.31		2
3	-	.16	.03	.01	-	-	-	-	.46	.10	.21	.03		3
4	-	.01	.01	.17	-	.06	-	-	-	.47	.02	.01		4
5	-	.53	.08	.12	-	.03	.08	-	.03	.04	.17	-		5
6	.02	.04	.02	.29	-	.14	-	-	-	.03	.12	.02		6
7	.03	-	.01	.36	-	.07	-	-	-	.14	.53	.21		7
8	.02	-	-	.15	-	.15	-	.15	-	.05	.13	.04		8
9	-	-	-	.22	-	.16	-	-	-	.77	.17	.03		9
10	-	.02	-	.04	-	.02	-	-	-	-	.21	.02		10
11	.20	-	-	.05	-	.01	-	-	-	-	.18	.04		11
12	.05	.01	-	-	-	.09	-	.03	.02	-	.02	-		12
13	.09	.05	-	.11	.11	-	.01	-	-	.01	.01	-		13
14	-	-	.01	-	.05	.07	-	-	-	-	.31	.16		14
15	.01	.10	-	.69	.06	.04	-	-	.34	-	.25	.41		15
16	-	.04	.14	.27	-	.41	-	-	.47	.29	.62	.14		16
17	-	.01	-	.14	-	.12	.01	.08	-	.07	.59	.02		17
18	.01	-	-	.21	.05	.02	.11	-	.27	.09	-	-		18
19	.02	-	-	.07	.26	.33	.10	-	.02	.02	.32	-		19
20	.03	.13	-	.26	.04	.14	.13	-	.01	-	.17	.02		20
21	-	.22	.03	.16	-	-	-	-	.42	.04	.14	-		21
22	-	.27	-	.05	-	-	-	-	.16	.01	.01	.02		22
23	.01	.01	.23	-	-	-	-	.58	.06	.32	.01	.03		23
24	.06	.25	.02	-	-	-	-	.02	.76	.08	-	.27		24
25	.26	.08	-	.05	-	1.26	-	-	-	.01	.01	.04		25
26	.04	-	-	-	-	-	-	.30	.29	.02	.05	.56		26
27	-	.22	-	-	-	-	-	-	.09	.08	.31	1.29		27
28	.03	.04	-	-	-	-	-	-	.03	.09	.02	.06		28
29	-	~~X~~	.03	-	-	-	-	-	.11	.06	.04	.11		29
30	.07	~~X~~	.01	.05	.05	-	-	.32	.03	.29	.19	.09		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.56	~~X~~	.11		31
TOTAL	1.08	2.21	.76	3.52	.63	3.58	.48	1.48	4.30	3.99	5.01	4.11	31.15	Year's Total
* Days with .01 in. or more.	18	20	14	21	8	19	7	7	19	.25	28	25	211	
* Days with .04 in. or more.	8	13	4	20	7	14	5	5	13	19	20	16	144	

Section



for the entry of Daily Observations.

Station No. 2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at OSBASTON HALL

in the County of LEICESTER

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level 390.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	06	11	47		04	11	26	.01		09	20		1
2	.06	08	12	.07		32	59	01			16	13		2
3	.01	.03				29	14	02	14		01	01		3
4	.02		13			62	01	09	46		08	06		4
5	.09	.05	.04				03	02	26	.02	01	11		5
6	.02		01		.21	15	37	16	15		12			6
7	.14		03		.01		62		03		04	01		7
8	.19		07						04		17	09		8
9	.37		05				86		06	14		02		9
10	.05		01				33		03					10
11	-			10		07	17	01	12		38			11
12	-			15	.01	33	57		61		06	08		12
13	.02			11		21				06	03	31		13
14	.01			16		09	26		35	04	02	34		14
15	-	01				04	09		02		20	15		15
16	.21	09					08				56	02		16
17	-	51		03			06			07	05	18		17
18	-	02				03	30			18	01	05		18
19	.61	10	02	37		17		05		10				19
20	.01	08	02	04		-	02	01		04				20
21	.12		06	18		1.76								21
22	-	57	05	02	22		18				03	08		22
23	-	05	08	09	10		27			02	02			23
24	.22	10			03				09	21	02			24
25	.10	01	12	31			04		31	04	01			25
26	.02	05	32	03					01	08		01		26
27	.05		01				06		10	14	01			27
28	.36	12	14						07	02	02	07		28
29	.15	63	10			02				11	23	06		29
30	.09	~~X~~			.17	69	16			26	16	01		30
31	.58	~~X~~	11	~~X~~		~~X~~	04		~~X~~	16	~~X~~	21		31
TOTAL	3.53	2.56	1.60	2.13	.76	4.83	5.36	.63	2.85	1.69	2.49	2.20	30.63	✓
* Days with .01 in. or more.	24	17	20	14	7	15	23	9	18	17	24	21	209	✓
* Days with .04 in. or more.	16	13	14	11	4	13	20	4	13	14	13	15	150	✓

Year's Total

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

J. G. Cope

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at DSBASTON HALL

in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground....1.....ft.....in.

Ground Sea Level ...390.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.01	.02	-	-	-	-	-	.04	-	.07	.17		1
2	.01	.05	.04	.44	-	-	-	-	-	-	-	.38		2
3	-	.07	-	-	.18	-	-	-	.02	-	.01	.46		3
4	.12	.09	.01	-	.02	-	-	.02	-	-	.01	.47		4
5	.38	-	.14	-	.17	-	-	.02	-	-	-	.05		5
6	.15	-	.07	.01	-	-	-	-	-	-	.02	.01		6
7	-	.57	.03	.14	-	-	-	-	-	.01	-	-		7
8	-	.24	-	.02	.02	-	-	-	-	-	.35	-		8
9	-	-	.01	.10	.23	-	.57	-	.12	-	-	.07		9
10	.02	.10	.32	.16	-	.11	-	-	-	-	-	.03		10
11	-	-	.39	-	.38	.01	.04	-	-	-	-	.07		11
12	.11	.25	.13	-	.32	.09	.01	-	.16	-	-	.12		12
13	.04	.08	.01	-	.03	-	-	.19	.10	-	-	.14		13
14	-	.01	.34	-	-	-	-	.08	.01	-	-	.19		14
15	.23	.07	.06	.24	-	-	1.88	-	.12	-	-	.01		15
16	.02	.17	.45	.38	-	-	-	.14	.28	-	-	-		16
17	.29	.03	.26	.45	-	-	-	-	.24	-	-	-		17
18	.58	.16	.13	.03	-	-	.59	-	.36	-	.34	.01		18
19	-	.19	.03	.14	-	-	-	-	-	.01	.11	-		19
20	.31	.09	.12	.32	.45	.16	-	-	-	.01	-	.01		20
21	.06	.20	.01	.02	.02	-	.41	-	-	.01	.01	.02		21
22	.16	.01	.15	-	.10	.15	.16	-	-	.29	.16	-		22
23	.33	-	.02	-	.02	-	.07	-	-	.74	.18	-		23
24	.16	.54	.08	-	-	-	.02	-	.01	.23	-	.01		24
25	.09	.36	.01	-	.02	-	-	-	.04	.26	-	.02		25
26	-	.24	.07	-	.39	-	-	-	-	.01	-	.03		26
27	-	.39	-	.25	-	-	-	-	-	.58	.01	.01		27
28	.01	.04	-	.02	-	-	-	-	-	.01	-	.06		28
29	.07	X	-	-	-	-	-	-	-	.03	.09	.02		29
30	.36	X	-	-	-	.01	-	-	-	.01	.19	.02		30
31	.32	X	-	X	-	X	-	-	-	.09	X	.01		31
TOTAL	3.90	3.96	2.90	2.72	2.35	.53	3.75	.45	1.50	2.29	1.55	2.39	Year's Total 28.29	✓
* Days with .01 in. or more.	22	23	24	15	14	6	9	5	12	14	13	24	181	✓
* Days with .04 in. or more.	18	19	15	10	8	4	7	3	9	6	8	11	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

T. G. Cope

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at OSBASTON HALL

in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft....in.

,, Ground ,, Sea Level 390.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	.40	.01	.02	-	.19	-	.30		1
2	-	.06	-	.04	-	.29	-	-	-	-	-	.05		2
3	.03	-	-	-	.01	-	.05	-	-	.44	.02	-		3
4	.02	-	.01	-	-	.05	.06	.44	-	.05	.01	.27		4
5	.01	-	-	-	-	-	.05	.13	-	.11	-	-		5
6	-	.01	-	-	-	.04	.36	.01	.11	.14	.01	.01		6
7	.26	-	.01	-	-	-	.03	.10	.16	.01	-	.04		7
8	.29	-	-	-	-	-	.26	.19	.08	.28	-	.47		8
9	.04	.13	-	-	-	-	.10	.42	-	-	-	.05		9
10	.01	.01	-	-	-	.09	-	.03	-	-	-	.01		10
11	.54	.04	-	-	-	-	.30	-	-	.04	.09	-		11
12	.12	.02	-	-	.09	-	.01	-	-	.31	.12	-		12
13	.03	.03	-	-	-	-	.02	.01	-	.01	.05	.41		13
14	.19	.01	-	-	.09	-	.50	-	-	-	-	-		14
15	.07	-	-	-	.02	-	.28	.07	.06	-	-	.32		15
16	.24	-	-	-	.01	-	.17	-	-	-	.02	.17		16
17	-	.04	-	-	-	-	.04	-	-	-	.04	.04		17
18	.02	-	-	-	.26	-	.07	.04	-	.19	.36	-		18
19	-	-	-	-	.01	-	-	.08	.09	.01	.07	.05		19
20	-	-	-	-	~~.22~~	.12	-	-	.07	-	.30	-		20
21	.02	-	-	-	-	-	.01	-	.01	-	.04	.44		21
22	-	.02	-	-	-	-	-	.03	-	-	.29	.25		22
23	-	-	-	-	.05	-	-	-	.07	-	-	.04		23
24	-	-	.04	-	.04	.05	.04	-	.29	-	-	.06		24
25	.10	.10	.10	-	-	-	.13	-	-	.10	.32	.31		25
26	.03	.23	.19	-	.04	.01	-	.03	.04	.28	-	.02		26
27	.09	.02	-	-	.06	.13	.02	.11	-	-	.40	-		27
28	.22	.02	-	-	.29	.09	.19	~~.15~~	.31	-	.08	.22		28
29	.50	~~X~~	-	-	.49	-	.17	~~.88~~	-	.06	.11	.06		29
30	.05	~~X~~	-	-	.03	.37	-	-	.47	-	-	.12		30
31	.14	~~X~~	-	~~X~~	.15	~~X~~	-	-	~~X~~	.14	~~X~~	.36		31
TOTAL	3.11	.74	.35	.04	1.67	1.64	2.87	2.59	1.76	2.36	2.33	4.07	Year's Total	✓
* Days with .01 in. or more.	22	14	5	4	15	11	22	16	12	16	17	23	174	✓
* Days with .04 in. or more.	14	6	3	1	10	10	16	10	11	13	13	20	127	✓

† Spare column, no entries required.

(Signed)

T. G. Goffe.

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at O.S. BASTON HALLin the County of LEICESTERDiameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level.....39.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.14	-	-	.21	-	-	-	.39	.03	-	-	-		1	
2	-	-	-	.08	-	-	.03	.36	.98	.02	.07	.02		2	
3	.38	-	-	.38	-	-	-	.33	-	-	.25	.25		3	
4	.22	-	.35	.25	-	-	.01	.48	-	.26	.04	.24		4	
5	-	-	-	.14	.35	-	-	.29	-	.05	.26	.18		5	
6	.61	-	.01	-	-	-	.42	~~.17~~	-	-	.08	-		6	
7	.07	.06	-	-	-	-	.35	.03	-	-	.27	.24		7	
8	-	.03	.25	-	-	-	.29	.05	-	.31	.17	.21		8	
9	.02	.09	-	-	-	-	.05	.23	-	.54	.02	.21		9	
10	.44	-	.04	-	-	-	-	.37	.05	.03	.01	-		10	
11	.01	.02	.20	-	-	-	-	.01	-	-	-	-		11	
12	-	.02	-	-	.03	.06	-	-	-	-	-	-		12	
13	-	-	-	-	-	-	.14	-	.03	.13	-	-		13	
14	.39	-	.01	.11	.51	.27	.66	-	-	.20	.04	-		14	
15	.27	-	-	.01	.21	.33	.54	-	-	.13	.01	-		15	
16	.04	-	.14	-	.14	.16	.08	-	-	-	.16	-		16	
17	.31	.04	-	.08	.22	-	.47	-	-	1.92	-	-		17	
18	.14	.02	.08	-	-	.24	.11	-	-	-	.68	-		18	
19	.20	-	-	-	.02	-	.58	-	.01	-	-	-		19	
20	.11	-	.01	-	-	.02	-	.24	-	-	-	-		20	
21	.19	.22	.15	-	-	.05	-	.48	.05	-	-	-		21	
22	.14	.25	.14	.07	-	.01	.42	-	.03	.03	.46	-		22	
23	-	-	-	.08	-	-	.12	-	-	.14	.67	-		23	
24	.01	-	.06	.04	-	-	.02	-	-	.01	-	-		24	
25	.46	.14	.04	-	-	-	.06	-	-	-	.33	.03		25	
26	.69	-	-	-	-	-	-	.02	.02	.02	.21	-		26	
27	-	.18	.17	.01	-	-	.12	.25	-	.03	.03	-		27	
28	.03	.12	.13	.07	-	.39	.08	.07	-	.01	.26	.02		28	
29	-	X	-	.15	-	-	.31	.01	-	.28	.04	-		29	
30	-	X	-	.12	-	.21	.01	-	-	-	.06	-		30	
31	-	X	-	X	-	X	.02	.02	X	-	X	-		31	
TOTAL	4.87	1.19	1.78	1.80	1.48	1.74	4.89	3.63	1.20	4.11	4.12	1.40	Year's Total	32.21	✓
* Days with .01 in. or more.	21	12	15	15	7	10	22	17	8	17	21	9		174	✓
* Days with .01 in. or more.	17	8	12	13	5	8	17	12	3	10	17	6		128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Section



for the entry of Daily Observations

Station No.

2505/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at ... DS. BASTON HALL ...
in the County of ... LEICESTERSHIRE ...

Jan 26th also for snow

Diameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level 390.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	~~.15~~	-	.02	-	-	-	-	-	-	.18	.01		1
2	-	.18	-	.27	-	-	-	-	-	-	.63	.04		2
3	-	.173	-	.07	-	-	-	-	-	.16	.55	.11		3
4	-	.312	-	.03	-	-	.04	-	-	.10	.62	.06		4
5	-	.027	-	-	.02	-	.22	-	-	.12	.28	.07		5
6	.19	.27	-	-	-	-	.07	-	-	.41	.15	.01		6
7	.04	.25	-	.05	-	-	.02	-	.04	-	-	.03		7
8	-	-	-	.01	-	-	.01	-	-	.19	.02	.24		8
9	-	-	.09	-	-	.35	.10	.06	.02	.07	.25	.22		9
10	-	-	.03	-	-	-	.63	.03	-	.02	.12	.23		10
11	-	-	.11	-	-	-	.26	-	-	.01	.48	.23		11
12	-	.02	.07	-	-	.03	.27	-	.09	-	.02	-		12
13	-	.01	.12	-	-	-	.04	.01	.13	-	-	.01		13
14	-	.01	.22	.13	.28	-	-	.06	.07	.02	-	.28		14
15	-	-	.01	.07	.03	-	.02	-	.04	.01	.12	.01		15
16	.04	.34	.44	-	-	.02	.41	-	.14	1.04	.64	-		16
17	-	.06	.44	-	-	-	.05	-	.02	.01	.06	-		17
18	.02	.49	.17	.32	-	-	-	.07	.01	.19	.15	.11		18
19	-	.23	.04	.16	-	-	.45	-	.31	.01	.11	.03		19
20	-	.06	-	.03	-	-	.39	-	-	.11	.05	-		20
21	.08	.01	-	-	.07	.02	.02	-	-	.05	1.33	-		21
22	-	-	.04	-	.23	.44	-	.06	.09	-	.02	-		22
23	-	.08	.05	-	.07	.08	-	-	-	.04	.01	.04		23
24	-	-	-	.05	-	-	.06	-	.01	.02	-	.01		24
25	-	-	-	-	-	-	.07	-	-	.01	-	.01		25
26	.05	.11	-	.08	.04	-	.36	-	-	.02	.02	-		26
27	.43	.14	-	.02	-	-	.39	-	-	-	.12	-		27
28	.90	.32	-	-	.09	-	-	.04	-	-	-	.01		28
29	.03	-	.16	-	.02	.07	-	-	-	.04	-	.36		29
30	-	~~.15~~	-	1.00	-	-	-	-	-	.46	-	.13		30
31	-	~~.15~~	.02	~~.15~~	-	~~.15~~	-	-	~~.15~~	.81	~~.15~~	.02		31
TOTAL	2.68 ~~1.78~~	3.05	2.01	2.31	.85	1.01	3.88	.33	.97	3.89	5.93	2.27	Year's Total ~~28.28~~	29.18
* Days with .01 in. or more.	9	19	15	15	9	7	20	7	12	23	22	23	181	✓
* Days with .04 in. or more.	7	14	12	10	6	4	16	5	8	13	17	13	125	✓

† Spare column, no entries required.

(Signed)

J.G. Gpe

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the AIR

FORM 1090.

Kept at **LOWES**
in the County of

Diameter of Funnel of
Height of top of Gauge at
Ground

2505/5 - 114058
LEICESTER - LOWESBY HALL EDNS

1931 - 1940

78 04 09

FOR OFFICIAL USE.
AINFALL ORGANIZATION. **N+2**
1931 / *Leicester* **in A**

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.10	.32	.25	—	.01	—	—	—	—	—	—	—	I
2	—	—	.05	.04	—	—	—	—	.40	—	—	—	2
3	—	.06	—	.60	.01	.08	—	—	.34	.11	.03	.03	3
4	—	.04	—	.06	—	.02	.01	—	.84	.01	.32	.04	4
5	—	.04	—	.13	.01	—	.33	.20	.11	—	.10	—	5
6	—	.02	—	.06	.07	.81	.01	.01	.16	—	—	.33	6
7	—	.27	—	—	—	.18	.04	.01	.01	.18	.09	—	7
8	—	.01	—	—	—	.04	.04	.20	—	.04	.10	.01	8
9	.03	.07	.09	.03	.10	.05	.06	.71	—	—	.20	—	9
10	—	.24	.02	.02	—	.02	.03	.23	—	—	.35	—	10
II	.03	—	.03	—	—	.02	—	.21	—	—	—	—	II
12	.09	.20	—	—	—	.05	—	.01	.30	—	.04	—	12
13	.06	.06	—	—	—	—	.04	.05	.18	—	—	—	13
14	—	—	—	.01	—	—	.05	.20	—	—	.02	—	14
15	—	.10	—	—	—	.06	.56	1.20	.02	—	.10	—	15
16	—	.15	.01	.22	.24	—	.01	.05	—	—	.04	.05	16
17	—	.12	—	.07	.18	.41	.03	.12	.21	—	—	—	17
18	.05	.54	—	.34	.66	.07	.02	—	.01	—	—	—	18
19	.05	.05	—	.37	.01	.05	.01	—	—	—	.43	—	19
20	.06	.03	—	.33	—	.03	.14	.12	—	—	.01	—	20
21	.05	.05	—	.05	—	—	.09	.27	—	—	—	—	21
22	.16	.05	—	—	.49	—	.01	.15	—	—	.02	—	22
23	.05	—	—	.03	—	—	—	—	.12	—	—	—	23
24	.14	—	.01	.04	.40	.10	—	—	.37	—	.20	.05	24
25	.02	.02	—	.16	.41	.01	.17	—	.02	—	—	.01	25
26	.09	.01	—	.70	.01	—	.24	—	—	—	.02	—	26
27	—	.04	—	.37	.12	—	—	—	.01	—	.15	—	27
28	.19	.45	—	.01	.01	—	.01	—	—	—	.34	.10	28
29	.08	—	—	.05	.07	—	—	—	—	—	.01	.23	29
30	.15	×	—	.04	.04	.05	.11	—	—	.27	.02	—	30
31	.37	×	—	×	—	×	.01	—	×	—	×	—	31
TOTAL	1.47	2.94	.76	3.73	2.84	2.05	2.02	3.74	3.10	.61	2.59	.85	YEAR'S TOTAL
*Days with or in. or more.	18	23	5	7	22	17	22	16	15	5	20	9	57/91
*Days with .04 in. or more.	15	18	3	17	11	12	12	13	10	4	13	6	134
40-9999	1.49	2.87	.21	3.74	2.83	2.05	2.02	3.74	3.10	.61	2.59	.85	26.60

*See Instruction 2 (f) on other side.

(Signed) *Neil McMillan*

[P.T.O.]

Section

A

for the
AIR

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

RAINFALL ORGANIZATION.

Kept at LOWESBY HALL GDNs.
in the County of LEICESTER.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level approx. 380 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.32	.25	—	.01	—	—	—	—	—	—	—	1
2	—	—	.05	.04	—	—	—	—	.40	—	—	—	2
3	—	.06	—	.60	.01	.08	—	—	.34	.11	.03	.03	3
4	—	.04	—	.06	—	.02	.01	—	.84	.01	.32	.04	4
5	—	.04	—	.13	.01	—	.33	.20	.11	—	.10	—	5
6	—	.02	—	.06	.07	.81	.01	.01	.16	—	—	.33	6
7	—	.27	—	—	—	.18	.04	.01	.01	.18	.09	—	7
8	—	.01	—	—	—	.04	.04	.20	—	.04	.10	.01	8
9	.03	.07	.09	.03	.10	.05	.06	.71	—	—	.20	—	9
10	—	.24	.02	.02	—	.02	.03	.23	—	—	.35	—	10
11	.03	—	.03	—	—	.02	—	.21	—	—	—	—	11
12	.09	.20	—	—	—	.05	—	.01	.30	—	.04	—	12
13	.06	.06	—	—	—	—	.04	.05	.18	—	—	—	13
14	—	—	—	.01	—	—	.05	.20	—	—	.02	—	14
15	—	.10	—	—	—	.06	.56	1.20	.02	—	.10	—	15
16	—	.15	.01	.22	.24	—	.01	.05	—	—	.04	.05	16
17	—	.12	—	.07	.18	.41	.03	.12	.21	—	—	—	17
18	.05	.54	—	.34	.66	.07	.02	—	.01	—	—	—	18
19	.05	.05	—	.37	.01	.05	.01	—	—	—	.43	—	19
20	.06	.03	—	.33	—	.03	.14	.12	—	—	.01	—	20
21	.05	.05	—	.05	—	—	.09	.27	—	—	—	—	21
22	.16	.05	—	—	.49	—	.01	.15	—	—	.02	—	22
23	.05	—	—	.03	—	—	—	—	.12	—	—	—	23
24	.14	—	.01	.04	.40	.10	—	—	.37	—	.20	.05	24
25	.02	.02	—	.16	.41	.01	.17	—	.02	—	—	.01	25
26	.09	.01	—	.40	.01	—	.24	—	—	—	.02	—	26
27	—	.04	—	.37	.12	—	—	—	.01	—	.15	—	27
28	.19	.45	—	.01	.01	—	.01	—	—	—	.34	.10	28
29	.08	—	—	.05	.07	—	—	—	—	—	.01	.23	29
30	.15	×	—	.04	.04	.05	.11	—	—	.27	.02	—	30
31	.37	×	—	×	—	×	.01	—	×	—	×	—	31
TOTAL	4.32	4.25	4.46	3.73	2.84	2.05	2.02	3.74	3.10	.61	2.59	.85	YEAR'S TOTAL
*Days with or in. or more.	18	23	7	22	17	17	22	16	15	5	20	9	57/191
*Days with .04 in. or more.	15	18	3	17	11	12	12	13	10	4	13	6	134

40-9999

1.99

2.87

.21

3.74

2.83

2.05

2.02

3.74

3.10

.61

2.59

.85

26.60

26.60

*See Instruction 2 (f) on other side.

(Signed)

Neil McMillan

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at LOWESBY HALL.
in the County of LEICESTER.THE
MARQUIS OF BLANDFORD.Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
Ground Sea Level 420 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	—	—	.22	—	.05	.38	.86	—	.53	.01	.26	1
2	.17	.04	—	.14	.44	.10	—	.07	.18	.27	.03	—	2
3	.04	—	—	.01	.24	.01	—	.08	.18	.09	.01	.14	3
4	—	—	—	.10	.08	—	—	—	—	—	.01	—	4
5	.04	.01	—	.08	.04	—	.01	.01	.04	—	.31	—	5
6	.22	.01	.06	—	.07	—	.08	—	.06	—	—	—	6
7	.29	—	.04	.18	.04	—	.06	—	.36	—	—	—	7
8	—	—	.20	.25	.01	—	—	—	.04	—	—	—	8
9	—	—	—	.13	—	—	—	—	.22	.14	—	—	9
10	.04	.05	.01	.08	—	—	—	—	.04	—	—	—	10
11	.05	.10	—	.10	.02	—	—	—	.22	.16	—	—	11
12	.01	.04	—	.09	.11	—	.36	—	.06	.02	.03	—	12
13	.10	.12	—	—	.15	—	.03	—	.03	.42	.03	.01	13
14	.08	.07	—	.12	—	—	.98	—	.02	.08	.03	.03	14
15	.15	—	—	.01	.02	—	.06	.29	—	.05	.11	.01	15
16	.01	—	—	.05	.24	—	—	.02	—	.06	.01	.05	16
17	.08	—	—	.58	.09	—	—	—	—	.01	—	—	17
18	—	—	—	.01	—	—	.11	—	—	.10	—	—	18
19	—	—	—	—	.02	—	—	—	.06	—	—	—	19
20	—	—	—	.01	—	—	—	—	—	.21	—	.01	20
21	—	—	—	.07	.16	—	.03	.35	—	.48	.11	.02	21
22	—	.02	.15	.12	1.51	—	—	.41	—	.32	.02	.10	22
23	—	—	.39	.07	.14	.01	.58	—	.68	.11	.44	—	23
24	—	.02	—	.02	.15	—	.02	—	.04	.06	.05	.09	24
25	.01	.01	—	—	.05	—	.99	—	.11	—	.17	—	25
26	—	.05	—	—	.02	.01	.22	—	.04	.25	—	.01	26
27	—	.01	—	.41	.34	.01	.07	—	.10	.02	.12	—	27
28	—	—	.25	.18	.46	—	.15	—	.05	—	.01	—	28
29	—	—	.12	.04	.45	.32	.16	.32	.01	.06	.02	.02	29
30	—	×	.16	.16	.16	.06	.06	.05	.06	.33	.03	.06	30
31	—	×	.12	×	1.05	.38	.12	.17	.53	.29	.26	.18	31
TOTAL	1.29 1.84	.55	1.50	3.01 3.88	6.26	.90	4.95	1.77	3.13	3.34	1.80	.99	YEAR'S TOTAL 29.76
*Days with or in. or more.	15	13	11	25	26	8	19	10	22	22	19	14	202
*Days with .04 in. or more.	12	7	9	20	21	4	15	8	19	18	8	7	147

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Neil McMullan

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lowishy Hall Gardens

in the County of Leicester

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 4.80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	—	.02	.21	.09	—	—	—	.10	—	.07	—		1
2	.14	—	.05	—	—	—	—	—	—	—	.06	—		2
3	.17	.23	.43	—	.02	—	—	—	—	—	.06	—		3
4	—	.21	.20	—	.19	—	—	—	—	—	.09	—		4
5	.16	—	—	—	.33	—	—	—	—	—	.05	—		5
6	.09	—	.22	—	.07	—	—	—	—	—	—	—		6
7	—	.13	—	—	.27	—	—	—	—	.06	.02	.01		7
8	.01	.43	.02	—	.08	—	—	—	—	.07	.02	—		8
9	—	—	.10	—	.02	—	.18	—	—	—	—	—		9
10	—	—	—	—	.11	—	.33	—	—	.02	.11	—		10
11	.02	—	—	—	.02	.04	—	—	—	.28	.08	—		11
12	.04	.01	—	—	—	.03	.02	—	—	—	—	—		12
13	.05	—	—	—	—	.06	.01	—	.12	—	—	.10		13
14	.02	—	—	—	.03	.08	.63	—	—	.04	.21	—		14
15	.02	—	—	—	.02	—	.05	—	—	.31	.51	.03		15
16	.44	—	.42	—	—	—	—	.10	—	.02	.38	—		16
17	.28	—	.48	—	.07	.21	.30	—	—	—	.09	—		17
18	—	—	.51	—	—	.26	—	—	.08	—	.12	—		18
19	—	.03	—	—	—	.31	—	—	—	—	.03	—		19
20	—	—	.48	—	—	.08	—	—	.13	—	—	—		20
21	—	.03	—	—	—	—	—	.07	—	.04	—	—		21
22	—	.02	—	—	—	.14	—	.34	.18	.01	—	—		22
23	—	—	—	—	—	—	—	.31	—	.75	—	—		23
24	—	—	—	.06	—	.02	—	—	.35	.02	.02	—		24
25	—	.46	—	.04	.15	.66	—	—	.40	.04	.02	—		25
26	—	.40	—	.23	—	.23	—	—	—	—	.04	—		26
27	—	.70	—	.10	—	—	—	—	.05	.16	.01	—		27
28	—	.56	—	—	—	—	—	—	.60	—	—	—		28
29	—	X	—	.08	.36	—	—	—	—	.42	—	.15		29
30	.06	X	—	.30	—	—	.02	—	—	.09	—	—		30
31	.11	X	.02	.07	.21	X	.05	.10	X	.07	X	.04		31
TOTAL	1.68	3.28	3.19	1.90	1.83	2.12	1.59	2.22	2.88	2.90	1.98	1.33	22.42	
*Days with .01 in. or more.	15	14	12	7	14	12	9	15	18	15	18	5	13	
*Days with .04 in. or more.	10	8	11	7	9	10	6	15	18	12	12	3	10	

† Spare column, no entries required.

(Signed)

J. Hardie

P.T.O.

40-9999

*See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lowesby Hall Gardens

in the County of Leicester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 4.80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

12.4.35

42

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.05			1
2	.04							.30			.07	.42		2
3	.02	.04	.04						.20	.07		.22		3
4	.04	.11		.04							.11			4
5	.04	.02	.06	.38					.03	.02	.08	.30		5
6			.10	.04	.07			.09				.02		6
7				.07	.36			.07		.12		.36		7
8	.08		.01			.03				.04		.19		8
9			.06	.04	.05	.02		.08		.02	.18			9
10			.17	.15				.04			.67	.30		10
11			.16	.21							.30	.01		11
12	.47		.13					.49				.37		12
13			.30				.03	.05				.08		13
14	.45						.08	.11				.33		14
15	.07		.28							.12	.45	.30		15
16	.04		.05		.11				.63		.17			16
17	.13		.20		.08					.08	.05	.11		17
18	.14				.02		.07	.02	.04	.11		.01		18
19	.13			.40			1.72					.05		19
20			.12	.26		.14				.02				20
21			.07	.09										21
22						.20		.03		.07				22
23								.12						23
24				.32		.04	.16		.36			.14		24
25		.30	.10			.04	.30			.07		.16		25
26	.14			.11					.10	.07		.09		26
27	.03		.02	.42		.05						.37		27
28		.14		.14				.30						28
29				.75		.14		.25				.13		29
30		X					.06		.21			.10		30
31	.05	X		X		X	.02		X	.20.05	X	.42		31
TOTAL	1.87	.61	1.87	3.42	.69	.66	2.44	2.15	1.57	1.0X	2.13	4.60	23.02	
*Days with .01 in. or more.	15	5	16	15	6	8	8	13	7	11	12	22	138	
*Days with .04 in. or more.	13	4	14	15	5	6	6	11	6	11	12	20	120	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Hardie

[P. T. O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Lowesby Hall Gardens*
in the County of *Leicestershire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *9* ft.
Ground Sea Level *500* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

07

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	X	x	.03	.05	x	.15	TR	x	x	TR	.75	.03		1
2	X	x	.04	.02	x	.25	x	x	.05	.25	.20	.13		2
3	X	.14	.05	.01	x	.15	x	x	.01	.80	TR	.25		3
4	X	x	.02	.08	x	.10	x	x	.40	.05	.23	x		4
5	x	.45	.07	.04	x	.20	x	x	.04	.30	TR	x		5
6	x	.02	.02	.25	x	.20	x	x	x	.12	.05	x		6
7	.02	x	x	.35	x	.13	x	x	x	TR	x	x		7
8	.01	TR	TR	.15	x	.02	x	TR	x	.05	x	.30		8
9	x	x	x	.36	x	.13	x	.11	x	.13	x	.10		9
10	x	.01	x	.07	x	TR	x	x	x	TR	.05	TR		10
11	.12	x	x	x	.05	.05	x	x	x	.50	.13	x		11
12	.01	.02	x	x	x	.12	TR	x	x	.02	.25	x		12
13	.09	.02	x	.05	x	TR	x	x	x	.01	TR	TR		13
14	TR	x	x	.20	.15	x	x	x	x	x	TR	TR		14
15	TR	.07	x	.79	x	.15	.18	x	x	TR	TR	.20		15
16	x	.05	.02	.24	x	.17	x	x	.70	.40	.20	.23		16
17	x	x	TR	.07	x	.12	x	x	.40	TR	.20	x		17
18	.01	.06	x	.23	TR	.32	x	x	TR	x	.13	x		18
19	.02	x	x	.02	.25	.15	x	x	.43	x	TR	x		19
20	.24	.26	x	.17	TR	.50	.17	x	.01	x	.40	x		20
21	x	.40	.02	.06	x	x	.15	x	.02	TR	.12	x		21
22	x	.18	x	.11	x	x	x	x	.60	TR	.16	x		22
23	.02	.02	.16	TR	x	x	x	x	.15	TR	TR	x		23
24	.09	.25	.07	x	x	x	x	.95	.03	.10	x	TR		24
25	.15	.03	x	x	x	.7	x	x	.60	x	x	x		25
26	.10	x	x	.01	x	x	x	.12	TR	x	x	.05		26
27	.04	.35	x	x	x	x	x	x	.14	x	x	.50		27
28	x	TR	x	x	.12	x	x	x	TR	.50	.20	.10		28
29	.02		.09	x	x	x	x	x	.40	x	.05	.15		29
30	.13	x	TR	x	x	x	x	TR	.15	x	x	.10		30
31	TR	x	x	x	x	x	x	.67	x	.17	.03	.13		31 "d"
TOTAL	.87	2.33	✓3.34	✓3.16	✓5.47	✓3.01	✓.50	✓1.85	✓3.99	✓1.76	✓1.32	✓1.20	Year's Total.	26.46
* Days with .01 in. or more.	10	15	11	21	48	87	83	84	14	15	15	13	44	150
* Days with .04 in. or more.	5	8	7	16	14	16	3	4	10	8	8	8	10	121

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Arthur King*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Lowesby Hall Gardens

in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 9.....in.

„ Ground „ Sea Level 577.....ft.

Corrected for W.D. total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

13

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	X	.13	.40	.07	X	.15	.06	.01	X	X	.14	.05		1
2	X	.12	.20	.3	X	.28	X	X	X	X	.01	.03		2
3	X	X	.13	.09	X	.04	X	.02	TR	X	.22	.05		3
4	X	X	.14	X	X	.05	.04	.01	.37	X	X	.03		4
5	TR	X	.11	X	X	.02	.02	.18	.26	X	.02	.06		5
6	.03	X	.12	X	X	TR	.01	.11	.14	.04	X	.12		6
7	.01	X	.01	X	.13	.01	.09	.31	.21	X	.03	X		7
8	.50	X	.19	X	X	X	.03	X	.03	.02	X	X		8
9	.27	X	.04	X	X	X	.22	X	.01	.02	.10	.12		9
10	.30	X	TR	X	X	.03	.08	X	X	.13	.01	.02		10
11	X	X	TR	TR	X	X	.02	.01	X	.03	X	X		11
12	X	X	X	.14	X	TR	.05	.01	.07	X	.38	X		12
13	X	X	X	.14	X	.17	TR	X	.07	X	.12	.08		13
14	X	X	X	.21	X	.04	.04	X	.64	.10	.05	.23		14
15	.40	X	X	.23	X	.14	.04	X	.36	.03	.10	.22		15
16	.40	TR	X	.06	X	.00	.01	X	.03	X	.21	.04		16
17	.01	.12	X	X	X	.03	.03	X	X	X	.24	.02		17
18	TR	.56	X	X	TR	.02	.02	X	X	.14	.15	.04		18
19	X	.03	X	TR	X	.10	X	TR	X	.07	.06	.02		19
20	.60	.04	TR	.21	X	.18	.03	.02	X	.08	X	X		20
21	TR	.11	X	.2	X	TR	.02	.01	X	.02	X	X		21
22	.10	.05	X	.01	TR	.08	X	X	X	X	X	X		22
23	X	.17	.07	.03	.35	TR	.18	X	X	X	TR	.08		23
24	X	.39	.01	TR	.06	.06	.38	X	X	.04	TR	X		24
25	X	.13	.13	.02	.02	.08	.08	X	.06	.43	X	X		25
26	.40	.12	.32	.12	X	.15	.02	X	.36	.02	TR	X		26
27	.02	TR	TR	.03	X	TR	X	X	.20	.11	TR	X		27
28	.03	.05	TR	X	X	X	.03	X	.05	.20	TR	X		28
29	.20	.14	.1	X	X	.05	.05	X	X	X	X	.05		29
30	.30	.16	X	TR	.12	.01	X	.01	.04	.38	.15			30
31	.75	.31	.25	.03	X	.03	X	X	.24	X	X			31
TOTAL	1.94	2.16	1.82	1.28	.81	1.37	1.59	1.19	2.20	1.75	2.22	1.44	Year's Total	(24.62)
* Days with .01 in. or more.	16	14	17	15	5	15	25	10	15	18	16	18		(187)
* Days with .04 in. or more.	18	13	12	8	4	12	12	4	11	12	12	12		(128)

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Arthur Kings [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Lowestly Hall Gardens.*in the County of *Leicestershire*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....ft. *9*.....in.,, Ground ,, Sea Level *517*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	—	.02	—	—	—	—	—	.09	—	.31	.07		1
2	—	—	.08	.28	—	—	TR	—	.01	—	TR	.38		2
3	.13	—	TR	—	—	TR	—	—	.07	—	—	.08		3
4	.02	.04	.04	.10	.20	TR	TR	.01	—	—	—	.70		4
5	.05	.05	.02	.10	.02	—	TR	TR	—	—	—	.03		5
6	.27	.03	.16	TR	.05	—	TR	.04	—	—	.02	—		6
7	.03	.05	.20	TR	—	TR	—	—	—	TR	—	—		7
8	—	.50	.08	.08	—	TR	—	—	—	TR	.40	.05		8
9	—	.20	.03	.10	.03	—	.37	—	.09	—	—	.30		9
10	—	—	TR	.02	.22	.23	TR	.01	—	—	.01	.05		10
11	—	.12	.40	.99	.10	.01	.02	.39	—	.01	—	.11		11
12	—	—	.50	.01	.25	.12	—	—	.18	—	—	.14		12
13	—	.18	.10	TR	.45	.13	—	.04	.02	—	—	—		13
14	.03	.03	.30	.99	.03	—	—	.16	.04	—	—	.11		14
15	—	.01	.20	.01	—	TR	1.16	—	.09	—	—	.03		15
16	.22	.16	.27	TR	—	—	—	.10	.12	—	—	.05		16
17	.05	.08	.20	.58	—	—	—	—	.07	—	—	—		17
18	—	.04	.20	.28	—	—	—	—	.20	—	.30	—		18
19	.65	.05	.20	.75	—	.25	.23	—	—	—	.07	—		19
20	TR	.07	.02	.20	.70	TR	TR	TR	.04	.02	—	.01		20
21	.28	.15	.05	.55	.01	—	.28	—	.01	.01	—	TR		21
22	.04	.13	.04	.05	.23	—	.46	—	—	.51	.28	—		22
23	—	—	.03	—	.08	—	.05	—	—	.65	.15	.05		23
24	.20	.02	.05	—	.03	—	.08	—	.01	.25	—	—		24
25	.30	.28	.01	—	.23	—	—	—	.02	.14	—	.01		25
26	—	.14	.07	.20	.58	—	—	TR	—	—	—	.01		26
27	—	.28	.05	—	.01	—	TR	—	—	.68	TR	—		27
28	—	.32	.03	—	—	—	—	—	—	.02	—	.05		28
29	—	—	—	—	—	.02	—	—	—	.02	.05	.03		29
30	.42	×	—	—	—	.01	—	—	—	.02	.08	.02		30
31	.38	×	—	×	—	×	—	—	×	.15	×	.02		31
TOTAL	3.20	2.93	3.35	4.94	3.22	.77	2.35	.75	1.06	2.48	1.67	2.30	29.04	27.32
* Days with .01 in. or more.	16	22	26	16	17	7	8	7	15	12	10	21	177	174
* Days with .04 in. or more.	13	18	19	10	11	4	7	5	10	6	8	13	127	125

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. Gillman

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Louisa Hall Gardens*
in the County of *Leicestershire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *9* ft.,, Ground ,, Sea Level *517* ft.*B.A. W.P.*
Correct. West.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	TR	—	—	TR	.64	.09	—	—	.05	—	.12		1
2	.03	.01	—	.03	.04	.54	—	—	—	.15	—	.05		2
3	.05	TR	—	TR	.02	.03	TR	—	.04	.62	.02	—		3
4	.04	—	—	.03	—	.07	.06	.03	—	.12	—	.33		4
5	.01	—	—	.01	—	TR	.07	.04	TR	.01	—	—		5
6	.01	—	—	—	—	TR	.01	—	.37	.14	—	.01		6
7	.09	—	—	—	—	.02	.29	.14	.11	.07	—	.04		7
8	.23	—	—	—	—	TR	.13	.01	—	.22	—	.02		8
9	.03	.24	TR	—	—	—	.02	.27	TR	.01	—	.36		9
10	.01	.04	—	—	—	TR	.18	.03	.02	—	—	.04		10
11	.49	—	—	—	—	.05	.04	.32	.01	TR	.10	TR		11
12	.18	.01	—	—	.06	—	.01	.04	—	.34	.01	—		12
13	—	.14	—	—	—	—	—	TR	—	.01	.05	.23		13
14	.24	.03	—	—	.07	—	.52	—	.12	TR	.02	—		14
15	.10	TR	—	—	—	—	.25	.02	—	—	—	.30		15
16	.19	—	TR	—	—	—	.11	TR	—	—	.01	.23		16
17	—	.07	—	TR	.09	—	.09	TR	.02	.13	.03	—		17
18	.02	.01	—	—	.26	.01	—	TR	.12	.01	.30	.01		18
19	TR	—	—	—	TR	—	—	.11	.09	—	.09	.04		19
20	—	—	—	—	TR	—	—	—	.02	—	.53	.14		20
21	.01	—	—	—	—	—	—	—	—	—	.01	.75		21
22	—	.01	—	TR	—	—	—	.02	—	—	.30	TR		22
23	—	—	—	.02	—	TR	.01	—	.03	—	.01	.04		23
24	—	—	.01	—	—	TR	.11	—	.18	—	.01	.06		24
25	.07	.09	.09	—	TR	TR	.02	.38	.01	.12	.28	.13		25
26	.02	.24	.10	—	—	—	—	.03	.02	.10	.01	.12		26
27	.04	.02	—	—	.25	.10	.15	.14	.59	.02	.28	—		27
28	.07	—	—	TR	.35	.05	.09	1.14	.02	.01	.07	.09		28
29	.55	X	—	.01	.43	TR	.03	—	—	.05	.09	.18		29
30	.04	X	—	TR	—	.17	—	—	.11	.01	.20	.04		30
31	.15	X	—	X	.19	X	—	—	X	.15	X	.59		31
TOTAL	2.68	.91	.20	.10	1.76	1.68	2.28	2.72	1.88	2.34	2.42	3.92	Year's Total	22.89
* Days with .01 in. or more.	24	12	3	5	10	10	20	15	17	20	20	23		179
* Days with .04 in. or more.	15	6	2	0	9	7	14	9	9	13	11	20		115

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

J. Gilleran

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lowesly Hall Gardens
in the County of LeicestershireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....9 ft. in.,, Ground ,, Sea Level ..517 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	—	.01	.05	.05	—	.02	.20	.05	.07	—	.02		1
2	.06	—	—	.04	.01	—	.01	.24	.40	.04	.03	.01		2
3	.34	—	—	.29	—	—	TR	.30	.01	—	.20	.19		3
4	.27	—	.34	.33	TR	—	.03	.55	—	TR	.06	.20		4
5	—	—	—	.12	.15	—	.02	1.16	—	.14	.26	.14		5
6	.39	—	.04	—	—	—	.43	—	—	.01	.02	—		6
7	.07	.04	—	—	—	—	.15	—	—	TR	.22	.20		7
8	.01	.03	.21	—	—	—	.23	.07	—	.20	.03	.39		8
9	.04	.05	—	—	TR	—	.16	.23	—	.37	—	.29		9
10	.42	—	TR	—	—	.01	—	.23	TR	.03	.01	—		10
11	.02	TR	.25	—	.02	.06	—	—	.08	—	—	.01		11
12	—	.05	.05	—	—	.15	—	—	—	—	—	—		12
13	.01	.01	.01	TR	TR	.22	—	—	.06	.12	—	—		13
14	.44	—	.02	.08	.24	.09	.22	—	.02	.26	.12	.01		14
15	.19	—	TR	.04	.14	.34	.57	—	.13	.60	.04	.01		15
16	.10	—	.09	—	.30	.43	—	—	—	.08	.12	—		16
17	.25	.01	.03	.13	.07	TR	.20	—	—	.99	.02	—		17
18	.02	.01	.08	—	—	.40	.17	—	.02	.04	.66	—		18
19	.26	—	.01	—	—	.05	.30	—	—	.01	—	.01		19
20	.06	—	.02	—	—	.08	.02	.22	—	—	—	—		20
21	.17	.30	.15	.13	—	.15	.10	.36	.08	—	—	—		21
22	.20	.26	.12	.01	—	.01	.16	—	.03	—	.27	—		22
23	.08	—	.02	.14	—	.01	.10	—	.02	.03	.67	—		23
24	.12	—	.20	.02	TR	.02	.05	—	—	—	—	—		24
25	1.35	.06	.16	—	—	.02	.09	.49	—	—	.39	.01		25
26	.21	.03	.02	.02	—	—	—	.04	—	.12	.19	.08		26
27	.05	.10	.12	—	—	.01	.05	.04	—	.09	.03	.01		27
28	.11	.15	.15	.08	—	.01	.13	.01	—	.02	.17	.04		28
29	—	X	—	.35	—	—	.09	.02	—	.31	.05	—		29
30	—	X	—	.25	—	.05	—	—	—	.01	.07	—		30
31	—	X	—	X	—	X	—	—	X	—	X	—		31
TOTAL	5.28	1.10	2.10	2.08	.98	2.11	3.29	4.16	.90	3.54	3.63	1.62	30.79	✓
* Days with .01 in. or more.	26	13	21	16	8	18	22	15	11	20	21	16	207	✓
* Days with .04 in. or more.	22	8	13	13	6	11	17	13	6	14	15	8	146	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

J. Gillman

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2505/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940Kept at LOWESBY HALL, GARDENSin the County of LEICESTERSHIREDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft. 9.....in.,, Ground ,, Sea Level 517.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.22	—	.04	—	—	—	—	TR	—	.15	.01		1
2	—	—	—	.33	—	—	TR	—	—	—	.54	.08		2
3	—	.24	—	.11	—	—	—	—	—	.19	.62	.10		3
4	—	.16	—	.02	—	—	—	—	—	.11	.42	.06		4
5	—	.03	—	—	.06	—	TR	—	—	.07	.16	.08		5
6	.06	.30	—	—	—	—	TR	—	—	.33	.01	.02		6
7	.09	.16	—	.03	.03	—	—	—	.06	.01	.01	.02		7
8	.01	.01	—	.02	—	.08	.13	—	—	.11	.02	.22		8
9	—	—	.10	.01	—	.08	.06	.01	.04	.01	.12	.09		9
10	—	—	.01	—	—	—	.71	.05	—	.04	.28	.36		10
11	—	—	.05	.03	—	—	.10	—	—	—	.61	.04		11
12	—	.02	.09	—	—	—	.15	—	.07	—	.05	—		12
13	—	.05	.46	.08	—	—	.15	.01	.14	—	—	—		13
14	—	—	.06	.10	.18	—	—	.07	.03	.03	—	.30		14
15	—	—	.11	.03	—	.55	.05	—	.03	—	.09	.01		15
16	.06	.60	.34	.02	—	.02	.49	—	.07	.45	.70	TR		16
17	—	.12	.49	—	—	—	.03	—	.01	—	.01	—		17
18	.04	.45	.24	.75	—	—	—	.09	TR	.06	.02	.08		18
19	—	.19	.17	.20	—	—	.45	.01	.13	.01	.14	.06		19
20	—	.02	—	.07	—	.06	.22	.03	—	.03	.06	—		20
21	.15	.02	.02	—	—	.19	.02	.02	—	.12	.40	—		21
22	—	—	.03	—	.16	.40	—	.02	.10	.01	—	—		22
23	—	.16	.03	.04	.40	—	—	—	.01	.06	—	.05		23
24	.04	—	—	.04	—	—	.07	—	—	.05	—	.03		24
25	—	—	—	—	.01	—	.01	—	—	.08	—	—		25
26	.88	.10	—	.08	.03	.03	.50	TR	—	.03	.02	—		26
27	~~1.33~~	.19	—	.54	—	—	.09	.02	—	—	TR	—		27
28	.75	.41	—	.01	.04	—	—	—	—	—	—	—		28
29	—	—	.30	—	.36	.03	.02	—	—	—	—	.26		29
30	.04	~~X~~	—	.14	—	—	—	—	—	.50	—	.13		30
31	.09	~~X~~	.02	~~X~~	—	~~X~~	—	—	~~X~~	.67	~~X~~	.01		31
TOTAL	<u>2.84</u> 3.54	3.45	2.52	2.69	1.27	1.44	3.25	.33	.69	4.07	5.43	2.01	Year's Total 30.89	29.99
* Days with .01 in. or more.	12	19	16	21	9	9	17	10	11	21	20	20	18.5	^
* Days with .04 in. or more.	11	14	11	13	6	6	13	3	7	14	14	14	126	^

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Gilloran

[P.T.O.]

2506 - 114337

2506
Y FOR OFFICIAL USE.
ORGANIZATION.

Kept at *Thornton*
in the County of

THORNTON RES

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

1931 - 1940

THE MORNING

780409

Jan. 1, following

An observer who does not conform to this rule shall be considered as having no record for the year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.08	-	.06	-	.04	-	-	.35	-	-	-	1
2	-	.06	-	.56	-	.12	-	-	.49	.11	-	.04	2
3	.06	-	-	.09	-	-	.04	-	.46	-	.31	.08	3
4	-	.05	-	.18	-	-	.42	.13	.06	-	.15	-	4
5	-	.03	-	.05	.04	.08	.04	-	.25	-	-	.29	5
6	-	.18	-	.03	-	.10	-	-	-	.20	.15	-	6
7	-	-	-	-	-	.02	-	.16	-	.09	.04	.02	7
8	.06	.10	.03	.02	.12	.02	.06	.45	-	-	.23	-	8
9	-	.09	-	.12	-	-	-	.06	-	-	.24	-	9
10	.03	.08	-	-	.04	.09	-	.18	.04	-	.05	-	10
11	.09	.29	-	-	-	.06	-	-	.15	-	.12	-	11
12	-	.12	-	-	-	-	.12	-	.20	-	.02	-	12
13	.06	-	-	-	-	-	-	.19	-	.02	-	-	13
14	-	.04	-	-	-	.34	.44	.104	-	-	.04	-	14
15	-	.14	-	.39	.22	-	.14	.11	-	-	-	-	15
16	.08	.49	-	.09	.35	.48	.02	.24	.16	-	-	-	16
17	.04	.39	-	.53	.35	.12	.02	-	.03	-	-	-	17
18	.13	.03	-	.34	-	.04	.05	.12	-	-	.33	-	18
19	.04	.03	-	.35	-	-	-	.06	.08	-	-	-	19
20	-	.11	-	.08	-	-	.03	.42	-	.04	.03	.04	20
21	.10	-	-	-	.40	-	-	.20	-	-	.10	-	21
22	.08	-	-	.04	-	-	-	.04	-	-	-	-	22
23	.18	.02	.06	.06	.23	.10	-	-	.09	-	.14	.06	23
24	.02	-	-	.06	.62	-	.13	-	-	-	-	-	24
25	.10	-	-	.12	-	-	.40	-	-	-	-	-	25
26	-	.06	-	.34	-	-	.04	-	-	-	.18	-	26
27	.13	.54	-	-	.16	-	-	-	-	-	.23	.14	27
28	.14	.32	-	.03	.33	-	-	-	-	.08	-	.23	28
29	.06	-	-	-	.06	-	.04	-	-	.26	-	-	29
30	.06	X	-	-	-	-	-	-	-	-	-	-	30
31	.15	X	-	X	-	X	-	-	X	-	X	.05	31
TOTAL	1.61	3.31	.09	4.60	2.92	2.54	3.65	4.43	2.36	.80	2.39	1.01	30.04
*Days with or in. or more.	19	21	2	20	12	13	15	14	12	4	16	9	160
*Days with .04 in. or more.	14	14	1	14	12	11	12	14	11	6	14	8	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

ENGINEER & MANAGER

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Thornton Reservoir
in the County of Leicester
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Ground Sea Level 369.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.08	-	.06	-	.04	-	-	.35	-	-	-	1
2	-	.06	-	.56	-	.12	-	-	.49	.11	-	.04	2
3	.06	-	-	.09	-	-	.04	-	.46	-	.31	.08	3
4	-	.05	-	.18	-	-	.42	.13	.06	-	.15	-	4
5	-	.03	-	.05	.04	.08	.04	-	.25	-	-	.29	5
6	-	.18	-	.03	-	.10	-	-	-	.20	.15	-	6
7	-	-	-	-	-	.02	-	.16	-	.09	.04	.02	7
8	.06	.10	.03	.02	.12	.02	.06	1.45	-	-	.23	-	8
9	-	.09	-	.12	-	-	-	.06	-	-	.24	-	9
10	.03	.08	-	-	.04	.09	-	.18	.04	-	.05	-	10
11	.09	.29	-	-	-	.06	-	-	.15	-	.12	-	11
12	-	.12	-	-	-	-	1.12	-	.20	-	.02	-	12
13	.06	-	-	-	-	-	-	.19	-	.02	-	-	13
14	-	.04	-	-	-	.34	.44	1.04	-	-	.04	-	14
15	-	.14	-	.39	.22	-	.14	.11	-	-	-	-	15
16	.08	.49	-	.09	.35	.48	.02	.24	.16	-	-	-	16
17	.04	.39	-	.53	.35	.12	.02	-	.03	-	-	-	17
18	.13	.03	-	.34	-	.04	.05	.12	-	-	.33	-	18
19	.04	.03	-	.35	-	-	-	.06	.08	-	-	-	19
20	-	.11	-	.08	-	-	.03	.42	-	.04	.03	.04	20
21	.10	-	-	-	.40	-	-	.20	-	-	.10	-	21
22	.08	-	-	.04	-	-	-	.04	-	-	-	-	22
23	.18	.02	.06	.06	.23	.10	-	-	.09	-	.14	.06	23
24	.02	-	-	.06	.62	-	.13	-	-	-	-	-	24
25	.10	-	-	1.12	-	-	.40	-	-	-	-	-	25
26	-	.06	-	.34	-	-	.04	-	-	-	.18	-	26
27	.13	.54	-	-	.16	-	-	-	-	-	.23	.14	27
28	.14	.32	-	.03	.33	-	-	-	-	.08	-	.23	28
29	.06	-	-	-	.06	-	.04	-	-	.26	-	-	29
30	.06	X	-	-	-	-	-	-	-	-	-	-	30
31	.15	X	-	X	-	X	-	-	X	-	X	.05	31
TOTAL	1.61	3.31	.09	4.60	2.92	2.54	3.65	4.43	2.36	.80	2.39	1.01	30.04
*Days with "or in. or more.	19	21	2	20	12	13	15	14	12	4	16	9	160
*Days with ".04 in. or more.	14	14	1	14	12	11	12	14	11	6	14	8	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

ENGINEER & MANAGER

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Thornton Reservoirin the County of LeicesterDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 2 in.,, Ground ,, Sea Level 369.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.04		.12	.42	.11		.10	.12	.26	.03		1
2	.04				.14				.13	.09	.04	.08	2
3				.29	.10								3
4	.04			.38					.04		.35		4
5	.19		.04						.04				5
6	.21		.18	.24			.02		.24				6
7			.28	.22					.11	.08			7
8		.03		.12					.05	.19			8
9	.11	.12			.03							.03	9
10	.12	.04		.06	.03				.22	.26			10
11	.02	.02	.03	.04	.24	THUNDER .42	THUNDER .18		.03	.08	.03		11
12	.10				.22				.02	.34	.04		12
13	.03	.12		.08	.02		THUNDER .39		.08	.08	.03	.03	13
14	.02	.03		.06			.05	.06		.05	.20	.03	14
15	.06			.08	.26					.03		.04	15
16	.16			.33	.10		.08						16
17										.19			17
18									.04				18
19					.03					.24	.02		19
20				.12	.34			.32		.45	.23		20
21			.04	.18	2.65			.20		.33	.02	.09	21
22		.02	.38	.04	.06		.55		.54	.09	.43		22
23		.04			.35		.02		.11	.04	.12	.05	23
24	.02				.04		.04		.08		.25		24
25		.08					.18		.04	.26	.04		25
26				.48	.14		.05		.09		.02		26
27			.39	.14	.63	.03	.19				.14		27
28			.48	.09	.39	.02	.34	.42		.05		.03	28
29			.21	.23	.06	.04	.03	.14	.11	.24	.05	.08	29
30		×	.04			.64	.04	.04	.34	.54	.22	.14	30
31		×	.03	×	.02	×	.45	.03	×		×	.08	31
TOTAL	1.26	.54	2.16	3.39	6.30	1.26	2.94	1.31	2.49	4.01	2.26	.41	28.66
*Days with or in. or more.	14	10	11	19	21	6	15	8	19	20	18	11	142
*Days with .04 in. or more.	10	6	9	19	16	4	12	4	14	19	12	4	138

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. Edwards
Engineer & Manager

P.T.O.

Kept at Thornton Reservoir
in the County of Leicester
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Ground Sea Level 369.50 ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.34	.02								.05			1
2	.22		.34		.04						.10			2
3		.31	.15		.38						.10			3
4	.12		.04		.04									4
5	.09	.06	.08		.25						.04			5
6		.11	.08		.30					.04		.02		6
7	.03	.44								.19				7
8	.03		.11		.06		.35							8
9					.11		.28			.24	.12			9
10		.06				.06				1.24	.11			10
11	.08						.19			.06				11
12	.03					.04			.10			.12		12
13	.09				.06	.05	.42			.02	.24			13
14					.14					.04	.21	.02		14
15	.64						.68	.09		.02	.36	.03		15
16	.13		.48		.10	.19	.40				.08	.04		16
17	.03					.08					.09			17
18	.04	.04	.06			.23	.13				.04			18
19		.02	.26			.06	.08		.03		.02			19
20		.08	.02					.08	.04					20
21		.04			.32	.11		.20	.04					21
22								.19		.34				22
23				.14		.09			.26					23
24		.10		.09	.06	1.09			.34	.06	.09			24
25		.56		.30		.30			.08		.04	.04		25
26		.54		.13		.08				.06				26
27		.02			.06				.51	.04				27
28				.29	.03					.09		.09		28
29	.03			.34			.05			.06				29
30	.02	X	.26	.03								.10		30
31		X	.54	X		X	.06	.12	X	.24	X			31
TOTAL	1.85	2.95	2.99	1.32	2.01	2.38	2.64	.68	1.40	2.89	1.42	.49	23.32	
*Days with or in. or more.	15	15	14	4	14	12	10	5	8	15	15	8	138	
*Days with .04 in. or more.	9	13	12	6	13	12	10	5	4	13	14	5	119	

Section

A

for the entry of Daily Observations.

Station No.

2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Thornston Reservoir*in the County of *Leicesters*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. *2* in.,, Ground ,, Sea Level *369.50* ft.24
T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08							.21			<i>RAIN & SNOW</i> .14	.35		1
2	.02		.04					.68	.21	.03	.10	.24		2
3	.08	.08								.02	.15			3
4	.04		.04	<i>RAIN & SNOW</i> .54							.14	.34		4
5			.09	<i>SNOW</i> .02	.14			.25		.04	.14	.09		5
6	.02		.05	<i>RAIN & SNOW</i> .06	.35	.08		.02		.19		.49		6
7	.10					.18		.03		.04		.18		7
8			.06		.09	.03		.08		.06	.34			8
9			<i>RAIN & SNOW</i> .14	.04				.05		.03	.43	.25		9
10			.15	.14				.06			.11			10
11	.68		.22	.31				.09			.02	.16		11
12			.25				.04	.04		.02		.04		12
13	.42			.04	.06		.44	.08			.02	.10		13
14	.12		.36							.29	.40	.34		14
15	.08		.08		.14						.23	.02		15
16	.08		.13	<i>RAIN & SNOW</i> .18						.25	.08	.10		16
17	.13								.24	.19	.04	.04		17
18	.14			.34			.11		.06					18
19			.12	.02		.09						.04		19
20			.04	.14					.02					20
21			.03			.31		.05		.05				21
22								.32	.19			.04		22
23				.45		.08	.10					.04		23
24		.30	.12			.04	.39		.34	.02				24
25	.08			.02						.16		.43		25
26	.21		.02	.14		.02			.04		.04	.10		26
27	.06	<i>SNOW</i> .34		.48						.05		.11		27
28				.148		.13	.03	.28		.03		.36		28
29		X					.15	.08	.42			.04		29
30	.10	X					.02		.04			.45		30
31	.03	X		X		X			X	<i>RAIN & SNOW</i> .31	X	.04		31
TOTAL	2.53	.45	2.03	4.31	.96	.96	1.28	2.35	1.62	1.81	2.44	4.54	25.58	Year's Total.
* Days with .01 in. or more.	18	3	14	15	6	9	8	15	9	14	15	24	156	
* Days with .04 in. or more.	15	3	15	12	6	4	6	13	8	11	13	23	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

ENGINEER & MANAGER.

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ...*Thornton Reservoir*...in the County of ...*Leicestershire*...Diameter of Funnel of Gauge...*8*...in.Height of top of Gauge above Ground...*1*...ft...*2*...in.,, Ground ,, Sea Level *369.50*...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

RECEIVED 30 JAN 1936
TIME 10
INITIALS IF ACKNOWLEDGED
RELEVANT FILE & LATEST TRANSIT

FILE NO.
CAR. L following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19			.06		.06	.03		<i>Thunder</i> .48	.04	.24	.08		1
2			.11	.02		.04			.10	.38		.33		2
3		.16	.03	.04					.52		.23	.03		3
4				<i>Rain & Snow</i> .15		.06			.02	.50				4
5		.62	.10	.14			.06			.09	.14			5
6	.05	.04	.02	.29		.13					.13			6
7	.05		.03	.39		.10				.05	.63	.25		7
8				.13		.22		.11		.14	.04	.13		8
9				.21		.14				.84	.39	.04		9
10		.02		.05		.03					.19			10
11	<i>Rain & Snow</i> .16					.04		.02			.18	.05		11
12	<i>Rain & Snow</i> .05					.15		.02	.02					12
13	.09	.03		.13	.14									13
14					.04	.06					.33	.13	<i>Rain & Snow</i>	14
15		.15		.65	.13	.03			.44		.33	.34	<i>Rain & Snow</i>	15
16		.05	.14	.24		.29			.41	.28	.64	.40	<i>Rain & Snow</i>	16
17				.14		.16		.02		.09	.43			17
18	.02			.22	.04	.04	.13		.33	.13				18
19				.04	.16	.33	.05			.06	.25			19
20	.04	.13		.33	.04	.14	.04		.03		.13			20
21		.28	.02	.11					.65	.09	.13			21
22		<i>Rain & Snow</i> .31		.09					.14			<i>Snow</i> .04		22
23			.24					.93	.02	.28				23
24	.10	.28	.03					.02	.48	.08		.23	<i>Rain & Snow</i>	24
25	<i>Rain & Snow</i> .25	.04		.05		1.21					.03			25
26	.04							.38	.30	.04	.02	.43		26
27		<i>Rain & Snow</i> .23							.09	.09	.20	1.28		27
28	<i>Snow</i> .02	.24			.08		.02			.05		.28		28
29			.03						.11	.04		.10		29
30	.06	~~X~~		.04				.33	.04	.24	.25	.04		30
31		~~X~~		~~X~~		~~X~~			~~X~~	.46	~~X~~	.13		31
TOTAL	1.13	2.62	.48	3.54	.68	3.31	.32	1.83	4.80	4.09	5.13	4.28	32.53	Year's Total
* Days with .01 in. or more.	13	14	10	21	4	18	6	8	14	20	20	18	143	
* Days with .04 in. or more.	11	12	4	20	4	16	4	4	13	20	18	14	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

G. C. Edwards
Engineer/Manager

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Thornton Reservoir

in the County of Leicester

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	24	14	56	—	03	08	07	—	—	10	15		1
2	07	06	18	09	—	68	72	19	—	—	09	07		2
3	—	06	—	—	—	32	10	10	14	—	05	02		3
4	03	—	17	—	—	49	02	11	35	—	06	06		4
5	03	05	10	—	—	—	02	02	24	02	—	17		5
6	03	—	—	—	15	12	34	21	17	02	11	—		6
7	25	—	04	—	—	02	41	—	02	—	04	—		7
8	17	—	06	—	—	—	—	—	04	—	18	07		8
9	32	—	04	—	—	04	53	—	04	21	—	—		9
10	05	—	—	—	—	—	25	—	02	—	—	—		10
11	—	—	—	15	—	02	11	—	—	—	38	—		11
12	—	—	—	16	03	45	70	—	72	—	04	07		12
13	—	—	—	50	—	18	—	—	—	06	04	22		13
14	—	—	—	17	—	11	27	—	28	08	04	26		14
15	03	—	—	—	—	22	21	—	31	—	25	14		15
16	18	12	—	—	—	—	05	—	—	—	54	—		16
17	02	56	—	—	—	—	08	—	—	09	08	10		17
18	—	03	—	—	—	05	30	—	—	14	—	05		18
19	56	06	—	29	—	67	—	06	—	05	—	—		19
20	—	08	02	06	—	—	02	—	—	03	—	—		20
21	28	—	04	22	—	13	—	—	—	—	—	—		21
22	—	76	05	—	16	—	17	—	—	—	—	07		22
23	—	03	08	16	16	—	60	—	—	02	—	—		23
24	20	24	—	—	03	—	—	—	14	23	—	—		24
25	07	—	02	29	—	—	02	—	29	—	—	—		25
26	—	07	48	04	—	—	—	—	—	10	—	—		26
27	05	—	—	—	—	—	—	—	25	15	—	—		27
28	38	12	09	—	—	—	12	—	06	—	06	09		28
29	45	49	25	—	—	05	—	—	—	09	26	06		29
30	10	—	—	—	26	32	08	—	—	21	07	—		30
31	48	—	09	—	—	—	11	—	—	29	—	—		31
TOTAL	3.75	2.97	1.85	2.69	.79	4.90	5.29	.76	3.07	1.79	2.45	1.70	32.01	Year's Total
* Days with .01 in. or more.	20	15	16	12	6	17	22	7	15	16	17	15	178	
* Days with .04 in. or more.	15	13	14	12	4	14	19	6	13	12	14	14	153	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Thornton Reservoir

in the County of Leicestershire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	33	—	—	—	—	—	—	—	06	—	16	07		1
2	—	04	05	35	—	—	—	—	—	—	—	45		2
3	—	05	—	—	13	—	03	—	—	—	—	45		3
4	10	08	—	—	11	—	—	—	—	—	—	47		4
5	89	—	21	—	—	—	—	04	—	—	—	04		5
6	29	—	07	—	11	—	—	—	—	—	—	—		6
7	—	50	06	16	—	—	—	—	—	—	—	—		7
8	—	34	—	02	—	—	—	—	—	—	35	—		8
9	—	—	—	—	21	—	63	—	10	—	—	10		9
10	03	09	20	16	—	15	—	—	—	—	—	08		10
11	—	—	52	—	45	—	03	11	—	—	—	10		11
12	09	29	12	—	40	07	—	—	21	—	—	13		12
13	03	08	—	—	—	07	—	29	15	—	—	10		13
14	—	—	34	—	—	—	—	09	02	—	—	20		14
15	16	07	05	28	—	—	138	—	11	—	—	—		15
16	10	14	39	40	—	—	—	14	50	—	—	03		16
17	21	06	32	51	—	—	—	—	29	—	—	—		17
18	48	10	21	03	—	—	—	—	33	—	48	—		18
19	04	11	04	15	—	23	56	—	—	—	09	—		19
20	24	10	11	33	50	07	—	—	—	—	—	04		20
21	07	22	06	02	—	—	40	—	—	03	—	—		21
22	11	—	03	—	09	—	07	—	—	27	15	—		22
23	36	—	03	—	—	—	16	—	—	83	22	—		23
24	12	45	08	—	02	—	—	—	—	23	—	—		24
25	09	30	—	—	02	—	—	—	03	32	—	04		25
26	—	19	—	—	31	—	—	—	—	—	—	03		26
27	—	25	—	31	—	—	—	—	—	73	—	—		27
28	—	03	10	—	—	—	—	—	—	—	—	06		28
29	11	—	—	—	—	—	—	—	—	03	10	—		29
30	35	×	—	—	—	03	—	—	—	—	20	03		30
31	28	×	—	×	—	×	—	—	×	12	×	03		31
TOTAL	4.48	3.49	2.99	2.72	2.35	.62	3.26	.67	1.80	2.56	1.69	2.45	29.08	✓
* Days with .01 in. or more.	21	26	19	12	11	6	8	5	10	8	8	18	146	✓
* Days with .04 in. or more.	19	19	17	9	9	5	6	5	8	6	8	14	125	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Thornton Reservoir*in the County of *Leicestershire*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1 ft 3* in.,, Ground ,, Sea Level *369.50* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.33								.06		.10	.04		1
2		.04	.05	.35								.45		2
3		.05			<i>Thunder</i> .13		.03					.45		3
4	.10	.08			.11							.44		4
5	.89		R.S. .21					.04				.04		5
6	.39	R.S. ~~.20~~	R.S. .04		.11									6
7		.50	R.S. .06	.16										7
8		.34		.02							.35			8
9			Snow		.21		.63		.10			Snow .10		9
10	.03	.09	R.S. .20	.16		.15						R.S. .08		10
11			R.S. .53		.45		.03	.11				.10		11
12	.09	.39	.12		.40	.04			.21			.13		12
13	.03	.08				.04		.29	.15			.10		13
14			.34					.09	.02			Snow .20		14
15	.16	.04	Snow .05	.38			1.38		.11					15
16	.10	.14	.39	.40				.14	.50			.03		16
17	.21	.06	.32	.51					.29					17
18	.48	.10	.21	.03					.33		.48			18
19	.04	.11	.04	.15		.23	.56				.09			19
20	.34	.10	.11	.33	.50	.04					Snow .04			20
21	.04	.33	.06	.02			.40			.03				21
22	.11		Snow .03		.09		.04			.24	.15			22
23	.36		Snow .03				.16			.83	.22			23
24	.12	.45	.08		.02					.23				24
25	.09	.30			.02				.03	.32		.04		25
26		.19			.31							.03		26
27		R.S. .35		.31						.43				27
28		R.S. .03	Snow .10									.06		28
29	.11									.03	.10			29
30	.35	X				.03					.20	.03		30
31	.28	X		X		X			X	.12	X	.03		31
TOTAL	4.48	3.49	2.99	2.42	2.35	.62	3.26	.64	1.80	2.56	1.69	2.45	Year's Total 29.08	
* Days with .01 in. or more.	21	20	19	12	11	6	8	5	10	8	8	18	146	
* Days with .04 in. or more.	19	19	14	9	9	5	6	5	8	6	8	14	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

B. J. Howard
Engineer & Manager

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Thornton Reservoir

in the County of Leicestershire

Diameter of Funnel of Gauge..... 8 in.

Height of top of Gauge above Ground..... 1 ft. 2 in.

,, Ground ,, Sea Level 370 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		—	—			.50	—	—	.02	.06	—	.14		1
2	.05	.06	—	.05		.40	—	—	—	.21	—	.05		2
3	.03	—	—			.03	.03	—	—	.44	.03	—		3
4	.03	—	—			.04	.02	.57	—	.06	—	.28		4
5	.02	—	—				.07	.07	—	.15	—	—		5
6		—	—			.04	.31	—	.44	.08	—	.02		6
7	.40	—	—				.11	.11	.12	.09	—	.02		7
8	.34	—	—				.26	.39	—	.28	—	.02		8
9	.02	.10	—				.05	.35	—	—	—	.29		9
10		.10	—			.06	.30	—	—	—	—	.05		10
11	.47	—	—				.03	—	—	.04	.09	—		11
12	.25	—	—		.09		.02	—	—	.35	.08	—		12
13		.03	—				—	—	—	.02	.07	.36		13
14	.17	.08	—		.12		.47	—	.06	—	—	.07		14
15	.07	—	—				.42	.07	—	—	—	.30		15
16	.25	—	—				.09	—	—	.03	.02	.16		16
17		.04	—				.15	—	.02	.15	—	.03		17
18	.04	—	—		.28	.06	—	.03	.40	—	.35	—		18
19		—	—				—	.11	.11	—	.07	.09		19
20		—	—				—	—	.02	—	.36	.09		20
21		—	—				—	—	—	—	.03	.33		21
22		—	—			.03	—	—	—	—	.29	.32		22
23		—	—		.02		.27	—	.05	—	.03	.08		23
24		—	.07		.01		.12	—	.30	—	.02	.03		24
25	.11	.09	.10				.04	.02	—	.09	.30	.11		25
26		.36	.18				—	.05	.03	.18	—	.22		26
27	.10	—	—		.10	.13	.29	.11	.56	.08	.42	—		27
28	.18	.04	—		.54	.08	.07	.98	.04	—	.07	.13		28
29	.57	—	—		.57		.14	—	—	.04	.08	.14		29
30	.04	~~x~~	—			.27	—	—	.33	—	.21	.11		30
31	.13	~~x~~	—	~~x~~	.16	~~x~~	—	—	~~x~~	.17	~~x~~	.41		31
TOTAL	3.27	.90	.35	.05	.89	1.64	3.26	2.86	2.50	2.52	2.52	3.85	Year's Total	25.61
* Days with .01 in. or more.	19	9	3	1	9	11	20	12	14	18	17	25		158
* Days with .04 in. or more.	15	8	3	0	7	9	16	10	10	16	12	20		126

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. D. Edwards

Eng. and Manager.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Thornton Reservoirin the County of LeicestershireDiameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1.....ft.....2.....in.,, Ground ,, Sea Level ...3.70.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	—	—	.12	.06	—	—	.56	.06	—	—	—		1
2	.09	—	—	.10	—	—	—	.41	.62	.03	.10	.04		2
3	.25	—	—	.36	—	—	—	.39	.07	—	.25	.28		3
4	.29	—	.36	.25	—	—	.08	.41	—	.07	.07	.25		4
5	—	—	—	.19	.28	—	.10	.39	—	.23	.22	.22		5
6	.53	—	.06	—	—	—	.25	—	—	.03	.08	—		6
7	.11	.08	—	—	—	—	.05	—	—	—	.22	.17		7
8	—	.03	.28	—	—	—	.59	.08	—	.18	.14	.27		8
9	.02	.11	—	—	—	—	.06	.17	—	.61	.03	.28		9
10	.55	—	.05	—	—	—	—	.37	.03	.07	—	—		10
11	—	—	.21	—	—	.05	—	—	.03	—	—	—		11
12	—	—	—	—	—	—	—	—	—	—	—	—		12
13	—	—	—	—	—	.03	.02	—	.04	.15	—	—		13
14	.34	—	.02	.18	.41	.25	.46	—	.02	.26	.05	—		14
15	.25	—	—	—	.19	.23	.46	—	—	.24	—	—		15
16	.10	—	.15	.07	.47	.18	.07	—	—	—	.16	—		16
17	.33	.07	—	—	.04	—	.25	—	—	1.86	—	—		17
18	.12	.04	.09	—	—	.20	.07	—	—	—	.70	—		18
19	.23	—	—	—	—	—	.47	—	—	—	—	—		19
20	.03	—	—	—	.05	.06	—	.18	—	—	—	—		20
21	.26	.16	.19	.02	—	—	—	.25	.06	—	—	—		21
22	.15	.22	.12	—	—	.03	.28	—	.07	.02	.44	—		22
23	.04	—	—	.04	—	—	.11	—	—	.09	.70	—		23
24	.03	—	.02	.05	—	.05	—	—	—	.08	—	—		24
25	.94	.14	.08	—	—	—	.07	—	—	—	.34	—		25
26	.21	—	—	—	—	—	—	—	—	.06	.19	.06		26
27	—	.08	.24	.04	—	.02	.08	.50	—	.03	.10	.04		27
28	.03	.26	.19	.05	—	.29	.06	.05	—	—	.25	—		28
29	—	—	—	.24	—	—	.22	.81	—	.36	.05	—		29
30	—	X	—	.12	—	.09	—	—	—	—	.08	—		30
31	—	X	—	X	—	X	—	.02	X	—	X	—		31
TOTAL	4.99	1.19	2.06	1.83	1.50	1.48	3.75	4.59	1.00	4.37	4.17	1.61	Year's Total	32.54
* Days with .01 in. or more.	22	10	14	14	7	12	19	14	9	17	19	9	166	✓
* Days with .04 in. or more.	18	9	12	13	7	9	18	13	6	13	18	9	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2506

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Thornton Reservoir

in the County of Leicestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

Ground Sea Level 370 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	11	-	02	-	-	-	-	-	-	17	-		1
2	-	02	-	18	-	-	-	-	-	-	65	05		2
3	-	28	-	13	-	-	-	-	-	12	31	11		3
4	-	16	-	-	-	-	05	-	-	12	71	08		4
5	-	-	-	-	-	-	24	-	-	14	21	07		5
6	15	25	-	-	02	-	11	-	-	40	05	-		6
7	07	34	-	08	-	-	02	-	04	-	-	-		7
8	-	-	-	-	-	-	-	-	-	15	03	26		8
9	-	-	11	-	-	-	09	04	04	06	26	15		9
10	-	-	02	-	-	-	48	03	-	-	25	35		10
11	-	-	13	02	-	-	48	-	-	-	46	29		11
12	-	-	10	-	-	03	20	-	08	-	05	-		12
13	-	08	31	02	-	-	-	-	12	-	-	-		13
14	-	-	05	13	23	-	-	05	04	02	-	27		14
15	-	-	-	-	03	02	-	-	08	02	09	-		15
16	07	18	35	-	-	03	29	-	12	86	57	-		16
17	-	08	58	-	-	-	04	-	-	05	04	-		17
18	05	45	17	39	-	-	-	04	-	08	09	13		18
19	-	20	07	36	-	-	57	-	30	16	10	05		19
20	-	05	-	05	-	-	29	08	-	04	08	-		20
21	08	-	-	-	05	-	05	-	-	06	126	-		21
22	-	-	04	-	19	47	-	-	08	-	08	-		22
23	-	10	06	03	15	11	-	03	-	05	-	03		23
24	05	-	-	03	-	-	06	-	-	04	-	-		24
25	-	-	-	-	-	-	03	-	-	-	-	-		25
26	88	08	-	03	06	-	03	-	-	08	-	-		26
27	54	06	-	03	-	-	49	-	-	-	11	-		27
28	48	56	-	04	08	-	-	-	-	-	-	-		28
29	-	-	15	-	03	03	-	-	-	-	-	38		29
30	09	X	-	86	-	-	-	-	-	43	-	15		30
31	06	X	-	X	-	X	-	-	X	78	X	-		31
TOTAL	2.52	3.00	2.14	2.40	84	69	3.52	33	90	3.66	5.57	2.37	27.04	✓
* Days with .01 in. or more.	11	16	13	16	9	6	14	6	9	19	20	14	156	✓
* Days with .04 in. or more.	11	15	12	9	6	2	14	4	9	17	19	13	131	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) G. L. Edwards

[P.T.O.]

Section **A** for the entry of
AIR MINIST
FORM 1090
Kept at **X (Baggrave)**
in the County of **Leic**
Diameter of Funnel of Gauge....
Height of top of Gauge above G
" Ground " S
THE MORNING MEASU

An observer who does not conform
year in the space on the right of
P

2506/5

HUNGERTON. BAGGRAVE HALL
1936 - 37

No. 2506/5
GANIZATION

8/36
just 5/37

Jan. 1, following

780409

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†
1									-	-	.01		1
2									-	-	.12		2
3									.18	-	.02		3
4									.26	.05	.02	(.50)	4
5									.11	-	-		5
6									.16	.03	.03		6
7									.04	.01	.01		7
8									-	.02	.10		8
9									-	.14	-		9
10									-	.01	-	.15	10
11									-	-	.33	-	11
12									.37	-	.08	-	12
13									-	.09	.03	-	13
14									.26	.04	.09		14
15									.10	-	.22		15
16									-	-	.31		16
17									-	.16	.10		17
18									-	.07	-		18
19									-	.07	.08		19
20									-	-	.06		20
21									-	-	-		21
22									-	-	-		22
23									-	.06	-		23
24									.06	.33	.08		24
25									.30	-	-		25
26									.13	.12	-		26
27									.15	.17	-		27
28									.04	-	.10		28
29									-	.03	-		29
30		X							-	.23	(1.15)		30
31		X		X		X			X	.11	X	.13	31
TOTAL									(2.16)	(1.74)	(1.99)	(1.88)	Year's Total
* Days with .01 in. or more.													
* Days with .04 in. or more.													

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) P. P. Burnaby [P.T.O.]

X MRS. A. E. BURNABY X

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at **(Baggrave Hall)**

in the County of **Leics**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

Com for mis. entry by sun. shis.

Part Nov & Dec est.

Part Dec, 2 days W.O. **570078/36**

notified 27/1

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									—	—	.01 +0			1
2									—	—	.12 2			2
3									.18	—	.20 2			3
4									.26	.05 1.50	.20 2	(.50)		4
5									.11	—	—			5
6									.16	.03 1.30	.03 30			6
7									.04 40	.30 70	.01 10			7
8									—	.02 20	.10			8
9									—	.14	—	(—)		9
10									—	.90 1.70	—	.15		10
11									—	—	.33 30	—		11
12									.37	—	.08 80	—		12
13									—	.09 90	.03 30	—		13
14									.26	.94 1.40		.09		14
15									.10	—		.22		15
16									—	—		.31		16
17									—	.16		.10		17
18									—	.07 70		—		18
19									—	.07 70		.08 80		19
20									—	—		.06 60		20
21									—	—		—		21
22									—	—		—		22
23									—	.06 60		—		23
24									.60	.33		.08 80		24
25									.30	—		—		25
26									.13	.12		—		26
27									.15	.17		—		27
28									.04 40	—		.10 10		28
29									—	.03 30		—		29
30		X							—	.23	(1.15)	.06 60		30 ✓
31		X		X		X			X	.11	X	.13		31
TOTAL									(2.16)	(1.74)	(1.99)	(1.88)	Year's total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No.

2506/5

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Baggrave Hallin the County of LeicesterDiameter of Funnel of Gauge...4...in.Height of top of Gauge above Ground...1...ft...6...in.

,, Ground ,, Sea Level ft.

File No. 570078/36.

Cmp 1936

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	-	.11	-	-	-	-	-	.09	-	.24	.01		1
2	.20	.03	.05	.26	-	-	-	-	-	-	-	.43		2
3	-	.04	-	.13	.26	-	-	-	.08	-	-	.06		3
4	.10	.04	-	-	.12	-	-	.01	-	-	.005	.77		4
5	.29	-	.16	-	-	-	-	.02	-	-	-	-		5
6	.06	.15	.21	-	.10	-	-	-	-	-	-	-		6
7	-	.54	.01	.19	.04	-	-	-	-	-	-	-		7
8	-	.27	-	-	-	-	-	-	-	-	.40	-		8
9	-	.12	.02	.02	.18	-	.43	-	.08	-	-	.21		9
10	-	.13	-	.84	.02	.24	-	-	-	-	.03	.07		10
11	-	-	.71	-	.56	-	.02	.05	-	-	-	.12		11
12	.06	.28	.40	-	.49	.24	-	-	.18	-	-	.15		12
13	.02	.03	.10	-	.02	.01	-	.04	-	-	-	.03		13
14	-	-	.03	.03	-	.005	-	.14	.01	-	-	-		14
15	.15	.05	.01	.22	-	-	1.57	-	.13	-	-	.08		15
16	.07	.19	.46	.04	-	-	-	.13	.08	-	-	.01		16
17	.13	.03	.19	.39	-	-	-	-	.14	-	-	-		17
18	.07	.06	.17	.02	-	-	-	-	.16	-	.26	-		18
19	.02	.06	.05	.08	-	.41	.42	-	-	-	.08	-		19
20	.29	.16	.10	.35	-	-	-	-	.03	.02	-	-		20
21	.08	.12	.12	-	.70	-	.28	.005	-	-	-	.05		21
22	-	.10	.01	-	.24	.01	.09	-	-	.37	.13	.001		22
23	.25	-	.02	-	.09	-	.14	-	-	.65	.21	-		23
24	.28	.23	.07	-	.03	-	.03	-	-	.19	.005	-		24
25	.15	.24	.02	-	.11	-	-	-	-	.30	-	.02		25
26	-	.21	.12	-	.74	-	-	-	-	.01	-	-		26
27	-	.25	.10	.24	-	-	-	-	-	-	-	-		27
28	-	-	-	-	-	-	-	-	-	.73	-	.08		28
29	-	-	-	-	-	.01	-	-	-	.005	.05	.02		29
30	.38	~~X~~	-	-	-	.005	-	-	-	.01	.07	.01	print	30
31	.31	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.14	~~X~~	.005		31
TOTAL	3.14	3.06	3.24	2.81	3.70	.93	2.98	.39	.98	2.42	1.48	2.13	Year's Total	28.26
* Days with .01 in. or more.	19	20	23	13	15	6	8	6	10	9	9	16	154	
* Days with .04 in. or more.	17	17	16	10	12	1	6	3	8	5	6	8	109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mrs M.A. Burnaby [P.T.O.]Mrs A.E. Burnaby

REGISTER

Kept at Cropston Reservoir
in the County of Leicester
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 f
Ground Sea Level 244.4

THE MORNING MEASUREMENT

An observer who does not conform to this rule sh
year in the space on the right of this paragra
Please re

2507
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
31.

CROPSTON

1931 - 40

DAY.

the following

Jan. 1, following

780409

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	.04	.10	-	.23	-	-	.33	.02	-	-	1
2	-	.05	-	.60	-	.04	-	-	.45	.05	.01	.04	2
3	.04	.05	-	.14	-	-	.05	-	.64	.02	.34	.04	3
4	-	.08 Snow	-	.20	-	-	.60	.32	.19	-	.14	-	4
5	-	.05 Rain & Snow	-	.08	-	1.00	-	-	.18	-	.03	.41	5
6	-	.20	-	-	-	.25	-	-	-	.18	.14	-	6
7	-	-	-	-	-	.05	.09	.19	-	.02	.06	.02	7
8	-	.13	.04 Snow	-	.15	-	.05	1.90	-	.01	.23	-	8
9	-	.18	.03	.10	-	.02	-	.25	-	-	.25	-	9
10	.13	-	-	-	-	.08	-	.30	-	-	.02	-	10
11	.08	.32 Rain & Snow	-	-	-	.03	-	-	.14	-	.11	-	11
12	.06	.11	-	-	-	-	.80	-	.25	.02	.02	-	12
13	-	-	-	-	-	-	.01	.10	.01	.02	-	-	13
14	-	.06	-	-	-	.29	1.08	1.15	-	-	.12	-	14
15	.02	.18 Rain & Snow	-	.15	.28	-	.10	.46	-	-	.02	.04	15
16	.05	.34 Rain & Snow	-	.12	.40	.53	.05	-	.19	-	-	-	16
17	.14	.30	-	.50	.48	.08	-	-	-	-	-	-	17
18	.10	.02	-	.30	-	.05	.05	.12	-	.01	.34	-	18
19	.04	.04	-	.32	-	-	-	.06	.10	-	-	-	19
20	-	.05	-	.09	-	-	.02	.41	-	.04	.03	.03	20
21	.15	-	-	-	.39	-	-	.20	-	-	.10	-	21
22	.08	.02	-	-	-	-	-	.04	-	-	-	-	22
23	.19	-	-	.12	.39	.10	-	-	.06	-	.19	.01	23
24	.04	.02	-	.11	.64	-	.15	-	-	-	.01	-	24
25	.25	.03	-	.48	-	-	.35	-	-	-	.02	-	25
26	.08	.04 Rain & Snow	-	.11	-	-	.05	-	.02	-	.14	.01	26
27	.14	.52 Snow	-	-	-	-	.05	-	-	.02	.32	.13	27
28	.11	.30	-	.03	.25	-	-	-	-	-	-	.30	28
29	.11	X	-	-	.04	-	.08	-	.25	.02	.02	-	29
30	.10	X	-	-	-	-	.06	-	-	-	-	-	30
31	.24	X	-	X	-	X	-	-	X	-	X	.05	31
TOTAL	2.21	3.19	.11	3.85	3.62	2.48	3.64	5.50	2.59	.66	2.69	1.13	31.04
*Days with or in. or more.	20	23	3	14	9	13	14	13	12	12	22	12	143
*Days with .04 in. or more.	19	19	2	16	9	11	15	13	10	14	13	4	138

40-9999

*See Instruction 2 (f) on other side.

(Signed)

ENGINEER & MANAGER

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 193 / .

Kept at Lopstone Reservoir
in the County of Leicester
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 244.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	.04	.10	—	.23	—	—	.33	.02	—	—	1
2	—	.05	—	.60	—	.04	—	—	.45	.05	.01	.04	2
3	.04	.05	—	.14	—	—	.05	—	.64	.02	.34	.04	3
4	—	<i>Snow</i> .08	—	.20	—	—	.60	.32	.19	—	.14	—	4
5	—	<i>Rain & Snow</i> .05	—	.08	—	1.00	—	—	.18	—	.03	.41	5
6	—	<i>Rain & Snow</i> .20	—	—	—	.25	—	—	—	.18	.14	—	6
7	—	—	—	—	—	.05	.09	.19	—	.02	.06	.02	7
8	—	.13	<i>Snow</i> .04	—	.15	—	.05	1.90	—	.01	.23	—	8
9	—	.18	<i>Snow</i> .03	.10	—	.02	—	.25	—	—	.25	—	9
10	.13	—	—	—	—	.08	—	.30	—	—	.02	—	10
11	.08	.32	—	—	—	.03	—	—	.14	—	.11	—	11
12	.06	<i>Rain & Snow</i> .11	—	—	—	—	.80	—	.25	.02	.02	—	12
13	—	—	—	—	—	—	.01	.10	.01	.02	—	—	13
14	—	.06	—	—	—	.29	1.08	1.15	—	—	.12	—	14
15	.02	<i>Rain & Snow</i> .18	—	.15	.28	—	.10	.46	—	—	.02	.04	15
16	.05	.34	—	.12	.40	.53	.05	—	.19	—	—	—	16
17	.14	<i>Rain & Snow</i> .30	—	<i>Rain & Snow</i> .50	.48	.08	—	—	—	—	—	—	17
18	.10	.02	—	.30	—	.05	.05	.12	—	.01	.34	—	18
19	.04	.04	—	.32	—	—	—	.06	.10	—	—	—	19
20	—	.05	—	.09	—	—	.02	.41	—	.04	.03	.03	20
21	.15	—	—	—	.39	—	—	.20	—	—	.10	—	21
22	.08	.02	—	—	—	—	—	.04	—	—	—	—	22
23	.19	—	—	.12	.39	.10	—	—	.06	—	.19	.01	23
24	.04	.02	—	.11	.64	—	.15	—	—	—	.01	—	24
25	.25	.03	—	.48	—	—	.35	—	—	—	.02	—	25
26	.08	.04	—	.11	—	—	.05	—	.02	—	.14	.01	26
27	.14	<i>Rain & Snow</i> .52	—	—	—	—	.05	—	—	.02	.32	.13	27
28	.11	<i>Snow</i> .30	—	.03	.25	—	—	—	—	—	—	<i>Rain & Snow</i> .30	28
29	.11	X	—	—	.04	—	.08	—	—	.25	.02	.02	29
30	.10	X	—	—	—	—	.06	—	—	—	—	—	30
31	<i>Rain & Snow</i> .24	X	—	X	—	X	—	—	X	—	X	.05	31
TOTAL	2.21	3.19	.11	3.85	3.62	2.48	3.64	5.50	2.59	.66	2.69	1.13	YEAR'S TOTAL 31.94
*Days with "or in. or more.	20	23	3	14	9	13	14	13	12	12	22	12	143
*Days with ".04 in. or more.	19	19	2	16	9	11	15	13	10	4	13	4	138

Section

A

for the entry of Daily Observations.

Station No.

2507

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cropstone Reservoirin the County of LeicesterDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 244.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.02		.15	.46	.09		.34	.12	.26	.02		1
2	.10			.02	.14			.03	.14	.14	.03	.12	2
3				.14	.03			.01					3
4	.04			.12					.03		.28		4
5	.32	.02	.08		.02				.04				5
6	.24		.03	.14			.01		.12				6
7			.26	.49					.06	.09			7
8		.02		.18					.03	.09		.01	8
9	.12	.08	.01	.02	.05								9
10	.10	.08		.08	.04				.29	.21			10
11	.01	.02	.05	.04	.23	.14	THUNDER .35			.04	.02		11
12	.12				.20		THUNDER .12	.02	.02	.29	.02		12
13	.05	.06		.10	.01		THUNDER .33	.12	.05	.04	.03		13
14	.24	.02		.09	.02		.03	.08		.03	.21	.05	14
15	.04			.06	.21					.04		.05	15
16	.19			.30	.03		.01						16
17					.02		.02			.21			17
18	.01				.01				.01				18
19		.01			.01					.26			19
20				.10	.38		.01	.35		.53	.20	.01	20
21			.04	.15	.234			.25		.38	.01		21
22	.01		.39	.04	.03	.01	.44		.60	.03	.54	.09	22
23		.03			.46		.02		.11	.05	.04	.08	23
24	.03			.02	.02		.10		.10		.14		24
25		.10					.24		.04	.22	.03	.01	25
26	.01		.03	.46	.26	.02	.13		.44	.01			26
27		.01	.35	.16	.40	.01	.10				.19		27
28			.50	.18	.50	.06	.30	.60		.04		.01	28
29			.30	.12	.05	.05	.03	.03	.12	.28	.04	.10	29
30		×	.03	.02	.04	.54	.05	.06	.32	.42	.28	.11	30
31		×	.04	×	.03	×	.85	.02	×		×	.12	31
TOTAL	1.82	.44	2.14	3.21	6.32	.92	3.14	1.91	2.40	3.69	2.14	.46	28.98
*Days with ".01 in. or more.	.14	.12	.13	.23	.26	.8	.18	.12	.18	.21	.16	.12	1.96
*Days with ".04 in. or more.	.12	.4	.9	.19	.15	.5	.11	.4	.14	.18	.9	.8	1.31

40-9999

*See Instruction 2 (f) on other side,

(Signed)

E. Edwards
Engineer & Manager.

P.T.O.

Section **A**

for the entry of Daily Observations.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Station No. **2507**

REGISTER OF RAINFALL IN 1933.

Kept at Cropstone Reservoir

in the County of Leicester

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 244.41 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.25	.34	.04								.04			1
2	.21		.38		.06						.05			2
3		.29	.14		.23						.04			3
4	.16		.02		.06									4
5	.10	.01	.11		.34									5
6		.09	.12		.18					.08	.01	.01		6
7	.02	.45	.02		.04					.11		.01		7
8	.01		.05		.06		.34		.11	.01				8
9					.06		.30			.25	.14			9
10	.01	.04			.02			.01		1.34	.14			10
11	.05					.09	.21	.02		.02				11
12	.02					.03	.06		.09			.09	RAIN & SNOW	12
13	.04				.08	.02	.31			.04	.28			13
14	.02				.12					.03	.36	.01		14
15	.56					.10	.21	.08		.05	.38	.01		15
16	.40		.55		.14	.21	.10			.02	.06			16
17	.08		.50			.31			.02		.08	.01		17
18			.04			.20			.01		.06			18
19		SNOW .05	.26	.03		.85	.01		.04					19
20		.06	.01			.01		.10						20
21		.03			.32	.18		.40						21
22								.24		.36				22
23				.18		.01			.44	.01				23
24		SNOW .42		.08	.24	.21			.29	.06	.08			24
25		RAIN & SNOW .59		.32		.50			.06		.06	.01		25
26		RAIN & SNOW .44		.18					.03	.12		.03		26
27					.01				.49	.01				27
28		.01		.26					.01	.16		.05		28
29	.02	X		.24			.03			.10				29
30	.03	X	.21	.05			.02			.05		.08		30
31		X	.30	X		X	.05	.12	X	.09	X	.01		31
TOTAL	1.98	2.85	2.48	1.34	2.02	2.42	1.64	1.00	1.95	2.91	1.84	.32	Year's Total	23.41
*Days with ".01 in. or more.	16	13	15	8	15	13	11	4	11	19	14	11		153
*Days with ".04 in. or more.	9	10	12	4	13	9	8	5	4	13	13	3		109

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

W. Howard
Engineer & Manager

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2507

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cropston Reservoir

in the County of Leicester

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 244.41 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03							.24			.03	.50		1
2	.01	.01	.06					.26	.33	.05	.09	.14		2
3	.02	.04	.01							.03	.06			3
4	.04	.02	.18	RAIN & SNOW .02	.02				.06	.10	.18	.31		4
5			.15	SNOW .06	.04			.16		.12	.04	.08		5
6			.04	RAIN & SNOW .02	.36	.04		.03		.16		.48		6
7	.09				.01	.06		.05		.09		.19		7
8			.05		.12			.08		.05	.34	.08		8
9	.01		.20	RAIN & SNOW .05				.04		.04	.44	.15		9
10			.15	.12				.06			.20			10
11	.65		.19	.35				.18				.15		11
12			.23				.03	.12				.05		12
13	.53			.05	.02		.22	.04		.03	.01	.14		13
14	.04		.33			.05				.22	.32	.32		14
15	.04		.08		.15						.14	.04		15
16	.11		.14		.18			.01		.10	.04	.01		16
17	.16				.02		.01		.21	.12	.05	.08		17
18	.13		.02	.31			.11		.04					18
19			.09	.08		.10			.01			.04		19
20			.04	.12		.02			.02					20
21			.01			.30		.03		.08				21
22								.30	.25			.04		22
23		.01	.02	.43		.02	.11					.09		23
24		.20	.12			.12	.12		.41	.02		.06		24
25	.10								.01	.18		.24		25
26	.20		.02	.15		.05			.06		.04	.20		26
27		SNOW .24		.34		.02				.04		.12		27
28				1.16		.34		.34				.34		28
29		X					.20	.02	.40	.03		.38		29
30	.09	X					.02		.02			.24		30
31	.01	X		X		X			X	RAIN & SNOW .30	X	.06		31
TOTAL	2.29	.58	2.16	3.89	.95	1.15	.82	1.96	1.82	1.49	2.31	4.68	24.40	
* Days with .01 in. or more.	14	6	20	14	9	11	8	16	12	18	14	26	141	
* Days with .04 in. or more.	12	3	15	13	5	8	5	12	8	14	12	25	132	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

E. J. Edwards

ENGINEER & MANAGER

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2507

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wrotham Reservoir
in the County of Leicestershire
Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1 ft. 0 in.
„ Ground „ Sea Level 244.41 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25		.16	.14		.06	.03		.31	.06	.30	.16		1
2			.10	.01		.13			.09	.33	.03	.40		2
3		.18	.08	.01		.04			.38	.03	.22	.04		3
4			.02	.08		.13			.04	.43	.01	.02		4
5		.48	.08	.16		.01			.03	.16	.11			5
6	.03			.13		.16				.01	.05			6
7	.06			.40		.05				.04	.53	.10		7
8			.01	.19		.19		.01		.15	.10	.34		8
9				.15		.04				.08	.35	.02		9
10				.15		.02					.01	.01		10
11	.14					.05	.09			.03	.34	.04		11
12	.01	.02				.33		.03	.03					12
13	.05	.03		.16	.30						.03			13
14				.04	.09		.04		.02		.46	.10		14
15		.16		.16	.04	.33			.31		.25	.51		15
16		.04	.15	.36		.18			.49	.24	.40	.35		16
17				.08		.19	.05			.09	.54			17
18				.04	.03	.16	.10		.40	.10				18
19	.03			.08	.33	.36	.08		.03	.11	.30			19
20	.02	.15		.41	.03	.31	.03				.08			20
21		.39	.06	.06					.39	.05	.13			21
22		.39		.08				.01	.04			.01		22
23		.02	.35	.01				.80	.05	.18	.01			23
24	.04	.30	.05						.46	.03		.04		24
25	.34	.05		.02		.89			.01			.33		25
26		.01						.39	.36	.11	.03	.53		26
27		.33							.05	.05	.39	1.43		27
28	.02	.09			.05				.02	.02		.15		28
29		X	.04						.13	.04		.11		29
30	.08	X	.01	.10	.01			.25	.04	.34	.13	.08		30
31		X		X		X			X	.50	X	.31		31
TOTAL	1.09	2.43	1.14	3.44	.69	3.31	.42	1.39	3.90	4.08	4.80	4.89	31.58	Year's Total
* Days with .01 in. or more.	12	15	12	23	8	19	4	6	21	23	23	21	190	
* Days with .04 in. or more.	4	11	9	19	5	14	5	3	15	18	14	14	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

G. T. Edwards
Engineer & Manager

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2507

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Cropton Reservoir*
in the County of *Leicestershire*
Diameter of Funnel of Gauge.....*8*.....in.
Height of top of Gauge above Ground.....*1*.....ft.....*0*.....in.
„ Ground „ Sea Level.....*344.41*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.10	<i>SNOW & RAIN</i> .22	.60		.01	.32	.04			.04	.10		1
2	.04	.03		.10		.69	.50	.21			.11	.06		2
3	.01	<i>SNOW</i> .01				.15	.05	.06	.21		.05	.02		3
4		<i>SNOW</i> .03	.12			.30	.04	.04	.36		.06	.06		4
5	.04	.01	.12					.03	.12	.03		.16		5
6	.01				.24	.04	.24	.50	.20		.05			6
7	.31						.52		.04		.10			7
8	.18		.11								.15	.04		8
9	.33					.06	.30		.04	.14				9
10	.11			.02			.30							10
11				<i>SNOW & RAIN</i> .05		.01	.25				.35			11
12				<i>SNOW & RAIN</i> .09		.22	.38		.58		.04	.12		12
13				<i>SNOW & RAIN</i> .16		.12				.05	.03	.18		13
14				<i>SNOW</i> .14		.14	.24		.55	.04	.06	.36		14
15				.03		.11	.15				.16	.15		15
16	.19	.18					.05				.54	.04		16
17		.44					.14			.03	.14	.12		17
18		.08				.06	.03			.14	.04	.14		18
19	.40	.04	.01	<i>SNOW & RAIN</i> .30		.61	.04	.10		.04				19
20		.06		.05		.10	.02	.01		.02				20
21	<i>SNOW & RAIN</i> .42			.16		.66								21
22		.54	.04	.02	.22		.19					.06		22
23		.03	.11	.14	.10		.34			.03	.01			23
24	.20	.16			.01		.02		.08	.15		.01		24
25	.08		.11	.29		.20	.01		.33	.04				25
26		.03	.34	.04					.10	.15				26
27	.05		.02				.01		.04	.25				27
28	.50	.20	.20			.06	.48		.03		.01	.08		28
29	.60	.32	.10			.12				.06	.46	.08		29
30	.12	~~X~~			.12	.09	.12			.25	.04			30
31	.60	~~X~~	.06	~~X~~	.08	~~X~~	.03		~~X~~	.18	~~X~~	.18		31
TOTAL	4.29	2.29	1.42	2.22	.81	3.89	4.83	1.02	2.68	1.69	2.50	1.96	Year's Total 29.90	
* Days with .01 in. or more.	19	14	14	15	6	19	25	8	13	14	19	18	188	
* Days with .04 in. or more.	14	10	12	12	5	14	19	6	12	12	16	16	154	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

E. H. Edwards
Engineer-in-Charge

[P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. **2507**
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Crapston Reservoir
in the County of Leicestershire
Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. 0 in.
„ Ground „ Sea Level 544.41 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.02							.04		.12	.02		1
2	.01	.06	.09	.44			.02					.31		2
3		.06	.08	.08	.23	.01						.32		3
4	.09	.03	R & S.		Thunder			.03				.60		4
5	.48		.18		.34							R & S.		5
6	.04						.04					.23		6
7		.46	.06	.21								.03		7
8		.34		.02		.01					.38			8
9				.03	.23		.52		.10			.12		9
10	.01	.24	SNOW	.24	.31	.18	.01					R & S.		10
11			R & S.	.58		.44						.35		11
12	.11	.32	.16		.53	.06			.19			.10		12
13	.03	.05	.10			.12		.20	.18			.13		13
14		.02	R & S.	.21	.02		.01	.10	.04			R & S.		14
15	.18	.04	.06	.32			Thunder	.69	.03			.02		15
16	.09	.23	.48	.50				.15	.10					16
17	.14	.08	.30	.54			.01		.15					17
18	.48	.06	.28	.04					.34		.58			18
19	.04	.05	.02	.14		.10	.50				.05			19
20	.24	.15	.20	.42	Thunder	.60	.32		.03			.05		20
21	.04	.14	.04				.32			.02		.06		21
22	.06				.01		.12			.43	.19			22
23	.16						.11			.60	.20			23
24	.30	.28	.12				.12			.38				24
25	.18	.50	.11		.05					.80				25
26		.20			.48									26
27		SNOW		.24						.80				27
28		SNOW												28
29	R & S.	X				.01				.02	.09	.01		29
30	R & S.	X				.03					.15	.01		30
31	.09	X		X		X			X	.14	X	.04		31
TOTAL	3.42	3.92	3.41	3.34	3.94	.85	3.46	.48	1.29	3.21	1.46	2.63	Year's Total	31.04
* Days with .01 in. or more.	22	22	19	14	10	10	11	4	10	9	8	19	158	
* Days with .04 in. or more.	19	19	18	11	9	5	8	3	8	6	8	13	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. H. Edwards [P.T.O.]

Engineer & Manager

Section



for the entry of Daily Observations

Station No.

2507

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ...*Cropton Reservoir*.....in the County of *Leicestershire*.....Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground.....*1* ft. *0* in.,, Ground ,, Sea Level *244* ft. *41* in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03					.46	.09		.03	.04		.16		1
2	.09	.03		.04		.42	.01			.16		.06		2
3	.03					.05				.51	.04			3
4	.03			.01		.02	.04	THUNDER .60		.06		.32		4
5	.05			.01			.09	.03		.02		.01		5
6	.02					.02	.20		.34	.10				6
7	.36					.03	.16	.03	.09	.09		.05		7
8	.10						.18	.05		.34		.04		8
9	.21	.10					.10	.04				.38		9
10		.06				.08	.20	.03				.06		10
11	.53						.06	.01		.02	.10	.02		11
12	.33	.02			.09		.03			.39	.06			12
13	.03	SNOW .05								.01	.14	.32		13
14	.20				.08		.54		.15			.09		14
15	.30						.46	.06				.34		15
16	.10						.11	.02		.04	.02	.36		16
17		.04					.12		.03	.14	.03	.04		17
18	.02				.35			.04	.14	.02	.36			18
19								.12	.01		.02	SNOW .10		19
20	.01								.04		.44	SNOW .04		20
21	.02									.01	.03	SNOW .39		21
22						.01			.01		.32	R. & S .39		22
23					.03				.35		.02	R. & S .05		23
24			.04		.02				.25		.02	R. & S .08		24
25	.11	.14	.09				.01	.14	.01	.10	.36	R. & S .02		25
26	.04	.35	.09		.01				.04	.15		.19		26
27	.04	.03	.04		.23	.16	.23		.55	.04	.50			27
28	.13	.06			.39	.10	.09	1.23	.03		.04	.13		28
29	.20	X			.50		.10		.01	.06	.12	.14		29
30	.40	X				.14			.30		.14	R. & S .09		30
31	.14	X		X	.23	X			X	.19	X	.60		31
TOTAL	3.23	.88	.32	.06	1.93	1.49	2.82	2.46	2.38	2.55	2.85	4.26	Year's Total 25.23	✓
* Days with .01 in. or more.	25	10	4	3	10	11	19	13	14	20	18	26	146	✓
* Days with .04 in. or more.	14	4	4	1	4	4	16	8	10	15	12	23	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

ENGINEER & MANAGER

P.T.O.

Section



for the entry of Daily Observations

Station No. 2507

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Cropston Reservoir

in the County of Leicestershire

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

Ground Sea Level 344.41 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12			.02	.04		.03	THUNDER .29	.06					1
2	.04			.15				.32	.43	.03	.04	.14		2
3	SNOW .36			.34				.33			.25	.22		3
4	SNOW & RAIN .14		.28	.24			.04	.49	.12	.12	.04	.30		4
5			.04	.20	.24		.09	.14		.11	.29	.22		5
6	SNOW & RAIN .48		.04				.26			.05	.08			6
7	.06	.04					.24				.29	.22		7
8	.04	.03	.28				.20	.02		.14	.24	.42		8
9		.08					.40	.19		.50		.36		9
10	.56		.02					.33	.03	.03				10
11	.01	.02	.24			.05			.02					11
12		.04	.03		.01	.04		.01			.04			12
13						.04	.03			.22				13
14	.48		.01	.10	.33	.19	.04			.12	.04			14
15	.21		.03	.02	.10	.22	.45			.56	.01			15
16	.08		.09		.32	.25	.36				.19			16
17	.35	.05	.01		.03	.05	.19			1.34				17
18	.03	.02	.06			.14	.21				.44			18
19	.24					.02	THUNDER 1.24							19
20	.04		.02		.01	.02	.01	.12						20
21	.25	.22	.20	.06	.01	.03		.21	.11					21
22	.14	.14	.04	.02		.06	.08	.01	.03		.40			22
23	.04	.02					.12	.01			.40			23
24	SNOW .04			.01		.02	THUNDER .20							24
25	SNOW & RAIN .20	.14	SNOW & RAIN .06				.09	.10			.21			25
26	.20		.02	.04				.12		.10	.48	.04		26
27		.12	.14	.12		.02	.06	.16		.04	.18	SNOW .01		27
28		.24	.14	.08		.25	.06			.08	.19			28
29		X		.12			.14	.08		.22	.08			29
30		X		.20		.25	.11				.11			30
31		X		X		X		.05	X		X			31
TOTAL	5.09	1.25	1.81	1.45	1.15	1.40	4.83	3.11	.80	3.66	4.66	1.94	Year's Total 31.45	✓
* Days with .01 in. or more.	22	13	19	15	9	16	23	18	4	15	20	9	186	✓
* Days with .04 in. or more.	20	9	12	11	5	11	20	14	4	13	19	8	146	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2507

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Kropston Reservoir

in the County of Leicestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 244 1/4 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		Snow .14		.03	.01						.20	.02		1
2		Snow .01		.22							1.01	.03		2
3		.20		.12			.01			.16	.46	.10		3
4		.20		.02						.15	.41	.04		4
5		.05			.02		.15			.22	.20	.12		5
6	.04	.36					.10			.29	.05	.02		6
7	.14	.30		.02								.03		7
8				.08		.01	.01			.04	.02	.24		8
9			.09	.01		.04	.04	.04	.03	.04	.35	.04		9
10			.01				.81	.02		.02	.16	.50		10
11		Snow .01	.12	.02		.05	.22				.53	.05		11
12		Snow .01	.11	.01		.06	.33		.06	.01	.05			12
13		.09	Rain & Snow .16	.05			.03		.05					13
14			Rain & Snow .20	.15	.34			.05	.03			.35		14
15			.06	.05	.03	.04	.05		.02	.02	.08	.01		15
16	Snow .03	Snow .41	.40	.01		.06	.35		.08	1.21	.51	.01		16
17		Snow .03	.50				.05			.02	.05			17
18		Rain & Snow .50	.22	.24				.05	.01	.12	.03	.04		18
19		.19	.09	.19			.54		.32	.02	.13	.03		19
20		.01	.01	.04		.03	.20	.06		.04	.04	.02		20
21	Snow .09		.01		.01	.20	.03		.01	.05	1.34			21
22			.02	.01	.15	.31		.01	.06		.01			22
23		.08		.05	.53	.11			.01	.03		.05		23
24	.04			.03			.05			.03	.01			24
25				.02	.01		.01			.01				25
26	Rain & Snow .80	.08		.01	.02	.03	.21			.02	.02			26
27	Snow .50	.06	.01		.02		.20			.01				27
28	Snow .60	Rain & Snow .50		.03	.13		.02	.01						28
29			.20	.03	.04	.01						.32		29
30	Rain & Snow .10	X		.34						.43	.01	.16		30
31	.06	X	.02	X		X			X	.90	X	.02		31
TOTAL	2.40	3.23	2.23	1.84	7.31	1.01	3.46	.24	.68	3.90	6.00	2.29	Year's Total 28.62	✓
* Days with .01 in. or more.	10	19	14	24	12	12	20	4	11	22	22	21	194	✓
* Days with .04 in. or more.	9	14	11	11	5	8	14	4	5	12	16	12	121	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Engineer & Manager

[P.T.O.]

REGISTER

Kept at **BARKBY HAL**
in the County of **Leicester**

Diameter of Funnel of Gauge **five** in.
Height of top of Gauge above Ground **one** ft.
Ground Sea Level **2** ft.

THE MORNING MEASUREMENTS

An observer who does not conform to this rule
year in the space on the right of this paragraph
Please

2508 - 114205

BARKBY HAL

1931 - 1940

2508
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

1931

2508

WINDY DAY.

1st of the following

Jan. 1, following

leaf.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	02	15	03	—	—	—	—	—	—	—	—	1
2	—	07	—	65	—	—	—	—	—	—	—	—	2
3	05	—	—	07	—	—	—	—	—	—	—	—	3
4	—	06	—	14	—	—	—	—	—	—	—	—	4
5	—	—	—	06	02	00	—	—	—	—	—	—	5
6	—	15	—	—	—	06	—	—	—	—	—	—	6
7	—	—	—	—	—	02	10	40	—	—	—	—	7
8	03	06	04	03	06	01	06	45	—	—	—	—	8
9	—	17	14	03	—	—	—	01	16	—	—	—	9
10	03	—	02	—	—	02	—	20	—	—	—	—	10
11	07	22	—	—	—	06	03	—	16	—	—	—	11
12	04	05	—	—	—	—	54	—	30	—	—	—	12
13	—	—	—	—	—	—	04	06	02	—	—	—	13
14	—	07	—	—	—	17	84	103	01	—	—	—	14
15	—	14	—	18	24	—	10	07	—	—	—	—	15
16	01	17	—	06	40	43	02	14	22	—	—	—	16
17	12	35	—	47	72	03	01	—	—	—	—	—	17
18	04	02	—	22	—	03	01	15	—	—	—	—	18
19	05	02	—	24	—	13	04	03	04	—	—	—	19
20	—	05	—	04	—	—	02	28	—	—	—	—	20
21	10	—	—	—	45	—	—	20	—	—	—	—	21
22	05	—	—	01	—	—	—	—	—	—	—	—	22
23	16	—	01	03	30	15	—	—	15	—	—	—	23
24	01	—	—	12	57	—	16	—	01	02	—	—	24
25	12	02	—	66	01	—	36	—	—	—	—	—	25
26	02	04	—	40	—	—	08	—	—	—	—	—	26
27	19	40	—	—	04	—	05	—	—	—	—	—	27
28	05	10	—	04	07	—	—	—	—	—	—	—	28
29	15	X	—	01	03	—	05	—	—	—	—	—	29
30	30	X	—	—	—	—	—	—	—	—	—	—	30
31	23	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.82	2.18	.36	3.50	2.92	2.05	3.21	3.38	2.94	.60	2.10	.74	YEAR'S TOTAL
*Days with or in. or more.	20	19	5	20	13	15	21	14	14	8	18	10	167
*Days with or in. or more.	15	15	3	14	9	8	14	12	10	5	12	6	128

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at **BARKBY HALL**
in the County of **Leicester**

Station No. 2508

Diameter of Funnel of Gauge **five** in.
Height of top of Gauge above Ground **one** ft. — in.
Ground Sea Level **227** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	02	15	03	—	03	—	—	32	01	—	—	1
2	—	07	—	65	01	05	—	—	45	05	—	03	2
3	05	—	—	07	—	01	04	—	77	—	27	04	3
4	—	06	—	14	—	—	64	20	35	—	08	—	4
5	—	—	—	06	02	85	01	01	13	—	—	35	5
6	—	15	—	—	—	06	—	—	01	22	13	—	6
7	—	—	—	—	—	02	10	40	—	01	05	01	7
8	03	06	04	03	06	01	06	45	—	—	13	—	8
9	—	17	14	03	—	—	01	16	—	—	25	—	9
10	03	—	02	—	—	02	—	20	—	—	—	—	10
11	07	22	—	—	—	06	03	—	16	—	03	—	11
12	04	05	—	—	—	—	54	—	30	—	—	—	12
13	—	—	—	—	—	—	04	06	02	—	01	—	13
14	—	07	—	—	—	17	84	103	01	—	06	—	14
15	—	14	—	18	24	—	10	07	—	—	01	03	15
16	01	17	—	06	40	43	02	14	22	—	—	—	16
17	12	35	—	47	72	03	01	—	—	—	—	—	17
18	04	02	—	22	—	03	01	15	—	—	34	—	18
19	05	02	—	24	—	13	04	03	04	—	—	—	19
20	—	05	—	04	—	—	02	28	—	05	01	—	20
21	10	—	—	—	45	—	—	20	—	—	09	—	21
22	05	—	—	01	—	—	—	—	—	—	—	—	22
23	16	—	01	03	30	15	—	—	15	—	16	01	23
24	01	—	—	12	57	—	16	—	01	02	—	—	24
25	12	02	—	66	01	—	36	—	—	—	02	—	25
26	02	04	—	40	—	—	08	—	—	—	15	—	26
27	19	40	—	—	04	—	05	—	—	04	28	10	27
28	05	10	—	04	07	—	—	—	—	—	—	07	28
29	15	X	—	02	03	—	05	—	—	20	03	04	29
30	30	X	—	—	—	—	—	—	—	—	—	—	30
31	23	X	—	X	—	X	—	—	X	—	X	06	31
TOTAL	1.82	2.18	.36	3.50	2.92	2.05	3.21	3.38	2.94	.60	2.10	.74	YEAR'S TOTAL 25.80
*Days with "or in. or more.	20	19	5	20	13	15	21	14	14	8	18	10	167
*Days with "04 in. or more.	15	15	3	14	9	8	14	12	10	5	12	6	128

40-9999

*See Instruction 2 (f) on other side.

(Signed) **Victor R. POCHIN**

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2508

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at BARKBY HALL

in the County of Leicester

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 227 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	05	—	15	37	10	—	08	15	34	01	01	1
2	07	—	—	—	14	—	—	11	10	16	03	14	2
3	—	—	—	14	03	—	—	—	—	01	—	—	3
4	03	—	—	29	—	—	—	—	03	—	32	—	4
5	25	—	06	—	04	—	—	—	05	—	—	—	5
6	25	—	04	15	—	—	—	—	32	—	—	—	6
7	—	—	25	30	—	01	—	—	03	—	—	—	7
8	—	01	—	13	—	—	—	—	03	10	—	—	8
9	05	09	—	04	01	—	—	—	—	—	—	01	9
10	10	08	—	13	04	—	—	—	13	17	—	—	10
11	—	02	02	08	18	100	32	—	14	05	03	—	11
12	12	—	—	01	15	—	—	—	03	29	02	—	12
13	10	06	—	12	—	—	100	—	03	05	01	—	13
14	20	01	—	—	—	—	09	20	—	03	16	02	14
15	—	—	—	06	22	—	—	—	—	04	—	06	15
16	25	—	—	28	14	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	08	—	—	14	—	—	17
18	—	—	—	—	01	—	—	—	01	—	—	—	18
19	—	—	—	—	—	—	—	—	—	21	—	—	19
20	—	—	—	14	26	—	01	31	—	60	13	—	20
21	—	—	14	19	240	—	—	65	—	36	01	05	21
22	—	—	35	02	05	—	58	—	68	04	46	—	22
23	—	02	—	—	26	—	02	—	08	11	04	09	23
24	03	—	—	—	02	—	11	—	08	—	17	—	24
25	—	06	—	—	01	—	19	—	09	20	—	—	25
26	—	—	01	45	29	03	11	—	13	01	01	—	26
27	—	—	29	14	52	—	13	—	03	—	09	—	27
28	—	—	18	17	45	12	32	75	—	07	—	—	28
29	—	—	25	12	17	11	04	31	04	32	04	08	29
30	—	X	14	02	13	36	02	14	32	26	23	18	30
31	—	X	05	X	03	X	85	—	X	—	X	06	31 4
TOTAL	1.60	.37	1.78	3.13	5.92	1.73	3.87	2.55	2.50	3.56	1.76	70	YEAR'S TOTAL 29.37
*Days with .01 in. or more.	12	9	12	21	23	7	15	8	20	21	16	10	174
*Days with .04 in. or more.	10	5	10	18	17	5	12	8	13	18	8	7	131

Section

A

for the entry of Daily Observations.

Station No. 2508

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933

File No. 667597/26

Kept at BARKBY HALL
in the County of LeicestersDiameter of Funnel of Gauge. five in.
Height of top of Gauge above Ground. one ft. in.
Ground Sea Level 227 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	19	24	10	—	—	—	—	—	—	—	09	—		1
2	18	—	25	—	03	—	—	—	—	—	08	—		2
3	—	22	12	—	16	—	—	—	—	—	04	—		3
4	24	—	07	—	22	—	—	—	—	—	—	—		4
5	10	02	11	—	22	—	—	—	—	—	01	—		5
6	—	18	13	—	29	—	—	—	—	09	—	02		6
7	01	37	02	—	06	—	—	—	—	24	02	02		7
8	02	—	10	—	02	—	24	—	—	—	—	—		8
9	—	—	—	—	12	—	26	—	—	10	09	—		9
10	—	02	—	—	01	04	—	—	—	85	09	—		10
11	—	—	—	—	—	04	08	—	—	—	—	—		11
12	08	—	—	—	—	02	06	—	08	—	—	12		12
13	—	—	—	—	05	04	36	—	04	05	24	—		13
14	06	—	—	—	20	—	—	01	—	49	35	02		14
15	45	—	—	—	—	08	47	04	—	03	21	01		15
16	16	—	52	—	10	16	20	—	—	—	05	01		16
17	06	—	47	—	—	20	—	—	07	—	06	—		17
18	02	03	05	—	—	31	—	—	01	—	03	—		18
19	—	02	35	01	—	17	15	—	05	—	—	—		19
20	—	04	—	—	—	08	—	05	—	02	01	—		20
21	—	02	—	—	01	15	—	24	04	—	—	—		21
22	—	—	—	—	—	01	—	32	—	56	—	—		22
23	—	—	—	15	01	—	—	—	68	01	—	—		23
24	—	20	—	08	17	60	—	—	45	07	02	—		24
25	—	83	—	30	—	14	—	—	—	—	08	03		25
26	—	50	—	10	—	—	—	—	03	12	—	—		26
27	—	—	—	—	—	—	—	—	73	—	—	—		27
28	—	—	—	19	12	—	—	—	—	25	—	10		28
29	03	X	—	58	—	—	02	—	—	10	—	01		29
30	08	X	12	08	—	—	02	—	—	01	—	04		30
31	—	X	22	X	—	X	01	15	X	07	X	—		31
TOTAL	1.68	2.69	2.62	1.49	1.79	2.04	1.87	.81	2.18	3.06	1.47	.38	Year's Total	22.08
*Days with or in. or more.	14	13	14	8	16	14	11	6	10	16	16	10		148
*Days with .04 in. or more.	10	8	13	7	11	12	8	5	8	12	11	3		103

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Victor R. Pochin.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2508

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BARKBY HALL

in the County of Leicesters

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 227 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	05	—	—	—	—	—	—	25	02	—	05	32		1
2	03	06	03	—	—	—	—	87	25	07	10	25		2
3	02	05	—	—	—	—	—	—	—	07	04	—		3
4	05	02	08	50	01	—	—	—	02	01	11	22		4
5	—	—	15	03	11	—	—	12	—	—	12	14		5
6	—	—	02	07	30	02	—	10	—	14	—	40		6
7	08	—	—	—	—	02	—	02	—	09	—	18		7
8	—	—	06	—	13	02	—	06	—	04	21	—		8
9	—	—	18	04	—	—	—	03	—	—	60	30		9
10	—	—	09	15	—	—	—	02	—	—	15	02		10
11	48	—	12	28	—	—	—	44	—	—	14	17		11
12	—	—	28	—	—	—	02	05	—	—	—	04		12
13	32	—	01	01	—	—	54	06	—	—	—	25		13
14	06	—	24	—	—	05	—	—	—	17	55	26		14
15	06	—	04	—	11	—	—	—	19	—	10	—		15
16	13	—	15	—	15	—	—	—	—	10	06	05		16
17	17	—	—	01	01	—	02	05	06	12	08	06		17
18	06	—	01	22	—	—	07	—	01	—	—	01		18
19	—	—	09	22	—	12	—	—	01	03	—	08		19
20	—	—	06	08	—	—	—	—	01	—	—	—		20
21	—	—	—	—	—	22	—	05	—	10	—	—		21
22	—	—	—	—	—	—	—	24	20	—	—	—		22
23	—	—	—	33	—	05	21	—	—	—	—	10		23
24	—	26	12	04	—	04	10	—	31	07	—	—		24
25	18	—	—	01	—	—	—	—	—	06	—	28		25
26	07	—	06	24	—	05	—	—	12	—	01	18		26
27	—	15	—	40	—	—	—	—	—	01	—	10		27
28	—	—	—	126	—	12	—	40	—	—	—	37		28
29	—	X	—	—	—	—	05	10	30	04	02	05		29
30	07	X	—	—	—	—	—	—	02	—	—	26		30
31	02	X	—	X	—	X	—	—	X	32	X	05		31
TOTAL	1.85	.54	1.79	3.89	.82	.71	1.01	2.86	1.52	1.41	2.34	4.14	Year's Total.	
* Days with .01 in. or more.	16	5	18	17	7	10	7	16	13	16	15	24	164	
* Days with .04 in. or more.	13	4	14	13	5	7	5	13	7	13	13	22	129	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

V. R. Pocher

[P.T.O.]

REGISTER OF RAINFALL IN 1935. *File 667597/26*

Kept at **BARKBY HALL**

in the County of **Leicester**

Diameter of Funnel of Gauge **five** in.

Height of top of Gauge above Ground **one** ft.

Ground Sea Level **227** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	36	—	21	11	—	04	02	—	20	12	15	05		1
2	—	—	21	—	—	16	—	—	20	26	—	25		2
3	—	15	05	02	—	01	—	—	32	04	24	01		3
4	—	—	01	07	—	06	—	—	03	14	—	—		4
5	—	54	09	14	—	—	—	—	01	08	13	—		5
6	—	02	02	13	—	15	—	—	—	—	—	—		6
7	03	—	—	42	—	08	—	—	—	13	50	18		7
8	—	—	—	16	—	09	—	28	—	10	11	13		8
9	—	—	—	13	—	15	—	—	—	55	37	03		9
10	—	02	—	07	—	01	—	—	—	—	10	02		10
11	12	—	—	—	—	05	05	02	—	02	20	05		11
12	03	02	—	—	—	22	—	04	—	—	03	—		12
13	09	02	—	10	19	—	—	—	—	—	—	—		13
14	—	—	—	13	19	01	13	—	01	—	46	07		14
15	—	11	—	65	04	27	—	—	39	—	20	34		15
16	—	05	10	21	—	23	—	—	38	27	48	04		16
17	—	—	—	07	—	10	15	—	—	05	70	—		17
18	03	—	—	17	04	16	03	—	36	08	—	—		18
19	02	—	—	06	28	30	04	—	02	03	19	—		19
20	02	22	—	20	01	20	02	—	—	—	09	—		20
21	—	35	04	02	—	—	—	—	67	03	12	—		21
22	—	21	—	17	—	—	—	—	05	—	01	08		22
23	—	02	25	—	—	—	—	110	03	11	—	—		23
24	06	18	10	—	—	—	—	—	65	—	—	21		24
25	17	05	—	01	—	83	—	—	—	—	—	02		25
26	04	—	—	—	—	—	—	25	25	04	—	44		26
27	—	26	—	—	—	—	—	—	03	02	24	113		27
28	—	09	—	—	10	—	—	01	04	—	—	12		28
29	—	X	10	—	04	—	—	—	15	06	02	16		29
30	14	X	—	05	01	—	—	45	04	24	24	08		30
31	—	X	—	X	—	X	—	—	X	60	X	15		31
TOTAL	111	231	118	309	90	312	44	215	383	297	458	356	Year's Total. 2924	
* Days with .01 in. or more.	12	16	11	21	9	19	7	7	19	20	20	20	181	
* Days with .04 in. or more.	7	11	9	18	7	16	4	5	13	16	17	16	139	

Station No. 2308

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at BARKBY HALL
in the County of Leicesters ✓
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
„ „ „ Sea Level 227 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	09	32	45	—	10	12	11	—	—	02	05		1
2	10	05	15	08	—	61	120	13	—	—	21	04		2
3	—	02	—	—	—	52	03	05	09	—	01	—		3
4	—	—	12	—	—	35	—	17	22	—	03	05		4
5	09	05	17	—	—	—	03	02	10	04	—	06		5
6	—	—	—	—	48	04	15	41	17	02	06	—		6
7	37	—	01	—	—	—	40	—	03	—	01	03		7
8	20	—	09	—	—	—	—	—	—	—	14	07		8
9	26	—	05	—	—	06	64	—	—	15	—	—		9
10	02	—	02	—	—	—	58	03	—	01	—	—		10
11	—	—	—	15	—	01	12	06	—	—	23	—		11
12	—	—	—	20	02	30	55	—	61	—	09	07		12
13	—	—	—	10	—	15	—	—	—	06	03	24		13
14	—	—	—	24	—	16	36	—	40	01	02	40		14
15	—	—	—	05	—	10	08	—	01	—	17	10		15
16	19	10	—	03	—	—	03	—	—	—	44	—		16
17	—	46	—	—	05	—	05	—	—	15	10	12		17
18	—	02	—	—	—	04	20	—	—	10	02	06		18
19	38	14	—	26	—	85	—	15	—	07	—	—		19
20	03	04	—	12	—	—	01	01	—	—	—	—		20
21	14	—	—	20	—	55	—	—	—	—	—	—		21
22	—	48	08	—	29	—	13	—	—	—	02	07		22
23	—	—	16	15	14	—	22	—	—	04	—	—		23
24	15	13	—	—	03	03	—	—	10	25	—	—		24
25	07	—	10	29	—	—	03	—	30	02	—	—		25
26	—	06	30	02	—	13	—	—	02	10	02	—		26
27	03	—	—	—	—	—	—	—	25	16	—	—		27
28	30	18	08	—	—	08	—	—	04	—	02	07		28
29	60	25	10	—	—	14	—	—	—	03	56	05		29
30	07	✗	—	—	23	04	10	—	—	26	03	—		30
31	70	✗	07	✗	01	✗	02	—	✗	07	✗	12		31
TOTAL	372	207	182	234	125	426	505	134	234	154	223	160	2958	Year's total
* Days with .01 in. or more.	18	14	15	14	8	19	21	10	3	17	20	16	185	
* Days with .04 in. or more.	14	12	13	12	5	17	15	7	10	12	9	15	140	

Victor R. POCHIN
 P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2508

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938⁷

Kept at BARKBY HALL

in the County of Leicesters

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 227 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12	01	—	—	—	—	—	—	12	—	16	06		1
2	01	04	05	30	—	—	—	—	—	—	—	30		2
3	—	05	—	05	33	—	—	—	—	—	—	12		3
4	09	04	—	—	26	—	—	09	—	—	—	24		4
5	43	—	19	—	—	—	—	—	—	—	—	14		5
6	06	—	05	—	11	—	—	—	—	—	01	—		6
7	—	45	10	16	04	—	—	—	—	—	—	—		7
8	—	22	—	02	—	—	—	—	—	—	36	—		8
9	—	—	02	09	26	—	50	—	09	—	—	10		9
10	—	15	15	65	—	18	—	—	—	—	—	09		10
11	—	—	40	—	50	01	02	—	—	—	—	14		11
12	04	30	12	—	40	15	—	—	16	—	—	18		12
13	02	04	02	—	02	65	—	04	02	—	—	02		13
14	—	—	30	01	—	01	—	15	02	—	—	05		14
15	17	07	02	24	—	—	3.25	—	07	—	—	11		15
16	04	25	40	50	—	—	—	16	28	—	—	02		16
17	11	01	27	40	—	—	—	—	22	—	—	—		17
18	50	07	26	02	—	—	—	—	30	—	30	—		18
19	02	06	02	10	—	16	22	—	—	—	10	—		19
20	25	17	05	37	72	01	—	—	—	—	—	02		20
21	04	12	12	—	—	—	29	—	—	—	—	—		21
22	01	01	01	—	12	02	22	—	—	50	15	—		22
23	19	00	03	—	13	—	12	—	—	66	20	—		23
24	26	15	08	—	02	—	06	—	—	18	—	—		24
25	22	25	13	—	16	—	—	—	01	56	—	—		25
26	—	21	11	—	58	—	—	—	—	01	—	02		26
27	—	30	06	25	—	—	—	—	—	80	—	—		27
28	—	14	—	—	—	—	—	—	—	02	—	06		28
29	06	—	—	—	—	—	—	—	—	02	05	02		29
30	26	—	—	—	—	—	—	—	—	02	09	02		30
31	26	—	—	—	—	—	—	—	—	12	—	02		31
TOTAL	3.25	3.11	2.96	3.16	3.65	1.19	4.68	.44	1.29	2.89	1.42	1.73	Year's Total	29.77
* Days with .01 in. or more.	21	22	23	14	14	8	8	4	10	10	9	19	162	
* Days with .04 in. or more.	18	19	17	11	12	4	7	4	7	6	8	12	123	

† Spare column, no entries required.

(Signed) [P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 2508

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938 (File No. 667597/26)

Kept at BARKBY HALL

in the County of Leicester

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 227 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	—	—	—	—	35	03	01	01	05	—	12		1
2	07	04	—	02	—	35	—	—	—	15	—	04		2
3	03	—	—	—	04	02	02	—	01	57	03	—		3
4	03	—	—	03	—	03	34	1.05	—	05	01	30		4
5	—	—	—	—	—	—	07	03	02	03	—	—		5
6	01	—	—	—	—	02	05	—	21	12	—	02		6
7	12	—	—	—	—	02	14	10	05	12	—	04		7
8	20	—	—	—	—	—	10	01	—	26	—	02		8
9	07	16	—	—	—	—	—	30	—	—	—	23		9
10	01	01	—	—	—	08	20	05	—	—	—	04		10
11	52	—	—	—	—	—	03	36	—	01	09	—		11
12	12	03	—	—	09	—	04	14	—	32	—	—		12
13	02	06	—	—	—	—	—	—	—	—	14	18		13
14	26	04	—	—	06	—	60	—	14	—	—	—		14
15	10	—	—	—	—	—	32	04	—	—	—	22		15
16	16	—	—	—	—	—	07	—	—	—	01	10		16
17	—	06	—	—	19	—	13	—	01	15	02	—		17
18	01	—	—	—	32	—	—	01	37	—	38	—		18
19	—	—	—	—	—	—	—	09	03	—	09	—		19
20	—	—	—	—	—	—	—	—	—	—	36	14		20
21	—	—	—	—	—	—	—	—	—	—	02	06		21
22	—	01	—	—	—	—	—	02	—	—	38	34		22
23	—	—	—	—	01	—	—	—	—	—	03	09		23
24	—	—	04	—	—	—	04	—	29	—	—	05		24
25	10	11	10	—	—	—	01	04	—	12	35	04		25
26	02	22	08	—	—	—	—	—	03	12	—	16		26
27	05	01	—	—	12	15	18	14	56	04	36	—		27
28	10	02	—	—	38	07	05	145	01	—	13	15		28
29	57	—	—	—	36	—	06	—	—	03	11	13		29
30	04	—	—	—	—	17	—	—	15	—	20	05		30
31	20	—	—	—	20	—	—	—	—	17	—	50		31
TOTAL	2.83	.77	.22	.05	1.77	1.26	2.48	3.84	1.89	2.31	2.71	3.02	Year's Total	23.15
* Days with .01 in. or more.	23	12	3	2	10	10	19	16	14	16	17	22		164
* Days with .04 in. or more.	15	7	3	0	9	6	15	11	7	13	11	20		117

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Victor R. Pochan [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2508

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

File No. 66759/26

Kept at BARKBY HALL
in the County of Leicester
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. in.
Ground Sea Level 227 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10	—	—	04	02	—	—	48	13	04	—	—		1
2	07	—	—	08	—	—	—	25	95	03	02	—		2
3	08	—	—	36	—	—	—	50	—	—	15	30		3
4	14	—	25	25	—	—	01	74	—	04	03	28		4
5	—	—	—	15	16	—	03	104	—	15	22	25		5
6	45	—	08	—	—	—	25	—	—	—	05	—		6
7	08	05	—	—	—	—	30	—	—	—	30	12		7
8	02	03	28	—	—	—	30	08	—	14	03	30		8
9	03	09	—	—	07	—	18	18	—	25	01	25		9
10	30	—	02	—	—	—	—	28	01	02	—	—		10
11	—	—	23	—	—	04	—	—	09	—	—	—		11
12	—	07	—	—	02	09	—	—	—	—	—	—		12
13	—	—	—	04	—	05	01	—	06	46	—	—		13
14	32	—	—	10	23	09	15	—	—	32	10	—		14
15	47	—	02	02	12	22	34	—	04	45	02	—		15
16	12	—	11	02	34	30	40	—	01	—	15	—		16
17	38	01	01	02	09	—	35	—	—	103	01	—		17
18	03	—	09	—	—	24	16	—	02	02	74	—		18
19	27	—	—	—	—	01	55	—	—	—	—	—		19
20	07	—	02	—	07	04	—	18	—	—	—	—		20
21	15	22	15	05	—	04	—	72	05	—	—	—		21
22	19	15	05	—	—	—	24	—	02	—	23	—		22
23	07	—	—	05	—	—	15	—	—	01	68	—		23
24	04	—	02	—	—	—	23	—	—	01	—	—		24
25	120	12	06	—	—	—	10	32	—	—	45	03		25
26	22	—	01	—	—	—	—	03	01	08	18	—		26
27	01	10	18	07	—	—	05	10	—	10	05	03		27
28	07	22	15	09	—	02	03	—	—	01	17	06		28
29	—	X	—	32	—	—	12	—	—	31	12	—		29
30	—	X	—	19	—	14	—	—	—	—	10	—		30
31	—	X	—	X	—	X	—	02	X	—	X	—		31
TOTAL	4.88	1.06	1.73	1.85	1.12	1.28	3.95	4.92	1.39	3.47	3.81	1.62	Year's Total	31.08
* Days with .01 in. or more.	24	10	17	16	9	12	20	14	11	18	21	9	191	
* Days with .04 in. or more.	20	8	11	13	7	10	16	12	6	12	15	7	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [E.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2508

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

File No. 667597/26.

Kept at BARKBY HALL

in the County of Leicester

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 227 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	19s	—	02	—	—	—	—	—	—	22	—		1
2	—	01s	—	18	—	—	—	—	—	—	58	05		2
3	—	12	—	10	—	—	—	—	—	12	50	08		3
4	—	14	—	03	—	—	—	—	—	14	62	10		4
5	—	02	—	—	05	—	—	—	—	06	12	10		5
6	05	22	—	—	02	—	02	—	—	35	03	01		6
7	07	22	—	06	03	—	—	—	06	—	—	04		7
8	—	—	—	02	—	—	20	—	—	05	01	20		8
9	—	—	10	—	—	17	05	02	02	04	16	10		9
10	—	—	01	—	—	—	112	03	—	—	22	32		10
11	—	—	10	02	—	18	36	—	—	—	45	06		11
12	—	—	10	—	—	—	22	—	05	—	05	—		12
13	—	—	20	05	—	—	36	—	11	—	—	—		13
14	—	12	25	12	28	—	—	03	03	01	—	30		14
15	—	—	07	05	—	14	04	—	05	19	09	—		15
16	03	16	27	04	—	02	52	—	05	120	68	—		16
17	—	—	50	—	—	—	04	—	—	01	02	—		17
18	—	50	29	45	—	—	—	05	—	12	02	05		18
19	—	19	09	12	—	—	30	—	25	—	12	05		19
20	09	02	—	05	—	01	19	02	—	10	06	—		20
21	—	01	01	—	—	15	08	—	—	15	148	—		21
22	—	—	03	—	17	36	—	01	17	01	—	—		22
23	—	24	04	03	30	28	—	—	—	10	—	06		23
24	02	—	—	04	—	—	07	—	—	—	—	—		24
25	—	—	—	—	—	—	—	—	—	06	—	—		25
26	63s	10	—	10	03	—	45	01	—	03	02	—		26
27	31s	05	—	25	—	—	20	—	—	—	—	—		27
28	52s	50	—	—	12	—	—	—	—	—	—	—		28
29	—	—	25	01	22	—	—	—	—	—	—	26		29
30	15s	X	—	28	—	—	—	—	—	40	—	12		30
31	03	X	03	X	—	X	—	—	X	68	X	—		31
TOTAL	1.90	2.81	2.34	2.02	1.22	1.31	4.22	.17	.79	3.82	5.45	1.90	Year's Total	27.95
* Days with .01 in. or more.	10	17	16	20	10	8	16	7	9	19	19	16		217
* Days with .04 in. or more.	7	13	12	14	6	6	15	1	7	15	14	15		131

"S" = Snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Victor R. Tschin

[P.T.O.]

Section **A** for the entry of
AIR MINIST

FORM 1090.

REGI

Kept at **CHITTERMAN**

in the County of **Leicester**

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

„ Ground „ Se

THE MORNING MEASU

An observer who does not conform
year in the space on the right of t

PI

No. **2508/5**
GANIZATION.

2508/5
UNVERSCROFT
CHITTERMAN HOUSE
1935 - 40

Jan. 1, following

ng

780409

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	-	.11	.09		.09	.02		.92	.08	.21	.15		1
2	-	.07	.01	.01		.04			.14	.40		.45		2
3	-	-	-	.04		.02			.48	.28	.25	.08		3
4	-	-	.04	.09		.09			.05	.16	.01			4
5	.01	.66	.07	.18			.04		.03	.16	.19			5
6	.02	.03	.03	.27		.15					.08			6
7	.04	-		.48		.10				.18	.76	.20		7
8	.01	-		.28		.01		.14		.03	.18	.20		8
9	-	-		.16		.13				.93	.17	.03		9
10	.12	.01		.04		.03						.05		10
11	-	-				.05	.02			.03	.20	.05		11
12	.02	-				.13			.05		.01			12
13	-	.07		.17	.19	.08		.03		.01	.05			13
14	-	.13			.07	.01			.04		.53	.15		14
15	.04	-		.66	.16	.35			.45		.01	.22		15
16	.04	.03	.17	.28				.01	.43	.33	.97	.06		16
17	-	-		.09		.34		.01		.10	.49			17
18	.03	-		.25	.13	.17	.09		.38	.13	.10	.49		18
19	.02	.04		.07	.07	.43	.06		.04	.06	.25	.03		19
20	.03	.08		.34		.22					.09			20
21	-	.60		.09					.66	.06	.17			21
22	-	.11							.04		.04			22
23	.03	-	.38	.01				1.44	.05	.22				23
24	.10	.25							.80					24
25	.34	.05		.02		1.48						.28		25
26	.02	.06	.01					.39	.42		.01	.39		26
27	.01	.16	.01						.10	.26	.29	1.25		27
28	.01	.17			.05			.01	.01	.05		.08		28
29	.01		.05						.15	.05		.09		29
30	.05	X	.01	.12				.25	.04	.29	.29	.09		30
31	-	X		X		X			X	.61	X	.12		31
TOTAL	1.08	2.52	0.89	3.74	0.67	3.92	0.23	2.28	5.28	4.42	5.31	4.50	34.84	Year's Total
* Days with .01 in. or more.	19	16	11	21	6	19	5	8	20	21	22	21	189	
* Days with .04 in. or more.	7	13	6	18	6	15	3	4	18	18	18	19	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **Charles Booth** [P.T.O.]

Nx C. Booth Esq X

Section

A

for the entry of Daily Observations.

No.

25085

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at CHITTERMAN HOUSE, ULVERSCROFTin the County of LeicestersDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....11.....in.,, Ground ,, Sea Level 67.0.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>.24</u>	-	.11	.09		.09	.02		<u>.92</u>	.08	.21	.15		1
2	-	.07	.01	.01		.04			.14	.40		.45		2
3	-	-	-	.04		.02			.48	.28	.25	.08		3
4	-	-	.04	.09		.09			.05	.16	.01			4
5	.01	<u>.66</u>	.07	.18			.04		.03	.16	.19			5
6	.02	.03	.03	.27		.15					.08			6
7	.04	-		.48		.10				.18	.76	.20		7
8	.01	-		.28		.01		.14		.03	.18	.20		8
9	-	-		.16		.13				<u>.93</u>	.17	.03		9
10	.12	.01		.04		.03						.05		10
11	-	-				.05	.02			.03	.20	.05		11
12	.02	-				.13			.05		.01			12
13	-	.07		.17	<u>.19</u>	.08		.03		.01	.05			13
14	-	.13			.07	.01			.04		.53	.15		14
15	.04	-		<u>.66</u>	.16	.35			.45		.01	.22		15
16	.04	.03	.17	.28				.01	.43	.33	<u>.97</u>	.06		16
17	-	-		.09		.34		.01		.10	.49			17
18	.03	-		.25	.13	.17	<u>.09</u>		.38	.13	.10	.49		18
19	.02	.04		.07	.07	.43	.06		.04	.06	.25	.03		19
20	.03	.08		<u>.34</u>		.22					.09			20
21	-	.60		.09					.66	.06	.17			21
22	-	.11							.04			.04		22
23	.03	-	<u>.38</u>	.01				<u>1.44</u>	.05	.22				23
24	.10	.25							.80					24
25	<u>.24</u>	.05		.02		<u>1.48</u>						.28		25
26	.02	.06	.01					.39	.42		.01	.39		26
27	.01	.16	.01						.10	.26	.29	<u>1.25</u>		27
28	.01	.17			.05			.01	.01	.05		.08		28
29	~~.01~~		.05						.15	.05		.09		29
30	.05	~~X~~	.01	.12				.25	.04	.29	.29	.09		30
31	-	~~X~~		~~X~~		~~X~~			~~X~~	.61	~~X~~	.12		31
TOTAL	1.08	2.52	0.89	3.74	0.67	3.92	0.23	2.28	5.28	4.42	5.31	4.50	34.84	Year's Total
* Days with .01 in. or more.	19	16	11	21	6	19	5	8	20	21	22	21	189	
* Days with .04 in. or more.	7	13	6	18	6	15	3	4	18	18	18	19	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Charles Booth

[P.T.O.]

Nyx C. Booth Esq X

Section

A

for the entry of Daily Observations.

Station No.

2508/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Chitterman Ulverscroftin the County of Leicestershire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. 11 in.,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-		.51	.53		.03	.10	.22	.01		.05	.15		1
2	.09	.08	.22	.10		.58	.46	.05			.02	.06		2
3		.04	TR	-		.23	.02	.27	.11		TR	.02		3
4		.01	.13	TR		.56		.39	.36	.01	.07	.06		4
5	.05	.02	.13	TR		TR	.04	.05	.13	.02	TR	.16		5
6		.04	TR		.19	.10	.37	.27	.29	.01	.08			6
7	.26		.03	TR			.50		.04		.04	.05		7
8	.21		.05				TR		.02		.17	TR		8
9	.32		.03			.04	.41		.05	.27	.01	TR		9
10			TR	TR		TR	.25		.04	TR	-			10
11			TR	SHOW .16		.02	.11		.13		.38			11
12				.13	.01	.46	.67		.51		.05	.06		12
13				.08		.09				.06	.02			13
14				.28		.10	.33		.44	.05	.03	.48		14
15	.08		.02	.01		.16	.05		.09		.20	.19		15
16	.15	.16					.05		TR		.61	.02		16
17	SHOW .06	.59					.07			.10	.10	.09		17
18					.01	.04	.26			.09	TR	.06		18
19	.52	.07	.01	SHOW .35		.40	TR	.12		.06		TR		19
20		.06		TR		TR	.04			.04				20
21	.04	.01	.03	.19		.70	TR			TR	.01			21
22	.37	SHOW .40	.08	.02			.78				.01	.07		22
23		.15	.11	.18	.23		.01			.02	TR	TR		23
24	.20	.14	TR	TR	.06		.05		.07	.26	TR			24
25	.09	.01	.19	.30	TR	.14	.03		.32	.05	.01			25
26	.04	.07	.34						.01	.12	TR			26
27	.09		.01			TR	TR		.20	.28		.01		27
28	.10	SHOW .36	.22	.03		.02	.16		.10	TR		.11		28
29	.80		.04			.10				.05	.40	.04		29
30	.12	X	TR		.09	.63	.12	TR	TR	.32	.05	TR		30
31	.66	X	.08	X	TR	X	.02	TR	X	.36	X	.28		31
TOTAL	4.25	2.21	2.22	2.36	0.59	4.40	4.90	1.17	2.92	2.17	2.31	1.91	31.41	✓
* Days with .01 in. or more.	19	17	18	14	7	18	23	7	18	18	20	17	19	✓
* Days with .04 in. or more.	19	13	12	11	5	15	20	7	15	14	13	14	15	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Charles Booth [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2508/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Chatterman, Ulverscroft**new gauge*in the County of *Leicestershire*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....11.....in.

,, Ground ,, Sea Level *650*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	06	01	01				01		06		11	09		1
2	TR	07	08	33								40		2
3	TR	05		TR	20		03		TR			46		3
4	12	09	TR		33	TR		TR			TR	<i>show</i> 47		4
5	46	0	16				01	02			TR	07		5
6	09	01	12	TR	10						01	01		6
7	TR	56	02	22					TR	TR		TR		7
8		23		01							36	TR		8
9		~~0~~	01	05	17		55		08		~~06~~	06		9
10		<i>show</i> 24	<i>show</i> 24	13		13	02				TR	06		10
11	02	01	44		50	TR	04				49	19		11
12	08	29	10		71	13		TR	16		~~18~~	18		12
13	06	07	01		TR	07		69	14		03	03		13
14		01	30	01		01		07	04		13	13		14
15	22	08	05	30			1.63	12	11		TR	TR		15
16	03	20	37	48					32		TR	TR		16
17	18	01	36	63			TR		29					17
18	57	10	16	02					33	TR	50			18
19	03	07	02	17	TR	34	42			01	08			19
20	22	17	04	34	52	06			02	TR	~~4~~	02		20
21	03	13	09	01		TR	32			TR	TR	01		21
22	05		02	TR	12	07	22			29	~~15~~	TR		22
23	27		02		TR		05		TR	88	~~24~~	TR		23
24	13	50	17		01		26			20	TR	TR		24
25	13	34	02		09					48	TR	01		25
26		20	13		32				02	TR	~~02~~	02		26
27		34	02	32			TR			99	TR	TR		27
28	)	04	01	TR						01	~~08~~	08		28
29	11)					TR				02	08	02		29
30	40	~~X~~				02				TR	17	02		30
31	31	~~X~~		~~X~~		~~X~~			~~X~~	15	~~X~~	01		31
TOTAL	3.57	3.82	2.47	3.02	3.07	0.83	3.56	0.90	1.57	3.03	1.70	2.32	30.38	
* Days with .01 in. or more.	22	24	25	14	11	8	12	4	11	9	9	20	169	
* Days with .04 in. or more.	17	19	15	10	10	6	8	3	9	6	8	11	122	

Year's Total

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Charles Booth* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2509/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Chitterman, Ulverscroft*in the County of *Leicesters*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....ft....*11* in.,, Ground ,, Sea Level*650* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	TR				<u>84</u>	11	TR	02	08		16		1
2	05	02		<u>04</u>	02	40				18		04		2
3	05				TR	04	TR			<u>54</u>	04			3
4	02		TR	TR		01	02	43		04	01	35		4
5	04			02			13	04	TR	04				5
6	01					04	32		45	09				6
7	32		TR				12	07	12	08		04		7
8	27	TR					28	02		32				8
9	03	16				TR	03	12				35		9
10	TR	01				06	31	02				07		10
11	51	02					05			02	08	TR		11
12	12	TR			08		01			36	09			12
13	TR	^{5.20} 04			TR					TR	07	43		13
14	17				11		<u>78</u>		09			TR		14
15	12				01		28	05				30		15
16	19				TR		06	TR		07	TR	21		16
17	TR	01			40		11		02	16	03			17
18	01					12		04	46	TR	34			18
19	TR							11	03		07	02	show	19
20	TR								04		31	08	"	20
21	02										02	28	"	21
22	TR	TR				01					31	20	"	22
23	-				01		19		02			TR		23
24	-		08		02	TR	02	01	31		TR	20	"	24
25	12	10	11	TR	TR		03	01	04	11	<u>45</u>			25
26	03	38	<u>19</u>							16		34		26
27	18	03			28	10	24	17	<u>48</u>	06	38	01		27
28	14	02			28	09	09	<u>1.03</u>	04		08	12		28
29	<u>54</u>	~~X~~		TR	<u>54</u>	04	10			05	11	14		29
30	06	~~X~~				19			33	TR	15	09		30
31	11	~~X~~		~~X~~	08	~~X~~			~~X~~	18	~~X~~	<u>54</u>		31
TOTAL	3.01	0.75	0.38	0.06	1.83	1.94	3.28	2.12	2.45	2.54	2.53	3.97	24.86	
* Days with .01 in. or more.	22	9	3	2	11	12	20	13	14	17	15	21	159	
* Days with .04 in. or more.	16	3	3	1	7	10	15	9	10	16	13	19	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Charles Booth

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

2502/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Chitterman, Ulverston*

in the County of *Lexington*

Diameter of Funnel of Gauge.....5....in.

Height of top of Gauge above Ground.....11....in.

„ Ground „ Sea Level...65.0....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09		TR	09				35	08					1
2	07			11				34	63	04	✓			2
3	^x 43			41				36	04		^x	02		3
4	^{show} 43		3.5	32			03	49	18	15	45	27		4
5	04			19	31		12	35		19	29	28		5
6	48		12				30					17		6
7	08	12					43				23	41		7
8		02	36				24	16		75	15	13		8
9	01	11					16	46		TR	01			9
10	64		02					02	02	03	TR	32		10
11	01	01	24		TR	04			04			TR		11
12		06				01								12
13	01					04	07		05	09	TR			13
14	39		01	13	35	20	27			24	04			14
15	22		05	02	15	38	48			25	16			15
16	04		14		41	06	05				01			16
17	35	06	05		05	26	27		01	1.66	01			17
18	12	03	09			02	08				67			18
19	36					02	60				TR			19
20	23		01		03	08		17						20
21	09	21	20	08				39	08					21
22	19	19	03			TR	13		05		^x			22
23	05			TR			07			~~0~~	1.19			23
24	^{show} 24			02		02	04	TR		03		01		24
25	45	15	03				07	04			45			25
26	05		05	03				17			19	01		26
27		20	27	05		01	06	27		✓	05	06		27
28	01	19	19	08		20	09	15		^x 36	25	04		28
29				31			32				06			29
30		~~x~~		13		54				04	10			30
31		~~x~~		~~x~~		~~x~~		03	~~x~~		~~x~~			31
TOTAL	4.65	1.35	2.11	1.97	1.30	1.88	3.88	3.77	1.18	3.83	4.31	1.72	Year's Total	31.95
* Days with .01 in. or more.	25	12	16	14	6	14	20	16	10	13	20	12	178	177
* Days with .04 in. or more.	21	9	10	11	5	9	19	13	8	10	16	78	138	139

† Spare column, no entries required.

(Signed)

Charles Booth

[I.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 2508/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Chitterman Ulverscroft

in the County of Leicester

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 11 in.

Ground Sea Level 650 ft.

Jan + Feb approx. 499470/36
FILE NO.
Ades

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				03										1
2		✓		26			TR				✓	02		2
3		✓		10						19	97	08		3
4		✓		01			01			12	24	10		4
5		✓			01		22				✓	32	10	5
6	08	35								54		01		6
7	07	25		08	02		04			15				7
8	TR									02	✓	25		8
9			10			02	10	11	03		38	08		9
10							63	04		01	22	60		10
11			12	03			30				54	02		11
12			10			TR	28		07		08			12
13		05	✓				06		05					13
14			✓	31	23	24		07	05			30		14
15			07	07	03	08			02	03	08			15
16	Snow 02		67			09	28		08	1.35	76	02		16
17			26				05			01	01			17
18		✓	16	32					19	✓	23	05	10	18
19		21		20			67	07	7		14	04		19
20	✓	✓		05		02	10	09		08	04			20
21	06	03		TR	03	45	✓			03	1.46			21
22				14	12	01	03	08						22
23		07	06	✓	28	01				04		04		23
24	03			05			04			05	01	02		24
25							01			02				25
26	✓	10			04	03	29			01	01			26
27	✓	33		02	02		10				10			27
28	✓	31		02	14			01						28
29	(2.20)		20	01	02	05	01					40		29
30	2.00	×		46						48		20		30
31	2.00	×	02	×		×			×	82	×	02		31
TOTAL	2.46	2.55	2.00	1.95	0.97	0.87	3.20	0.32	0.64	4.18	6.25	2.41	27.80	
* Days with .01 in. or more.	10	14	11	18	11	9	18	7	9	18	21	19	164	"d"
* Days with .04 in. or more.	8	12	10	10	5	5	14	4	7	11	14	12	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Charles Booth

P.T.O.

[P.T.O.]

Section

A

for the entry of Daily Observations.

on No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935. 226645/33

Kept at Chilcote N. Netherseal

in the County of Leicestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 240 ft.

⊗ Periods covered by measurements indicated by brackets.

Day with Oct. 2000

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.04	.	.06	.	.01	.12	.	.38	.04	.09	.08		1
2	.	.03	.	.	.	.11	.	.	.04	.11	.	.26		2
3	.	.10	.04	.06	.	.15	.	.	.33	*	.20	.10		3
4	.	.	.	.05	.	.10	.	.	.04	*	.32	.		4
5	.	.38	.09	.09	.	.28	.06	.	.03	.23	.08	.		5
6	.	.	.	.15	.	.14	.	.	.	.	.	.		6
7	.	.	.	.34	.	.05	.	.	.	*	.44	.21		7
8	.	.	.	.14	.	.	.	.05	.	*	.21	.10	.05	8
9	.	.	.	.10	.	.24	.	.	.	.	.52	.20	.	9
10	.	.	.	.06	.	.02	.	.	.	.	.09	.		10
11	.21	.	.	.	.	.06	.	.	.	.	.11	.		11
12	.01	.	.	.	.	.09	.02	.07	.02	.	.	.		12
13	.07	.01	.	.12	.10	.	.	.	.	.	.	.		13
14	.	.	.	.03	.05	.04	.	.	.14	.	.42	.15		14
15	.	.06	.	.52	.08	.09	.	.	.13	.	.14	.46		15
16	.	.04	.14	.21	.	.24	.	.	.32	*	.61	.10		16
17	.	.	.	.09	.	.11	.03	.07	.	*	.57	.		17
18	.03	.	.	.34	.05	.04	.11	.01	.21	*	.	.		18
19	.	.	.	.05	.23	.45	.05	.	.05	*	.22	.		19
20	.02	.24	.	.18	.	.07	.03	.	.	.	.52	.11		20
21	.	.35	.	.	.	.	.	.	.66	*	.07	.		21
22	.	.20	.02	.05	.	.	.	.	.02	.	.	.		22
23	.02	.	.24	.	.	.	.	.39	.14	.	.	.		23
24	.08	.25	.01	.	.	.	.	.	.94	*	.37	.	*	24
25	.09	.08	.	.04	.	.86	.	.	.	*	.	.	*	25
26	.	.07	.	.	.	.	.	.80	.25	*	.	.	*	26
27	.	.16	.	.	.	.	.	.	.36	*	.10	.27	*	27
28	.09	.06	.	.	.02	.	.	.	.01	*	.	.	*	28
29	.	X	.05	.	.	.	.	.	.07	*	.19	.09	1.44	29
30	.02	X	.	.02	.04	.	.	.17	.07	.	.23	.30	.10	30
31	.	X	.	X	.	X	.	.	X	.	.36	X	.10	31
TOTAL	.72	2.07	.59	2.70	.57	3.15	.41	1.56	4.21	3.25	4.11	3.05	26.39	
*Days with .01 in. or more.	11	15	7	20	7	19	7	7	20	(21)	.18	(17)	(169)	
*Days with .04 in. or more.	6	13	5	18	6	17	4	6	18	(21)	18	(17)	(147)	

† Spare column, no entries required

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2508/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Chilcote, near Hetheredale
in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 240 ft.

Compared with
Ullenscroft & Thomson Rec.
many similarities

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.	.06	.09	.41	.	.08	.16	13.4	.	.	.10	.21		1
2	.14	.01	.06	.07	.	.37	.70	02.4	.	.	.11	.13		2
3	.	.	.	.	.	.42	.	02.4	.	.31	.	.01		3
4	.	.	.13	.	.	.43	.01	10.2	.27	.36	.	.13	.04	4
5	.13	.05	.05	.	.	.	.02	.09	.38	.04	.	.13		5
6	.	.	.	.	.05	.	.21	.23	.13	.	.17	.		6
7	.	.	.	.	.	.	.33	.	.04	.	.06	.01		7
8	.15	.	.08	.	.	.	.	.	.	.	.18	.04		8
9	.25	.	.19	.	.	.12	.74	.	.08	.10	.	.02		9
10	.	.	.	.	.	.	.24	.05	.	.	.	.01		10
11	.	.	.	10.4	.	.06	.10	.01	.09	.	.47	.		11
12	.	.	.	14.4	.	.22	.39	.	.39	.	.09	.05		12
13	.	.	.	10.4	.	.12	.01	.	.	.03	.	.30		13
14	.	.	.	10.4	.	.08	.13	.	.34	.01	.04	.42		14
15	.07	.	.	.	.	.06	.14	.	.02	.	.26	.05		15
16	.15	.14	.	.	.	.	.06	.	.	.	.50	.01		16
17	.	.43	.	.	.	.	.07	.	.	.06	.05	.10		17
18	.	.	.	.	.	.24	.25	.	.	.09	.	.01		18
19	.42	.08	.	.39	.	.11	.	.07	.	.07	.	.		19
20	.	.08	.	.	.	.	.	.	.	.	.	.		20
21	.28	.	.07	.16	.	2.20	.	.	.	.	.	.		21
22	.	.35	.06	.	.05	.	.20	.	.	.	.01	.03		22
23	.	.04	.09	.07	.	.	.26	.	.	.	.	.		23
24	.14	.07	.	.	.	.	.	.	.13	.21	.01	.		24
25	.07	.	.10	.39	.	.	.01	.	.33	.06	.	.		25
26	.01	.	.41	.05	.	.	.12	.	.	.	.02	.		26
27	.09	.	.	.	.	.	.	.	.05	.07	.	.		27
28	.30	.16	.07	.	.	.	.03	.	.03	.	.	.05		28
29	.	.30	.07	.	.	.10	.	.	.	.07	.05	.10		29
30	.12	X	.	.	.07	.22	.20	.	.	.20	.05	.		30
31	.48	X	.09	X	.	X	.02	.	X	.14	X	.12		31
TOTAL	2.80	1.77	1.56	1.98	.17	4.83	4.10	.72	2.71	1.15	2.30	1.84	26.23	
* Days with .01 in. or more.	35	12	14		3	15	23		14	13	17	20		
* Days with .04 in. or more.	14	11	14		3	15	17		12	14	14	13		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Red. J. Dixon

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 250817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1099.

REGISTER OF RAINFALL IN 1937.

Kept at Netherseal, Chilledin the County of LeicestershireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level.....240 ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.05	.	.	.	.	.	.05	.	.	.25		1
2	.	.06	.03	<u>.49</u>	.	.	.	.	.	.	.	.38		2
3	.	.06	.	.	.22	.	.	.	.	.	.	.22		3
4	.09	.07	.	.	.32	.	.	.03	.	.	.	<u>.45</u>		4
5	.26	.	.10	.	.	.	.	.	.	.	.	.05		5
6	.22	.	.01	.	.12	.	.	.	.	.	.	.		6
7	.	<u>.49</u>	.	.15	.01	.	.	.	.	.02	.	.		7
8	.	.29	.	.03	.	.	.05	.	.	.	<u>.47</u>	.		8
9	.	.	.	.	.20	.	<u>.34</u>	.	.09	.	.	.		9
10	.	.10	<u>.42</u>	.10	.	.12	.	.	.	.	.	.10		10
11	.	.	.30	.	.31	.19	.	.	.	.	.	.12		11
12	.05	.25	.12	.	.23	.05	.	.04	.17	.	.	.19		12
13	.05	.07	.	.	.	.07	.	<u>.24</u>	.02	.	.	.		13
14	.	.	.10	.	.	.01	.	.11	.01	.	.	.14		14
15	.11	.05	.	<u>.34</u>	.	.	<u>1.08</u>	.	.06	.	.	.02		15
16	.01	.12	.32	<u>.26</u>	.	.	.	.15	.08	.	.	.		16
17	.16	.02	.30	.15	.	.	.	.	.05	.	.	.		17
18	<u>.59</u>	.10	.04	.03	.	.	.06	.	<u>1.86</u>	.	.35	.		18
19	.03	.22	.05	.09	.	.04	.15	.	.	.01	.14	.		19
20	.17	.	.07	.31	.34	.10	.	.	.	.	.	.		20
21	.03	.18	.	.03	.	.	.33	.	.	.	.	.		21
22	.03	.02	.20	.	.02	.09	.27	.	.	.30	.17	.		22
23	.21	.	.	.	.08	.	.01	.	.	.43	.22	.		23
24	.10	.37	.05	.	.02	.	.01	.	.02	.24	.	.		24
25	.08	.24	.	.	.03	.	.	.	.02	.31	.	.03		25
26	.	.18	.06	.	<u>.38</u>	.	.	.	.	.	.	.01		26
27	.	.17	.	<u>.38</u>	.	.	.	.	.	<u>.50</u>	.	.		27
28	.	.04	.	.	.	.	.	.	.	.01	.	.07		28
29	.04	X	.	.	.	.	.	.	.	.03	.06	.02		29
30	.27	X	.	.	.	.	.	.	.	.03	.05	.02		30
31	.30	X	.	X	.	X	.	.	X	.07	X	.		31
TOTAL	2.80	3.07	2.22	2.36	2.28	.67	2.30	.57	2.43	1.95	1.46	2.07	24.18	✓
* Days with .01 in. or more.	19	20	16	12	13	8	9	5	11	11	7	15	146	✓
* Days with .04 in. or more.	15	17	14	9	9	7	7	4	7	6	7	10	112	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. E. Dixon

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 250817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Hetherseal, Chilcote*

in the County of *Leicestershire*

Diameter of Funnel of Gauge.....*5* in.

Height of top of Gauge above Ground.....*1* ft. *0* in.

„ Ground „ Sea Level*240* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.	.	.42	.	.	.03	.04	.	.24		1
2	.01	.	.	.04	.	.39	.	.	.	.08	.	.02		2
3	.01	.	.	.	.	.02	.	.	.	.32	.01	.		3
4	.05	.	.	.	.	.02	.02	.03	.	.01	.	.32		4
5	.	.	.	.	.	.	.04	.12	.13	.05	.	.		5
6	.01	.	.	.	.	.	.35	.	.35	.03	.	.		6
7	.26	.	.	.	.	.	.15	.03	.07	.07	.	.04		7
8	.32	.	.	.	.	.	.09	.16	.	.27	.	.02		8
9	.	.10	.	.	.	.	.05	.44	.	.	.	.34		9
10	.	.01	.	.	.	.10	.25	.03	.	.	.	.06		10
11	.51	.02	.	.	.	.	.	.72	.	.02	.07	.02		11
12	.08	.	.	.	.06	.	.	.	.	.28	.10	.		12
13	.	.	.	.	.	.	.	.	.	.	.07	.38		13
14	.13	.	.	.	.01	.	.60	.	.06	.	.	.		14
15	.04	.	.	.	.	.	.35	.04	.	.	.	.21		15
16	.18	.	.	.	.	.	.11	.	.	.03	.01	.06		16
17	.	.01	.	.	.	.	.04	.	.	.09	.	.		17
18	.04	.	.	.	.23	.12	.	.05	.40	.	.20	.		18
19	.	.	.	.	.	.	.	.03	.08	.	.03	.04		19
20	.	.	.	.	.	.	.	.	.	.	.28	.02		20
21	.01	.	.	.	.	.	.	.	.02	.	.03	.12		21
22	.	.	.	.09	.	.	.	.	.	.	.30	.18		22
23	.	.	.	.	.04	.	.	.	.32	.	.	.06		23
24	.	.	.05	.	.04	.	.	.	.13	.	.	.01		24
25	.09	.08	.09	.	.	.	.03	.	.	.14	.37	.01		25
26	.01	.23	.14	.	.	.	.	.05	.04	.19	.	.20		26
27	.08	.	.	.	.26	.13	.22	.14	.64	.06	.32	.		27
28	.17	.01	.	.	.20	.02	.12	.76	.08	.	.03	.14		28
29	.43	X	.	.	.47	.04	.	.	.	.05	.03	.08		29
30	.07	X	.	.	.	.03	.	.	.44	.	.11	.02		30
31	.07	X	.	X	.14	X	.	.	X	.10	X	.42		31
TOTAL	2.57	.46	.28	.13	1.45	1.29	2.42	2.60	2.79	1.83	1.96	3.01	Year's Total	20.79
* Days with .01 in. or more.	20	7	3	2	9	10	14	13	14	17	15	23	147	
* Days with .04 in. or more.	15	3	3	2	8	6	12	9	12	13	9	16	108	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Fred J. Dixon* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2508/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at *Netherseal, Gileade*in the County of *Leicestershire*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft. *0* in.,, Ground ,, Sea Level*240* ft.

TRAVELLING FORM.

VALUE FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.	.	.28	.	.	.	.49	.	.	.	.		1
2	.	.	.	.03	.	.	.	.18	.48	.11	.03	.01		2
3	.29	.	.	.35	.	.	.	.57	.03	.	.16	.23		3
4	.19	.	.22	.14	.04	.	.19	.12	.	.42	.02	.19		4
5	.	.	.	.04	.22	.	.09	.22	.	.08	.23	.16		5
6	.62	.	.02	.	.	.	.21	.	.	.	.06	.		6
7	.01	.08	.	.	.	.	.41	.	.	.	.13	.26		7
8	.	.01	.20	.	.	.	.28	.08	.	.33	.31	.16		8
9	.02	.06	.	.	.	.	.07	.27	.	.32	.	.28		9
10	.58	.	.	.	.	.	.	.06	.02	.07	.	.		10
11	.04	.	.16	.	.	.25	.	.	.	.09	.	.		11
12	.	.02	.	.	.	.	.	.	.	.	.	.		12
13	.	.	.	.01	.01	.03	.17	.	.01	.11	.	.		13
14	.40	.	.01	.07	.73	.17	.07	.	.	.09	.02	.		14
15	.38	.	.	.02	.24	.27	.36	.	.01	.02	.06	.		15
16	.	.	.06	.09	.22	.06	.	.	.	.	.01	.		16
17	.39	.02	.	.	.01	.01	.17	.	.	1.45	.01	.		17
18	.17	.01	.05	.	.	.08	.06	.	.	.	.56	.		18
19	.21	.	.	.	.	.	.26	.	.	.	.	.		19
20	.12	.	.	.	.	.03	.	.15	.	.	.	.		20
21	.17	.14	.11	.03	.	.	.05	1.07	.02	.	.	.		21
22	.12	.35	.04	.01	.	.	.21	.	.	.	.47	.		22
23	.	.	.	.	.	.	.09	.	.	.21	.63	.		23
24	.08	.	.	.08	.	.01	.12	.	.	.03	.	.		24
25	1.07	.14	.03	.	.	.	.01	.	.	.	.27	.		25
26	.12	.	.01	.05	.	.	.	.	.	.	.20	.		26
27	.	.11	.12	.01	.	.	.06	.	.	.02	.05	.05		27
28	.	.33	.08	.	.	.16	.09	.05	.	.	.26	.04		28
29	.	X	.	.18	.	.	.22	.03	.	.16	.02	.		29
30	.	X	.	.	.	.37	.	.	.	.	.07	.		30
31	.	X	.	X	.	X	.02	.03	X	.	X	.		31
TOTAL	5.04	1.27	1.11	1.39	1.47	1.44	3.21	3.32	.57	3.51	3.57	1.38	Year's Total	27.28
* Days with .01 in. or more.	19	11	13	15	7	11	21	13	6	15	20	9		169
* Days with .04 in. or more.	17	7	9	9	5	7	19	14	1	12	14	8		119

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *Ed. J. Duxon* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

250817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934.

Kept at *Netherwood, Cheshire*

in the County of *Leicestershire*

Diameter of Funnel of Gauge.....*5* in.

Height of top of Gauge above Ground.....*1* ft. *0* in.

Ground Sea Level.....*240* ft.

TRAVELLING FORM.

VALUES FOR PREVIOUS MONTH

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.06	.	.03	.	.	.	.	.	.	.21	.		1
2	.	.03	.	.16	.	.	.	.	.	.	.52	.04		2
3	.	.21	.	.02	.	.	.	.	.	.12	.72	.10		3
4	.	.09	.	.	.	.	.01	.	.	.07	.47	.04		4
5	.	.02	.	.	.02	.	.06	.	.	.02	.43	.03		5
6	.06	.18	.	.	.	.	.01	.	.	.24	.24	.		6
7	.02	.23	.	.02	.05	.	.10	.	.02	.	.	.		7
8	.	.	.	.	.	.	.	.	.	.06	.03	.24		8
9	.	.	.12	.	.	.11	.07	.02	.	.01	.15	.09		9
10	.	.	.02	.	.	.	.56	.	.	.01	.10	.20		10
11	.	.	.10	.	.	.	.25	.	.	.	.36	.04		11
12	.	.	.05	.	.	.	.10	.01	.04	.	.	.		12
13	.	.	.29	.	.	.	.	.02	.07	.	.	.03		13
14	.	.	.	.11	.38	.	.	.	.05	.02	.	.27		14
15	.	.	.	.08	.03	.	.	.	.02	.03	.07	.		15
16	.01	.31	.31	.	.	.	.41	.	.07	.89	.66	.02		16
17	.	.	.45	.	.	.	.03	.	.	.	.27	.		17
18	.05	.49	.04	.36	.	.	.	.05	.06	.24	.02	.07		18
19	.	.27	.05	.47	.	.	.61	.	.07	.	.14	.		19
20	.	.	.	.02	.	.	.35	.09	.	.18	.	.		20
21	.	.	.	.	.09	.30	.10	.02	.	.06	1.11	.		21
22	.	.	.03	.	.22	.13	.	.	.08	.	.	.		22
23	.	.05	.01	.03	.03	.05	.	.	.	.	.	.03		23
24	.04	.	.	.	.	.	.	.	.	.02	.	.		24
25	.	.	.	.	.	.	.01	.	.	.	.	.		25
26	1.03	.04	.	.29	.01	.	.08	.	.	.02	.02	.		26
27	.64	.19	.	.17	.	.	.10	.	.	.	.09	.		27
28	.43	.28	.	.	.18	.	.	.	.	.	.	.		28
29	.	.	.09	.	.44	.16	.02	.	.	.	.	.28		29
30	.08	~~X~~	.	.73	.	.	.	.	.	.37	.	.09		30
31	.13	~~X~~	.02	~~X~~	.	~~X~~	.	.	~~X~~	.81	~~X~~	.		31
TOTAL	2.49	2.45	1.58	2.49	1.48	.75	2.90	.21	.48	3.17	5.61	1.57	25.18	Year's Total
* Days with .01 in. or more.	10	14	13	13	10	5	17	6	9	17	18	15	147	
* Days with .04 in. or more.	8	12	9	8	7	5	13	2	7	10	15	11	107	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Red. J. Duxon
R.T.O.

HOBX anted 8 October 1936

Section **A** for the entry
AIR MINI
FORM 1090.
REG
Kept at (West Lawn) R
in the County of ...Leicester...
Diameter of Funnel of Gauge...
Height of top of Gauge above
Ground
THE MORNING MEAS

2508/9
ROTHLEY, WEST LANA
1936-38

on No. 2508/9
ORGANIZATION
oct. 1-8 std
from ann. obs
2512

780409

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.02	.05		1
2											.16	.03		2
3												.02		3
4											.04	.09		4
5										(.10)				5
6											.05			6
7											.02			7
8											.16	.05		8
9														9
10														10
11											.27			11
12											.03			12
13											.02	.24		13
14											.02	.21		14
15										.04	.19	.10		15
16											.50	.05		16
17										.11	.13	.05		17
18												.09		18
19														19
20														20
21														21
22										.18		.05		22
23														23
24										.04				24
25											.05			25
26										.11				26
27										.25				27
28										.12		.08		28
29										.11	.41	.08		29
30		X								.19	.04	.19		30
31		X		X		X			X	.19	X			31
TOTAL											2.11	1.38	23.76	
* Days with .01 in. or more.										(.45)	16	15	165	
* Days with .04 in. or more.										10	11	13	129	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.
(Signed)

W. A. A. Ironside [P.T.O.]
X A. A. Ironside Esq X

Hoby and 8 Oct 1936

Section **A** for the entry of Daily Observations.

Station No. **250819**

Form 1090.

REGISTER OF RAINFALL IN 1936

Kept at **(West Lawn) ROTHLEY**

in the County of **Leicester**

Diameter of Funnel of Gauge **5** in.

Height of top of Gauge above Ground **10** ft. **10** in.

Ground Sea Level **240** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.02	.05		1
2											.16	.03		2
3												.02		3
4											.04	.09		4
5										(.10)				5
6											.05			6
7											.02			7
8											.16	.05		8
9														9
10														10
11											.27			11
12											.03			12
13											.02	.24		13
14											.02	.21		14
15										.04	.19	.10		15
16											.50	.05		16
17										.11	.13	.05		17
18												.09		18
19														19
20														20
21														21
22										.18		.05		22
23														23
24										.04				24
25											.05			25
26										.11				26
27										.25				27
28										.12		.08		28
29										.11	.41	.08		29
30		X								.19	.04	.19		30
31		X		X		X			X	.19	X			31
TOTAL											2.11	1.38	23.76	
* Days with .01 in. or more.											16	15	165	
* Days with .04 in. or more.											11	13	129	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) **W. A. A. Ironside Esq** [P.T.O.]

FORM 1090 REGISTER OF RAINFALL IN 1937.

Kept at West Lawn ROTHLEY

in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 10.....in.

„ Ground „ Sea Level ft.

148750/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following
✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.07					.05		.10	.01		1
2	.02	.06	.05	.32								.31		2
3		.04		.02	.25							.27		3
4	.05	.06			.33							.58		4
5	.41		.15					.05				.02		5
6	.05		.13		.12						.01			6
7		.50	.03	.23	.01									7
8		.16									.34			8
9				.03	.23	.15	.46		.06					9
10		.15	.70	.38								.13		10
11			.06		.48	.06						.14		11
12	.07	.32	.15		.38				.15			.17		12
13	.02		.03			.73		.13						13
14			.21	.02				.11	.12			.12		14
15	.20	.10	.09	.29			2.07		.03					15
16		.29	.28	.45				.14	.06					16
17	.17		.23	.42					.26					17
18	.42	.06	.11	.04					.06		.51			18
19		.05	.03	.41		.24	.37		.47	.02	.07			19
20	.26	.16	.02	.07	.62	.15			.02					20
21	.04	.10	.06				.28					.08		21
22	.11				.02		.20			.49	.18			22
23	.24	.05			.02		.07			.78	.16			23
24	.15	.19	.09				.14			.17				24
25	.20	.32	.11		.10					.75				25
26		.11			.34					.70	.01	.03		26
27		.31	.01	.22								.02		27
28		.02								.02		.02		28
29	.16										.06	.02		29
30	.27	⊠								.01	.12			30
31	.29	⊠		⊠		⊠			⊠	.12	⊠			31
TOTAL	3.12	3.05	2.54	2.97	2.90	.73	3.59	.63	1.28	3.06	1.56	1.92	Year's Total 27.35	
* Days with .01 in. or more.	18	19	19	14	12	5	7	4	10	9	10	14	141	
* Days with .04 in. or more.	16	18	14	11	9	5	7	4	8	6	8	8	114	

Section

A

for the entry of Daily Observations

Station No.

2508/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *West Looe* *ROTHLEY*in the County of *Leicesters*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*10*.....ft.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03			.03	.42						.12		1
2	.12			.02		.35				.19		.09		2
3				.02		.03	.01		.04	.47	.02			3
4	.03					.02	.02	.69		.04	.01	.29		4
5	.02						.07	.03	.02	.05				5
6	.01					.01	.17		.24	.06		.04		6
7	.17					.03	.15	.04	.06					7
8	.26						.11	.03		.25		.03		8
9	.03	.13					.19	.20				.28		9
10		.02				.09		.05				.05		10
11	.54						.01	.02			.08	.01		11
12	.16				.06		.02				.10			12
13		.06									.10	.30		13
14	.20				.08		.48		.11			.04		14
15	.11						.40	.04		.30		.20		15
16	.14						.13	.01		.03	.36	.42		16
17		.03			.02		.10		.02	.15				17
18	.02				.29	.01		.11	.17					18
19		.01									.12	.12		19
20									.03		.40	.12		20
21								.01				.41		21
22						.11					.34	.10		22
23									.05		.02	.07		23
24			.04			.01						.05		24
25	.10	.14	.05				.01			.08	.39	.10		25
26	.03	.27	.07		.01			.08	.03	.08		.14		26
27		.02			.18	.19		.09	.53	.05	.43			27
28	.17				.29		.19	.98	.03		.06	.13		28
29	.51	.05		.02	.48	.02	.15			.02	.12	.11		29
30	.05	~~X~~			.18	.11			.23		.16	.05		30
31	.10	~~X~~		~~X~~		~~X~~			~~X~~	.13	~~X~~	.57		31
TOTAL	2.77	.76	.16	.06	1.62	1.40	2.21	2.38	1.56	1.90	2.71	3.84	21.37	✓
* Days with .01 in. or more.	19	10	3	3	10	13	16	14	13	14	15	24	154	✓
* Days with .04 in. or more.	13	5	3	—	7	6	11	9	8	12	12	22	108	✓
Year's Total														✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Alfred J. Cronin* [P.T.O.]

Kept at Switthland
in the County of Leice

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea l

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

2509
SWITTHLAND RESERVOIR
1931 — 40

Jan. 1, following

Date	Jan.	Feb.	March	Dec.	Date
	in.	in.	in.	in.	
1	—	.01	.05	—	1
2	—	.03	—	.03	2
3	.06	—	—	.01	3
4	—	.00	—	.02	4
5	—	.02	—	.02	5
6	—	.22	.03	—	6
7	—	.02	—	.01	7
8	.03	.12	.01	.01	8
9	—	.14	.04	.05	9
10	.04	.02	—	.03	10
11	.06	.31	—	.03	11
12	.04	.08	—	.03	12
13	—	—	.01	—	13
14	—	.03	.02	.19	14
15	.01	.14	—	.09	15
16	.01	.28	—	.12	16
17	.12	.28	—	.13	17
18	.04	.02	—	.03	18
19	.06	.04	—	.08	19
20	—	.05	—	.06	20
21	.14	—	—	.05	21
22	.05	—	—	.03	22
23	.20	—	.02	.38	23
24	.30	.01	—	.09	24
25	.12	.01	—	.44	25
26	.03	.02	—	.32	26
27	.16	.45	—	.05	27
28	.05	.28	—	.03	28
29	.08	—	—	.04	29
30	.11	×	—	—	30
31	.24	×	×	×	31
TOTAL	1.95	2.46	.14	3.49	30.18
*Days with ".01 in. or more.	21	23	6	21	143
*Days with ".04 in. or more.	14	14	2	15	12.5

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Swithland Reservoir
in the County of Leicester
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 141 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.04	0.05	0.06	-	0.48	-	-	0.38	-	-	-	1
2	-	0.03	-	0.04	-	0.04	-	-	0.40	0.05	-	0.03	2
3	0.06	-	-	0.13	-	0.02	-	-	0.59	-	0.28	0.04	3
4	-	0.09	-	0.14	-	-	0.06	0.10	0.20	-	0.16	0.02	4
5	-	0.02	-	0.04	-	1.12	0.04	-	0.14	0.15	0.02	0.24	5
6	-	0.22	0.03	-	-	0.55	-	-	-	-	0.11	-	6
7	-	0.02	-	0.01	-	0.04	0.04	0.31	-	-	0.04	0.02	7
8	0.03	0.12	0.01	0.01	0.04	-	0.04	1.40	-	-	0.26	-	8
9	-	0.14	0.04	0.05	-	0.02	0.02	0.13	-	-	0.25	-	9
10	0.04	0.02	-	-	0.03	0.04	-	0.23	-	-	0.02	-	10
11	0.06	0.31	-	-	-	0.03	-	-	0.13	-	0.09	-	11
12	0.04	0.08	-	-	-	-	0.03	-	0.25	-	0.01	-	12
13	-	-	-	0.01	-	-	-	0.14	-	0.02	0.01	-	13
14	-	0.03	0.02	-	-	0.19	0.08	1.29	-	-	0.09	-	14
15	0.01	0.14	-	0.09	0.25	-	0.12	0.13	-	-	0.02	0.04	15
16	0.01	0.28	-	0.10	0.48	0.59	0.03	0.14	0.13	-	-	-	16
17	0.12	0.28	-	0.45	0.68	-	-	-	-	-	-	-	17
18	0.04	0.02	-	0.30	-	0.03	0.08	0.09	-	-	0.40	-	18
19	0.06	0.04	-	0.31	-	-	0.04	0.06	0.05	-	-	-	19
20	-	0.05	-	0.09	-	-	-	0.40	-	0.03	0.03	0.04	20
21	0.04	-	-	-	0.38	-	-	0.33	-	-	0.09	-	21
22	0.05	-	-	0.03	-	-	-	-	-	-	-	-	22
23	0.20	-	0.02	0.03	0.38	0.34	-	-	0.05	-	0.19	-	23
24	0.30	0.01	-	0.09	0.60	-	0.13	-	-	0.02	-	-	24
25	0.12	0.01	-	0.14	-	-	0.28	-	-	-	0.02	-	25
26	0.03	0.02	-	0.32	-	-	0.04	-	-	-	0.16	-	26
27	0.16	0.45	-	-	0.05	-	0.03	-	-	0.02	0.32	0.09	27
28	0.05	0.28	-	0.03	0.22	-	-	-	-	-	-	0.15	28
29	0.08	-	-	-	0.04	-	0.01	-	-	0.20	0.02	0.01	29
30	0.11	X	-	-	-	-	-	-	-	-	-	-	30
31	0.24	X	-	X	-	X	-	-	X	-	X	0.06	31
TOTAL	1.95	2.46	0.14	3.49	3.18	3.55	3.50	5.11	2.35	0.49	2.59	0.44	30.18
*Days with 0.01 in. or more.	21	23	6	21	11	13	16	13	10	4	21	11	143
*Days with 0.04 in. or more.	14	14	2	15	10	9	12	13	10	3	13	4	125

40-9999

*See Instruction 2 (f) on other side.

(Signed)

ENGINEER & MANAGER

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Swythland Reservoirin the County of LeicesterDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 141 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12	02		18	35	09		09	04	25	04		1
2	04			02	13			03	01	16	03	10	2
3				09	04					02			3
4	03			09					04		26		4
5	35		09		03				06				5
6	26		04	16					18				6
7			24	38					03	09			7
8		02		14					02	08		05	8
9	13	08		03	10								9
10	09	06		10	03				24	21			10
11	02	02	08	04	24	11	44		04	04	04		11
12	14				19		44		08	32	03		12
13		04		12			84		03	05	02	04	13
14	24	03		10	02		21	38		04	24	02	14
15		02		10	18					03		09	15
16	13			28	11								16
17					01		03			19			17
18									04				18
19		01								30	02		19
20				04	34			40		48	15		20
21			18	18	240			65		42	02	09	21
22			26	02	08	02	36		42	04	66		22
23		02		02	34		04		08	04	04	08	23
24					03		19		06	02	16		24
25	01	10					21		02	21			25
26				50	28	01	16		12		04		26
27			38	16	48		11				11		27
28			28	11	42	01	22	54				01	28
29	01		34	13	06	05	03	04	12	46	08	11	29
30		X	12		08	59	06	06	35	29	26	16	30
31		X	08	X	02	X	84		X		X	11	31
TOTAL	1.60	45	2.15	3.02	6.89	88	454	2.22	2.34	3.80	2.23	86	30.98
*Days with or in. or more.	13	11	11	22	23	4	15	8	19	21	14	11	148
*Days with or more.	9	4	11	18	14	4	13	4	14	18	12	9	136

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. J. Howard
Engineer & Manager.

P.T.O.

Section



for the entry of Daily Observations.

Station No.

2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Shirthland Reservoir*in the County of *Leicester*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft *0* in.,, Ground ,, Sea Level *18/1* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.34	.04								.04			1
2	.24		.35		.05						.05			2
3		.25	.15		.14						.04			3
4	.15		.02		.21									4
5	.13		.10		.14									5
6		.14	.09		.29					.10		.02		6
7		.36	.04		.04					.15		.02		7
8	.02		.08		.06		.45			.02				8
9					.05		.32			.50	.06			9
10	.02	<i>RAIN & SNOW</i> .03			.03			.02		1.48	.11			10
11	.05	.02				.02	.18	.04		.04				11
12	.09		.01			.03	.06		.04			<i>SNOW</i> .05		12
13	.01				.08	.02	.19		.05	.02	.25			13
14	.04				.12					.03	.26			14
15	<i>RAIN & SNOW</i> .60					.04	.14	.15		.08	.38	.02		15
16	.10		.62		.10	.21	.02			.03	.09	.03		16
17			.56			.43					.08			17
18	.02	.05	.11			.62					.04			18
19		<i>SNOW</i> .04	.24	.02		.24	.03		.06					19
20		.05				.04		.15			.03			20
21					.80	.05		.21						21
22						.12		.24		.43				22
23				.20		.02			.43					23
24		<i>SNOW</i> .34		.08	.15	.41			.43	.05	.04			24
25		<i>RAIN & SNOW</i> .91		.31		.15			.02		.02	.05		25
26		<i>RAIN & SNOW</i> .45		.14					.06	.02	.04			26
27									1.02	.09				27
28	.04			.29	.04					.14		.06		28
29	.02			.26	.02				.02	.04				29
30	.04	X	.10	.05						.02		.06		30
31		X	.29	X		X	.02	.10	X	.10	X			31
TOTAL	1.84	2.98	2.89	1.38	2.35	2.43	1.44	.94	2.16	3.34	1.59	.31	23.98	Year's Total
*Days with or in. or more.	16	12	15	8	16	14	9	4	9	18	15	8	144	
*Days with .04 in. or more.	11	10	13	4	14	10	6	6	4	12	13	4	113	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Engineer & Manager.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No.

2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Swickland Reservoir

in the County of Leicester

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 171 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02							.21				.25		1
2			.03					.48	.24	.04	.04	.29		2
3	.03									.03	.11			3
4	.06	.08	.12	RAIN & SNOW H.V. SNOW					.09	.02	.08	.30		4
5			.11	.02	.11			.16		.11	.08	.09		5
6			.03	.05	.30	.05		.06		.19		.41		6
7	.08					.05		.03		.05		.16		7
8			.08		.08	.02		.04		.02	.30			8
9			.19	.03				.06			.59	.24		9
10			.13	.10				.12			.15			10
11	.64		.14	.31				.12				.15		11
12			.18				.02	.04				.05		12
13	.52			.03			.13	.05		.02		.15		13
14	.04		.31			.04				.20	.32	.34		14
15	.04		.05		.15						.18	.03		15
16	.11		.12		.15					.04	.05	.03		16
17	.12				.04		.02		.20	.13	.03	.06		17
18	.14	.02		.23			.13		.03					18
19			.10	.16		.06			.02			.06		19
20			.02	.08										20
21						.24				.05				21
22								.20	.26					22
23				.46		.05	.04					.12		23
24		.16	.12	.04		.06	.08		.26	.02				24
25	.08									.12		.39		25
26	.22			.16		.04			.04			.14		26
27	.01	RAIN & SNOW .25		.52						.06		.09		27
28				.63		.23		.31		.02		.41		28
29		*					.24	.03	.34	.03	.02	.14		29
30	.06	X					.02		.08			.25		30
31		X		X		X			X	RAIN & SNOW .29	X	.04		31
TOTAL	2.20	.51	1.43	3.29	.83	.84	.44	1.94	1.59	1.44	1.98	4.19	21.34	Year's Total.
* Days with .01 in. or more.	15	4	15	15	6	10	8	14	10	18	12	23	150	
* Days with .04 in. or more.	12	3	12	12	6	9	5	12	8	11	10	21	121	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

E. Edwards
ENGINEER & MANAGER

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Churchland Reservoir*in the County of *Leicestershire*Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground.....*1* ft. *0* in.,, Ground ,, Sea Level*141*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.24</i>		<i>.04</i>	<i>.09</i>		<i>.03</i>	<i>.02</i>		<i>.35</i>	<i>.13</i>	<i>.30</i>	<i>.05</i>		1
2		<i>.03</i>	<i>.28</i>	<i>.02</i>		<i>.10</i>			<i>.15</i>	<i>.31</i>	<i>.04</i>	<i>.33</i>		2
3		<i>.13</i>	<i>.05</i>						<i>.22</i>	<i>.02</i>	<i>.22</i>	<i>.02</i>		3
4				<i>.04</i>		<i>.08</i>			<i>.04</i>	<i>.28</i>				4
5		<i>.38</i>	<i>.11</i>	<i>.16</i>		<i>.02</i>	<i>.03</i>			<i>.05</i>	<i>.12</i>			5
6		<i>.06</i>		<i>.14</i>		<i>.15</i>					<i>.02</i>			6
7	<i>.08</i>			<i>.35</i>		<i>.06</i>				<i>.05</i>	<i>.51</i>	<i>.20</i>		7
8			<i>.02</i>	<i>.21</i>				<i>.02</i>		<i>.14</i>	<i>.03</i>	<i>.14</i>		8
9				<i>.22</i>		<i>.12</i>				<i>.43</i>	<i>.24</i>	<i>.02</i>		9
10				<i>.05</i>							<i>.02</i>			10
11	<i>.11</i>					<i>.03</i>	<i>.05</i>	<i>.02</i>			<i>.21</i>	<i>.04</i>		11
12	<i>.02</i>	<i>.02</i>				<i>.22</i>		<i>.04</i>	<i>.05</i>					12
13	<i>.04</i>	<i>.02</i>		<i>.21</i>	<i>.15</i>									13
14					<i>.04</i>	<i>.03</i>					<i>.43</i>	<i>.15</i>		14
15		<i>.12</i>		<i>.65</i>	<i>.05</i>	<i>.06</i>			<i>.29</i>		<i>.24</i>	<i>.14</i>		15
16		<i>.02</i>	<i>.12</i>	<i>.20</i>		<i>.22</i>			<i>.43</i>	<i>.28</i>	<i>.58</i>	<i>.15</i>		16
17				<i>.05</i>		<i>.15</i>				<i>.04</i>	<i>.62</i>			17
18	<i>.03</i>			<i>.14</i>	<i>.03</i>	<i>.25</i>	<i>.03</i>		<i>.26</i>	<i>.04</i>				18
19	<i>.02</i>			<i>.03</i>	<i>.14</i>	<i>.29</i>	<i>.06</i>		<i>.02</i>	<i>.04</i>	<i>.20</i>			19
20	<i>.01</i>	<i>.12</i>		<i>.35</i>	<i>.02</i>	<i>.14</i>					<i>.04</i>			20
21		<i>.28</i>	<i>.02</i>	<i>.04</i>					<i>.50</i>	<i>.02</i>	<i>.11</i>	<i>.05</i>		21
22		<i>.38</i>		<i>.08</i>					<i>.02</i>					22
23			<i>.30</i>	<i>.09</i>				<i>.88</i>	<i>.02</i>	<i>.15</i>				23
24	<i>.04</i>	<i>.21</i>	<i>.05</i>						<i>.69</i>	<i>.02</i>		<i>.23</i>		24
25	<i>.21</i>	<i>.04</i>		<i>.02</i>		<i>.24</i>						<i>.20</i>		25
26	<i>.02</i>							<i>.26</i>	<i>.28</i>	<i>.04</i>	<i>.02</i>	<i>.21</i>		26
27		<i>.22</i>							<i>.05</i>	<i>.02</i>	<i>.25</i>	<i>1.31</i>		27
28		<i>.04</i>			<i>.10</i>				<i>.03</i>			<i>.15</i>		28
29			<i>.06</i>						<i>.11</i>	<i>.02</i>		<i>.09</i>		29
30	<i>.11</i>	<i>X</i>		<i>.04</i>				<i>.16</i>	<i>.04</i>	<i>.22</i>	<i>.20</i>	<i>.06</i>		30
31		<i>X</i>		<i>X</i>		<i>X</i>		<i>.03</i>	<i>X</i>	<i>.29</i>	<i>X</i>	<i>.18</i>		31
TOTAL	<i>.99</i>	<i>2.09</i>	<i>1.08</i>	<i>3.24</i>	<i>.56</i>	<i>2.94</i>	<i>.49</i>	<i>1.41</i>	<i>3.68</i>	<i>3.08</i>	<i>4.63</i>	<i>4.11</i>	<i>28.03</i>	
* Days with .01 in. or more.	<i>12</i>	<i>15</i>	<i>10</i>	<i>21</i>	<i>4</i>	<i>14</i>	<i>5</i>	<i>4</i>	<i>18</i>	<i>20</i>	<i>20</i>	<i>19</i>	<i>141</i>	
* Days with .04 in. or more.	<i>4</i>	<i>11</i>	<i>8</i>	<i>18</i>	<i>5</i>	<i>13</i>	<i>2</i>	<i>4</i>	<i>14</i>	<i>15</i>	<i>16</i>	<i>14</i>	<i>130</i>	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) *G. T. Edwards* [P.T.O.]

Engineer & Manager

Section

A

for the entry of Daily Observations.

Station No.

2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... Switchland Reservoir in the County of ... Leicestershire Diameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1.....ft.....0.....in.,, Ground ,, Sea Level.....141.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.15	.05	.54			.31	.20				.08		1
2	.06	.03	.11	.04		.61	.50	.03			.14	.03		2
3		SNOW .04				.16		.02	.19		.02	.02		3
4	.02		.14			.22		.18	.50		.05	.10		4
5	.04	.05	.14				.03	.02	.21	.03		.14		5
6					.15	.03	.26	.38	.23		.04			6
7	.29		.04				.36		.03		.03			7
8	.21		.04								.20	.05		8
9	.31		.03			.05	.50		.03	.14				9
10	.03			.03			.33							10
11				.12			.09				.35			11
12				.15		.31	.66		.62		.30	.04		12
13				.11		.14				.04	.02	.21		13
14				.11		.19	.33		.59	.02	.02	.31		14
15	SNOW .02			.02		.14	.10		.13		.21	.21		15
16	SNOW .20	.15					.03				.45			16
17		.48					.20			.09	.22	.13		17
18		.03				.03	.14			.10		.06		18
19	RAIN & SNOW .40	.02		RAIN & SNOW .24		.85		.12		.06				19
20		.05		RAIN & SNOW .04										20
21	RAIN & SNOW .28			.16		.34					.01			21
22		RAIN & SNOW .45	.04		.18		.14					.04		22
23		.03	.10	.19	.05		.44			.02				23
24	.20	.14			.02	.04	.03		.08	.32				24
25	.09		.03	.25		.44			.30	.02				25
26		.04	.36	.03					.03	.18	.03			26
27	.06								.09	.14				27
28	.38	.15	.18			.03	.34		.04		.14	.10		28
29	.40	RAIN & SNOW .44	.06			.14				.04	.22	.08		29
30	.11	X			.10	.09	.09			.25	.04			30
31	.42	X	.04	X		X	.01		X	.18	X	.05		31
TOTAL	3.84	2.25	1.45	2.08	.50	3.93	4.84	.95	3.04	1.66	2.55	1.65	Year's Total 28.80	✓
* Days with .01 in. or more.	19	15	14	14	5	14	20	4	14	15	18	16	144	✓
* Days with .04 in. or more.	16	11	12	11	4	14	16	4	11	11	12	14	136	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. H. Edwards [P.T.O.]

Engineer-in-Charge

Section

A

for the entry of Daily Observations

Station No.

2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Swithland Reservoir*in the County of *Leicestershire*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. *0* in.,, Ground ,, Sea Level *1 1/2* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.31								.08		.04	.02		1
2		.08	.05	.43								.34		2
3		.06			.21							.33		3
4	.04	.11			.60							R.S. .52		4
5	.48		.14					.04				R.S. .02		5
6	.02		R.S. .15		.08					.02	.01			6
7		.30		.21	.02									7
8		.40									.34	R.S. .02		8
9				.02	.21		.44		.05			R.S. .08		9
10	.02	.19	Snow .14	.29		.14						R.S. .10		10
11			R.S. .66		.45		.02					R.S. .16		11
12	.09	.34	.13		.45	.08			.18			.16		12
13	.02	.06	.11					.10	.04			.10		13
14			.13	.02		.02		.12	.06			.10		14
15	.18	.10	.04	.28			Thunder 51.84		.14					15
16	.10	.21	.45	.43				.12	.08					16
17	.15	.12	.23	.50					.34					17
18	.46	.05	.19	.04					.43		.54			18
19	.02	.04		.11		.30	.41			.02	.09			19
20	.22	.19	.01	.38	.60	.15			.02			.02		20
21	.04	.12	.06				.24					.02		21
22	.12		SNOW .02				.10			.40	.16			22
23	.30				.04		.22			.84	.21			23
24	.22	.25	.08				.11			.18				24
25	.18	.38	SNOW .06		.02				.01	.86				25
26		.22	SNOW .10		.32							.04		26
27		R.S. .36	.01	.25						.69		.04		27
28		SNOW .05								.02		.05		28
29	SNOW .08					.04					.05	.02		29
30	R.S. .35									.02	.12	.02		30
31	.29									.12				31
TOTAL	3.64	3.64	2.82	2.96	3.00	.43	3.45	.38	1.66	3.14	1.63	2.20	Year's Total 29.34	✓
* Days with .01 in. or more.	21	20	19	12	11	6	8	4	11	10	9	19	150	✓
* Days with .04 in. or more.	14	20	16	10	9	5	4	4	9	6	8	12	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E. Howard
Engineer & Manager

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at *Elwithland Reservoir*

in the County of *Leicestershire*

Diameter of Funnel of Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *0* in.

„ Ground „ Sea Level *141* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.50	.02	.02	.04	.01		.21		1
2	.08	.02		.04		.33				.21		.04		2
3	.02					.04			.04	.64	.03			3
4	.02					.03	.02	THUNDER .52		.06	.02	.34		4
5	.02						.04	.03	.02	.02	.02			5
6	.03					.02	.24		.19	.11				6
7	.14					.02	.14	.05	.14	.08		.05		7
8	.26		.02				.18			.35		.03		8
9	.04	.14					.10	.24				.35		9
10	.02	.05				.08	.19	.02	.01			.04		10
11	.46						.02	.40			.08			11
12	.21				.08					.36	.05			12
13		SNOW .08 R. & S									.19	.35		13
14	.15	.02			.08		.59		.12			.09		14
15	.09						.34	.05			.02	.33		15
16	.26						.15			.05		.23		16
17		.04			.05		.10	.02	.02	.18	.03	.03		17
18	.02				.35	.02		.04	.06	.02	.34			18
19								.13	.04			SNOW .06		19
20									.03		.21	SNOW .10		20
21	.02							.10			.02	SNOW .33 R. & S		21
22						.05				.02	.34	.29 R. & S		22
23					.02				.20		.02	.06 R. & S		23
24			.03						.24			.04 R. & S		24
25	.12	.14	.08					.06		.11	.42	.19 R. & S		25
26	.04	.35	.08					.02	.04	.11	.05	.03		26
27	.08	.03			.16	.14	.21	.12	.45	.08	.46			27
28	.24	.03			.41	.10	.04	1.13	.04		.11	.11		28
29	.54				.60	.03	.09			.04	.10	.11		29
30	.04	X				.12			.28		.24	.08 R. & S		30
31	.15	X		X	.19	X			X	.20	X	.64		31
TOTAL	3.14	.90	.21	.04	1.94	1.48	2.56	2.98	2.02	2.65	2.48	4.22	Year's Total 24.92	
* Days with .01 in. or more.	23	10	4	1	9	13	16	16	14	18	19	24	140	
* Days with .04 in. or more.	16	6	2	1	8	8	13	11	13	14	12	21	125	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

ENGINEER & MANAGER

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at ... Switlands Reservoir in the County of ... Leicestershire Diameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 141.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10		.02	.06	.08			THUNDER .32	.09					1
2	.05			.09				.24	.43	.05	.06	.02		2
3	SNOW .30			.32				.26	.02		.26	.40		3
4	.18		.35	.38			.02	.55	.16	.04	.13	.32		4
5				.21	.26		.05	.40		.14	.26	.19		5
6	SNOW & RAIN .49		.05				.32	.01		.05	.09			6
7	.10	.10					.04				.31	.15		7
8		.03	.29				.69	.14		.12	.14	.36		8
9		.09					.04	.14		.54	.02	.30		9
10	.58		.02					.29	.02	.04				10
11		.08	.24			.05		.05	.02					11
12		.04	.02		.02	.06					.02			12
13						.04			.04	.04				13
14	.49			.19	.24	.26	.24			.46	.06			14
15	.19		.04	.02	.15	.25	.38		.02	.26				15
16	.13		.09		.28	.20	.04				.14			16
17	.38	.02	.02	.02	.02		.20			1.02	.02			17
18	.02		.04			.24	.11				.68			18
19	.26	.01					THUNDER .60							19
20	.02				.02	.02		.19						20
21	.26	.22	.18	.06		.05		.66	.06					21
22	.22	.15	.02	.02			.10		.02	.02	.38			22
23	.02			.02			.09			.02	.44	.02		23
24	SNOW & RAIN .05	.02		.02		.02	THUNDER .14			.02		.02		24
25	SNOW & RAIN 1.02	.12	SNOW & RAIN .06				.09	.12			.52	.02		25
26	.24		.02	.05				.02		.09	.14	.06		26
27		.10	.22	.04		.04	.05	.06		.05	.09	.02		27
28	.02	.30	.14	.08		.14	.05			.10	.21	.02		28
29				.30			.35			.19	.08			29
30		X		.04		.45					.12			30
31		X		X		X		.02	X		X			31
TOTAL	5.15	1.28	1.91	1.84	1.12	1.89	3.69	3.58	.90	3.35	4.51	1.93	Year's Total 31.18	✓
* Days with .01 in. or more.	21	13	14	14	8	13	19	16	10	18	21	13	186	✓
* Days with .04 in. or more.	14	9	11	12	5	11	18	13	5	15	18	4	141	✓

† Spare column, no entries required

(Signed)

Engineer & Manager

* See Instruction 3 (f) on other side.

P.T.O.

Section



for the entry of Daily Observations

Station No. 2509

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ...*Switthland Reservoir*.....in the County of ...*Leicestershire*.....Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground....*1*...ft...*0*...in.,, Ground ,, Sea Level*141*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.33		.03							.19			1
2		<i>Snow</i> .02		.22							.40	.02		2
3		.31		.13						.13	.38	.04		3
4		.19								.13	.48	.15		4
5					.02		.11			.09	.34	.09		5
6	.11	.36		.02			.11			.40	.04	.02		6
7	.04	.22		.09	.03				.02			.04		7
8										.04	.03	.24		8
9			.08			.15	.08	.10	.03	.05	.38	.04		9
10							.85	.13		.02	.38	.34		10
11			.13	.03		.04	.18				.60	.09		11
12			.13			.05	.35		.04		.04			12
13		<i>Snow</i> .10	<i>Rain & Snow</i> .32	.10			.03		.05					13
14			.05	.13	.30			.02	.04	.02		.33		14
15			.14	.08	.05	.06	.04		.04	.02	.08			15
16	<i>Snow</i> .08	<i>Snow</i> .33	.38	.03		.04	.55		.09	1.35	.55	.02		16
17		<i>Snow</i> .04	.64				.05			.04	.06			17
18	<i>Snow</i> .05	<i>Rain & Snow</i> .53	.34	.28				.06		.09	.04	.05		18
19		.18	.15	.24			.40		.24	.10	.12	.05		19
20		.02		.08			.13	.03		.05	.11			20
21	<i>Snow</i> .08		.02			.04	.04			.09	1.50			21
22			.02		.14	.40			.04					22
23		.06	.04	.05	.34	.14				.03	.02	.03		23
24	.05			.03			.04			.05				24
25										.03				25
26	<i>Rain & Snow</i> .43	.12			.03	.04				.04	.02			26
27	<i>Snow</i> .66	.04					.16	.01			.03			27
28	<i>Snow</i> .38	<i>Rain & Snow</i> .54			.21									28
29			.18	.06	.05	.02						.36		29
30	<i>Rain & Snow</i> .14	~~X~~		.15						.50		.14		30
31	.08	~~X~~	.03	~~X~~		~~X~~			~~X~~	.94	~~X~~			31
TOTAL	3.30	3.18	2.48	1.44	1.20	1.10	3.35	.34	.68	4.25	6.12	2.01	Year's Total 28.45	
* Days with .01 in. or more.	11	16	15	14	9	10	15	6	9	21	21	14	164	
* Days with .04 in. or more.	11	14	12	12	6	9	14	3	4	16	14	13	134	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Kept at Ashby-de-la
in the County of Leices

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
Ground Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

2509/5
FOR OFFICIAL USE.
GANIZATION.

Jan. 1, following

2509/5
ASHBY-DE-LA-LOUCH
1931 — 40

Date	Jan.	Feb.	March									Nov.	Dec.	Date
	in.	in.	in.									in.	in.	
1	.02	.01	Trace	.09	Trace	.15	—	.01	.57	.09	—	Trace	.05	1
2	.03	.04	—	.17	Trace	.15	—	.01	.57	.09	—	.05	.05	2
3	Trace	—	.24	.52	Trace	Trace	.04	Trace	1.21	Trace	—	.02	.02	3
4	Trace	.07	Trace	—	—	—	.44	.28	.10	—	.18	—	—	4
5	.04	.02	Trace	.25	Trace	1.14	.04	.02	(12.30 p.m.) .09	Trace	Trace	.31	.31	5
6	Trace	.15	.01	Trace	—	.19	Trace	Trace	.04	.32	—	—	—	6
7	Trace	Trace	Trace	—	.06	.13	—	—	Trace	.15	—	—	—	7
8	.02	.08	.05	(11.50 a.m.) .12	—	.08	.08	.70	Trace	—	.88	.01	.01	8
9	.01	.19	.01	(11.50 a.m.) .08	Trace	.02	Trace	.01	Trace	—				9
10	.02	.01	Trace	Trace	.06	.05	Trace	.70	.04	Trace				10
11	.08	.28	—	Trace	.06	.05	.01	Trace	.23	—	.06	—	—	11
12	.04	.09	—	Trace	Trace	Trace	1.62	.02	.06	.06	.03	—	—	12
13	—	—	—	.01	—	Trace	—	.49	Trace	Trace	Trace	—	—	13
14	—	.08	.03	(11.50 a.m.) .05	.31	1.01	.88	.03	—	.28	—	—	—	14
15	.02	.54	—	.07	.02	—	.31	.22	—	—	Trace	.04	.04	15
16	.10		—	.11	.04	.70	.04	—	.12	(5.00 p.m.) .05	Trace	—	—	16
17	.01	.12	—	.40	.55	Trace	.01	—	Trace	—	.42	—	—	17
18	.11	.01	Trace	(12.50 a.m.) .27	—	.15	.06	.07	—	Trace		—	—	18
19	.04	.13	Trace	.18	—	.02	.04	(9.30 a.m.) .06	.13	.02	.01	—	—	19
20	Trace	.03	Trace	.07	—	—	.01	.50	—	Trace	Trace	—	—	20
21	.16	.01	.01	.01	.38	—	Trace	.01	—	—	.23	—	—	21
22	.11	Trace	.09	.06	—	—	—	.15	Trace	—	Trace	—	—	22
23	.11	.01		(11.45 a.m.) .06	.88	.10	.01	Trace	Trace	—	.10	—	—	23
24	.05	—	Trace	(11.45 a.m.) .19		—	.03	Trace	—	Trace	Trace	—	—	24
25	.12	.06	Trace	(11.50 a.m.) 1.02		—	.11	—	Trace	—	.04	.15	.15	25
26	.02	.01	Trace	.16	Trace	—	Trace	—	—	—	.32	Trace	Trace	26
27	.13	.49	—	.01	.29	—	—	—	—	—	.26	.10	.10	27
28	.09	.18	Trace	.09	.32	—	—	—	—	.05	.01	.08	.08	28
29	.02	×	—	Trace	.05	—	(3.45 p.m.) .13	—	—	.27	.01	.15	.15	29
30	—	×	—	Trace	—	.04	—	—	—	Trace	Trace	—	—	30
31	.18	×	—	×	Trace	×	.01	Trace	×	Trace	×	.02	.02	31
TOTAL	1.53	2.61	.44	3.89	2.76	3.23	4.00	4.12	2.90	1.04	2.83	.93	.93	YEAR'S TOTAL
*Days with ".01 in. or more.	23	22	7	21	12	15	18	15	12	9	14	10	10	30.28
*Days with ".04 in. or more.	14	14	3	17	11	13	12	10	11	7	10	7	7	178

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 193/

Kept at Ashby-de-la-Zouch
in the County of Leicestershire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1.0 ft.
Ground Sea Level 450 ft.

Jan 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	Trace	.09	—	.10	—	—	.28	.03	—	Trace	1
2	.03	.04	—	.17	Trace	.15	—	.01	.57	.09	—	.05	2
3	Trace	—	.24	.52	Trace	Trace	.04	Trace	1.21	Trace	—	.02	3
4	Trace	.07	Trace	—	—	—	.44	.28	.10	—	.18	—	4
5	.04	.02	Trace	.25	Trace	1.14	.04	.02	.09 (12.30pm)	Trace	Trace	.31	5
6	Trace	.15	.01	Trace	—	.19	Trace	Trace	.04	.32	—	—	6
7	Trace	Trace	Trace	—	.06	.13	—	—	Trace	.15	—	—	7
8	.02	.08	.05	.12 (11.15a.m.)	—	.08	.08	.70	Trace	—	.88	.01	8
9	.01	.19	.01	.08 (11.15a.m.)	Trace	.02	Trace	.01	Trace	—			9
10	.02	.01	Trace	Trace	.06	.05	Trace	.70	.04	Trace			10
11	.08	.28	—	Trace	.06	.05	.01	Trace	.23	—	.06	—	11
12	.04	.09	—	Trace	Trace	Trace	1.62	.02	.06	.06	.03	—	12
13	—	—	—	.01	—	Trace	.49	Trace	Trace	Trace	Trace	—	13
14	—	.08	.03	.01 (11.50a.m.)	.05	.31							14
15	.02	.54	—	.07	.02	—	.31	.22	—	—	Trace	.04	15
16	.10		—	.11	.04	.70	.04	—	.12	.05 (6.00p.m.)	Trace	—	16
17	.01	.12	—	.40	.55	Trace	.01	—	Trace	.42	Trace	—	17
18	.11	.01	Trace	.27 (12.15a.m.)	—	.15	.06	.07	—				18
19	.04	.13	Trace	.18	—	.02	.04	.06 (9.30a.m.)	.13	.02	.01	—	19
20	Trace	.03	Trace	.07	—	—	.01	.50	—	Trace	Trace	—	20
21	.16	.01	.01	.01	.38	—	Trace	.01	—	—	.23	—	21
22	.11	Trace	.09	.06	.88	—	—	.15	Trace	—	Trace	—	22
23	.11	.01		.06 (11.45a.m.)		.10	.01	Trace	Trace	—	.10	—	23
24	.05	—	Trace	.19 (11.45a.m.)		—	.03	Trace	—	Trace	Trace	.15	24
25	.12	.06	Trace	.02 (11.15a.m.)	—	—	.11	—	Trace	—	.04		25
26	.02	.01	Trace	.16	Trace	—	Trace	—	—	—	.32	Trace	26
27	.13	.49	—	.01	.29	—	—	—	—	—	.26	.10	27
28	.09	.18	Trace	.09	.32	—	—	—	—	.05	.01	.08	28
29	.02	×	—	Trace	.05	—	.13 (3.45p.m.)	—	—	.27	.01	.15	29
30	—	×	—	Trace	—	.04	—	—	—	Trace	Trace	—	30
31	.18	×	—	×	Trace	×	.01	Trace	×	Trace	×	.02	31
TOTAL	1.53	2.61	.44	3.89	2.76	3.23	4.00	4.12	2.90	1.04	2.83	.93	YEAR'S TOTAL
*Days with .01 in. or more.	23	22	7	21	12	15	18	15	12	9	14	10	30.28
*Days with .04 in. or more.	14	14	3	17	11	13	12	10	11	7	10	7	178

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. J. Bayford

[P.T.O.]

FORM 1090. AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at Ashby-de-la-Zouch
in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 10 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. (9.55 a.m.)	in.	in.	in.	in. (6.0 p.m.)	in.	in.	in.	in.	in.	in.	in.	
1	<u>.10</u>	<u>.01</u>	<u>—</u>	<u>.11</u>	<u>.44</u>	<u>.09</u>	<u>—</u>	<u>.54</u>	<u>.04</u>	<u>Trace</u>	<u>.06</u>	<u>.03</u>	1
2	<u>.12</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	<u>.19</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>.02</u>	<u>Trace</u>	<u>Trace</u>	<u>.03</u>	2
3	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>.43</u>	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>.01</u>	<u>Trace</u>	<u>Trace</u>	3
4	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.36</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>Trace</u>	<u>.22</u>	<u>—</u>	4
5	<u>.37</u>	<u>Trace</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.15</u>	<u>Trace</u>		<u>Trace</u>	5
6	<u>.35</u>	<u>—</u>	<u>.16</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.13</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	6
7	<u>.01</u>	<u>Trace</u>	<u>.25</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.12</u>	<u>.11</u>	<u>.02</u>	7
8	<u>.02</u>	<u>Trace</u>	<u>Trace</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.11</u>		<u>—</u>	8
9	<u>.11</u>	<u>.03</u>	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>—</u>	9
10	<u>.09</u>	<u>.06</u>	<u>Trace</u>	<u>—</u>	<u>.16</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>.61</u>	<u>.25</u>	<u>Trace</u>	<u>—</u>	10
11	<u>.03</u>	<u>.08</u>	<u>Trace</u>	<u>—</u>	<u>.03</u>	<u>.32</u>	<u>.23</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>.04</u>	<u>—</u>	11
12	<u>.13</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.30</u>	<u>—</u>	<u>Trace</u>	<u>.02</u>	<u>—</u>	<u>.37</u>		<u>—</u>	12
13	<u>Trace</u>	<u>.03</u>	<u>Trace</u>	<u>—</u>	<u>.19</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>—</u>	<u>.11</u>	<u>.05</u>	<u>.04</u>	13
14	<u>.09</u>	<u>—</u>	<u>Trace</u>	<u>.12</u>	<u>.50</u>	<u>—</u>	<u>.27</u>	<u>.36</u>	<u>—</u>	<u>.05</u>	<u>.17</u>	<u>.03</u>	14
15	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>.50</u>		<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>Trace</u>	<u>—</u>	15
16	<u>.20</u>	<u>—</u>	<u>—</u>	<u>.19</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>—</u>	16
17	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>.03</u>	<u>—</u>		<u>.12</u>	<u>—</u>	<u>—</u>	17
18	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>.03</u>	<u>—</u>	18
19	<u>Trace</u>	<u>.02</u>	<u>—</u>	<u>.03</u>	<u>.25</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.26</u>	<u>—</u>	<u>Trace</u>	19
20	<u>—</u>	<u>Trace</u>	<u>—</u>		<u>.74</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>—</u>	<u>.46</u>	<u>.17</u>	<u>.01</u>	20
21	<u>Trace</u>	<u>—</u>	<u>.24</u>	<u>.09</u>	<u>.35</u>	<u>—</u>	<u>.02</u>	<u>(2.45 p.m.)</u> <u>.73</u>	<u>—</u>	<u>.29</u>	<u>.11</u>	<u>—</u>	21
22	<u>—</u>	<u>—</u>	<u>.23</u>	<u>.01</u>	<u>.07</u>	<u>Trace</u>	<u>.33</u>		<u>.52</u>	<u>.02</u>	<u>.27</u>	<u>—</u>	22
23	<u>—</u>	<u>.01</u>	<u>Trace</u>	<u>—</u>	<u>.37</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.09</u>	<u>.03</u>	<u>.06</u>	<u>.15</u>	23
24	<u>.01</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>Trace</u>	<u>.01</u>	<u>.21</u>	<u>—</u>	<u>.09</u>	<u>Trace</u>	<u>.19</u>	<u>—</u>	24
25	<u>Trace</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>Trace</u>	<u>Trace</u>	<u>—</u>	<u>.18</u>	<u>.19</u>	<u>.03</u>	<u>—</u>	25
26	<u>Trace</u>	<u>—</u>	<u>Trace</u>	<u>.40</u>	<u>.49</u>	<u>—</u>	<u>.11</u>	<u>—</u>		<u>—</u>	<u>—</u>	<u>Trace</u>	26
27	<u>—</u>	<u>—</u>	<u>.35</u>	<u>.15</u>	<u>.36</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>Trace</u>	<u>—</u>	<u>.11</u>	<u>Trace</u>	27
28	<u>—</u>	<u>—</u>	<u>.08</u>	<u>.10</u>	<u>.48</u>	<u>—</u>	<u>.20</u>	<u>.51</u>	<u>Trace</u>	<u>—</u>	<u>Trace</u>	<u>.03</u>	28
29	<u>Trace</u>	<u>—</u>	<u>.12</u>	<u>.51</u>	<u>.16</u>	<u>.18</u>	<u>.04</u>	<u>.11</u>	<u>.10</u>	<u>.31</u>	<u>.04</u>	<u>.10</u>	29
30	<u>Trace</u>	<u>×</u>	<u>.19</u>	<u>.01</u>	<u>Trace</u>	<u>.55</u>	<u>(12.15 p.m.)</u> <u>1.00</u>	<u>.04</u>	<u>.24</u>	<u>.40</u>	<u>.27</u>	<u>.17</u>	30
31	<u>Trace</u>	<u>×</u>	<u>.03</u>	<u>×</u>	<u>.02</u>	<u>×</u>		<u>.14</u>	<u>.09</u>	<u>×</u>	<u>Trace</u>	<u>×</u>	31
TOTAL	<u>1.66</u>	<u>.30</u>	<u>1.67</u>	<u>2.96</u>	<u>7.33</u>	<u>1.15</u>	<u>3.05</u>	<u>2.46</u>	<u>2.19</u>	<u>3.19</u>	<u>1.83</u>	<u>.92</u>	YEAR'S TOTAL <u>28.50</u>
Days with or more.	<u>14</u>	<u>9</u>	<u>11</u>	<u>15</u>	<u>20</u>	<u>5</u>	<u>14</u>	<u>10</u>	<u>12</u>	<u>18</u>	<u>14</u>	<u>11</u>	<u>153</u>
Days with or more.	<u>9</u>	<u>3</u>	<u>8</u>	<u>11</u>	<u>17</u>	<u>4</u>	<u>12</u>	<u>8</u>	<u>9</u>	<u>14</u>	<u>13</u>	<u>4</u>	<u>112</u>

40-9999

There was a flood here on May 22nd
due to the exceptional rainfall of May 20th & 21st.

(Signed) A. J. Bayford

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ashby-de-la-Zouch
in the County of Leicestershire

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....— ft. 1.0 in.
,, Ground ,, Sea Level 4.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.41	.03	Trace	.72	—	—	—	.06	—	.01	—	1
2	.21	—	.34	—	.72	—	—	—	—	Trace	.07	—	2
3	Trace	.28	.23	Trace	.18	—	—	—	—	Trace	.04	—	3
4	.05	Trace	.23	—	.31	—	—	—	—	.02	—	—	4
5	.09	Trace	.23	—	.11	—	—	—	—	.02	.04	—	5
6	.01	.46	Trace	—	.21	—	—	—	—	.08	—	—	6
7	.04	.25	.05	—	.01	—	.06	—	—	.15	—	Trace	7
8	—	—	.11	—	.03	—	.31	—	—	Trace	—	—	8
9	—	—	—	—	.10	.04	.25	—	—	(12.20) .81	.07	—	9
10	.04	.07	—	—	—	—	.09	.02	—	1.09	.07	—	10
11	—	—	—	—	—	—	.19	—	Trace	—	.11	—	11
12	Trace	Trace	—	—	—	.02	(12.45) .22	—	—	—	—	(Snow) Trace	12
13	—	Trace	Trace	—	.11	.06	.01	Trace	.11	.27	—	—	13
14	.07	—	Trace	—	.08	—	.01	—	—	.03	.22	—	14
15	.80	—	—	—	—	—	—	.04	—	.08	.26	—	15
16	.11	—	.75	—	.12	.16	.35	—	—	.01	.02	—	16
17	—	Trace	.41	—	—	.21	Trace	—	.06	—	.10	.09	17
18	.05	Trace	.11	Trace	—	.54	—	—	—	—	.02	—	18
19	—	—	.19	.01	.03	.08	.37	—	.05	—	.02	Trace	19
20	—	—	Trace	—	—	Trace	—	—	.03	Trace	.04	—	20
21	—	—	Trace	Trace	.02	.07	.13	.36	Trace	Trace	—	—	21
22	.01	—	—	Trace	—	.16	—	.36	Trace	.31	.04	—	22
23	Trace	—	—	—	—	.16	—	.22	.37	.01	—	—	23
24	—	(Snow) .34	—	.19	.22	1.10	—	—	.29	.02	—	—	24
25	—	.48	—	.14	—	.02	—	—	.01	Trace	Trace	.04	25
26	—	.78	—	.30	—	.14	—	—	.05	.10	—	.18	26
27	—	Trace	—	Trace	—	—	—	—	.65	.02	—	—	27
28	—	Trace	—	.04	—	—	.01	—	.01	.18	—	—	28
29	.04	X	—	Bracketed with May 1932	—	—	.10	—	Trace	.05	—	.02	29
30	Trace	X	.11	—	—	—	—	—	—	.06	—	.06	30
31	.05	X	.35	X	—	X	.01	—	X	.15	X	Trace	31
TOTAL	1.89	3.07	2.68	.68	2.25	2.54	2.16	.65	1.58	3.30	1.25	.35	YEAR'S TOTAL 22.40
*Days with or in. or more.	14	9	13	7	14	13	14	6	10	19	13	4	(136)
*Days with .04 in. or more.	12	9	11	6	10	9	11	4	7	12	9	3	(103)

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. J. Bayford

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 33210/30

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ashby-de-la-Zouch,
in the County of LeicestershireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1.0 ft.,, Ground ,, Sea Level 4.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	—	—	—	—	—	—	.10	(.02)	.01	.06	.31		1
2	.03	.02	.05	Trace	—	—	.02	.23	(.03)	.01	X	.16		2
3	.07	.06	—	.47	—	—	—	Trace	(.03)	.03	X	.06		3
4	.12	Trace	.26	.03	.09	—	—	Trace	(.03)	Trace	.30	.23		4
5	Trace	Trace	.10	—	.01	—	—	X	(.03)	.01	X	.05		5
6	X	Trace	.05	—	.29	.03	—	X	(.03)	.20	—	.43		6
7	.10	—	Trace	—	Trace	.16	—	.20	(.03)	.07	.03	.14		7
8	—	Trace	.06	—	.09	.14	—	X	(.03)	.06	.35	.16		8
9	—	—	.11	—	Trace	—	—	X	(.03)	Trace	.56	X		9
10	.01	.02	.08	.06	Trace	—	—	.17	.06	Trace	.14	.01		10
11	.55	.05	.11	.17	—	—	—	.07	—	—	—	.18		11
12	.01	Trace	.17	.25	—	—	.06	X	.16	—	.04	.01		12
13	.36	—	.02	.02	(1.30pm)	—	.31	—	—	Trace	X	.21		13
14	.07	Trace	.25	—	Trace	—	—	—	—	.21	.63	X		14
15	.08	Trace	.10	—	.11	—	—	.05	.12	Trace	.21	.09		15
16	.07	.01	.06	—	.12	—	—	Trace	—	.23	.02	.10		16
17	.11	Trace	—	.10	.06	—	.10	—	.16	.13	.03	.05		17
18	.18	Trace	Trace	.06	—	(6.30pm)	—	—	.04	Trace	Trace	Trace		18
19	—	—	.09	.04	—	.04	—	Trace	—	—	—	.01		19
20	—	—	.02	.12	—	.04	—	—	Trace	.03	Trace	Trace		20
21	—	—	—	—	—	X	Trace	.06	.03	—	—	.01		21
22	—	Trace	.01	—	Trace	—	—	.20	.19	.02	—	.01		22
23	—	—	.02	.46	.02	.06	.37	—	—	—	—	.11		23
24	—	.16	.01	Trace	—	.06	Trace	—	.43	Trace	—	—		24
25	.07	—	—	.02	—	Trace	—	—	Trace	.09	—	X	.36	25
26	.21	—	.05	.09	—	.03	.02	—	.02	Trace	.04	✓		26
27	.05	X	—	.30	—	.01	.01	—	—	.01	Trace	.21		27
28	—	—	Trace	.39	—	.20	.01	—	—	.05	—	.20		28
29	—	X	—	—	—	—	.30	—	.42	.03	Trace	.10		29
30	.07	X	—	—	—	—	.11	—	.03	.06	Trace	.31		30
31	Trace	X	.02	X	—	X	—	—	X	.18	X	.08		31
TOTAL	2.37	.53	1.64	2.58	.81	1.14	1.31	1.24	2.10	1.47	2.38	3.60	21.17	(24.23)
* Days with .01 in. or more.	18	7	20	15	9	12	10	14	12	19	15	25	166	(148)
* Days with .04 in. or more.	4	4	14	12	6	9	6	14	8	11	11	21	180	(131)

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. J. Bayford

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2509/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ashby-de-la-Zouchin the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....10.....ft.

,, Ground ,, Sea Level 4.50.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.02	Trace	—	—	.03	.07	—	.85	.04	Trace	.19		1
2	Trace	.03	Trace	.01	—	.12	—	—	.11	.20	Trace	.27		2
3	—	x	—	.15	—	.26	Trace	—	.11	.43	—	.06		3
4	—	.55	.02	.12	—	.06	Trace	—	.14	.18	Trace	—		4
5	—	x	.11	x	—	.28	.03	—	.02	.01	.08	—		5
6	.01	—	Trace	.18	—	.14	—	—	—	—	.49	.19		6
7	.02	Trace	—	.36	—	.07	—	—	—	.19	x	.19		7
8	Trace	—	Trace	.06	Trace	.20	—	.05	—	.09	.12	.02		8
9	—	Trace	—	.13	—	.20	—	—	—	.52	.27	.05		9
10	—	Trace	—	.08	—	.20	—	—	—	—	.06	.05		10
11	.16	—	—	—	—	.60 p.m.	.02	.05	—	.02	.08	.02		11
12	Trace	—	—	—	.14	.10	—	.05	—	—	.01	—		12
13	.08	—	—	.14	x	.10	—	—	.13	—	—	—		13
14	Trace	.11	Trace	Trace	.05	.01	—	—	—	—	.64	.09		14
15	.01	x	—	.60	.09	Trace	—	—	.29	—	.09	.18		15
16	—	.05	.12	.25	—	.31	.01	—	.1	.32	.74	.18		16
17	—	x	—	.05	—	.44	.07	.08	.61	.17	.38	—		17
18	.04	—	—	.30	.07	.23	.02	.09	.1	.17	Trace	—		18
19	—	—	—	.06	.12	.62	.02	—	.1	.07	.16	—		19
20	.03	.30	—	.29	—	.02	—	—	.01	.06	.09	—		20
21	—	.41	Trace	.06	—	—	—	—	.39	.15	—	—		21
22	Trace	.31	.11	Trace	—	—	—	.28	.04	Trace	Trace	—		22
23	.04	.01	.33	Trace	—	—	—	.42	.95	Trace	—	.14		23
24	.10	.30	Trace	—	—	—	Trace	Trace	.16	—	—	.11		24
25	.19	Trace	—	.05	—	1.50	—	—	—	.28	—	.14		25
26	.03	.11	—	—	—	—	—	.82	.37	.05	.03	.33		26
27	Trace	.11	—	—	—	—	—	Trace	.29	.11	.32	1.06		27
28	.10	.02	—	—	.05	—	—	—	.02	.12	.01	.18		28
29	Trace	x	.04	—	—	—	—	Trace	.08	.03	.10	.18		29
30	.03	x	—	.07	—	Trace	—	.15	.04	.30	.19	.1		30
31	Trace	x	—	x	—	x	—	Trace	x	.44	x	.09		31
TOTAL	.90	2.33	.73	2.96	.52	4.20	.24	1.99	4.56	3.63	4.01	8.72	28.79	
* Days with .01 in. or more.	14	13.15	6	18.19	6	17.8	7	9	14.20	20.22	19.20	16.19	16.2	(175)
* Days with .04 in. or more.	8	8.10	5	17.18	6	14	2	9	13.16	14.18	16.16	13.17	12.8	(139)

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) A. J. Bayford [P.T.O.]

Section



for the entry of Daily Observations.

Station No 2509/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ashby-de-la-Zouch,
in the County of Leicestershire.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft...1.0.....in.

„ Ground „ Sea Level 45.0.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.12	.08	.40	—	.08	.11	.38 ^x	.01	—	.05	.20		1
2	.12	.09	.12	.07	—	.60	.78	.38 ^x	—	—	.11	.03		2
3	Tr.	—	Tr.	Tr.	—	(5.15 p.m.) .99	Tr.	.08	Tr.	—	—	—		3
4	Tr.	Tr.	.13	Tr.	—	.17	—	.19 ^x	.80 ^x	—	.09	.06		4
5	.12	.04	.06	—	—	.01	.02	.19 ^x	.80 ^x	.03	Tr.	.09		5
6	Tr.	—	.04	—	.17	.04	.25	.14	.25 ^x	Tr.	.11	—		6
7	.13 ^x	—	.01	—	Tr.	Tr.	.37	Tr.	.25 ^x	—	.03	.06		7
8	.24 ^x	—	(4.0 p.m.) .03	—	Tr.	—	.33	—	Tr.	.06	.17	—		8
9	.24 ^x	—	.18	—	Tr.	.03	.45	—	.05	—	Tr.	.02		9
10	.01	—	Tr.	—	—	—	.28	.03	Tr.	.06	—	Tr.		10
11	.13	—	—	.07	Tr.	.03	.06	Tr.	.12	—	.51	Tr.		11
12	—	—	—	.06	.01	.22	.63	.01	.34	Tr.	.02	.04		12
13	—	—	—	.09	—	.13	—	—	Tr.	.05	.02	.21		13
14	—	—	—	.21	—	.06	.17	—	.25	.04	Tr.	.24		14
15	—	.02	Tr.	.09	—	.25	.11	.01	Tr.	—	.21	.02		15
16	(Snow) .10	.06	—	Tr.	.01	Tr.	.07	—	—	—	.54	.03		16
17	.14	.50	—	—	—	—	.06	—	—	.04	.07	.08		17
18	—	Tr.	—	—	—	.13	.21	Tr.	—	.10	Tr.	Tr.		18
19	(Snow) .48	—	.02	(Snow) .29	—	.15	Tr.	.05	—	.01	—	—		19
20	—	.01	Tr.	Tr.	—	.01	—	—	—	.01	Tr.	—		20
21	.10	—	.05	.23	—	.38	—	—	Tr.	—	.01	—		21
22	.03	(Snow) .68	.06	(Snow) .03	.10	Tr.	.19	—	—	—	Tr.	.05		22
23	—	.03	.06	.07	.02	—	.26	—	—	.01	Tr.	Tr.		23
24	.19 ^x	.08	.12 ^x	Tr.	Tr.	—	—	—	.12	.16	.01	—		24
25	—	Tr.	.12 ^x	.45	—	.01	.04	—	.29	.06	Tr.	—		25
26	—	.05	.26	.05	—	.01	—	—	.01	Tr.	.02	—		26
27	.42 ^x	Tr.	.04	—	—	Tr.	Tr.	—	.12	.19 ^x	Tr.	—		27
28	—	.17	.18	—	—	—	.26	—	.03	—	—	.02		28
29	(1.05)	.25	Tr.	—	Tr.	.08	Measured on Aug. 28	—	Tr.	.06	.08	—		29
30	.13	—	—	—	.12	.04	—	—	—	.33	.05	.13 ^x		30
31	.46	—	.07	—	Tr.	—	—	Tr.	—	.05	—	—		31
TOTAL	(3.87) 2.84	2.10	1.51	2.11	.43	(3.92) 3.42	(4.95) 4.45	.89	2.39	1.26	2.10	1.28	Year's Total 24.81	(26.81)
* Days with .01 in. or more.	21	18 ⁵	18	13	6	20	21	10	12	16	17	15	(188) 172	✓
* Days with .04 in. or more.	13	10	14	12	3	14	18	7	9	12	11	9	(144) 130	✓

Section



for the entry of Daily Observations

Station No. 2509/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ashby-de-la-Zouchin the County of LEICESTERSHIREDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft. 1.0.....in.,, Ground ,, Sea Level ...45.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	Trace	Trace	—	—	—	—	—	.05	Trace	.01	.28		1
2	.01	.12 [*]	.06	.36	—	—	—	—	Trace	—	—	.65		2
3	—	.12 [*]	Trace	—	.17	—	—	—	—	—	Trace	.02		3
4	.46 [*]	.07	.02	—	.10	—	—	.02	—	—	Trace	.39		4
5	.46 [*]	Trace	.13	—	—	—	—	Trace	—	—	—	.04		5
6	.01	—	.03	.12	.10	—	—	—	—	Trace	Trace	Trace		6
7	.01	(4.0 p.m.) .68	.01	.07	.02	Trace	—	—	Trace	.01	Trace	.01		7
8	—	.07	Trace	.01	—	—	.01	—	—	Trace	.45	—		8
9	—	Trace	Trace	.26 [*]	.13	—	.43	—	.07	—	Trace	—		9
10	Trace	.18	.59	.26 [*]	—	.09	—	—	—	Trace	—	.07		10
11	.04 [*]	Trace	.35	—	.41	.02	—	—	—	—	—	.05		11
12	.04 [*]	.19	.09	—	.41	.08	—	—	—	—	—	.5		12
13	.07	.04	.02	—	Trace	.03	—	—	—	—	—	.01		13
14	—	Trace	(5.30 p.m.) .10	—	—	.03	—	—	(8.0 a.m.) .20	—	—	.11		14
15	.19	.11	.09	.39	—	Trace	.19	.34	.02	—	Trace	.04		15
16	Trace	.20	.37	.28	—	—	—	—	.16	—	—	Trace		16
17	.20	.02	.23	.25 [*]	—	—	(5.0 p.m.) .25	—	.33	—	—	—		17
18	.47	.10	.07	.25 [*]	—	—	.01	—	.67	.01	.28	—		18
19	.06	.02	.02	.47 [*]	—	.13	—	—	Trace	.01	.10	—		19
20	.11	.09	.01	.47 [*]	.43	—	—	—	—	Trace	—	—		20
21	.02	.13	.03	.02	—	—	.33 [*]	—	—	Trace	Trace	.01		21
22	.01	Trace	.05	—	.02	—	.29	—	—	.24	.17	.01		22
23	.22	—	Trace	—	.20	—	.04	—	—	.67	.18	Trace		23
24	.10	.33	.14	—	Trace	—	.07	—	.02	.23	Trace	—		24
25	.07	.37	.05	—	.05	—	—	—	.01	.29	Trace	.02		25
26	Trace	.10	.05	—	.31	—	—	—	Trace	.27	—	—		26
27	—	(Snow) .34	Trace	.26	—	—	—	—	—	.73	Trace	.06		27
28	Trace	.02	—	Trace	—	.01	—	—	—	.02	Trace	.02		28
29	(Snow) .12	X	—	—	—	Trace	—	Trace	—	.01	.06	.04		29
30	.31	X	—	—	—	.01	—	.04	—	.01	.08	.04		30
31	.29	X	—	X	—	X	—	—	X	.08	X	Trace		31
TOTAL	2.77	3.18	2.51	2.49	2.35	.40	2.63	.40	1.53	2.58	1.35	2.02	Year's Total 24.21	
* Days with .01 in. or more.	20	20	21	14	12	8	10	8	9	13	8	19	15	
* Days with .04 in. or more.	18	16	14	9	10	3	8	8	6	6	7	12	13	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

A. J. Bayford

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2509/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Ashby-de-la-Zouchin the County of LeicestershireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.0.....ft.,, Ground ,, Sea Level 45.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	Trace	—	—	—	.28	—	—	.04	.08	.05	.25		1
2	.02	.01	—	.04	—	.16	.01	—	—	.09	Trace	.02		2
3	.02	—	—	—	Trace	(2.0p.m.) .01	—	—	.03	.29	.04	Trace		3
4	.05	—	—	—	.01	(6.0p.m.) .02	Trace	.70	Trace	.02	Trace	.43		4
5	.01	—	—	—	—	—	.01	—	.25	.03	Trace	Trace		5
6	.10	.01	Trace	—	—	Trace	.52	.05	.49	.14	—	Trace		6
7	.33	—	Trace	—	—	—	.11	.34	.08	Trace	Trace	.06		7
8	.32	Trace	—	—	—	—	.06	.35	Trace	.29	—	Trace		8
9	Trace	.13	—	—	—	(1.30p.m.) .05	.03	.03	—	—	—	.26		9
10	.02	Trace	—	—	—	—	.34	—	—	Trace	—	.04		10
11	.42	.04	—	—	—	—	.02	—	—	.03	.06	.07		11
12	.15	—	—	—	.08	—	—	—	—	.34	.12	.07		12
13	Trace	.01	—	—	Trace	—	—	—	.03	Trace	.01	.50		13
14	.09	—	—	—	.03	—	.81	.06	.04	—	Trace	Trace		14
15	.08	—	—	—	—	—	.07	—	—	—	—	.23		15
16	.23	—	—	—	—	—	.09	—	—	.01	—	.33		16
17	Trace	.02	—	—	.10	—	.90	—	.01	.14	.01	—		17
18	Trace	—	—	—	.19	.19	—	.14	.41	.02	.27	—		18
19	Trace	—	—	—	Trace	—	—	—	.05	Trace	.10	.07		19
20	.01	—	—	—	—	—	—	.07	—	Trace	.19	—		20
21	Trace	—	—	—	—	—	—	—	.04	Trace	.25	Trace		21
22	Trace	Trace	—	—	—	.18	—	.01	—	—	.30	.40		22
23	Trace	—	—	—	.06	—	—	—	.06	—	—	.05		23
24 ^{3.15p.m.}	.05	—	.12	Trace	.01	Trace	—	Trace	.26	—	Trace	Trace		24
25	Trace	.12	.05	—	Trace	—	.08	.01	—	.06	.49	.12		25
26	.02	.25	.10	—	Trace	.15	—	—	.05	.17	Trace	Trace		26
27	.10	.04	Trace	—	.25	—	.22	—	.56	.05	.36	.01		27
28	.15	Trace	—	—	.18	.04	.15	.84	.05	Trace	.03	.37		28
29	.54	X	—	—	.50	(5.0p.m.) .09	.04	—	Trace	.04	.06	.14		29
30	.09	X	—	—	.15	Trace	—	Trace	.43	—	.11	.40		30
31	.15	X	—	X	Trace	X	—	Trace	X	.03	X	.10		31
TOTAL	2.96	.63	.27	.04	1.56	1.17	3.46	2.60	2.88	1.83	2.45	3.85	Year's Total 23.40	✓
* Days with .01 in. or more.	22	9	3	1	11	10	16	11 ³	17	17	16	19 ¹⁰	152 ⁵	✓
* Days with .04 in. or more.	15	5	3	1	8	8	12	8 ⁹	14	11	13	17	118 ⁶	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. F. Bayford P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2509/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at ASHBY-de-la-ZOUCH,

in the County of LEICESTERSHIRE.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 1.0.....in.

,, Ground ,, Sea Level 4.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	—	Trace	.06	Trace	—	With June 30th.	.08	Trace	.13	—	Trace		1
2	Trace	—	Trace	.06	—	—	—	.29	.42	—	.04	—		2
3	.05	—	—	.40	—	—	—	.78	.01	—	.14	.31		3
4	—	—	.25	.09	.05	—	.37	.40	.01	.26	.10	.24		4
5	.70	.01	Trace	.04	.22	—	.07	.03	—	.13	.18	.15		5
6	.01	—	Trace	—	—	—	.22	.02	—	—	.11	.38		6
7	.20	.07	—	—	—	—	.47	.01	—	.01	.16	.38		7
8	—	.03	.26	—	—	—	.26	.16	—	.30	.36	.01		8
9	.02	.08	—	—	—	—	.32	.42	—	.32	Trace	.24		9
10	.47	Trace	Trace	—	—	—	—	—	.03	.06	Trace	Trace		10
11	Trace	.05	.19	—	—	—	—	.04	Trace	.03	Trace	—		11
12	.01	.01	Trace	—	.01	.02	—	—	—	Trace	Trace	—		12
13	Trace	—	Trace	.02	.01	(6.0 p.m.) .04	.14	—	.02	.08	—	—		13
14	.44	—	.01	.09	.41	.16	.14	—	Trace	.11	.05	—		14
15	.29	—	Trace	.02	.28	.35	.49	—	.04	.05	.05	—		15
16	Trace	Trace	.08	—	.26	.02	.02	—	.01	.36	.10	—		16
17	.39	.07	Trace	Trace	.01	Trace	.15	—	—	.95	.02	—		17
18	.16	.02	.07	—	—	.26	.03	—	Trace	Trace	.64	—		18
19	.22	—	.01	—	—	.09	.41	.25	.01	—	Trace	Trace		19
20	.19	—	.60	—	—	Trace	Trace	2.15	—	—	—	—		20
21	.12	.15	.15	—	—	—	—	.05	—	—	—	—		21
22	.14	.26	.18	.02	—	Trace	.16	Trace	.01	—	.78	—		22
23	—	Trace	.01	.02	—	.01	.14	—	—	.04	.50	.01		23
24	Trace	—	.04	.05	—	—	—	.01	—	Trace	Trace	.01		24
25	.96	.08	Trace	Trace	—	—	—	Trace	—	—	.46	.03		25
26	.05	—	.05	Trace	—	—	Trace	—	—	.01	.16	—		26
27	—	.26	.20	Trace	—	.01	.06	Trace	—	.05	.06	—		27
28	—	.14	.14	.05	—	.13	.10	—	—	.03	.22	.05		28
29	—	X	Trace	.35	—	.05	.16	—	—	.19	.03	Trace		29
30	—	X	—	.03	—	.04	.05	.02	—	Trace	.09	—		30
31	—	X	Trace	X	—	X	Trace	.01	X	Trace	X	—		31
TOTAL	4.41	1.26	2.25	1.30	1.25	1.18	3.79	4.67	.91	3.11	4.31	1.43	29.87	
* Days with .01 in. or more.	17	13	15	14	8	12	19	15	10	18	20	10	171	
* Days with .04 in. or more.	14	9	12	9	5	5	17	19	3	14	18	6	124	

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. J. Bayford P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2509/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at AshtBY-de-la-Zouch
 in the County of LEICESTERSHIRE

Diameter of Funnel of Gauge.....5.....in.
 Height of top of Gauge above Ground.....10.....ft.
 „ Ground „ Sea Level 4.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	~~1.00~~ snow	—	—	Trace	—	—	—	—	—	.23	Trace		1
2	—	~~1.00~~ (55)	—	.07	—	Trace	Trace	—	—	Trace	.63	.13		2
3	—	~~1.00~~	—	.17	—	—	—	—	—	.20	1.02	.4		3
4	—	.02	—	.04	—	—	—	—	—	.09	.18	.05		4
5	—	.27	—	—	.03	—	.08	—	—	.12	.39	.06		5
6	.11	.06	—	—	—	—	.03	—	Trace	.31	.01	Trace		6
7	.05	Trace	—	.07	—	—	—	—	—	Trace	.01	—		7
8	Trace	—	—	—	—	—	Trace	—	.02	.08	✓	.29		8
9	—	—	.10	Trace	—	.23	.24	—	—	.01	.23	.4		9
10	—	—	.12	—	—	—	.62	.11	—	.04	.13	.62		10
11	—	—	Trace	.01	—	—	.06	—	.04	—	.37	Trace		11
12	—	Trace	.05	—	—	—	.08	.02	.02	Trace	.03	—		12
13	—	.01	.19	Trace	—	—	.06	—	.05	—	Trace	—		13
14	—	Trace	.02	.15	.38	—	—	—	.06	.02	.01	.17		14
15	—	—	Trace	—	.07	—	.03	—	.03	.13	.06	.01		15
16	.02	.35	.31	—	—	.02	.28	—	Trace	1.20	.71	.02		16
17	—	.85	.48	—	—	Trace	.11	—	.02	Trace	.12	Trace		17
18	Trace	.35	.06	.38	—	—	.03	—	.11	.26	.02	—		18
19	—	.13	.04	.36	—	.02	.39	—	.04	Trace	.13	.10		19
20	—	.01	—	.02	—	—	.14	—	—	.11	.01	.02		20
21	Trace	.01	Trace	—	.20	.40	.05	—	—	.07	1.10	Trace		21
22	—	—	.01	.02	.08	—	—	—	.11	Trace	Trace	—		22
23	.01	.08	.03	Trace	.05	—	—	—	.11	.01	Trace	.02		23
24	.02	Trace	—	—	—	—	Trace	—	Trace	.05	Trace	.05		24
25	—	Trace	—	Trace	Trace	—	.12	—	.10	.01	Trace	—		25
26	.34	.29	—	.05	.03	.04	.12	—	Trace	.03	.03	—		26
27	1.42	.4	—	.09	.13	.01	—	—	—	—	.18	—		27
28	—	.38	—	—	.05	—	.11	—	—	—	Trace	—		28
29	—	—	.10	Trace	.07	.17	Trace	—	—	—	—	.35		29
30	—	—	—	.44	—	—	—	—	—	.29	—	—		30
31	—	—	—	—	—	—	—	—	—	.85	—	.15		31
TOTAL	2.47	3.34	1.51	1.87	.96	1.02	2.48	.13	.60	3.88	5.60	2.04	Year's Total	25.90
* Days with .01 in. or more.	108(10)	17.5	12	13	108	9	1617	2	11	19	21	147	148	
* Days with .04 in. or more.	75(2)	13	9	10	6	6	18	1	7	14	14	10	114	

† Spare column, no entries required.

(Signed) A. J. Bayford. [P.T.O.]

* See Instruction 3 (f) on other side.

2510

Kept at Barrow-upon
in the County of Leic

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

BARROW-UPON-SOAR
1931-36

THE MORNING MI

An observer who does not confo
year in the space on the right

lowing
Jan. 1, following

780408

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		'04	SNOW '12	'04		'19			'31				1
2		'02		'62		'05			'37	'05	'02	'02	2
3	'06	'01		'10			'03		'63		'19	'03	3
4		SNOW '08		'12			'64	'25	'12		'09		4
5		SNOW '02		'05		1'10		'16	'15	'03		'39	5
6		SNOW '19	SNOW '04			'53	'03			'12	'11		6
7						'10	'04	'33			'05		7
8	SNOW '01	'10	SNOW '03	'01		'03	'05	1'55			'22		8
9		'15	SNOW '05					'16			'24		9
10		'02						'08	'01				10
11	'05	'35				'05			'13		'07		11
12	'06	SNOW '09					'99		'27		'02		12
13	'02						'07	'19	'03				13
14		'03					'78	1'11			'13	'04	14
15		'14		'06	'27		'08	'15			'02		15
16		SNOW '31		'07	'55	'49		'13	'18		'03		16
17	'11	'26		SNOW '44	'61		'01						17
18	'01	'01		'31		'03	'03	'09			'36		18
19		'02		'30			'10	'06					19
20		'06		'09				'43	'06				20
21	'15				'42			'16			'05		21
22	'06	'01									'04		22
23	'16			'04	'38	'24	'01		'05		'15	'01	23
24				'07	'62		'17						24
25	'11	'02		'61			'34					'02	25
26	'04			'31			'05				'14		26
27	'06			'04	'04					'04	'24	'05	27
28	'04	SNOW '51			'17		'02					SNOW '26	28
29	SNOW '12	SNOW '20			'03					'15			29
30	S. L. 2. '11	X					'01						30
31	S. L. 2. '18	X		X		X			X		X	'09	31
TOTAL	1'35	2'64	0'24	3'28	3'09	2'81	3'45	4'85	2'31	'39	2'17	'91	YEAR'S TOTAL 27'49
*Days with "or in. or more.	17	22	4	17	9	10	18	14	12	5	18	9	155
*Days with "04 in. or more.	14	13	3	16	8	8	11	14	10	4	14	5	120

Section



for the ent

2510
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Barnow-upon-Sour
in the County of Leicester.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		'04	SNOW '12	'04		'19			'31				1
2		'02		'62		'05			'37	'05	'02	'02	2
3	'06	'01		'10			'03		'63		'19	'03	3
4		SNOW '08		'12			'64	'25	'12		'09		4
5		SNOW '02		'05		1'10		'16	'15	'03		'39	5
6		SNOW '19	SNOW '04			'53	'03			'12	'11		6
7						'10	'04	'33			'05		7
8	SNOW '01	'10	SNOW '03	'01		'03	'05	1'55			'22		8
9		'15	SNOW '05					'16			'24		9
10		'02						'08	'01				10
11	'05	'35				'05			'13		'07		11
12	'06	SNOW '09					'99		'27		'02		12
13	'02						'07	'19	'03				13
14		'03					'78	1'11			'13	'04	14
15		'14		'06	'27		'08	'15			'02		15
16		SNOW '31		'07	'55	'49		'13	'18		'03		16
17	'11	'26		SNOW '44	'61		'01						17
18	'01	'01		'31		'03	'03	'09			'36		18
19		'02		'30			'10	'06					19
20		'06		'09				'43	'06				20
21	'15				'42			'16			'05		21
22	'06	'01									'04		22
23	'16			'04	'38	'24	'01		'05		'15	'01	23
24				'07	'62		'17						24
25	'11	'02		'61			'34					'02	25
26	'04			'31			'05				'14		26
27	'06			'04	'04					'04	'24	'05	27
28	'04	SNOW '51			'17		'02					SNOW '26	28
29	SNOW '12	SNOW '20			'03					'15			29
30	S.L. '11	×					'01						30
31	S.L. '18	×		×		×			×		×	'09	31
TOTAL	1'35	2'64	0'24	3'28	3'09	2'81	3'45	4'85	2'31	'39	2'17	'91	27'49
*Days with or in. or more.	17	22	4	17	9	10	18	14	12	5	18	9	155
*Days with '04 in. or more.	14	13	3	16	8	8	11	14	10	4	14	5	120

40-9999

*See Instruction 2 (f) on other side.

(Signed) Bertha Thomson
pp. A. W. Marshall

[P.T.O.]

X MRS C. STUART THOMSON X

2510

REGISTER OF RAINFALL IN 1932.

Kept at The Mount, Barrow, Upper Son
in the County of Gloucestershire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

Total days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				17	41	9	=	8	5	28	4	—	1
2				1	14	22		3	4	13	2	12	2
3				5				=	=	2	=	—	3
4	9			10					5	—	29		4
5	35		5						6	—	=		5
6	30		4	11	1				16	—	—		6
7			21	30					3	9	—		7
8				11	2				1	7	—		8
9	10	10	10						=		—		9
10	8	5		10					19	21	—		10
11	1	3	6			9	30		4	1	3		11
12	13				8	=	15		4	31	1		12
13	2	7		13	27		80		2	3	2	3	13
14	25	3		6	5		19	56		1	21	2	14
15	2			5	17		=	=		3	=	0	15
16	13			27			—			=			16
17					9		1			9			17
18									2				18
19				6					=	25			19
20				4	49			27		40	11		20
21			15	13	195			66		38	=	9	21
22			27		12	3	38		53	7	51	—	22
23		3			28		2		10	6	5	6	23
24				3	=		30		6	2	17	—	24
25		8					25		2	12	1	—	25
26				32		2	10		13	=	11	—	26
27			28	12	95	=	12		=		11	—	27
28			17		48		12	78	—	—	—	2	28
29			28	2	9		4	2	12	56	6	10	29
30		×	14		24	56	3	7	25	30	23	14	30
31		×	5	×	2	×	82	—	×	=	×	8	31
TOTAL	1.48	39	1.70	2.18	5.86	79	3.63	2.45	1.90	3.19	1.90	45	YEAR'S TOTAL
*Days with "or in. or more.	11	7	11	19	18	5	15	8	19	21	16	10	26.22
*Days with "04 in. or more.	8	4	11	16	15	3	12	6	14	16	11	7	160
													123

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Mount, Barrow-upon-Soar
in the County of Leicester.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.30	.07								.03		1
2	.16		.35		.03						.05		2
3		.15	.11		.14						.04		3
4	.12		.01		.28								4
5	.10		.09		.02						.01		5
6	Tn.	.10	.07		.21					.10			6
7	.02	.30			.05		Tn.			.12	.01		7
8			.08		.02		.42						8
9		.01			.02		.30			.41	.03		9
10	.01	.05			.01	.04		Tn.		1.33	.03		10
11	Jce.					.02	.11	.01					11
12	.04					.02			.03				12
13	.09				.05	.01	.18			.02	.21		13
14					.22						.33	.08	14
15	show 52					.14	.13	.08		.06	.31	.01	15
16	show 15		.57		.06	.20	.33			.02	.13	.03	16
17	show 03		.49			.14					.12		17
18		show Tn. show	.06			.47					.03		18
19		show 04 sleet	.24			.10	.02		.05				19
20		04				.02		.07			.03		20
21					.16	.06		.16	.02				21
22		S				.09		.26		.36			22
23		N		.15					.66	.02	.07		23
24		O		.06	.14	.60			.33	.06			24
25		W		.29		.03					.02	.03	25
26		1.15		.10					.09	.16			26
27				.22	.09				.86				27
28					.26					.19		.06	28
29				.33	.01		.03			.06		.01	29
30	.08	X	.06	.02								.03	30
31		X	.16	X		X	.02	.09	X	.14	X		31
TOTAL	1.57	2.14	2.36	1.17	1.77	1.94	1.54	.67	2.04	3.05	1.45	.25	YEAR'S TOTAL 19.95
*Days with or in. or more.	12	13	13	7	17	14	9	6	7	14	16	7	135
*Days with .04 in. or more.	9	12	12	6	11	9	6	5	5	11	8	2	96

Section

A

for the entry of Daily Observations.

Station No.

2510

AIR MINISTRY.—METEOROLOGICAL OFFICE,—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Barrow on Soar
in the County of LeicestershireDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft. _____ in.Total trap
✓ all

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04							21		02		24	1
2		05	03					36	26	05	10	20	2
3	01	03								02	03		3
4	06	01	09	50					05	02	11	26	4
5			07		11			16			09	11	5
6			02	03	81	03		09		17		40	6
7	06		35			03		02		05		19	7
8			06		07			08		02	22		8
9			18	03				06			59	23	9
10			11	11				06			15		10
11	16		10	32				05				16	11
12			20				04	05				03	12
13	46		35	02			19	11			02	15	13
14	10		28		02	03				18	44	30	14
15	09		05		11				02		11	01	15
16	12		11		18					05	04	05	16
17	12		35		05		10	06	22	09	04	04	17
18	16		35	23			05		08				18
19			09	14		02			04	02		08	19
20			04	4									20
21						20		02		04			21
22			35	10				17	21		01		22
23				34		04	20					12	23
24		17	13	05		04	06		24	02			24
25	18									10		40	25
26	12		01	18		02			04			13	26
27		Snow		40						02		08	27
28				61		19		34		01		38	28
29							33	05	34	01	01	11	29
30	07	×					01		06			28	30
31	01	×		×		×			×	33 Snow	×	04	31
TOTAL	2.24	2.26	1.57	3.00	0.85	0.60	0.98	1.89	1.56	1.22	1.96	4.02	YEAR'S TOTAL 20.15
*Days with 0.1 in. or more.	15	4	16	14	7	9	8	16	11	18	14	23	155
*Days with 0.04 in. or more.	13	2	13	11	6	4	7	14	10	9	10	21	120

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. S. James
(for Mr. Marshall)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2510

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Mount, Barrow-on-Soar
in the County of LeicesterDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	27		28	08		04	02		29	09	22	05		1
2			03	01		11			25	27		27		2
3		12	06						23	02	18	02		3
4			02	SNOW		10			10	22				4
5		41	07	SNOW		01	06		02	06	22	01		5
6		06	03	11		16					02			6
7	05			40		05				16	53	16		7
8			01	18						06	14	17		8
9				22		12				80	30	03		9
10		03		05							08	02		10
11	13					02	15	03		05	16	05		11
12	SNOW					20		03	03					12
13	10	01		16	17									13
14				SNOW	01				01		38	SNOW		14
15		09		65	08	10			28		17	SNOW		15
16		04	13	20		55			39	26	46			16
17				06		16	01		04	05	66			17
18	03			12	03	13	01		34	07				18
19	02			02	12	30	06		02	05	16			19
20	01	12		22	8	15	02				03			20
21		38	01	02					47	01	11			21
22		24		05				02	03					22
23	02	01	20	16				80		17	01			23
24	06	20	07						73			40		24
25	SNOW	05		03		44								25
26								26	27	03	01	60		26
27		SNOW							03	01	18	1.14		27
28		02			12				02			11		28
29	01		07		02				14	01	02	09		29
30	07	X		05				19	02	23	24	10		30
31		X		X		X			X	46	X	14		31
TOTAL	199	197	98	299	61	265	33	133	371	308	428	387	2679	Year's Total
*Days with or in. or more.	12	15	12	21	7	17	7	6	20	20	21	18	176	
*Days with .04 in. or more.	7	11	7	17	5	14	3	3	12	15	16	14	124	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Station

A

for the entry of Daily Observations.

Station No.

2510.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Mount, Hanson Road
 in the County of Leics.

Diameter of Funnel of Gauge in.
 Height of top of Gauge above Ground ft in.
 „ Ground „ Sea Level ft.

Feb. 17th. Gauge blown over.
 Value estimated by
 surrounding stations.

Oct-Dec. estd. by CHR. 2/12

surv. stns.

sum 70345 2/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	02	07	16	44			28	09	01					1
2	04	03	11	06		38	45	08						2
3						12			11					3
4			09			17		19	46					4
5	06	05	18	01			04	04	26	02				5
6					26	06	26	17	18	31				6
7	31		03				40		02					7
8	19		04											8
9	33		03			05	45			22				9
10	04		06				31	08	02					10
11				16			10							11
12				19		26	67		53					12
13				04		16				04				13
14				23		10	22		46					14
15				02		20	14		01					15
16	SNOW	18					03							16
17		(-50)					05			06				17
18		03				03	10			09				18
19	40	02		22		49	02	10		07				19
20		06		03										20
21	14			13		36								21
22		60 SNOW	07		17		15							22
23		08	11	14	04		38							23
24	17	13	10		74		02		10	28				24
25	08			21		48			27					25
26		03	31	04						x				26
27	07								24	x				27
28	40	13 SNOW	07			07	50		08	(-80)				28
29	80	33	12			19				x				29
30	11	x			11	04	07			x				30
31	42	x	08	x	05	x	02		x	x	x		d	31
TOTAL	3.58	2.18	1.56	1.90	.63	3.16	4.96	.75	2.75	(1.58)	(2.50)	(1.60)	(27.15)	
* Days with .01 in. or more.	15	14	15	14	5	16	21	70	14	(14)	(17)	(16)	(169)	
* Days with .04 in. or more.	15	9	13	11	5	15	17	7	10	(11)	(12)	(14)	(139)	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

REGIST

Kept at Charley Hall
in the County of Leicesters

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to the
year in the space on the right of this

2511
OR OFFICIAL USE,
ANIZATION.

2511

LOUGHBOROUGH, CHARLEY HALL
1931 — 40

Obs't concurs
f

Jan. 1, following

780409

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02				.16			.32				1
2		.03		.60					.52	.09		.05	2
3				.08	.03	.03	.04		.31		.40		3
4		.07 ^s		.17			.68		.12				4
5		.08 ^s		.07	.06	1.06		.25	.11			.39	5
6			.03 ^s	.02		.34	.04			.23	.12		6
7		.23 ^s				.07	.04	.49			.08		7
8	.15 ^s	.14	.04 ^s	.06	.06	.03	.05	1.60			.22		8
9		.14		.06			.04	.17		.02	.26	.03	9
10					.04	.06					.06		10
11		.28				.06			.30		.12		11
12	.19	.10 ^s					1.60		.07	.06	.04		12
13													13
14			.05			.44	.79	1.25			.16		14
15		.22		.08	.10		.08	.08				.05	15
16		.45 ^s			.46	.61		.12	.14				16
17	.16	.20 ^s			.80	.01	.05						17
18	.11	.01				.09	.08	.08		.02	.45		18
19		.11				.28	.02		.13				19
20		.07		1.08				.54		.04			20
21	.24				.40			.25			.16		21
22	.16												22
23			.08	.08	.39	.20					.15	.05	23
24	.11				.64		.18		.07				24
25		.07		1.20			.16						25
26	.14	.01		.17			.07				.27		26
27		.51 ^s			.12					.04	.21	.17	27
28	.23	.30 ^s		.04	.30						.01	.28 ^s	28
29	.08				.07		.17			.29			29
30	.02	×											30 ^d
31	.22	×		×		×	4.09		×		×	.05	30.05 31
TOTAL	1.81	3.04	.20	2.71	3.47	3.24	2.89	3.83	2.09	.79	2.71	1.07	27.85
*Days with or in. or more.	12	19	4	13	13	14	16	10	10	8	16	8	143
*Days with or in. or more.	11	15	3	12	12	11	15	10	10	6	15	7	127

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Charley Hall
in the County of Leicestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
Ground Sea Level 500 ft.

*April corrected for rain
July 12 adj. by 2.00 in. for April*
Obs. concurs

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02				.16			.32				1
2		.03		.60					.52	.09		.05	2
3				.08	.03	.03	.04		.31		.40		3
4		.07 ^s		.17			.68		.12				4
5		.08 ^s		.07	.06	1.06		.25	.11			.39	5
6			.03 ^s	.02		.34	.04			.23	.12		6
7		.23 ^s				.07	.04	.49			.08		7
8	.15 ^s	.14	.04 ^s	.06	.06	.03	.05	1.60			.22		8
9		.14		.06			.04	.17		.02	.26	.03	9
10					.04	.06					.06		10
11		.28				.06			.30		.12		11
12	.19	.10 ^s					1.60		.07	.06	.04		12
13													13
14			.05			.44	.79	1.25			.16		14
15		.22		.08	.10		.08	.08				.05	15
16		.45 ^s			.26	.61		.12	.14				16
17	.16	.20 ^s			.80	.01	.05						17
18	.11	.01				.09	.08	.08		.02	.45		18
19		.11				.28	.02		.13				19
20		.07		1.08				.54		.04			20
21	.24				.40			.25			.16		21
22	.16												22
23			.08	.08	.39	.20					.15	.05	23
24	.11				.64		.18		.07				24
25		.07		1.20			.16						25
26	.14	.01		.17			.07				.27		26
27		.51 ^s			.12					.04	.21	.17	27
28	.23	.30 ^s		.04	.30						.01	.28 ^s	28
29	.08				.07		.17			.29			29
30	.02	×											30 ^d
31	.22	×		×		×	4.09		×		×	.05	30.05 31
TOTAL	1.81	3.04	.20	2.71	3.47	3.24	2.89	3.83	2.09	.79	2.71	1.07	27.85
*Days with or in. or more.	12	19	4	13	13	14	16	10	10	8	16	8	143
*Days with or in. or more.	11	15	3	12	12	11	15	10	10	6	15	7	127

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Charley Hall
in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 7 ft. 10 in.
Ground Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26			.20	.47	.11		.23	.08	.23	.09		1
2				.01	.20			.05	.09	.10	.01	.07	2
3				.35	.03			.01					3
4		.06		.14							.29		4
5	.39	.03	.09										5
6	.25		.03 ^s	.13	.02				.30				6
7			.31	.34					.07	.28			7
8				.12					.05				8
9	.18	.10 ^s		.03	.04								9
10	.06	.06 ^s		.06	.04				.44	.30			10
11		.03 ^s		.03	.30	.04	.12	.01			.05		11
12	.29			.01	.23		.10			.43	.05		12
13		.09		.08			.28			.06			13
14	.30			.07			.27			.03	.28		14
15				.05	.18			.33				.15	15
16	.16			.22	.08		.09						16
17							.02		.01	.16	.01		17
18					.01								18
19				.03						.29			19
20					.70			.37		.53	.22		20
21			.25	.16	2.38			.28		.30	.22	.16	21
22			.19		.12		.27		.56	.14	.37		22
23		.06		.07	.26		.04		.08	.03	.06	.06	23
24					.02		.15				.19		24
25		.08					.31		.04	.23	.06		25
26				.37	.34	.04	.13				.03		26
27			.50	.20	.67		.48				.10		27
28			.42	.04	.49	.01	.33					.03	28
29			.22	.14	.04	.12	.05	.19	.25	.38	.35	.11	29
30		x	.16		.09	.64	.12	.09	.29			.17	30
31		x	.14	x	.02	x	.76		x		x	.12	31
TOTAL	1.89	.51	2.31	2.85	6.73	.96	3.19	1.89	2.26	3.49	2.38	.87	YEAR'S TOTAL 29.33
*Days with "or in. or more.	9	8	10	22	22	6	16	10	12	15	17	8	155
*Days with ".04 in. or more.	9	6	9	17	17	5	15	8	11	13	14	7	131

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Ethel Martin

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Charley Hall
in the County of LeicestershireDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	.40									.09			1
2	.29		.56		.04						.06			2
3		.29	.15		.25						.08			3
4	.12	.01	.02		.18									4
5	.10		.15		.13						.01			5
6		.27	.01		.30					.12				6
7		.36	.04		.03					.18				7
8			.08		.06		.47							8
9					.08		.57			.45	.06			9
10	.07					.06	.22	.01		1.33	.09			10
11							.08	.02						11
12						.05	.16							12
13	.11				.10	.01	.21			.07	.28			13
14	.01				.36					.04	.34	.15		14
15	.75 ^s					.07	.69	.12		.08	.36	.06		15
16	.21 ^s		.57		.15	.24	.19		.01		.07	.02		16
17			.59			.23			.05		.10			17
18		.11 ^s	.09			.36	.02		.07		.06			18
19			.25			.36	.06				.04			19
20						.10		.10						20
21		.11 ^s				.19		.24						21
22					.65			.25		.44				22
23						.03			.58					23
24		.56 ^s			.20	1.49			.35	.05				24
25		.86 ^s		.70 ^s		.04						.07		25
26		.68 ^s		.16					.08	.12				26
27					.02				.79					27
28				.36	.05				.01	.10		.12		28
29				.10	.17		.03			.03				29
30		×	.13				.04					.09		30
31	.12	×	.28	×		×	.04	.10	×	.10	×			31
TOTAL	2.113	3.65	2.92	1.32	2.77	3.23	2.78	.84	1.94	3.11	1.64	.51	26.82	
*Days with .01 in. or more.	10	10	13		16	13	13	7	8	13	13	6	122	
*Days with .04 in. or more.	9	9	11		14	11	11	5	6	12	12	5	105	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Ethel Martin

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Charley Hall
in the County of LeicesterDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								.24	.05		.05	.41		1
2		.06	.09					.60	.28	.02	.22	.20		2
3	.14	.03	.15							.18				3
4				.60	.04				.17	.09	.15	.35		4
5			.08	.05	.12			.28		.23		.14		5
6			.07		.49	.14		.08			.12	.45		6
7	.20							.03		.07		.21		7
8			.08		.11	.04				.04	.42	.01		8
9			.21					.16			.80	.29		9
10	.08		.18	.25				.06			.17	.01		10
11	.70		.19	.36				.07				.27		11
12			.19	.09			.03	.08						12
13	.58				.02		.28	.04		.04		.11		13
14	.05		.42							.22	.50	.45		14
15	.09		.06		.15						.20	.10		15
16	.11		.13		.18			.01	.27	.09	.02			16
17	.15		.03 ^s		.05	.03				.17	.06	.09		17
18	.20		.01	.28			.09		.08					18
19			.13	.09		.10		.01	.06					19
20			.03	.12				.01						20
21						.30		.04						21
22					.01			.34	.31			.15		22
23				.56		.05	.16			.05		.06		23
24		.28	.12			.10	.03		.30					24
25	.29			.06			.01		.01			.47		25
26	.09		.04	.09		.03					.04			26
27		.34 ^s		.40		.17	.01		.05	.03		.37		27
28				.78				.30		.06		.36		28
29				.01			.40	.06	.43			.10		29
30		×						.06				.31		30
31	.11	×		×		×	.09		×	.35	×	.07		31
TOTAL	2.79	.71	2.21	3.74	1.17	.96	1.09	2.41	2.07	1.64	2.75	4.98	26.52	
*Days with or in. or more.	13	4	18	14	9	10	8	17	12	14	12	22	153	
*Days with .04 in. or more.	13	3	15	13	7	8	5	13	11	12	11	20	131	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Ethel Martin

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Charley Hall*
in the County of *Leicester*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground */* ft in.,, Ground ,, Sea Level *500* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18		.12			.06	.03		.72	.05	.24	.12		1
2				.05		.22			.09	.39	.12	.36		2
3		.13	.03	.01		.01			.55		.24	.06		3
4				.08 ^s		.06			.06	.47				4
5		.47	.12	.49			.01			.10	.12			5
6			.02			.15								6
7	.07			.43		.07				.22	.67	.21		7
8				.22		.13		.05	.01	.03	.17	.19		8
9				.09						.93		.05		9
10		.02		.03						.03		.06		10
11	.15 ^s					.07					.38			11
12						.15								12
13	.08	.03		.16	.15	.06			.02					13
14					.02 ^s						.33	.17 ^s		14
15		.12		.80	.08				.50		.27	.55 ^s		15
16			.15	.25		.34			.45	.30	1.00			16
17				.06		.20	.07	.01		.12	.55			17
18				.20	.03	.33			.39	.09				18
19	.07			.07	.16	.42	.16				.30			19
20		.19		.36		.42	.01				.10			20
21		.61 ^s	.01	.15					.77		.19			21
22		.15 ^s	.04	.06					.53		.01			22
23	.06		.40				1.19		.14	.32				23
24	.09	.29	.02						.77			.44		24
25	.20	.04		.04		1.12						.09		25
26	.05 ^s	.05 ^s					.53		.43	.09	.03	.49		26
27		.19 ^s			.01				.11	.11	.30	1.31		27
28					.04							.08		28
29									.03	.08	.06	.09		29
30	.05	x		.08			.17		.17	.30	.24	.11		30
31		x	.04	x		x			x	.54	x	.14		31
TOTAL	1.00	2.29	.95	3.63	.49	3.81	2.67	.06	5.74	4.27	5.24	4.52	34.15	Year's Total
* Days with .01 in. or more.	10	12	10	20	7	16	8	2	17	17	19	17	155	
* Days with .04 in. or more.	10	10	6	18	4	14	5	1	14	15	17	17	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Ethel Martin*

P.T.O.

Section



for the entry of Daily Observations

Station No. 2511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Charley Hallin the County of LeicesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft.....in.,, Ground ,, Sea Level 500.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.08	.08	.47		.04	.12	.23	.01		.04	.13		1
2	.11	.03 ^s	.14	.08		.54	.64	.04			.10	.04		2
3						.61	.01	.03	.26		.01			3
4		.02	.15 ^z			.45		.12			.09	.07		4
5	.09		.17 ^z				.04	.06	.09	.03		.14 ^s		5
6					.17	.08	.32	.20	.25		.12			6
7	.25		.05				.53		.04		.06			7
8	.23		.04							.03	.24	.07		8
9	.58		.03			.04	.80		.06	.15				9
10			.01				.38							10
11				10 ^s			.07				.47			11
12				.09	.02	.40	.70		.61		.02			12
13				.08		.14				.06	.03			13
14				.27 ^z		.10	.23		.26	.03		.59 ^z		14
15	.10 ^s	.08		.01		.16	.07		.22		.23	.12		15
16	.21 ^s						.04				.57	.04		16
17		.75					.08			.13	.14	.07		17
18		.06				.08	.27			.10		.03		18
19				.31 ^s		.27		.16		.06				19
20	.65 ^z	.18	.05				.04			.03				20
21	.01	.08	.02	.24		.51								21
22	.45 ^s	.62 ^s	.09		.20		.26					.07		22
23		.05		.18	.06		.49							23
24	.31	.12							.06	.34				24
25	.09	.07	.41	.31		.12	.01		.32	.10				25
26	.03	.07	.25	.03						.07	.07			26
27	.14		.02						.24	.25	.05			27
28	.40	.22 ^s	.20			.02	.04					.11		28
29	.34	.41 ^s	.09			.18				.06	.31	.05		29
30	.12	~~x~~			.08	.80	.11			.32	.05			30
31	.54	~~x~~	.10	~~x~~		~~x~~	.02		~~x~~	.08	~~x~~	.22		31
TOTAL	4.65	2.77	1.90	2.17	.53	4.54	5.27	.84	2.42	1.84	2.60	1.75	31.28	Year's Total
* Days with .01 in. or more.	18	14	17	12	5	17	22	7	12	16	17	15	172	
* Days with .04 in. or more.	16	12	13	10	4	16	19	6	11	12	14	14	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Ethel Martin [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at Charley Hall

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.05							.05		.07	.20		1
2		.10	.14	.38								.44		2
3	.02		.01	.02	.16		.02					.30		3
4		.10	.01		.35			.13				.51 ^s		4
5	.55		.18 ^s									.05 ^s		5
6	.03		.12 ^s		.11						.01			6
7		.54	.02	.25						.01				7
8		.30		.02			.03				.43			8
9				.07	.13		.49		.09					9
10		.25	.32 ^s	.25		.11						.12		10
11		.10	.48 ^s		.55		.02					.10 ^s		11
12	.13	.24	.15		.51	.11			.19			.26		12
13			.05			.06		.56						13
14			.19	.02				.10	.19 ⁺			.13 ^s		14
15	.29	.09	.07 ^s	.27			.77							15
16		.27	.49	.48				.14	.43					16
17	.49	.02	.26	.58					.16					17
18	.49	.10	.13	.03					.58		.47			18
19		.03	.03	.19		.36	.70				.10			19
20	.25	.20	.02	.39 ^s	.54	.07								20
21	.05	.14	.06 ^s				.37			.02		.05		21
22	.16		.02 ^s		.11	.02	.33			.30	.12	.01		22
23	.28		.03		.01					.85	.20			23
24	.18	.56	.10		.02		.18			.21				24
25	.10	.35	.03 ^s		.09		.04		.04	.35				25
26	.02	.19	.14 ^s		.19									26
27		.50 ^s	.02	.29						1.01				27
28		.07 ^s								.03		.11		28
29	.10										.08	.05		29
30	.48					.02					.15			30
31	.41									.17				31
TOTAL	4.03	4.21	3.07	3.10	2.27	.75	3.95	.93	1.73	2.95	1.63	2.33	Year's Total 30.94	5
* Days with .01 in. or more.	17	20	24	14 ^s	12	7	10	4	8	10	8	9	13	14
* Days with .04 in. or more.	14	18	15	10	10	5	7	4	8	5	8	12	11	11

† Spare column, no entry required.

* See Instruction 3 (f) on other side.

(Signed)

Ethel Martin

[P.T.O.]

REGISTER OF RAINFALL IN 1938.

Kept at Charley Hall
in the County of Leicester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03				.01	.84	.02		.02	.12		.24	1
2	.03		.05	.05	.03	.55				.11		.01	2
3	.02					.07			.02	.71	.04	.43	3
4	.03							.51		.03			4
5	.04						.07	.05					5
6	.03					.03	.38		.34	.16			6
7	.26						.12	.08	.15	.02		.03	7
8	.31						.25	.03		.35			8
9	.07	.15					.01	.08				.50	9
10						.07	.27	.04				.08	10
11	.52						.02			.02	.08	.02	11
12	.13				.10					.40	.11		12
13		.05									.05	.46	13
14	.15				.11		.72		.15				14
15	.15						.26	.08				.39	15
16	.25						.07					.18	16
17		.04					.11			.18	.05	.01	17
18	.01				.36	.17		.13	.26		.36		18
19	.01							.05	.13		.10		19
20	.03										.30	.02	20
21								.04			.03	.20	21
22						.09					.35	.22	22
23							.59		.05			.01	23
24	.09		.11				.08		.28		.01	.12	24
25	.05	.14	.07		.04		.06			.14	.49	.31	25
26	.01	.32	.15				.30		.05	.15			26
27	.11	.04			.30	.13		.13	.64	.03	.46		27
28	.16				.25	.14	.13	1.19	.05	.02	.09	.10	28
29	.58		.02	.02	.55	.04	.06			.06	.13	.14	29
30	.07	×							.35		.14	.02	30
31	.11	×		×	.16	×	.02		×	.18	×	.64	31
TOTAL	3.25	.74	.32	.07	1.91	2.13	3.54	2.41	2.49	2.68	2.79	4.13	YEAR'S TOTAL
*Days with or in. or more.	25	8	3	2	10	10	19	12	13	16	16	21	26.46
*Days with or in. or more.	16	6	3	1	8	9	15	11	11	11	14	14	153

Section



for the entry of Daily Observations

Station No. 2511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Charley Hallin the County of LeicesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level 500.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11		.01	.12				.79	.02					1
2	.02			.08				.35	.82	.03	.11	.02		2
3	.46			.50				.48	.02		.29	.31		3
4			.50	.24			.04	.40		.15	.09	.26		4
5				.12	.30		.12	.37		.16	.27	.13		5
6	.60		.04				.34				.09			6
7	.16	.14					.39				.28	.46		7
8			.36				.31	.05		.36	.25	.15		8
9	.01						.16	.34		.43		.32		9
10	.66							.15	.02	.05	.01			10
11			.22			.09		.04						11
12						.02								12
13		.02				.05				.05				13
14	.49	.14		.16	.33	.16	.44		.06	.23	.01			14
15	.29			.02	.17	.44	.67			.13	.05			15
16	.02		.13		.30	.08	.03			.06	.14			16
17	.36	.06			.03		.24			1.50	.01			17
18	.19	.02	.10			.23	.07		.04		.58			18
19	.28						.60							19
20	.14							.16						20
21	.22	.28	.18			.05		.60	.06					21
22	.20	.26				.04	x		.03		.82			22
23				.06		.01	.38				.48			23
24	.09			.05		.02	✓			.03				24
25	.98	.14					.07	.09			.50			25
26	.22		.08					.12		.01	.18	.10		26
27		.25	.29			.02	.05			.04	.07	.04		27
28		.18	.15	.10		.21	.12				.25			28
29				.30						.30	.08			29
30		x		.05		.60	.39				.11			30
31		x		x		x		.09	x		x			31
TOTAL	5.50	1.49	2.06	1.80	1.13	2.02	4.44	4.03	1.07	3.53	4.67	1.79	33.53	Year's Total
* Days with .01 in. or more.	19	10	11	12	5	14	19	14	8	15	21	9	157	
* Days with .04 in. or more.	16	8	10	11	4	10	18	14	4	12	18	8	133	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Ethel Martin [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ... Charley Hall in the County of Leicester Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level ...500.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.14 ^s		.04							.24			1
2				.20							.82	.05		2
3				.11						.27	.76	.08		3
4										.10	.49	.10		4
5					.01		.09			.09	.34	.07		5
6	.08	.31			.01		.05			.40	.06	.01		6
7	.05	.20		.09										7
8										.19	.03	.27		8
9			.10			.11	.08	.02	.03	.04	.28	.05		9
10							.55	.10			.27	.60		10
11			.14	.02			.41				.66			11
12		.02 ^s	.11			.01	.19		.08		.06			12
13		.07 ^s	.39 ^s	.05			.02		.06	.01				13
14			.06		.26			.04	.04		.01	.32		14
15			.05	.14	.08	.04			.02	.02	.09	.01		15
16	.03 ^s	.59 ^s	.48	.09		.07	.34		.09	1.45	.79			16
17		.120	.55				.10				.06			17
18	.06 ^s	.76	.16	.32				.06	.15	.23	.02			18
19			.06	.28			.56		.05	.01	.19	.15		19
20				.04		.03	.22	.08		.07	.02			20
21	.05 ^s		.01		.02	.33	.04			.03	1.42			21
22					.15	.15		.02	.08					22
23		.05	.06		.28	.09				.06		.05		23
24	.07			.06			.05			.01				24
25		.15		.01			.05							25
26	.89 ^s	.15		.01	.11	.03	.11			.03				26
27	.83 ^s	.23		.02	.01		.16				.13			27
28	.40 ^s	.51		.03	.12									28
29			.20		.02	.05						.38		29
30		~~x~~		.32						.51		.18		30
31		~~x~~	.03	~~x~~		~~x~~			~~x~~	.84	~~x~~			31
TOTAL	2.46	3.18	2.40	1.83	1.07	.91	3.02	.32	.60	4.36	6.74	2.32	29.85	29.21
* Days with .01 in. or more.	9	13	14	17	11	10	16	6	9	18	20	14	157	160
* Days with .04 in. or more.	8	11	12	12	6	7	15	4	7	12	16	12	122	125

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Ethel M.B. Martin

[P.T.O.]

Kept at *The Grange*
in the County of *Leicester*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea

THE MORNING MEAS

An observer who does not conform to the
year in the space on the right of

2512
Hoby, THE GRANGE
1931 — 36

Jan. 1, following

Date	Jan. in.	Feb. in.	March in.											
1	.08	.05	.03											
2		.04		.67		.08			.40	.03	.10	.02		
3				.12		.01	.02		.55	.06	.09	.03		
4		.03		.11			.84	.18	.21		.05			
5	.07	.20		.05		.79	.02		.15			.37		
6						.38	.02			.16	.04			
7		.01	.03		.03	.07	.10			.03	.08			
8	.06		.04	.02		.02	.07	.98			.11			
9		.11	.10	.06				.15			.21	.02		
10	.02	.05	.03					.25						
11		.21					.04		.39		.05			
12	.08	.08				.03	.64		.17		.03			
13	.05							.02						
14		.07				.10	.78	1.00			.14			
15		.15		.14	.19		.11	.09						
16		.32		.03	.39	.43	.02		.23					
17	.03	.37		.40	.68	.03	.01	.30						
18		.03		.31		.03	.02	.07			.29			
19	.07			.46		.37	.11	.03	.14		.01			
20		.05		.07			.09	.30		.08	.01			
21	.06				.45			.07			.10			
22	.03	.02		.01		.12								
23	.15	.02	.01	.03	.33				.14		.14	.09		
24		.02		.07	.54		.14							
25	.10	.01		.49			.23				.01	.01		
26	.01	.03		.38	.07		.05				.15			
27	.13	.45		.04	.02		.01				.20	.15		
28	.10	.18		.03	.14						.01			
29	.18				.02		.07			.02	.02			
30	.39	×		.13			.02			.22		.03		
31	.14	×		×		×			×		×	.25		
TOTAL	1.75	2.50	.23	3.67	2.86	2.49	3.41	3.44	2.59	.61	1.85	.97		YEAR'S TOTAL
*Days with or in. or more.	18	22	6	21	11	14	21	12	10	8	21	9		173
*Days with or in. or more.	14	14	2	16	8	8	13	10	10	4	14	4		118

Section **A**

for the entry of Daily Observations.

2512
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at *He Grange HOBY*
in the County of *Leicester*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground Sea Level *241* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.05	.03	.05		.03			.21	.01	.01		1
2		.04		.67		.08			.40	.03	.10	.02	2
3				.12		.01	.02		.55	.06	.09	.03	3
4		.03		.11			.84	.18	.21		.05		4
5	.07	.20		.05		.79	.02		.15			.37	5
6						.38	.02			.16	.04		6
7		.01	.03		.03	.07	.10			.03	.08		7
8	.06		.04	.02		.02	.07	.98			.11		8
9		.11	.10	.06				.15			.21	.02	9
10	.02	.05	.02					.25					10
11		.21					.04		.39		.05		11
12	.08	.08				.03	.64		.17		.03		12
13	.05							.02					13
14		.07				.10	.78	1.00			.14		14
15		.15		.14	.19		.11	.09					15
16		.32		.03	.39	.43	.02		.23				16
17	.03	.37		.40	.68	.03	.01	.30					17
18		.03		.31		.03	.02	.07			.29		18
19	.07			.46		.37	.11	.03	.14		.01		19
20		.05		.07			.09	.30		.08	.01		20
21	.06				.45			.07			.10		21
22	.03	.02		.01		.12							22
23	.15	.02	.01	.03	.33				.14		.14	.09	23
24		.02		.07	.54		.14						24
25	.10	.01		.49			.23				.01	.01	25
26	.01	.03		.38	.07		.05				.15		26
27	.13	.45		.04	.02		.01				.20	.15	27
28	.10	.18		.03	.14						.01		28
29	.18				.02		.07			.02	.02		29
30	.39	×		.13			.02			.22		.03	30
31	.14	×		×		×			×		×	.25	31
TOTAL	1.75	2.50	.23	3.67	2.86	2.49	3.41	3.44	2.59	.61	1.85	.97	YEAR'S TOTAL 26.37
*Days with or in. or more.	18	22	6	21	11	14	21	12	10	8	21	9	173
*Days with or in. or more.	14	14	2	16	8	8	13	10	10	4	14	4	118

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Agnes A. Crosside*

P.T.O.

Section



for the entry of Daily Observations.

Station No.

2512

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *The Grange HOBY*in the County of *Leicester*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *—* in.,, Ground ,, Sea Level *241* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			.11	.32	.10		.14		.24	.03		1
2	.03				.13			.04	.10	.11		.15	2
3				.13	.05				.20	.01	.06		3
4	.03			.10					.05		.20		4
5	.26		.10		.02	.03	.03		.07				5
6	.28			.08					.29				6
7			.16	.25					.03	.02			7
8		.03		.08					.03	.07			8
9	.04	.06		.08									9
10	.06	.11		.07					.13	.20			10
11		.03	.04	.15	.11	1.36	.38		.05	.01	.03		11
12	.06			.02	.14		.01			.25	.01		12
13	.08			.06			.68				.01	.03	13
14	.14	.09			.02		.10	.60	.03	.06	.17		14
15				.14	.19					.04		.02	15
16	.14			.31	.08						.01	.05	16
17							.10			.07			17
18				.04									18
19		.01								.25		.01	19
20				.09	.25			.29		.40	.16		20
21			.13	.12	1.72			.41		.36	.01	.06	21
22			.40	.01	.17		.51		.68	.05	.33		22
23		.05	.08		.21		.02		.07	.05	.05	.06	23
24					.01		.07		.03	.02	.11		24
25		.06					.64		.01	.15	.03		25
26				.44	.33	.01	.16			.02			26
27			.21	.09	.60		.05		.17		.10	.03	27
28			.58	.21	.39	.03	.16					.01	28
29			.18	.11	.09	.05	.03		.06	.40	.03		29
30		×	.08		.04	.39	.02	.61	.34	.44	.21	.20	30
31		×	.03	×	.02	×	.75	.38	×		×	.06	31
TOTAL	1.23	.44	1.99	2.69	4.89	1.97	3.71	2.47	2.34	3.22	1.55	.68	YEAR'S TOTAL 27.18
*Days with .01 in. or more.	11	8	11	21	20	7	16	7	17	21	17	11	167
*Days with .04 in. or more.	9	5	10	19	16	4	11	7	12	16	9	6	124

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Alfred Morris

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2512

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *The Grange HOBLY*
in the County of *Leicester*Station number *2512*File number *148750/31*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* ft. *10* in.
Ground Sea Level *235* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16		.11								.06			1
2	.20	.26	.24								.06			2
3		.16	.11		.19						.02			3
4	.15	.01			.02									4
5		.01	.08		.37									5
6		.14	.07		.56					.11	.02			6
7	.15	.39	.06		.09		.06			.21				7
8	.03		.28		.05		.23				.01			8
9					.03		.22			.08	.15			9
10		.05			.02					.83	.05			10
11	.01				.01	.05	.14	.04	.03	.06				11
12	.05					.05								12
13					.05	.03	.20		.01	.02	.24			13
14	.08				.01		.03			.08	.08	.09		14
15	.39					.08	.37	.04		.06	.51			15
16	.30		.50		.05	.21	.42			.01	.05			16
17	.03	.02	.57			.13					.13			17
18	.01		.09			.46			.03		.03			18
19			.27			.01	.20	.07	.02					19
20		.05				.12			.02	.01		.01		20
21					.02	.16		.07	.01		.02			21
22										.49				22
23				.11				.29	.45	.01				23
24		.16		.09	.13	.69			.25		.11			24
25		.89		.27		.08			.01		.04	.03		25
26				.07					.07	.20				26
27		.37							.55	.05				27
28				.13	.08					.36		.09		28
29	.03			.26			.05			.12				29
30		X	.12	.03			.04			.02		.07		30
31	.18	X	.20	X		X		.08	X	.14	X			31
TOTAL	1.77	2.51	2.50	.96	1.68	2.07	1.96	.59	1.45	2.86	1.58	.29	Year's Total	20.23
*Days with or in. or more.	14	12	13	7	15	12	11	6	11	18	16	5		144
*Days with .04 in. or more.	9	9	13	6	9	10	10	6	4	13	11	3		103

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Wm. J. Shorick

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2512

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *The Grange HOBY*in the County of *Leicester*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *10* ft.,, Ground ,, Sea Level *235* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05							.23		.02	.01	.22		1
2	.01	.03	.03					.45	.21	.03	.04	.17		2
3		.05		.04						.06	.03			3
4	.08		.07	.44					.04		.15	.14		4
5			.07		.08	.03		.09		.01	.08	.12		5
6	.01		.04	.06	.29					.13		.37		6
7	.05	.02				.01		.09		.07		.12		7
8			.15		.06			.06		.01	.17	.01		8
9			.19	.02				.04			.58	.21		9
10	.01		.08	.11				.11			.19	.01		10
11	.45		.11	.25				.06			.01	.21		11
12			.25				.02	.06				.03		12
13	.34						.24	.03		.01		.23		13
14	.03		.21			.05				.15	.01	.25		14
15	.06		.03		.08				.20		.40			15
16	.09		.11		.11					.06	.13			16
17	.15				.04			.11	.05	.10	.05	.04		17
18	.11	.03	.02	.29		.03	.08				.06			18
19			.05	.03					.04	.05		.05		19
20			.05	.04										20
21						.18		.04		.03				21
22								.21	.24					22
23				.28		.02	.28					.09		23
24		.19	.11	.02		.02	.10		.30	.05				24
25	.11			.01						.06		.22		25
26	.10		.03	.37		.05			.05		.02	.15		26
27				.44								.06		27
28	.02			.66		.18		.44		.04		.34		28
29		.11					.28	.23	.30		.02	.14		29
30	.09	X							.02			.53		30
31	.01	X		X		X	.03		X	.33	X	.06		31
TOTAL	1.77	.43	1.60	3.06	.66	.57	1.03	2.25	1.45	1.21	1.95	3.77	19.75	
*Days with or in. or more.	18	6	17	15	6	9	7	15	10	17	16	23	159	
*Days with .04 in. or more.	12	3	13	11	6	4	5	14	9	11	10	20	118	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Wm. J. Cronin

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

2512

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *The Grange Hoby*
in the County of *Leicester*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* ft. *10* in.
Ground Sea Level *235* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.43		.31	.06			.02		.27	.13	.24	.04		1
2			.01			.12			.05	.21		.17		2
3		.12	.04			.14			.20	.03	.16	.03		3
4				.07					.05	.16				4
5		.49	.06	.06		.05				.05	.15	.02		5
6		.01	.03	.10							.01			6
7	.16			.47		.12				.09	.52	.16		7
8				.17		.03				.11	.06	.20		8
9				.25		.15		.05		.63	.30	.02		9
10		.02		.05							.03	.02		10
11						.02		.02		.03	.13	.03		11
12	.10		.01			.24		.02			.02			12
13	.07	.02		.13	.23						.03			13
14				.03	.19						.48	.09		14
15		.05		.55	.09	.17			.34		.14	.68		15
16		.02	.08	.20		.25			.34	.28	.49	.02		16
17	.01			.02		.12			.03	.03	.72			17
18	.01			.15	.02	.21	.10		.33	.05	.01			18
19	.02			.02		.32					.19			19
20		.08		.18		.13	.01		.02		.07			20
21		.25	.04		.07				.54	.03	.12			21
22		.35		.20					.03		.01			22
23		.16	.12							.10				23
24	.09							1.09	.56			.19		24
25	.19	.07	.10	.02		.30								25
26								.21	.31			.42		26
27	.08	.22							.03	.04	.20	1.00		27
28	.01				.16			.01	.03			.08		28
29		X	.10	.02					.12		.10	.09		29
30	.08	X			.04			.26		.27	.13	.04		30
31		X		X		X			X	.52	X			31
TOTAL	1.25	1.86	.90	2.75	.80	2.37	.13	1.66	3.24	2.76	4.31	3.30	25.34	Year's Total.
* Days with .01 in. or more.	12	13	11	19	7	15	3	7	16	17	23	18	161	
* Days with .04 in. or more.	8	9	7	14	6	13	1	4	11	13	17	12	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. J. Brownside

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2512

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Holy (The Grange)

in the County of Lancashire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.13	.09	.40			.08	.13						1
2	.02	.01	.15	.07		.21	.61	.03						2
3	.07					.30								3
4		.04	.09			.31		.11	.41					4
5	.08	.01	.20			.05	.03		.15					5
6	.38		.01				.14	.01	.09	.03				6
7	.01				.21		.40	.29						7
8	.15		.06					.04						8
9	.30		.03			.03	.15							9
10	.02						.85							10
11				.18		.03	.10							11
12				.23	.01	.20	.49		.51					12
13				.04		.16								13
14				.13		.07	.31		.74					14
15				.05		.18	.08							15
16	.15	.09					.01							16
17		.42			.09		.01							17
18		.05				.03	.15							18
19	.39	.03	.01	.30		.15								19
20	.01			.07			.08	.08						20
21				.12		.35		.01						21
22	.04	.51	.05		.21		.14							22
23	.02	.03	.10	.12	.08		.22							23
24	.18	.14		.32					.03					24
25			.05			.04			.25					25
26	.08		.37	.02					.06					26
27	.04		.02						.20					27
28	.38	.10	.08		.02									28
29	.68	.50	.06			.10								29
30	.10	X			.16	.03	.13		.06					30
31	.41	X		X	.04	X	.01		X		X			31
TOTAL	3.23	2.06	1.31	2.05	.82	2.24	3.99	.70	2.50	(1.50)	(2.25)	(1.50)	Year's Total	(24.15)
* Days with .01 in. or more.	21	13	15	13	8	16	19	8	10	(17)	(21)	(20)	-	(181)
* Days with .04 in. or more.	16	9	11	12	6	12	15	5	9	(12)	(9)	(13)	-	(129)

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [Signature] [P.T.O.]



FORM 1090.

REGI

Kept at Asfordby
in the County of Leics

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
 ,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to the standard of time in the space on the right of the

2513
FOR OFFICIAL USE.
ORGANIZATION.

2513
ASTORDBY RECTORY
1931 — 33

Jan. 1, following

Date	Jan.	Feb.	March	280409										v.	Dec.	Date
	in.	in.	in.												in.	
I		07	03												I	
2		03		62		06					41	03			2	
3	05			10	02		02				58	05	10	02	3	
4		04		10			67				15		04	02	4	
5		01		05	02	84	01	16			20				5	
6		15	04			47	27				02	14	07	33	6	
7						05		28				02	09		7	
8	04	06	05	03		02		52					16		8	
9		15	08	04		08		18					23	01	9	
10	01	02	04			02		19							10	
11	08	21				02	60			15			04		11	
12	05	04								36					12	
13							68	03					09		13	
14		07				06		84					11		14	
15		12		10	18			10						03	15	
16	04	23		06	99	38		25	18						16	
17		52		32	62										17	
18	03	03		25		04		06			01	28			18	
19	03			33	02	36	03	03	03		04				19	
20		06		05				30			01				20	
21	06			10	46		14	10				10			21	
22	03	02													22	
23	13		02		28	10				27		15	04		23	
24		01		08	46		15				02				24	
25	08			49			22					01			25	
26	02	03		31	07		06			01		13			26	
27	12	52		01	02		01				03	25	16		27	
28	10	15		08	06								10		28	
29	14			17	06		08				20	02	03		29	
30	42	X													30	
31	14	X		X		X				X	02	X	02		31	
TOTAL	1.57	2.56	26	3.34	3.26	2.50	2.94	3.04	2.56	.57	1.87	76	25.21			
*Days with or in. or more.	18	21	6	20	13	13	13	13	12	11	16	19	166			
*Days with or more.	11	14	4	18	9	10	9	11	9	4	14	4	117			

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Asfordby Rectory
in the County of LeicesterDiameter of Funnel of Gauge.....in. as last year

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		07	03	05					20				1
2		03		62		06			41	03			2
3	05			10	02		02		58	05	10	02	3
4		04		10			67		15		04	02	4
5		01		05	02	84	01	16	20				5
6		15	04			47	27		02	14	07	33	6
7						05		28		02	09		7
8	04	06	05	03		02		52			16		8
9		15	08	04		08		18			23	01	9
10	01	02	04			02		19					10
11	08	21				02	60		15		04		11
12	05	04							36				12
13							68	03			09		13
14		07				06		84			11		14
15		12		10	18			10				03	15
16	04	23		06	99	38		25	18				16
17		52		32	62								17
18	03	03		25		04		06		01	28		18
19	03			33	02	36	03	03	03	04			19
20		06		05				30		01			20
21	06			10	46		14	10			10		21
22	03	02											22
23	13		02		28	10			27		15	04	23
24		01		08	46		15			02			24
25	08			49			22				01		25
26	02	03		31	07		06		01		13		26
27	12	52		01	02		01			03	25	16	27
28	10	15		08	06							10	28
29	14			17	06		08			20	02	03	29
30	42	X											30
31	14	X		X		X			X	02	X	02	31
TOTAL	1.57	2.54	2.6	3.34	3.26	2.50	2.94	3.04	2.56	5.57	1.87	7.6	25.21
*Days with "or in. or more.	18	21	6	20	13	13	13	13	12	11	16	10	166
*Days with "or in. or more.	11	14	4	18	9	10	9	11	9	4	14	4	117

40-9999

*See Instruction 2 (f) on other side.

(Signed).....

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2513

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Asford by Rectory*
in the County of *Wiltshire*

Diameter of Funnel of Gauge *in* *alternation*
Height of top of Gauge above Ground *in* *alternation*
Ground Sea Level *ft.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12	05	~~09~~ 09	09	28	06		14	16	19	02		1
2	02				11			06	04	13	04	13	2
3			~~13~~ 13	13	04								3
4	03		~~06~~ 06	06					03		21	02	4
5	22		10		03	04			06				5
6	23		~~06~~ 06	06					30				6
7			216	22						02			7
8		02	~~06~~ 06	06					06	05			8
9	03	~~22~~ 22	~~05~~ 05	05	06								9
10	06		~~04~~ 04	04					11	20			10
11		05	~~09~~ 09	09	14	26	42		10	01	02		11
12	08	02		04	15					23	01		12
13	05	03		07			38		02	03		01	13
14	11			02			78	53		03	15	02	14
15				10	24		12			04		04	15
16	14			24	12								16
17							18			05			17
18													18
19										20			19
20				16	12			25		40	19		20
21			13	11	1.53		96	24		30		06	21
22			35		24		03		60	03	24	6	22
23		02			20		06		04	04	04	06	23
24					03		88		03		10		24
25		07			04				01	20	02		25
26				41	32	01	16		13	03			26
27			21	10	61		05	~~45~~ 45	05		08	01	27
28		01	55	11	33	01		45		08		01	28
29			19	09	07	07	18	24	03	32	03	04	29
30		~~X~~	23			30	03	10	34	55	17	12	30
31		~~X~~	04	~~X~~	02	~~X~~	78		~~X~~		~~X~~	06	31
TOTAL	1.09	49	1.82	2.25	4.68	.75	5.81	2.01	2.11	3.13	1.32	58	25.24
*Days with .01 in. or more.	11	10	10	20	20	7	14	8	17	21	14	12	164
*Days with .04 in. or more.	8	5	9	19	17	5	12	8	12	15	9	7	126

40-9999

*See Instruction 2 (f) on other side,

(Signed)

W. R. Finch

[P.T.O.]



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Asfordby Rectory
in the County of Leicestershire

Diameter of Funnel of Gauge no alteration
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12	17	12							01	11		1
2	15		23								05		2
3		19	09		20						06		3
4	20				11						06		4
5		01	06		28								5
6		13	09		34					07	02		6
7		35			13					14			7
8			11		05		07			01		02	8
9							13			07	15		9
10					02	03	18			83	05		10
11	02						07	02					11
12	08					05	03		03			04	12
13	04				05		02		02	03	22		13
14					02		16			10	32	01	14
15	57					01	08			05	24	01	15
16			38		04	23	04				06		16
17	05		57			14			05	02	09		17
18	02	02	08			45			02		01	01	18
19		02	25				15		11		01		19
20		02					1						20
21						13		07	04				21
22						20		06		48			22
23				11				28	68	01	02		23
24		20		08	11	39	02		25	07	03		24
25		154		21		04					04	02	25
26				07		03			07	13			26
27									65	06		01	27
28				09	06				01	26		07	28
29	03			19	01					08		01	29
30	06	X	12	09								04	30
31		X	19	X		X		06	X	18	X		31
TOTAL	1.34	2.65	2.23	.84	1.22	1.70	1.53	4.9	1.93	2.60	1.72	.24	YEAR'S TOTAL
Days with .01 in. or more.	12	11	12	7	13	11	11	5	11	18	17	10	138
Days with .04 in. or more.	9	7	12	7	10	8	8	4	7	13	12	3	100

REG

Kept at *Asfordby*
in the County of *Leicestershire*

Diameter of Funnel of Gauge...
Height of top of Gauge above Ground...
Ground... Se...

THE MORNING MEAN

An observer who does not conform to the regulations of the Act of 1862, shall be liable to a fine of five pounds for each year in the space on the right of

2514
COPY FOR OFFICIAL USE.
ORGANIZATION.

2514
Asfordby Hill
1931-40

Jan. 1, following

Date	Jan. in.	Feb. in.	March in.										
1	—	.04	.03						.21	—	—	—	1
2	—	.03	—	.61	—	.04	—	—	.41	.04	—	.01	2
3	—	—	—	.10	—	.01	.02	—	.60	.04	.12	.03	3
4	—	.03	—	—	—	—	.64	.19	.19	—	—	—	4
5	.05	.01	—	—	—	.92	.02	.01	.22	—	.05	.35	5
6	—	.16	.07	.13	—	.42	—	—	.03	.14	.07	—	6
7	—	.01	—	—	—	.05	.13	.30	—	.01	.10	—	7
8	.06	.05	.04	.04	—	.03	.07	.48	—	—	.12	—	8
9	—	.15	.08	—	—	.07	—	.23	—	—	.27	—	9
10	—	.01	.02	—	—	.02	—	.17	—	—	.01	—	10
11	—	.24	—	—	—	—	.02	.01	.23	—	.05	—	11
12	.12	.03	—	—	—	—	.64	—	.29	—	.10	—	12
13	—	—	—	—	—	—	—	.03	—	—	.01	—	13
14	—	.06	—	—	—	.07	.75	.86	—	—	.10	—	14
15	—	.13	—	.14	.20	—	.10	.09	—	—	.01	.04	15
16	.02	.30	—	.08	1.20	.37	.02	.18	.17	—	—	—	16
17	—	.42	—	.30	.60	—	.01	—	—	—	—	—	17
18	.02	.03	—	.43	—	.05	.03	.06	—	—	.35	—	18
19	.02	—	—	.30	.01	.21	.17	.03	.04	.03	—	—	19
20	—	—	—	.04	—	—	.03	.32	—	.03	—	—	20
21	.07	—	—	.01	.48	—	—	.12	—	—	.09	—	21
22	—	—	—	.07	—	—	—	—	.02	—	.01	—	22
23	.18	—	.01	.02	.30	.07	—	—	—	—	.16	.04	23
24	—	.07	—	.11	.46	.01	.13	—	.02	—	—	—	24
25	.09	.02	—	.51	.03	—	.26	—	—	—	.01	—	25
26	.03	.02	—	.31	.19	—	.08	—	—	—	.13	—	26
27	.13	.48	—	.02	—	—	—	—	—	.03	.25	.13	27
28	.12	.19	—	.08	.07	—	—	—	—	—	—	.07	28
29	.15	—	—	.09	.08	—	.10	—	—	.21	.02	.03	29
30	.48	X	—	—	—	—	—	—	—	—	—	—	30
31	.19	X	—	X	—	X	—	—	X	.02	X	.04	31
TOTAL	1.73	2.48	.25	3.45	3.62	2.34	3.22	3.08	2.43	.55	2.03	.74	25.92
*Days with or in. or more.	15	21	6	20	11	14	18	15	12	9	20	9	170
*Days with or in. or more.	11	12	3	17	9	10	11	11	9	4	14	6	117

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Asfordby Hill
in the County of Leicestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 324 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	.03	.06	—	—	—	—	.21	—	—	—	1
2	—	.03	—	.61	—	.04	—	—	.41	.04	—	.01	2
3	—	—	—	.10	—	.01	.02	—	.60	.04	.12	.03	3
4	—	.03	—	—	—	—	.64	.19	.19	—	—	—	4
5	.05	.01	—	—	—	.92	.02	.01	.22	—	.05	.35	5
6	—	.16	.07	.13	—	.42	—	—	.03	.14	.07	—	6
7	—	.01	—	—	—	.05	.13	.30	—	.01	.10	—	7
8	.06	.05	.04	.04	—	.03	.07	.48	—	—	.12	—	8
9	—	.15	.08	—	—	.07	—	.23	—	—	.27	—	9
10	—	.01	.02	—	—	.02	—	.17	—	—	.01	—	10
11	—	.24	—	—	—	—	.02	.01	.23	—	.05	—	11
12	.12	.03	—	—	—	—	.64	—	.29	—	.10	—	12
13	—	—	—	—	—	—	—	.03	—	—	.01	—	13
14	—	.06	—	—	—	.07	.75	.86	—	—	.10	—	14
15	—	.13	—	.14	.20	—	.10	.09	—	—	.01	.04	15
16	.02	.30	—	.08	1.20	.37	.02	.18	.17	—	—	—	16
17	—	.42	—	.30	.60	—	.01	—	—	—	—	—	17
18	.02	.03	—	.43	—	.05	.03	.06	—	—	.35	—	18
19	.02	—	—	.30	.01	.21	.17	.03	.04	.03	—	—	19
20	—	—	—	.04	—	—	.03	.32	—	.03	—	—	20
21	.07	—	—	.01	.48	—	—	.12	—	—	.09	—	21
22	—	—	—	.07	—	—	—	—	.02	—	.01	—	22
23	.18	—	.01	.02	.30	.07	—	—	—	—	.16	.04	23
24	—	.07	—	.11	.46	.01	.13	—	.02	—	—	—	24
25	.09	.02	—	.51	.03	—	.26	—	—	—	.01	—	25
26	.03	.02	—	.31	.19	—	.08	—	—	—	.13	—	26
27	.13	.48	—	.02	—	—	—	—	—	.03	.25	.13	27
28	.12	.19	—	.08	.07	—	—	—	—	—	—	.07	28
29	.15	—	—	.09	.08	—	.10	—	—	.21	.02	.03	29
30	.48	X	—	—	—	—	—	—	—	—	—	—	30
31	.19	X	—	X	—	X	—	—	X	.02	X	.04	31
TOTAL	1.73	2.48	.25	3.45	3.62	2.34	3.22	3.08	2.43	.55	2.03	.74	YEAR'S TOTAL 25.92
*Days with "or in. or more.	15	21	6	20	11	14	18	15	12	9	20	9	170
*Days with ".04 in. or more.	11	12	3	17	9	10	11	11	9	4	14	6	117

Section

A

for the entry of Daily Observations.

Station No.

2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Asfordby Hill
in the County of LeicestershireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
Ground Sea Level 324 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	03		09	33	03		11	15	19	02	01	1
2	03	-			18			05	04	12	04	13	2
3	-	-		13	03								3
4	03	-		07	01		04		04		21		4
5	23	-	09	04	04	02	07	02	06				5
6	22	-			02				29				6
7	-		16	18					02	03			7
8	-	03		07					06	05			8
9	03	14		06	06				01				9
10	-	23		03					12	21			10
11	-	04	05	12	14	10	38				03		11
12	13	-		06	15	01	11			22			12
13	06	05		08	01		1 37		02				13
14	13			01	03		11	53		02	19	05	14
15	-			11	19		01			04	01	05	15
16	16			32	16								16
17				01			18			06			17
18	-			03	01								18
19	-			01						25			19
20	-			14	13			27		43	20		20
21	-	02	11	10	1 55			21		30	01	07	21
22	-		38	01	20		54		63	03	27		22
23	-				21		02		05	04	04	07	23
24	-	02			05		04	02	03		11		24
25	-	06			02		54		02	21	03	02	25
26	-			43	38	02	08		12	03	01		26
27	-		23	10	58	02	04		04		10		27
28	-	03	52	08	34		14	54		09		01	28
29	-		18	10	06	07	04	66	04	38	03	04	29
30	-	X	04	01		30	07	09	38	56	19	12	30
31	-	X	04	X	04	X	91		X		X	06	31
TOTAL	1.12	65	1.80	2.39	4.95	54	4.42	2.50	2.15	3.26	1.49	63	YEAR'S TOTAL 26.23.
*Days with ".01 in. or more.	10	10	10	25	25	8	18	10	18	19	16	11	180
*Days with ".04 in. or more.	7	5	10	17	18	3	16	8	13	15	9	8	129

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.Station No. 2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Asfordby Hillin the County of LeicestershireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 in.,, Ground ,, Sea Level 324 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.19	.12	X	X	X	X	X	X	.02	.08	X		1
2	.15	X	.24	X	.01	X	X	X	X	X	.06	X		2
3	X	.23	.10	X	.18	X	X	X	X	X	.09	X		3
4	.20	X	X	X	.34	X	X	X	X	X	.03	X		4
5	.12	.02	.06	X	.05	X	X	X	X	X	X	X		5
6	X	.12	.08	X	.34	X	X	X	X	.09	X	.03		6
7	.01	.34	X	X	.13	X	.13	X	X	.13	X	X		7
8	.01	X	.11	X	.04	X	.16	X	X	.01	X	X		8
9	X	X	X	X	.02	X	.20	X	X	.04	.13	X		9
10	.01	.02	X	X	.02	.04	X	.01	X	.44	.05	X		10
11	.01	.01	X	X	X	.09	.13	X	X	X	X	X		11
12	.04	X	X	X	X	.06	.04	X	.03	X	X	X		12
13	.03	X	X	X	.05	.02	.15	X	.04	.03	.12	X		13
14	X	X	X	X	.01	X	.02	.03	X	.09	.32	.08		14
15	.45	X	X	X	X	X	.10	X	X	.04	.28	.01		15
16	.25	X	.38	X	.03	.25	.84	X	X	.01	.06	X		16
17	.01	X	.54	X	X	.22	X	.01	.06	X	.12	X		17
18	X	.04	.08	X	X	.43	X	X	X	X	.03	X		18
19	X	X	.28	X	X	X	.14	X	.13	X	X	X		19
20	X	.03	X	X	X	.42	X	.04	X	.01	.02	X		20
21	X	X	X	X	.01	.18	X	.09	.03	X	X	X		21
22	X	X	X	X	X	X	X	.24	X	.49	X	X		22
23	X	X	X	.10	X	X	X	X	.85	.01	X	X		23
24	X	.54	X	.10	.12	.32	X	X	.25	.08	X	X		24
25	X	1.24	X	.22	X	.05	X	X	X	.01	.10	.02		25
26	X	.40	X	.09	X	.02	X	X	.08	.12	.01	X		26
27	X	X	X	X	X	X	X	X	.42	.04	X	.01		27
28	X	X	X	.09	.03	X	X	X	X	.32	X	.09		28
29	.04		X	.19	X	X	.03	X	X	.06	X	.01		29
30	.04	X	.15	.11	X	X	.03	X	X	.01	X	.03		30
31	X	X	.22	X	X	X	X	.04	X	.23	X	X		31
TOTAL	1.55	3.24	2.36	.90	1.41	2.10	2.06	.52	2.19	2.64	1.50	.28	Year's Total	20.81
*Days with .01 in. or more.	15	12	12	4	15	12	12	4	9	21	15	8		145
*Days with .04 in. or more.	9	8	12	4	4	10	9	4	4	13	11	2		99

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [Signature]

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2514.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Asfordby Hill
in the County of LeicestershireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 324 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	x	x	x	x	x	x	.19	.01	.01	.01	.22		1
2	.01	.06	.04	x	x	x	x	.46	.24	.04	x	.17		2
3	.05	.04	x	.02	x	x	x	x	x	.06	.03	.01		3
4	.04	.01	.10	.34	.04	x	x	x	.03	x	.13	.18		4
5	x	x	.04	.04	.08	x	x	.09	x	x	.09	.10		5
6	.07	x	.03	.05	.26	.08	x	.02	x	.10	x	.35		6
7	x	.01	x	x	x	x	x	.01	x	.06	x	.15		7
8	x	x	.13	x	.04	.02	x	.06	x	.01	.21	.02		8
9	.01	x	.16	.04	x	x	x	.09	x	x	.50	.28		9
10	.37	x	.07	.14	x	x	x	.07	x	x	.24	.02		10
11	x	x	.19	.16	x	x	x	.09	x	x	.02	.26		11
12	x	x	.27	x	x	x	.07	.08	x	x	x	.04		12
13	.37	x	.01	.01	x	x	.24	.14	x	x	x	.32		13
14	.07	x	.21	x	.02	.04	.01	x	x	.14	.43	.25		14
15	.04	x	.04	x	.09	x	x	x	.15	x	.10	x		15
16	.10	x	.13	x	.09	x	x	x	x	.05	.07	x		16
17	.13	x	x	.06	.05	x	.07	.08	.06	.11	.04	.04		17
18	.07	x	x	.33	.01	x	.13	x	.01	x	x	.07		18
19	x	x	.08	.04	x	.10	x	x	.01	.03	x	x		19
20	x	x	.05	.12	x	x	x	x	x	x	x	.02		20
21	x	x	x	x	x	.23	x	.03	.01	.04	x	x		21
22	x	x	x	x	x	x	x	.21	.19	x	x	x		22
23	x	x	x	.24	x	.03	.38	x	x	x	x	.13		23
24	x	.19	.15	.05	x	.05	x	x	.26	.05	x	.01		24
25	.13	.01	x	.03	x	x	x	x	.01	.06	x	.24		25
26	.09	x	.05	.42	x	.05	.02	x	.05	.01	x	.15		26
27	x	.12	x	.42	x	x	x	x	x	x	x	.07		27
28	x	x	x	.67	x	.04	x	.47	x	.01	x	.40		28
29	x	x	x	.01	x	x	.26	.17	.24	x	.02	.11		29
30	.11	x	x	x	x	x	.02	x	.03	.01	x	.45		30
31	.02	x	x	x	x	x	x	x	x	.16	x	.07		31
TOTAL	1.72	.44	1.75	3.19	.68	.64	1.20	2.26	1.30	.95	1.89	4.13	20.15	Year's Total.
* Days with .01 in. or more.	17	7	17	19	9	9	9	16	14	17	13	26	173	
* Days with .04 in. or more.	14	4	15	15	7	7	6	13	7	11	9	21	129	

Section

A

for the entry of Daily Observations.

Station No. 2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Asfordby Hill
in the County of LeicestershireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 324 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	4.0	—	2.4	0.4	—	0.9	0.2	—	2.5	1.6	1.4	0.3		1
2	0.1	—	0.2	—	—	0.9	—	—	0.4	2.2	—	1.0		2
3	—	1.0	0.6	0.3	—	0.1	—	0.2	1.9	1.6	1.5	0.1		3
4	—	—	—	0.6	—	1.2	—	—	0.1	1.5	—	—		4
5	—	5.4	0.6	0.3	—	—	0.8	—	—	0.1	1.2	—		5
6	0.1	0.3	0.3	0.9	—	1.3	—	—	—	—	0.1	—		6
7	1.0	—	0.3	4.5	—	0.9	—	—	—	1.6	4.5	1.5		7
8	—	—	0.1	2.0	—	—	—	1.2	—	0.5	0.9	2.8		8
9	0.1	—	—	1.0	—	1.4	—	—	—	5.5	2.9	0.3		9
10	—	0.3	—	0.5	—	—	—	—	—	—	0.1	0.2		10
11	0.4	—	—	—	—	0.3	—	0.3	—	0.5	1.6	0.4		11
12	—	0.1	—	—	—	1.9	—	—	0.3	—	0.4	—		12
13	0.6	0.1	—	1.0	2.2	0.2	—	—	—	0.1	0.1	0.1		13
14	—	—	—	0.2	0.9	—	—	—	0.2	—	3.5	1.3		14
15	—	0.4	—	5.9	0.8	1.9	—	—	3.1	—	1.4	3.6		15
16	—	0.2	0.4	1.8	—	3.4	—	—	3.0	2.8	5.0	—		16
17	—	—	—	0.4	—	1.6	1.2	—	0.1	0.2	6.3	—		17
18	—	—	—	1.6	0.6	1.4	0.2	—	2.4	0.4	0.3	—		18
19	0.5	—	—	0.4	0.8	3.3	0.4	—	0.2	0.2	2.3	—		19
20	0.4	0.4	—	1.9	0.4	1.8	1.8	—	—	—	0.4	—		20
21	—	2.8	0.3	0.1	—	—	—	—	8.1	0.4	1.2	—		21
22	—	2.6	—	3.3	—	—	—	1.1	0.2	—	0.1	0.2		22
23	—	—	1.4	0.1	—	—	—	9.2	0.3	0.9	—	0.2		23
24	0.4	2.3	0.9	—	—	—	—	0.1	5.2	—	0.1	1.8		24
25	1.5	0.9	—	0.2	—	3.9	—	0.1	—	—	—	0.3		25
26	1.3	—	—	0.1	—	—	—	1.4	4.2	0.1	—	3.8		26
27	0.2	2.9	—	—	0.1	—	—	—	0.2	—	2.3	9.0		27
28	—	—	—	—	1.6	—	—	—	0.8	0.1	—	0.5		28
29	0.1	—	0.9	—	0.2	—	—	—	0.8	0.3	0.2	0.9		29
30	0.9	X	0.1	—	—	—	—	3.0	0.1	2.4	1.8	0.4		30
31	—	X	—	X	—	X	—	—	X	5.8	X	1.1		31
TOTAL	1.22	2.03	.88	2.48	.46	2.64	.46	1.69	3.44	2.91	4.05	3.04	25.93	Year's Total.
* Days with .01 in. or more.	15	14	13	22	9	14	6	9	20	21	24	21	191	
* Days with .04 in. or more.	10	9	4	15	4	14	4	5	11	14	14	13	126	

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Asfordby Hillin the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...1.....in.

,, Ground ,, Sea Level ...324...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.06	.12	.50	—	.01	.16	.17	—	.01	.01	.03		1
2	.10	.03	.19	.07	—	.19	.75	.03	—	—	.20	.05		2
3	.01	.03	—	—	—	.31	.01	—	.21	—	.02	.01		3
4	—	—	.13	.01	—	.15	—	.04	.29	—	.03	.04		4
5	.03	—	.17	—	—	—	.03	.07	.19	.03	—	.18		5
6	.01	—	—	—	.12	.03	.12	.45	.11	—	.03	—		6
7	.43	—	.02	—	—	—	.46	.01	—	—	—	.03		7
8	.14	—	.08	—	.01	—	.01	—	.01	.02	.12	.10		8
9	.28	—	.01	—	.01	.02	1.04	—	.02	.15	.01	—		9
10	.02	—	—	—	—	—	.84	—	—	.02	—	—		10
11	—	—	—	.16	—	.03	.15	—	.04	—	.23	—		11
12	—	—	—	.27	.02	.29	.48	—	.27	—	.23	—	} 25	12
13	—	—	—	.02	—	.14	—	—	—	.09	.02	—		13
14	—	—	—	.13	—	.08	.42	—	.35	.02	.02	.31		14
15	.02	—	.02	.05	—	.18	.05	—	.03	—	.14	.05		15
16	.23	.07	—	—	—	—	.02	—	—	—	.45	.01		16
17	.02	.53	—	—	.11	—	.02	—	—	.09	.23	.07		17
18	—	.02	—	—	—	.03	.14	—	—	.06	.04	.02		18
19	.28	.10	—	.27	—	.27	—	.11	—	.08	—	—		19
20	.01	.04	—	.07	—	—	.06	.01	—	—	—	—		20
21	.05	—	.01	.08	.02	.36	—	—	—	—	—	—		21
22	—	.40	.06	—	.21	—	.15	—	—	—	.02	.05		22
23	—	.01	.04	.11	.10	—	.19	—	—	.04	—	—		23
24	.17	.11	—	—	.01	—	—	—	.03	.29	—	—		24
25	.04	.06	.02	.33	—	.02	—	—	.12	—	.02	.02		25
26	.01	—	.27	—	—	—	—	—	.23	.07	.01	—		26
27	.04	—	.02	—	—	—	—	—	.15	.11	—	—		27
28	.31	.11	.05	—	—	.06	—	—	.07	—	.01	.07		28
29	.63	.61	.07	—	—	.11	—	—	—	.05	.40	.05		29
30	.08	~~X~~	—	—	.30	.03	.12	—	—	.18	.01	.01		30
31	.46	~~X~~	.04	~~X~~	.02	~~X~~	.02	—	~~X~~	.14	~~X~~	.12		31
TOTAL	3.39	2.18	1.37	2.07	.93	2.31	5.24	.89	2.12	1.45	2.25	1.47	25.67	✓
* Days with .01 in. or more.	23	14	17	13	11	18	21	8	15	17	21	20	198	✓
* Days with .04 in. or more.	14	10	12	11	5	11	15	5	11	12	9	13	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at ...Asfordby Hill

in the County of ...Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

,, Ground ,, Sea Level ...3.24...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	-	-	-	-	-	-	-	.13	-	.10	.06		1
2	.02	-	.10	.28	-	-	-	-	-	-	-	.40		2
3	.01	.06	.01	-	.14	-	-	-	-	-	-	.17		3
4	.03	.03	.01	-	.19	-	-	.03	-	-	-	.61		4
5	.19	-	.13	-	-	-	-	-	-	-	-	.05		5
6	.01	-	.12	-	.10	-	-	-	-	-	.01	.01		6
7	-	.48	.05	.22	.05	-	-	-	-	-	-	-		7
8	-	.18	-	.03	-	-	-	-	-	-	.29	.02		8
9	-	.02	-	.07	.17	-	.44	-	.03	-	-	.18		9
10	.01	.19	.49	.62	-	.21	.02	.01	-	-	.02	.06		10
11	-	-	.34	.10	.52	.01	-	-	-	-	-	.22		11
12	.03	.29	.08	-	.41	.22	-	-	.15	-	-	.17		12
13	.01	.04	-	-	.01	.31	-	-	.04	-	-	.03		13
14	-	-	.29	-	-	.01	-	.07	-	-	-	.18		14
15	.11	.07	.05	.26	-	-	4.00	-	.04	-	-	.01		15
16	.06	.15	.41	.51	-	-	-	.14	.10	-	-	.02		16
17	.10	.01	.18	.41	-	-	-	-	.05	-	-	-		17
18	.47	.05	.20	.05	-	-	-	-	.60	-	.30	-		18
19	.03	.05	.02	.04	-	.29	.25	-	.01	-	.07	-		19
20	.23	.19	.02	.32	.68	.01	-	-	-	-	-	.02		20
21	.04	.08	.10	.01	-	-	.38	.01	-	-	-	-		21
22	.06	.02	.02	-	.11	-	.32	-	.03	.32	.16	-		22
23	.19	-	.02	-	.08	-	.03	-	-	.78	.22	-		23
24	.29	.24	.07	-	.04	-	-	-	.02	.22	.01	-		24
25	.16	.20	.02	-	.12	-	-	-	.02	.19	-	.02		25
26	-	.19	.05	-	.54	-	-	-	-	.02	-	-		26
27	-	.33	.01	.18	-	-	-	-	-	.59	-	.02		27
28	.03	.08	.02	-	-	-	-	-	-	.02	-	.05		28
29	.08	-	-	-	-	.01	-	-	-	.01	.07	.03		29
30	.28	X	-	-	-	.03	-	.01	-	.01	.12	.02		30
31	.27	X	-	X	-	X	-	-	X	.08	X	.01		31
TOTAL	2.77	2.95	2.81	3.10	3.16	1.10	5.44	.27	1.22	2.24	1.37	2.36	28.79	✓
* Days with .01 in. or more.	24	21	24	14	14	9	7	6	12	10	11	22	174	✓
* Days with .04 in. or more.	15	17	15	12	13	4	5	2	7	6	8	11	115	✓

Year's Total

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.Kept at Asfordby Hillin the County of Leicestershire

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground...1...ft...1...in.

,, Ground ,, Sea Level 324...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.02	.51		.01	.03	.05	.01	.14		1
2	.06			.03	.01	.22				.09		.03		2
3	.04									.50	.06			3
4	.03			.03		.04	.10	.03	.05	.04		.33		4
5	.01						.08	.02				.01		5
6	.02					.01	.05		.11	.15				6
7	.04					.01	.16	.06	.06	.04		.03		7
8	.16						.12			.21		.02		8
9	.07	.09			.01		.01	.57				.26		9
10	.01	.02				.11	.11	.02		.02		.04		10
11	.42						.01		.01		.06	.01		11
12	.12				.04		.01			.29	.01			12
13	.01	.04									.13	.18		13
14	.21	.05			.04		.48		.11			.02		14
15	.10						.22	.08	.01			.25		15
16	.13						.10	.01		.01	.02	.18		16
17		.06			.60		.07			.13	.04			17
18	.01				.26	.03		.02	.03		.33			18
19					.01			.06	.05		.09	.14		19
20		.01							.01		.41	.24		20
21				.01		.01						.64		21
22	.01	.01				.04		.04			.26	.38		22
23					.01	.01			.02		.02	.06		23
24			.02				.05	.01	.19	.01	.02	.04		24
25	.05	.08	.04				.02	.05		.04	.28	.12		25
26		.19	.12		.01				.03	.10	.02	.04		26
27		.02	.01		.23	.16	.15	.15	.29	.02	.30			27
28	.06	.02			.27	.06	.11	.10	.06		.08	.04		28
29	.57			.02	.33	.02	.03	.01		.05	.11	.15		29
30	.02	~~X~~				.08			.13	.01	.14	.01		30
31	.14	~~X~~		~~X~~	.19	~~X~~			~~X~~	.15	~~X~~	.47		31
TOTAL	2.23	.59	.22	.09	2.09	1.31	1.88	2.18	1.19	1.94	2.39	3.92	20.06	✓
* Days with .01 in. or more.	22	11	4	4	14	14	18	16	16	18	19	25	181	✓
* Days with .04 in. or more.	14	6	2		8	8	13	8	9	13	13	18	112	✓

Year's Total

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ksfordby Hall

in the County of Leicestershire

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground.....1.1 ft.....1.1 in.

,, Ground ,, Sea Level ...22.4 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.	.01	.04	.02	-	.06	.12	.06	-	.	.		1
2	.04	-	-	.04	.	-	.01	.28	.	.06	.	.02		2
3	.32	-	-	.28	.	-	-	.33	-	-	.18	.30		3
4	.20	-	.24	.24	.	-	.04	.49	.	.03	.04	.18		4
5	.	-	-	.11	.08	-	-	.55	-	.10	.20	.15		5
6	.39	-	.04	.01	-	-	.23	.03	-	-	.03	-		6
7	.10	.06	-	.	-	-	.43	-	-	-	.21	.11		7
8	.	.04	.26	-	-	-	.34	.44	-	.11	.03	.30		8
9	.04	.03	-	-	-	-	.02	.16	-	.30	-	.19		9
10	.36	-	.01	-	-	-	-	.21	.02	.01	-	.01		10
11	-	.02	.27	-	.02	.05	-	.05	.09	.01	-	-		11
12	-	.05	.02	-	-	.09	-	-	.01	.01	-	.01		12
13	-	-	-	.01	-	.04	.06	-	-	.26	-	-		13
14	.29	-	-	.02	.14	.04	.12	-	.04	.33	.03	-		14
15	.44	-	.02	-	.16	.25	.55	-	.11	.36	.03	.01		15
16	.07	-	.08	.01	.39	.36	.01	-	-	.04	.12	-		16
17	.32	-	.03	.18	.06	-	.08	-	-	1.14	.02	-		17
18	.02	.01	.04	-	-	.36	.12	-	.08	.02	.70	-		18
19	.22	-	-	-	-	.18	.31	-	-	-	.01	-		19
20	.02	-	.	.	.04	.02	.08	.12	.02	.02	-	-		20
21	.20	.20	.21	.02	-	.04	.14	.08	.13	-	-	-		21
22	.22	.14	.08	.02	-	.01	.08	-	-	.01	.21	-		22
23	.05	-	.03	.16	-	-	.04	-	.03	.02	.63	-		23
24	.07	-	.04	.03	.02	.01	.28	-	.01	.	-	-		24
25	1.58	.03	.05	.	.	-	.13	.52	-	-	.27	.03		25
26	.29	.01	.04	.01	-	-	-	.04	-	.04	.16	.05		26
27	.01	.04	.25	.01	-	.01	.08	.22	-	.05	.07	-		27
28	.04	.11	.14	.08	-	.02	.04	.03	-	.05	.14	.02		28
29	-	-	-	.44	-	-	.08	-	-	.33	.01	-		29
30	-	X	-	.15	-	.16	-	-	-	.01	.10	-		30
31	-	X	-	X	-	X	.01	.04	X	-	X	-		31
TOTAL	5.34	.80	1.92	1.86	.96	1.70	2.40	4.01	.60	2.37	2.19	1.38	Year's Total 28.53	✓
* Days with .01 in. or more.	23	12	19	19	9	15	24	17	11	22	20	13	20.4	✓
* Days with .04 in. or more.	20	7	13	10	6	10	20	15	6	13	13	7	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations

Station No. 2514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hobwell Works, Asfordby Hill,

in the County of Leicestershire.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1...ft...1.....in.

,, Ground ,, Sea Level 32.4...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.14	-	.02	-	-	-	-	-	-	.19	.01		1
2	-	.03	-	.21	-	-	-	-	-	.01	.52	.04		2
3	-	.20	-	.19	-	-	-	-	-	.04	.66	.07		3
4	-	.11	-	-	-	-	-	-	-	.10	.46	.05		4
5	-	-	-	-	.05	-	.10	-	-	.09	.13	.14		5
6	.08	.22	-	-	.01	-	.10	-	-	.35	.02	.01		6
7	.07	.30	-	.03	.04	-	-	-	.01	-	-	.02		7
8	-	.01	-	-	-	-	.04	-	.04	.09	.01	.16		8
9	-	-	.12	.01	-	.28	.07	.05	.02	.03	.15	.11		9
10	-	-	-	-	-	-	.61	.16	-	-	.22	.28		10
11	-	-	.13	.02	-	.16	.26	-	-	-	.55	.01		11
12	-	.01	.07	-	-	-	.17	-	.08	-	.05	-		12
13	-	.06	.32	.02	-	-	.06	-	.08	-	-	.01		13
14	-	-	.08	.05	.27	-	-	.03	.06	-	-	.28		14
15	-	-	-	.09	-	-	.02	-	.02	.08	.08	.01		15
16	.11	.31	.35	-	-	.03	.61	-	.06	1.16	.69	-		16
17	-	-	.58	-	-	-	.02	-	.01	.01	.01	-		17
18	.03	.47	.21	.52	-	-	-	.06	.07	.07	.01	.04		18
19	-	.21	.03	.17	-	.05	.54	.01	.20	-	.12	.08		19
20	-	.01	-	.06	-	.22	.13	.01	.01	.08	.02	-		20
21	.15	.01	-	-	-	.28	.08	.02	-	.07	1.29	-		21
22	-	-	.02	-	.14	.20	-	.01	.14	.01	-	-		22
23	.02	.12	.03	.06	.20	-	-	-	.01	.02	-	.05		23
24	-	.01	-	.03	-	-	.03	-	-	.03	.01	.01		24
25	.02	-	-	-	-	-	.01	-	-	.03	-	-		25
26	.95	.08	-	.16	.05	.07	.22	.02	-	.02	.01	-		26
27	.65	.19	-	2.83	-	-	.03	.04	-	.01	-	-		27
28	.13	.34	-	.03	.02	-	-	.01	-	-	-	-		28
29	-	-	.20	.02	.42	-	-	-	-	-	-	.31		29
30	.06	X	-	.01	-	-	-	-	-	.44	-	.02		30
31	.07	X	.02	X	-	X	-	-	X	.63	X	.01		31
TOTAL	2.34	2.83	2.16	4.53	1.20	1.29	3.10	.42	.81	3.37	5.20	1.72	Year's Total	28.97
* Days with .01 in. or more.	12	19	13	19	9	8	18	11	14	21	20	21		186
* Days with .04 in. or more.	9	13	9	10	7	7	13	4	8	12	13	12		117

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

REGISTER OF

Kept at *White Lodge Melton Mowbray*
in the County of *Leicesters*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft *6* in.
Ground Sea Level *237* ft.

2515
MELTON MOWBRAY
- WHITE LODGE
1931 - 1940
78 04 09

2515
COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.
1931

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	.02	.05	-	.03	-	-	.25	.01	-	-	1
2	.01	.04	-	.55	-	.04	-	-	.42	.03	.03	.02	2
3	.04	.01	-	.09	.03	<i>15</i>	.02	-	.60	.03	.16	.02	3
4	.01	.02	-	.10	-	-	.45	.17	.14	-	.09	-	4
5	-	-	-	.05	.03	.89	<i>15</i>	-	.34	-	.01	.33	5
6	-	.17	.04	-	-	.26	-	-	.01	.14	.09	-	6
7	-	-	-	-	-	.05	.17	.25	-	.01	.09	.02	7
8	.05	.08	.03	.04	.01	.02	.08	.52	-	.15	.13	-	8
9	-	.18	.03	.03	-	.01	-	.23	.01	-	.32	.01	9
10	.01	.01	.03	-	-	.01	-	.13	-	.01	.01	-	10
11	.08	.24	-	-	-	.04	.01	-	.22	-	.04	-	11
12	.06	.04	-	-	-	-	.76	-	.28	-	.09	-	12
13	.01	-	-	-	-	-	.03	.04	.01	-	.01	-	13
14	-	.07	.01	-	<i>12</i>	.16	.52	.80	-	-	.10	-	14
15	-	.15	-	.13	.17	-	.33	.07	-	-	.01	.04	15
16	.02	.37	-	.08	.76	.37	.03	.03	.19	-	-	-	16
17	.01	.44	-	.36	.58	.01	.02	-	-	.01	-	-	17
18	.02	.03	-	.37	-	.07	.01	.03	-	-	.36	-	18
19	.02	.01	-	.40	.01	.05	.13	-	.02	.09	.01	-	19
20	.01	.03	-	.05	-	-	.11	.43	-	-	-	.02	20
21	-	.01	-	-	.45	-	-	.13	.01	-	.06	-	21
22	.05	-	-	.08	-	-	-	-	.03	-	.01	-	22
23	.13	-	.02	.02	.30	.05	-	-	.25	.01	.16	.03	23
24	<i>15</i>	.01	-	.13	.45	<i>12</i>	.03	-	.01	-	.01	-	24
25	.05	.01	-	.60	.01	-	.34	-	-	-	.01	.01	25
26	.02	.02	-	.35	.06	-	.07	-	.01	-	.12	-	26
27	.11	.49	-	.02	.01	-	.01	-	-	.03	.42	.14	27
28	.13	.20	-	.06	.08	-	-	-	-	-	.01	.09	28
29	.16	<i>X</i>	-	.05	.05	-	.10	-	-	.20	.01	-	29
30	.51	<i>X</i>	-	<i>15</i>	<i>12</i>	-	-	-	-	-	-	-	30
31	.17	<i>X</i>	-	<i>X</i>	-	<i>X</i>	-	-	<i>X</i>	.02	<i>X</i>	.07	31
TOTAL	1.68	2.66	.18	3.61	3.00	2.06	3.22	2.83	2.80	.59	2.36	.80	YEAR'S TOTAL 25.79
*Days with ".01 in. or more.	22	23	7	21	15	15	19	12	17	12	25	12	200
*Days with ".04 in. or more.	12	12	1	18	9	10	11	10	9	3	14	5	114

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. V. Barker

[P.T.O.]

Section

A

for the entry of Daily Observ

2515
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at White Lodge Mellon Mowbray
in the County of Leicester

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 237 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	.02	.05	—	.03	—	—	.25	.01	—	—	1
2	.01	.04	—	.55	—	.04	—	—	.42	.03	.03	.02	2
3	.04	.01	—	.09	.03	15	.02	—	.60	.03	.16	.02	3
4	.01	.02	—	.10	—	—	.45	.17	.14	—	.09	—	4
5	—	—	—	.05	.03	.89	15	—	.34	—	.01	.33	5
6	—	.17	.04	—	—	.26	—	—	.01	.14	.09	—	6
7	—	—	—	—	—	.05	.17	.25	—	.01	.09	.02	7
8	.05	.08	.03	.04	.01	.02	.08	.52	—	15	.13	—	8
9	—	.18	.03	.03	—	.01	—	.23	.01	—	.32	.01	9
10	.01	.01	.03	—	—	.01	—	.13	—	.01	.01	—	10
11	.08	.24	—	—	—	.04	.01	—	.22	—	.04	—	11
12	.06	.04	—	—	—	—	.76	—	.28	—	.09	—	12
13	.01	—	—	—	—	—	.03	.04	.01	—	.01	—	13
14	—	.07	.01	—	15	.16	.52	.80	—	—	.10	—	14
15	—	.15	—	.13	.17	—	.33	.07	—	—	.01	.04	15
16	.02	.37	—	.08	.76	.37	.03	.03	.19	—	—	—	16
17	.01	.44	—	.36	.58	.01	.02	—	—	.01	—	—	17
18	.02	.03	—	.37	—	.07	.01	.03	—	—	.36	—	18
19	.02	.01	—	.40	.01	.05	.13	—	.02	.09	.01	—	19
20	.01	.03	—	.05	—	—	.11	.43	—	—	—	.02	20
21	—	.01	—	—	.45	—	—	.13	.01	—	.06	—	21
22	.05	—	—	.08	—	—	—	—	.03	—	.01	—	22
23	.13	—	.02	.02	.30	.05	—	—	.25	.01	.16	.03	23
24	15	.01	—	.13	.45	15	.03	—	.01	—	.01	—	24
25	.05	.01	—	.60	.01	—	.34	—	—	—	.01	.01	25
26	.02	.02	—	.35	.06	—	.07	—	.01	—	.12	—	26
27	.11	.49	—	.02	.01	—	.01	—	—	.03	.42	.14	27
28	.13	.20	—	.06	.08	—	—	—	—	—	.01	.09	28
29	.16	X	—	.05	.05	—	.10	—	—	.20	.01	—	29
30	.51	X	—	15	15	—	—	—	—	—	—	—	30
31	.15	X	—	X	—	X	—	—	X	.02	X	.07	31
TOTAL	1.68	2.66	.18	3.61	3.00	2.06	3.22	2.83	2.80	.59	2.36	.80	YEAR'S TOTAL
*Days with or in. or more.	22	23	7	21	15	15	19	12	17	12	25	12	25.79
*Days with or in. or more.	12	12	1	18	9	10	11	10	9	3	14	5	200

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. V. M. M. M.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. **2515**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at *White Lodge, Mullion Road*
in the County of *Leicester*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft *6* in.,, Ground ,, Sea Level *237* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.04	-	.10	.35	.05	-	.21	.16	.22	.02	.05	1
2	.03	.04	-	-	.21	-	-	.06	.04	.11	-	.12	2
3	-	-	-	.10	.02	-	-	-	.01	.01	.04	-	3
4	.04	.01	.10	.04	.01	-	.02	.01	.04	-	.22	.01	4
5	.23	-	-	-	.12	pr	.07	.01	.05	-	-	-	5
6	.23	-	.01	.06	.01	-	-	-	.15	-	-	-	6
7	-	-	.20	.20	-	-	pr	-	.02	.04	.01	.03	7
8	-	.03	-	.06	-	-	-	-	.10	.04	-	-	8
9	.03	.18	-	.01	.02	-	-	-	-	.17	-	-	9
10	.07	.16	-	.03	-	-	-	-	.11	-	-	.01	10
11	-	.02	.04	.13	.16	pr	.88	-	.07	-	.04	-	11
12	.10	.01	-	.04	.15	-	.06	pr	-	.24	.01	-	12
13	.03	.04	-	.10	-	-	1.81	-	.01	.03	.01	-	13
14	.17	-	-	-	-	-	.12	.50	-	-	.16	.02	14
15	-	-	-	.08	.18	-	-	-	-	.04	-	.05	15
16	.15	-	-	.34	.18	-	-	-	-	-	.01/fg	-	16
17	-	-	-	-	-	-	.17	-	-	.07	-	-	17
18	-	-	-	-	.01	-	-	-	.01	-	-	-	18
19	-	.01	-	-	-	pr	-	-	-	.24	-	.01	19
20	-	-	-	.19	.14	-	-	.32	-	.45	.16	-	20
21	-	.02	.20	.13	1.57	-	-	.20	-	.34	.02	.08	21
22	.01/fg	.01	.34	.01	.17	-	.39	-	.56	.03	.26	-	22
23	-	.08	-	-	.12	-	.02	.01	.06	.07	.05	-	23
24	-	-	-	-	.02	-	.31	-	.04	-	.13	-	24
25	-	.06	-	-	.01	-	.15	-	.04	.21	.02	.02	25
26	-	-	-	.47	.32	.04	.07	-	.08	.03	-	-	26
27	-	-	.26	.11	.45	-	.03	-	.04	-	.10	-	27
28	-	.01	.33	.03	.34	.05	.15	.54	-	.11	-	-	28
29	-	-	.22	.11	.06	.04	.03	.12	.03	.33	.04	.03	29
30	.02	X	.11	.01	-	.32	.01	.13	.37	.61	.23	.11	30
31	.15	X	.05	X	.04	X	.82	-	X	.01	X	.06	31
TOTAL	1.21	.72	1.86	2.35	4.66	.50	5.11	2.11	1.99	3.40	1.53	.60	26.04
*Days with or in. or more.	13	15	11	21	23	5	17	11	20	21	18	13	188
*Days with .04 in. or more.	8	7	10	16	16	5	12	8	15	16	11	6	130
													YEAR'S TOTAL

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. K. Barker

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at White Lodge, Melton Mowbray
in the County of LeicesterDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 237 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.15	.16	-	-	-	-	-	-	-	.10	-		1
2	.18	-	.26	-	.01	-	-	-	-	-	.05	-		2
3	-	.24	.12	-	.15	-	-	-	-	-	.15	-		3
4	.36	-	.03	-	.30	-	-	-	-	-	.05	-		4
5	.12	.03	.08	-	.09	-	-	-	-	-	.01	-		5
6	-	.07	.09	-	.39	-	-	-	-	.11	.01	.03		6
7	.01	.37	.01	-	.13	-	.02	-	-	.10	.02	-		7
8	-	-	.12	-	.03	-	.12	-	-	.01	-	-		8
9	-	.02	-	-	.02	-	.23	-	-	.10	.15	-		9
10	.03	.01	.01	-	.01	.06	-	.01	-	.79	.04	-		10
11	-	-	-	-	-	.04	.13	.02	-	.01	.01	-		11
12	.09	-	.01	-	-	.10	.05	-	.06	.01	.01	.09		12
13	.02	-	-	-	.06	.03	.25	-	.05	.03	.21	-		13
14	-	.01	-	-	.01	-	.02	-	-	.10	.42	.02		14
15	.49	-	-	-	-	.01	.02	.04	-	.04	.30	.01		15
16	.17	-	.38	-	.03	.28	1.29	-	-	.02	.06	.01		16
17	.01	-	.51	-	-	.24	-	-	.06	-	.13	-		17
18	-	.02	.08	.01	-	.49	.02	-	.01	-	.03	-		18
19	-	-	.29	.01	-	-	.11	-	.09	-	.01	.01		19
20	-	.02	-	-	-	.43	-	.06	-	.02	.02	-		20
21	-	-	-	-	.42	.23	-	.06	.12	-	-	-		21
22	-	-	.01	-	-	-	-	.30	.05	.55	.01	-		22
23	-	-	-	.09	-	-	-	-	1.08	.02	.01	-		23
24	-	.39	-	.08	.15	.65	-	-	.26	.05	.02	-		24
25	-	1.57	-	.22	.01	.11	-	-	.01	.01	.08	.03		25
26	-	.44	-	.09	-	.05	-	-	.12	.17	.01	.01		26
27	-	-	-	-	-	-	-	-	.67	.05	-	.01		27
28	-	.02	-	.06	.15	-	.01	-	.01	.32	-	.10		28
29	.06	-	-	.28	.01	-	.05	-	.01	.05	-	.01		29
30	.06	-	.16	.07	-	-	.02	-	-	.01	-	.05		30
31	-	-	.19	-	-	-	-	.07	-	.19	-	-		31
TOTAL	1.70	3.36	2.51	.91	1.55	2.72	2.34	.56	2.60	2.76	1.91	.38	23.30	
*Days with or in. or more.	13	14	17	9	16	13	14	7	14	22	24	12	175	
*Days with or in. or more.	9	7	12	7	8	11	8	5	10	13	12	3	105	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. V. Barker

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Mellon Newbury*in the County of *Leicesters*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. *6* in.,, Ground ,, Sea Level *237* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	-	-	-	-	-	-	.24	-	<i>pr</i>	.01	.22		1
2	.01	.07	.03	-	-	-	-	.50	.22	.04	.07	.20		2
3	.04	.04	-	.07	-	-	-	-	-	.11	.02	-		3
4	.04	.02	.11	.17	.01	-	-	-	.04	.01	.12	.19		4
5	.01	-	.06	.03	.07	-	-	.10	-	.01	.07	.11		5
6	-	.02	.05	.05	.30	.08	-	.03	-	.10	.01	.34		6
7	.08	-	-	-	-	-	-	.02	-	.08	-	~~.16~~		7
8	.02	-	.13	-	.03	.02	-	.05	-	.01	.20	-		8
9	-	-	.17	.03	-	-	-	.09	-	-	.52	.27		9
10	-	-	.08	.13	-	-	-	.10	-	-	.28	.02		10
11	.43	-	.17	.14	-	-	-	.11	-	-	.05	.29		11
12	-	-	.23	-	-	-	.07	.10	-	-	-	.03		12
13	.39	.02	-	.03	<i>pr</i>	-	.40	.11	-	.01	.02	.31		13
14	.08	-	.22	-	.03	.04	.01	-	-	.17	.41	.24		14
15	.04	-	.03	-	.08	-	-	-	.23	.01	.10	.01		15
16	.10	.02	<i>pr</i>	.14	-	.15	-	-	.05	.06	.02	-		16
17	.13	-	-	.03	.04	-	-	.04	-	.13	.05	.06		17
18	.09	-	.01	.30	-	-	.35	-	.01	<i>pr</i>	.01	.02		18
19	-	-	.08	.05	-	.11	-	-	.01	.03	.01	.08		19
20	-	-	.06	.12	-	-	-	.02	.01	-	-	.04		20
21	-	-	-	-	-	.23	-	-	.02	.07	-	.01	<i>pr</i>	21
22	-	-	-	-	-	-	-	.14	.16	-	.01	<i>pr</i>	<i>pr</i>	22
23	-	.01	.01	.27	.01	.04	.46	-	-	-	.01	.07		23
24	-	.21	.15	.08	-	.07	.01	-	.25	.07	-	-		24
25	.17	-	-	.05	-	<i>pr</i>	.02	-	.02	.05	-	.27		25
26	.07	.03	.05	.61	-	.05	-	-	.08	-	-	.11		26
27	.02	.11	.01	.37	-	<i>pr</i>	-	-	-	.02	-	.11		27
28	-	-	-	.75	-	.04	<i>pr</i>	.49	-	.02	-	.45		28
29	-	X	-	-	-	-	.31	.15	.24	-	.01	.10		29
30	.10	X	-	-	-	-	.02	-	.04	.05	-	.38		30
31	.02	X	-	X	-	X	-	.01	X	.15	X	.08		31
TOTAL	1.88	.55	1.79	3.28	.72	.68	1.65	2.30	1.38	1.20	2.00	4.17	21.60	Year's Total.
* Days with .01 in. or more.	19	10	19	18	9	9	9	17	14	20	20	26	190	
* Days with .04 in. or more.	14	4	14	14	5	8	5	13	9	12	10	21	129	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. C. Barker

[P.T.O.]

REGISTER OF RAINFALL IN 1935.

Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1.....ft.....6.....in.
,, Ground ,, Sea Level 237.....ft.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

† Spare column, no entries required

(Signed)

40-9999

*See Instruction 2 (f) on other side.

P. T. O.

Section

A

for the entry of Daily Observations.

Station No. 2515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *White Lodge, Mellin Mowbray*in the County of *Leicester*Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground...*1*...ft...*6*...in.,, Ground ,, Sea Level*237*....ft.*Dec con for airth*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.02	.12	.49	—	.03	.18	.16	.01	—	.02	.02		1
2	.08	.03	.13	.07	—	.20	.69	.03	.01	—	.26	.06		2
3	.01	.02	.13	—	—	.32	—	—	.26	—	.01	.02		3
4	.01	—	—	.01	—	.30	—	.05	.26	.01	.04	.05		4
5	.06	.02	.20	—	—	—	.03	.01	.15	.04	—	.28		5
6	.04	—	.01	—	.08	.04	.11	.69	.14	.01	.03	—		6
7	.46	—	.01	—	—	—	.68	—	—	—	TR	—		7
8	.17	—	.10	—	.01	—	—	—	.01	.02	.13	.17		8
9	.28	—	.01	—	TR	.02	.23	—	.02	.23	—	—		9
10	.02	—	.01	.01	—	.02	.80	.19	—	TR	—	—		10
11	—	—	—	.14	—	.02	.19	—	—	—	.27	.01		11
12	—	—	—	.28	.01	.33	.50	—	.43	—	.23	.09		12
13	—	—	—	.01	.09	.19	—	—	—	.13	.02	.23		13
14	—	—	—	.14	—	.15	.49	—	.33	.02	.03	.37		14
15	.02	—	TR	.07	—	.20	.07	—	.01	—	.15	.07		15
16	.20	.06	—	.01	—	—	.02	—	—	—	.48	.01		16
17	—	.58	—	—	.04	—	.07	—	—	.14	.27	.02		17
18	—	.01	—	—	—	.05	.15	—	—	.06	.06	.03		18
19	.40	.08	.03	.27	—	.15	.01	.10	—	.10	—	—		19
20	.02	.08	.02	.07	—	—	.06	—	—	—	—	—		20
21	.05	.49	—	.09	.05	.36	—	—	—	—	.01	—		21
22	—	—	.09	—	.21	—	.14	—	—	—	.02	.05		22
23	—	.01	.05	.11	.19	—	.20	—	—	.04	—	.02		23
24	.14	.10	—	—	.01	—	—	—	.04	.28	—	—		24
25	.04	—	.10	.34	—	.02	TR	—	.31	—	.02	—		25
26	.01	.08	.28	—	—	—	—	—	.07	.08	.02	.01		26
27	.04	—	.04	.01	—	—	—	—	.25	.09	—	—		27
28	.23	.18	.09	—	—	.06	.03	—	—	.04	.02	.06		28
29	.75	.45	.04	—	—	.17	—	—	TR	.06	.45	.11		29
30	.09	TR	—	—	.40	.04	.12	—	—	.18	—	—		30
31	.57	TR	.05	TR	.04	TR	.03	—	TR	.12	TR	.15		31
TOTAL	3.71	2.21	1.51	2.12	1.13	2.67	4.80	1.23	2.30	1.65	2.54	1.83	Year's total	
* Days with .01 in. or more.	23	15	19	16	11	19	21	7	15	18	20	20	204	
* Days with .04 in. or more.	16	9	13	11	8	14	16	5	10	14	10	13	139	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. B. Barker

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at

Melton Mowbray, White Lodge

in the County of

Leicestershire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.01	—	—	—	—	—	—	.10	—	.15	.08		1
2	.03	.05	.12	.33	—	—	—	—	—	—	.01	.32		2
3	.03	.03	.02	.02	.13	—	—	—	—	—	.01	.12		3
4	.05	.03	—	—	.43	—	—	.03	—	—	—	.77		4
5	.22	—	.02	—	—	—	—	—	—	—	—	.01		5
6	.02	—	.13	—	.10	—	—	—	—	—	.01	—		6
7	—	.49	.03	.23	.06	—	—	—	—	—	—	—		7
8	.01	.18	—	.02	—	—	—	—	—	—	.18	—		8
9	—	.03	.01	.13	.13	—	.35	—	.03	—	—	.22		9
10	—	.21	.28	.67	.01	.19	.01	.01	—	—	—	.07		10
11	—	—	.43	.06	.52	—	—	—	—	—	—	.17		11
12	.04	.32	—	—	.38	.24	—	—	.16	—	—	.18		12
13	—	.03	.06	—	.01	.27	—	—	.02	—	—	.02		13
14	—	—	.33	—	—	—	—	.15	.03	—	—	.12		14
15	.12	.12	.05	.22	—	—	.249	—	.08	—	—	.04		15
16	—	.16	.35	.67	—	—	—	.10	.11	—	—	.03		16
17	.15	.01	.16	.40	—	—	—	—	.09	—	—	—		17
18	.45	.05	.22	.05	—	—	—	—	.50	.01	.34	—		18
19	—	.05	.02	.04	—	.29	.23	—	—	.01	.07	—		19
20	.32	.21	.05	.37	.71	.01	—	—	.07	—	—	.04		20
21	.07	.09	.07	—	—	—	.35	—	—	—	.01	.01		21
22	.08	—	.02	—	.15	—	.32	—	—	.42	.19	.01		22
23	.20	—	.03	—	—	—	.05	—	—	.86	.19	—		23
24	.21	.25	.04	—	.05	—	—	—	—	.24	—	—		24
25	.11	.28	.01	—	.14	—	—	—	.01	.11	.01	.02		25
26	—	.17	.08	—	.70	—	—	—	—	.02	.01	—		26
27	—	.42	.01	.18	—	—	—	—	—	.60	—	.01		27
28	—	.08	—	—	—	—	—	—	—	.02	—	.04		28
29	.11	X	—	—	—	.01	—	—	—	.01	.04	.03		29
30	.25	X	—	—	—	.02	—	.01	—	.01	.11	.03		30
31	.27	X	—	X	—	X	—	—	X	.08	X	.04		31
TOTAL	2.78	3.27	2.54	3.39	3.52	1.03	3.80	.30	1.20	2.39	1.33	2.38	27.98	Year's Total
* Days with .01 in. or more.	20	22	23	14	14	7	7	5	11	12	14	22	171	
* Days with .04 in. or more.	16	16	14	12	12	4	6	2	7	6	8	13	116	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Melton Mowbray, White Lodge.in the County of LeicestershireDiameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1 ft. 6 in.,, Ground ,, Sea Level 237.....ft.*Entry on Oct 30th adjusted to agree monthly total Feb*
Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						<u>42</u>	<u>03</u>	—	<u>01</u>	—	—	<u>15</u>		1
2	<u>05</u>	<u>01</u>		<u>02</u>	<u>03</u>	<u>25</u>	—	—	—	<u>15</u>	—	<u>04</u>		2
3	<u>05</u>						<u>TR</u>	—	<u>06</u>	<u>54</u>	<u>06</u>	<u>01</u>		3
4	<u>04</u>			<u>02</u>		<u>10</u>	<u>47</u>	<u>02</u>	—	<u>04</u>	—	<u>35</u>		4
5							<u>13</u>	<u>03</u>	<u>04</u>	<u>03</u>	—	<u>01</u>		5
6	<u>02</u>						<u>05</u>	—	<u>20</u>	<u>19</u>	—	—		6
7	<u>04</u>					<u>03</u>	<u>23</u>	<u>01</u>	<u>04</u>	<u>03</u>	—	<u>04</u>		7
8	<u>15</u>						<u>12</u>	<u>02</u>	—	<u>20</u>	<u>TR</u>	<u>01</u>		8
9	<u>04</u>	<u>10</u>					<u>TR</u>	<u>32</u>	—	—	—	<u>26</u>		9
10		<u>01</u>				<u>08</u>	<u>19</u>	—	—	<u>01</u>	—	<u>04</u>		10
11	<u>47</u>						<u>01</u>	—	<u>TR</u>	<u>01</u>	<u>06</u>	<u>TR</u>		11
12	<u>11</u>						<u>01</u>	—	—	<u>29</u>	—	—		12
13		<u>14</u>	<u>02</u>				—	—	—	—	<u>09</u>	<u>15</u>		13
14	<u>29</u>	<u>01</u>			<u>04</u>		<u>56</u>	—	<u>13</u>	—	—	—		14
15	<u>09</u>						<u>24</u>	<u>05</u>	—	—	<u>01</u>	<u>29</u>		15
16	<u>17</u>						<u>15</u>	—	—	—	<u>01</u>	<u>23</u>		16
17		<u>04</u>			<u>99</u>		<u>07</u>	—	—	<u>11</u>	<u>04</u>	—		17
18	<u>01</u>				<u>32</u>		—	<u>01</u>	<u>01</u>	—	<u>37</u>	—		18
19							—	—	<u>02</u>	—	<u>TR</u>	<u>10</u>		19
20							—	—	<u>02</u>	—	<u>49</u>	<u>24</u>		20
21							—	—	—	—	<u>01</u>	<u>55</u>		21
22		<u>01</u>				<u>04</u>	—	<u>03</u>	—	—	<u>24</u>	<u>40</u>		22
23						<u>01</u>	—	—	<u>01</u>	<u>01</u>	—	<u>07</u>		23
24			<u>02</u>				<u>04</u>	—	<u>20</u>	—	<u>02</u>	<u>05</u>		24
25	<u>06</u>	<u>08</u>	<u>09</u>		<u>02</u>		<u>03</u>	<u>08</u>	—	<u>09</u>	<u>26</u>	<u>18</u>		25
26		<u>21</u>	<u>13</u>				—	—	<u>05</u>	<u>11</u>	—	<u>08</u>		26
27	<u>03</u>	<u>01</u>			<u>30</u>	<u>13</u>	<u>14</u>	<u>16</u>	<u>33</u>	<u>02</u>	<u>33</u>	—		27
28	<u>09</u>	<u>03</u>			<u>37</u>	<u>05</u>	<u>08</u>	<u>16</u>	<u>02</u>	—	<u>07</u>	<u>07</u>		28
29	<u>49</u>	<u>X</u>		<u>02</u>	<u>27</u>		<u>03</u>	—	—	<u>01</u>	<u>12</u>	<u>16</u>		29
30	<u>02</u>	<u>X</u>				<u>11</u>	—	—	<u>11</u>	<u>146</u>	<u>14</u>	<u>02</u>		30
31	<u>21</u>	<u>X</u>		<u>X</u>	<u>19</u>	<u>X</u>	<u>TR</u>	—	<u>X</u>	—	<u>X</u>	<u>45</u>		31
TOTAL	243	65	26	06	256	122	258	189	125	199	235	395	Year's Total	2119
* Days with .01 in. or more.	19	11	4	3	9	10	18	11	15	17	16	24		157
* Days with .04 in. or more.	15	5	2	0	7	8	13	5	9	10	12	20		106

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Milton Mowbray White Lodgein the County of Leicestershire

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground....1....ft....6.....in.

,, Ground ,, Sea Level 237.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	—	.02	.06	.04	—	.03	.09	.08	—	—	.02		1
2	—	—	—	.06	—	—	—	.26	.37	.06	.01	.01		2
3	.43	—	—	.28	—	—	—	.44	—	.01	.18	.31		3
4	.15	—	.25	.23	—	—	.03	.47	—	.04	.01	.21		4
5	—	—	—	.15	.10	—	.02	.80	—	.18	.21	.19		5
6	.42	—	.04	—	—	—	.26	tr	—	.01	.05	—		6
7	.05	.05	—	—	—	—	.37	—	—	—	.27	.18		7
8	—	.04	.28	—	—	—	.31	.38	—	.08	.04	.33		8
9	.04	.03	—	—	—	—	.01	.12	—	.39	.01	.22		9
10	.33	—	—	—	—	tr	—	.22	.02	.01	—	—		10
11	—	TR	.31	—	.02	.05	—	.02	.09	.01	—	.01		11
12	—	.09	.06	—	—	.13	—	—	—	.01	—	—		12
13	—	—	—	.01	TR	.08	.07	—	—	.33	—	—		13
14	.31	—	.04	.04	.15	.08	.31	—	—	.34	.08	.01		14
15	.22	—	—	.01	.14	.27	.66	—	.20	.43	.04	.02		15
16	.09	—	.12	—	.33	.33	.06	—	.01	1.25	.13	—		16
17	.28	—	.01	.16	.09	—	.18	—	—	—	.02	—		17
18	.02	.01	.08	—	—	.56	.14	—	.05	.03	.75	—		18
19	.23	—	—	—	—	.18	.13	—	—	—	—	—		19
20	.07	—	—	—	.02	.04	.05	.12	—	—	—	—		20
21	.15	.21	.22	.03	—	tr	.50	.15	.10	.01	—	—		21
22	.24	.15	.09	TR	—	—	.12	—	.02	—	.21	—		22
23	.07	—	—	.20	—	.01	.08	—	.01	.04	.69	.03		23
24	.10	—	.09	.03	TR	.01	.36	tr	—	—	—	—		24
25	1.35	.05	.06	—	—	—	.15	.77	—	—	.35	.04		25
26	.20	—	.02	.03	—	—	—	.03	—	.17	.18	.04		26
27	.02	.08	.22	.05	—	—	.05	.17	—	.15	.09	—		27
28	.04	.94	.14	.07	—	.01	.02	.02	—	.05	.14	.03		28
29	—	~~X~~	—	.44	—	—	.08	—	—	.32	.02	—		29
30	—	~~X~~	—	.16	—	.14	—	—	—	.02	.11	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	.01	.08	~~X~~	—	~~X~~	—		31
TOTAL	4.86	.85	2.05	2.01	.89	1.89	4.00	4.14	.95	3.94	3.59	1.65	Year's Total	
* Days with .01 in. or more.	22	10	17	17	8	13	24	16	10	22	21	15	30.82	✓
* Days with .04 in. or more.	20	8	14	12	6	10	18	13	6	14	16	8	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1934

Kept at

Mellon Howthay White Lodge

in the County of

Leicestershire

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft....6...in.

,, Ground ,, Sea Level 237...ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.18	-	.06	-	-	-	-	-	-	.20	-		1
2	-	.03	-	.22	-	-	-	-	-	-	.68	.07		2
3	-	.23	-	.20	-	-	-	-	-	.07	.63	.07		3
4	-	.16	-	-	-	-	h	-	-	.12	.48	.06		4
5	-	-	-	-	.08	-	.07	-	-	.08	.15	.17		5
1.34 6	.10	.22	-	-	-	-	.01	-	-	.36	-	fr		6
7	.15	.28	-	.04	.04	-	.19	-	.01	-	-	.03		7
8	.01	-	-	-	-	-	.04	-	h	.13	.02	.17		8
9	-	-	.15	-	-	.32	.07	.05	.02	.02	.15	.08		9
10	-	-	-	-	-	-	.60	.18	-	-	.22	.28		10
11	-	.02	.14	.04	-	-	.15	-	-	-	.58	.01		11
12	-	-	.08	-	-	-	.15	-	.08	-	.08	-		12
13	-	.06	.26	-	-	-	.23	h	.07	-	-	-		13
14	-	-	.15	.06	.17	-	-	.04	.07	.02	-	.28		14
10 15	-	-	-	.08	-	.03	.01	-	.02	.04	.09	fr		15
1.41 16	.17	.31	.29	-	-	.02	.58	-	.06	1.49	.67	.01		16
17	.04	-	.61	-	-	-	.03	-	-	.02	.03	-		17
18	-	.42	.23	.62	-	-	-	.08	-	.05	.02	.05		18
19	-	.21	.15	.14	-	-	.33	-	.23	-	.13	.08		19
20	-	.01	-	.06	-	.03	.17	h	-	.08	.04	-		20
21	.19	.01	-	-	-	.16	.06	.01	-	.07	1.36	-		21
22	.02	.02	.02	-	.17	.30	.02	.02	.07	.01	.03	-		22
23	-	.23	.03	.04	.25	.30	-	-	h	.03	.01	.06		23
24	.02	-	-	.06	-	-	.05	-	-	-	.01	-		24
25	-	-	-	-	-	-	-	-	-	.08	.01	-		25
26	.73	.09	-	.06	.05	.06	.31	.03	-	.06	.01	-		26
1.55 27	.68	.17	-	.65	-	-	.10	.06	-	-	-	-		27
28	.09	.40	-	.01	.01	-	-	-	-	-	-	-		28
29	-	-	.20	.02	.01	.01	-	-	-	-	-	.32		29
30	.05	X	-	.01	-	-	-	-	-	.43	-	.04		30
31	-	X	.02	X	-	X	-	-	X	.61	X	-		31
TOTAL	2.25	3.04	2.33	2.36	.78	1.23	3.17	.47	.63	3.77	5.60	1.78	Year's Total	27.40
* Days with .01 in. or more.	12	18	13	17	8	9	19	8	9	19	22	16	170	
* Days with .04 in. or more.	9	13	10	14	6	5	15	5	6	14	14	12	124	

† Spare column, no entries required.

(Signed) A. K. Barker

[P.T.O.]

* See Instruction 3 (f) on other side.

REGISTER OF RAINFALL IN 1931 .

Kept at Blackbrook Reservoir
in the County of Leicester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 379.32 ft.

July 12 1931
Feb May July then referred to as best
best concern in area
f 40346/30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.05		.22			.35				1
2				.56		.09				.04	.02	.03	2
3	.05	.02		.13					.43	.02	.10	.02	3
4		.10		.20			.70	.20	.03				4
5				.10	.10	1.04			.20			.24	5
6		.16	.02			.34	.10			.15	.10		6
7						.13	.15	.38		.06	.06	.02	7
8		.05	.02	.02	.03	.10		0.41			.20	.01	8
9		.15		.05			.04	.15			.33		9
10					.04	.04		.12			.07		10
11		.30									.05		11
12	.12	.11					1.75		.46	.03	.02		12
13								.20					13
14		.04				.40	.62	.92			.12		14
15		.18		.08	.22		.15	.16				.03	15
16	.04	.35		.10	.49	.64	.05	.37	.12				16
17	.02	.15		.48	.45								17
18	.16			.30		.05	.10				.46 .26		18
19	.03	.11		.22		.12		.20	.09	.03			19
20		.05		.05			.03	.32				.10	20
21	.17				.36			.05			.06		21
22	.06			.05	.35								22
23	.22		.23	.07	.35	.04			.06		.03	.02	23
24	.03	.02		.03	.65	.10	.04				.07		24
25		.03		1.10			.12 .52					.08	25
26	.12			.42							.10		26
27	.06	.50			.09					.06	.15	.09	27
28		.16		.02	.27						.03	.25	28
29	.11	X			.04		.20			.25	.03		29
30		X											30
31	.14	X		X		X			X	.02	X	.05	31
TOTAL	1.35	2.48 1.83	.27	4.03	3.09 2.44	3.31	3.95 4.45	4.48	1.74	.66	2.00 1.50	.94	YEAR'S TOTAL 28.30 27.00
*Days with or in. or more.	15	15 17	3	19	412	13	13	12	8	9	178	12	151
*Days with .04 in. or more.	11	12 14	1	16	1011	13	12	12	7	5	1213	6	47121

Section

A

for the entry of Daily Observations.

Station No.

2516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Blackbrook Reservoir
in the County of LeicesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 379.32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.05		.21	.47			.32	.08	.15	.05		1
2	.05				.15			.02	.11	.11	.02		2
3				.26									3
4				.18	.06				.03		.28		4
5	.40		.10						.04				5
6	.35		.10	.13					.06				6
7			.23	.34	.04				.03	.09			7
8				.13					.16	.05			8
9	.08	.10		.10									9
10	.12			.09	.02				.20	.22			10
11	.01	.06			.34	.15	.14		.07				11
12	.25				.18		.25			.43	.08		12
13	.06	.04		.06			.37				.03	.03	13
14	.26			.03			.09	.54	.62	.05	.21		14
15				.02	.06		.04					.20 .75	15
16	.12			.22	.04		.03			.03			16
17													17
18	.02			.05						.02			18
19										.22			19
20				.04	.72			.38		.45	.21	.01	20
21			.04	.04	2.35			.26		.29	.08	.16	21
22			.30	.04	.08		.25		.55	.08	.58		22
23		.06			.19		.05		.09	.03	.06	.03	23
24							1.17		.15		.11		24
25		.05				.04	.10		.02	.21	.08		25
26				.36	.37		.23				.04		26
27			.42	.17	.64		.13				.03		27
28			.06	.02	.55		.10	.56		.07			28
29			.18		.06	.07	.07	.19	.05	.38	.03	.09	29
30		×	.16			.60		.05	.16	.32	.35	.17	30
31		×	.04	×		×	.65		×		×	.11	31
TOTAL	1.87	.36	1.63	2.49	6.32	.86	3.67	2.32	2.42	3.20	2.24	.80	YEAR'S TOTAL 28.18
*Days with or in. or more.	12	6	10	19	17	4	15	8	16	18	16	8	149
*Days with .04 in. or more.	10	6	10	16	16	4	14	7	13	15	12	5	128

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Blackbrook Reservoirin the County of LeicesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 379.32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29	.47									.04			1
2	.19		.33								.04			2
3		.27	.07		.27						.07			3
4	.07				.28									4
5	.12		.17		.11									5
6		.22	.02		.40					.07				6
7		.35			.02					.18				7
8	.02		.06				.35							8
9							.48			.56	.05			9
10	.02	.07				.05	.13	.01		1.42	.11			10
11							.17	.02						11
12	.05					.05	.10					.07		12
13					.12		.24			.05	.25			13
14	.01				.34		.04			.06	.25			14
15	.78					.05	.10	.05		.16	.35	.06		15
16	.14		.71		.15	.17	.25			.04		.04		16
17			.58			.43			.03					17
18	.12	.03	.10			.48	.10				.09			18
19			.25			.18	.11		.05					19
20					.02	.02								20
21		.14			.51	.03		.19		.03				21
22								.25		.34				22
23				.23		.03			.42	.02				23
24		.26		.10	.12	.93			.31					24
25		.80		.28		.07						.09		25
26		.78		.23					.09	.09		.05		26
27					.02				.87					27
28				.28	.06					.06		.09		28
29		X		.10	.07		.03			.04				29
30		X	.05				.02			.03		.07		30
31	.02	X	.28	X		X		.10	X	.12	X			31
TOTAL	1.83	3.39	2.62	1.22	2.49	2.49	2.12	.62	1.77	3.27	1.25	.47	23.54	
*Days with ".01 in. or more.	12	10	11	6	14	12	13	6	6	16	9	7	122	
*Days with ".04 in. or more.	8	9	10	6	11	9	11	4	5	13	9	7	102	

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **2516**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Blackbrook Reservoirin the County of LeicesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 379.32 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07							.10	.06			.26		1
2			.03					.34	.26		.13	.19		2
3	.04	.05								.15	.06			3
4	.07	.02	.22	.48				.04	.09		.12	.37		4
5			.04					.26			.09			5
6				.04	.55	.07		.07		.18		.46		6
7	.09					.06				.08		.19		7
8			.10		.09			.08			.32			8
9			.22	.05				.07			.68	.28		9
10	.02		.09	.19				.08			.11			10
11	.68		.13	.30				.04				.17		11
12			.09				.03	.08						12
13	.60			.03				.33		.03		.14		13
14	.08		.38							.16	.45	.35		14
15	.09		.09		.11						.20	.03		15
16	.12		.15		.17					.09	.05	.10		16
17	.14		.02		.06		.03		.32	.06	.08	.03		17
18	.26		~~.14~~	.35			.10		.05			.01		18
19			.14	.10		.11			.02			.02		19
20				.10										20
21						.31				.02				21
22								.32	.22					22
23				.54		.02	.14					.07		23
24		.10	.11			.07			.40					24
25	.15			.03						.12		.41		25
26	.13		.01	.14					.04			.02		26
27		.33		.15								.08		27
28				.43		.10		.24				.37		28
29		X					.30	.12	.39	.07		.16		29
30	.07	X					.10		.04			.38		30
31		X		X		X	.13		X	.28	X	.06		31
TOTAL	2.61	.50	1.82	2.93	.98	.74	1.16	1.84	1.89	1.24	2.29	4.15	22.15	
• Days with .01 in. or more.	15	4	15	14	5	7	8	13	11	11	11	22	136	
• Days with .04 in. or more.	14	3	12	12	5	6	6	13	10	9	14	17	118	

Section



for the entry of Daily Observations.

Station No.

2516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ...*Blackbrook Reservoir*.....in the County of ...*Leicester*.....Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*.....ft.....in.,, Ground ,, Sea Level ...*379.32*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	-	-	-	-	.05	.04	-	.46	.06	.13	.08		1
2	-	.08	.04	-	-	.25	-	-	.09	.38	-	.38		2
3	-	.05	.08	.02	-	-	-	-	.48	.05	.23	.02		3
4	-	-	-	.04	-	.05	-	-	.25	.41	-	-		4
5	-	.40	.05	.19	-	-	-	-	-	.06	.09	-		5
6	-	-	-	.22	-	.16	-	-	-	-	-	-		6
7	-	-	-	.36	-	.05	-	-	-	.19	.65	.25		7
8	.02	-	-	.16	-	-	-	.11	-	.10	.20	-		8
9	-	-	-	.08	-	.13	-	-	-	.68	.16	-		9
10	-	-	-	.10	-	.02	-	-	-	-	.28	-		10
11	.10	-	-	-	-	.10	-	.02	-	.09	.10	.08		11
12	-	-	-	-	-	.11	-	.06	-	-	-	-		12
13	.04	-	-	.19	.13	-	-	-	-	-	-	-		13
14	-	.01	-	-	.07	.03	-	-	.06	-	.36	.13		14
15	-	.12	-	.66	.06	-	-	-	.50	-	.22	.30		15
16	-	.05	.10	.20	-	.28	-	-	.40	.39	.95	.21		16
17	-	-	-	.06	-	.13	.01	.05	.03	.10	.58	-		17
18	.03	-	-	.22	.01	.26	.10	-	.38	.07	-	-		18
19	.03	-	-	.06	.14	.38	-	-	.03	.10	.28	-		19
20	.05	.19	-	.40	-	.28	.04	-	-	-	.11	-		20
21	-	.53	-	.16	-	-	-	-	.60	-	.17	-		21
22	-	.25	-	.05	-	-	-	-	-	-	-	-		22
23	-	-	.40	-	-	-	-	.95	.03	-	-	-		23
24	.07	.35	-	-	-	-	-	-	.98	-	-	.07		24
25	.10	.03	-	.04	-	1.04	-	-	-	-	-	.04		25
26	-	-	-	-	-	-	-	.66	.39	.07	-	.39		26
27	-	.39	-	-	-	-	.02	-	.19	.07	.29	1.08		27
28	.02	-	-	-	.05	-	-	-	.01	.02	-	.04		28
29	-	X	-	-	-	-	-	-	.10	.07	-	.09		29
30	.03	X	-	.03	-	-	-	.16	-	.34	.31	.11		30
31	-	X	-	X	-	X	-	-	X	.57	X	.11		31
TOTAL	.61	2.45	.67	3.24	.46	3.32	.24	2.01	4.98	3.76	5.11	3.38	Year's total	
* Days with .01 in. or more.	11	12	5	19	6	16	5	7	17	19	17	16	150	
* Days with .04 in. or more.	6	10	4	17	5	14	3	6	13	18	17	15	128	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. C. Cough
Borough Surveyor
Roughborough [P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Charnwood Forest (Blackbrook R.)in the County of LeicestershireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level 379.32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.10	.08	<u>.48</u>	-	.05	.25	.17	-	-	-	.02		1
2	.18	-	.12	.04	-	.35	.61	-	-	-	-	.03		2
3	-	-	-	-	-	.35	-	.06	.06	-	-	-		3
4	-	-	.12	-	-	.31	-	<u>.23</u>	<u>.51</u>	-	.10	.04		4
5	.05	-	.14	-	-	-	.03	.16	.22	-	-	.04		5
6	-	-	-	-	.06	-	.34	.10	.19	-	.09	-		6
7	.25	-	-	-	-	-	.70	-	.06	-	.06	-		7
8	.20	-	.06	-	-	-	-	-	-	-	.23	-		8
9	.32	-	.03	-	-	.04	<u>.83</u>	-	.04	.06	-	-		9
10	-	-	.05	-	-	-	.32	-	-	-	<u>.46</u>	-		10
11	-	-	-	.04	-	-	.10	-	-	-	-	-		11
12	-	-	-	.06	-	.40	.58	-	.40	-	-	-		12
13	-	-	-	-	-	.20	-	-	-	.11	-	.09		13
14	-	-	-	.25	-	.08	.16	-	.22	.02	-	<u>.78</u>		14
15	.05	.14	-	-	-	.06	.28	-	.06	-	.28	.10		15
16	.24	.09	-	-	-	-	-	-	-	-	<u>.46</u>	.02		16
17	-	.67	-	-	-	-	-	-	-	.09	.13	.09		17
18	-	.02	-	-	-	.02	.28	.06	-	.11	-	-		18
19	<u>.52</u>	.10	-	.23	-	.35	-	-	-	.07	-	-		19
20	-	.06	-	-	-	-	-	-	-	-	-	-		20
21	.32	-	.08	.09	-	.47	-	-	-	-	-	-		21
22	-	<u>.75</u>	.10	-	<u>.14</u>	-	.06	-	-	-	-	-		22
23	-	.03	.03	.09	.02	-	.39	-	-	-	-	-		23
24	.17	.06	-	.02	-	-	-	-	.04	<u>.25</u>	-	-		24
25	.06	-	.06	.38	-	.02	-	-	.32	-	-	-		25
26	-	.02	<u>.68</u>	-	-	-	-	-	-	.02	-	-		26
27	.23	-	-	-	-	-	-	-	.21	.20	-	-		27
28	.40	.14	.12	-	-	.02	.02	-	-	-	.02	-		28
29	.35	.30	.10	-	-	.16	-	-	-	-	.30	-		29
30	.09	~~X~~	-	-	.09	<u>.64</u>	-	-	-	.06	.05	.04		30
31	.46	~~X~~	.06	~~X~~	-	~~X~~	.08	-	~~X~~	.20	~~X~~	.21		31 "d"
TOTAL	3.89	2.49	1.83	1.68	.31	3.52	5.03	.78	2.33	1.19	2.18	1.46	26.69	
* Days with .01 in. or more.	16	13	15	10	4	16	16	6	12	11	11	11	147	✓
* Days with .04 in. or more.	16	10	13	9	3	13	14	6	12	9	10	8	122	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) W. L. L. L. L. [P.T.O.]

Borough Surveyor

Section



for the entry of Daily Observations.

Station No. 2516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Charnwood Forest (Blackbrook Res.)

in the County of Leicestershire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

„ Ground „ Sea Level 379.32.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	.05	-	.07	.23		1
2	-	.11	.13	.30	-	-	-	-	-	-	-	.35		2
3	-	.02	-	-	.16	-	-	-	-	-	-	.37		3
4	.09	-	-	-	.09	-	-	-	-	-	-	.38		4
5	.52	-	.15	-	.12	-	-	.05	-	-	-	-		5
6	.06	-	.04	-	.07	-	-	-	-	-	-	-		6
7	-	.68	.03	.23	-	-	-	-	-	-	-	-		7
8	-	.32	-	-	-	-	-	-	-	-	.43	-		8
9	-	-	-	-	.11	-	.35	-	.04	-	-	-		9
10	-	.21	.70	.06	-	.10	-	-	-	-	-	.33		10
11	-	-	.46	-	.52	-	.02	.01	-	-	-	-		11
12	.03	.28	.09	-	.42	.06	-	-	.12	-	-	.32		12
13	-	.04	-	-	-	.05	-	.20	.07	-	-	-		13
14	-	-	.13	-	-	-	-	.08	.04	-	-	-		14
15	.28	.09	.01	.27	-	-	.48	-	.03	-	-	-		15
16	.06	.30	.55	.37	-	-	-	.09	.14	-	-	-		16
17	.26	.17	.21	.41	-	-	-	-	-	-	-	-		17
18	.71	.07	.04	.04	-	-	-	-	.69	-	.38	-		18
19	-	.05	.15	.19	-	.32	.31	-	-	-	.08	-		19
20	.32	.21	.04	.42	.52	.06	-	-	-	-	-	-		20
21	.02	.11	.03	-	-	-	.27	-	-	-	-	-		21
22	-	-	-	-	.05	-	.31	-	-	.38	.11	-		22
23	.32	-	.05	-	.06	-	.06	-	-	.90	.22	-		23
24	.18	.46	.25	-	-	-	.03	-	-	.28	-	-		24
25	.09	.38	-	-	.05	-	-	-	-	.28	-	-		25
26	-	.20	.11	-	.25	-	-	-	-	-	-	-		26
27	-	.35	-	.26	-	-	-	-	-	1.07	-	-		27
28	-	-	-	-	-	-	-	-	-	-	-	.23		28
29	.17	X	-	-	-	-	-	-	-	-	.05	-		29
30	.35	X	-	-	-	-	-	-	-	-	-	.05		30
31	-	X	-	X	-	X	-	-	X	.18	X	-		31
TOTAL	3.46	4.05	2.67	2.55	2.42	.59	2.83	.43	1.18	3.09	1.34	2.26	26.87	Year's Total
* Days with .01 in. or more.	15	18	18	10	12	5	8	5	8	6	7	8	120	
* Days with .04 in. or more.	13	17	15	10	12	5	6	4	7	6	7	8	110	

W. S. Sanger
Rough Surveyor [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Charnwood Forest, Blackbrook Res.

in the County of Leicester

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft..... in.

„ Ground „ Sea Level 379 32 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	-	.59	.05	-	-	.46	-	.42		1
2	.04	-	-	-	-	.27	-	-	-	.11	-	-		2
3	-	-	-	-	-	.04	-	.52	.02	.53	-	-		3
4	-	-	-	-	-	-	-	-	-	.06	-	.42		4
5	-	-	-	-	-	-	.09	.05	-	-	-	-		5
6	.09	-	-	-	-	-	-	-	.39	.04	-	-		6
7	.30	-	-	-	-	-	.11	-	-	-	-	-		7
8	.27	-	-	-	-	-	.06	.03	-	.43	-	-		8
9	.06	-	-	-	-	-	-	-	-	-	-	.62		9
10	.02	-	-	-	-	.02	.27	.19	-	-	-	.06		10
11	.42	-	-	-	-	-	-	-	-	-	-	-		11
12	.06	-	-	-	.03	-	-	-	-	.42	.48	-		12
13	-	-	-	-	-	-	-	-	-	-	.06	.42		13
14	-	-	-	-	.08	-	.58	-	.16	-	-	-		14
15	.17	-	-	-	-	-	.37	-	-	.03	-	.43		15
16	.22	-	-	-	-	-	.09	-	-	-	-	.13		16
17	-	-	-	-	-	-	-	-	-	-	-	-		17
18	-	-	-	-	.49	.31	-	.03	-	-	.20	-		18
19	-	-	-	-	-	-	-	.17	.06	-	.17	-		19
20	-	-	-	-	-	-	-	-	.20	-	.28	-		20
21	-	-	-	-	-	-	-	.02	-	-	-	.47		21
22	-	-	-	-	-	.21	-	.01	-	-	.37	.05		22
23	-	-	-	-	-	-	-	-	.06	-	-	-		23
24	-	-	.09	-	-	-	-	-	.26	-	-	-		24
25	.13	.16	.04	-	-	-	-	-	-	.28	.57	.23		25
26	-	.32	.10	-	-	-	-	-	-	.10	-	.21		26
27	.10	-	-	-	.08	-	.32	.09	.66	-	.49	-		27
28	.14	-	-	-	.13	.10	.09	.98	.02	-	.06	-		28
29	.48	X	-	-	.57	.04	.11	-	-	-	.12	.14		29
30	.09	X	-	-	-	.03	-	-	-	-	-	.03		30
31	-	X	-	X	.13	X	-	-	X	-	X	.57		31 "d"
TOTAL	2.59	.52	.23	nil	1.51	1.61	2.14	2.09	1.83	2.46	2.80	4.20	21.98	Year's Total
* Days with .01 in. or more.	15	3	3	-	7	9	11	10	9	10	10	14	101	
* Days with .04 in. or more.	14	3	3	-	6	7	11	6	7	9	10	13	89	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

George Surveys

Form 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1939.

Kept at Charnwood Forest Blackbrook Res.
in the County of Leicestershire
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground...1...ft....1...in.
„ Ground „ Sea Level ...379.32...ft.

TRAVELLING FORM 18
VALUES FORMED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.42	-	-	.11	-	-	.06	.43	.04	-	-	-	-	1
2	-	-	-	.05	-	-	-	.21	1.00	-	-	-	-	2
3	.62	-	-	.38	-	-	-	.49	-	-	.33	.29	-	3
4	-	-	.46	.76	-	-	-	.43	-	.28	-	.29	-	4
5	-	-	-	.11	.35	-	-	.39	-	-	.31	.16	-	5
6	.49	-	-	-	-	-	.50	-	-	-	.18	-	-	6
7	.03	.12	-	-	-	-	.36	-	-	-	.32	.32	-	7
8	-	.04	.33	-	-	-	.32	-	-	-	.13	.27	-	8
9	-	.08	-	-	-	-	.13	.33	-	.86	-	.29	-	9
10	.67	-	-	-	-	-	-	.32	-	.05	-	-	-	10
11	.01	-	.21	-	-	-	-	.07	-	-	-	-	-	11
12	-	.02	-	-	-	-	-	-	-	.03	-	-	-	12
13	-	-	-	-	-	.03	.11	-	.05	-	-	-	-	13
14	.44	-	-	.06	.36	.19	.49	-	.01	-	-	-	-	14
15	.32	-	-	-	.22	.31	.48	-	-	.35	-	-	-	15
16	-	-	-	-	.24	.16	-	-	-	-	.25	-	-	16
17	.33	-	-	-	-	-	-	-	-	1.39	-	-	-	17
18	.12	-	.22	-	-	.18	.13	-	-	-	.68	-	-	18
19	.25	-	-	-	-	-	.65	-	-	-	-	-	-	19
20	.12	-	-	-	-	.04	-	.20	-	-	-	-	-	20
21	.05	.38	.18	-	-	-	-	1.10	-	-	-	-	-	21
22	.35	.28	-	-	-	-	.16	-	-	-	.69	-	-	22
23	-	-	-	-	-	-	.09	-	-	-	.74	-	-	23
24	-	-	.06	.02	-	-	.22	-	-	-	-	-	-	24
25	.69	.08	.04	-	-	-	.11	.08	-	-	.59	-	-	25
26	.13	-	-	-	-	-	-	.09	-	-	.16	-	-	26
27	-	.28	.22	.11	-	-	.04	-	-	-	.09	.02	-	27
28	-	.17	.12	.08	-	.31	.12	-	-	-	.22	-	-	28
29	-	X	-	.32	-	.26	.27	-	-	.29	-	-	-	29
30	-	X	-	.04	-	-	-	-	-	-	-	-	-	30
31	-	X	-	X	-	X	-	-	X	-	X	-	-	31
TOTAL	5.04	1.45	1.84	1.54	1.17	1.48	4.24	4.14	1.10	3.25	4.69	1.64	31.58	✓
* Days with .01 in. or more.	16	9	9	11	4	8	17	13	4	9	13	7	117	✓
* Days with .04 in. or more.	14	8	9	10	4	7	17	12	3	6	13	6	109	✓

† Spare column, no entries required.

Section



for the entry of Daily Observations

Station No.

2516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940.

Kept at Charnwood Forest, Blackbrook Res.
in the County of Leicestershire

Diameter of Funnel of Gauge.....6.....in.

Height of top of Gauge above Ground....1.....ft.....in.

„ Ground „ Sea Level...379.32ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

TRAVELLING POST
VALUES FORWARDED MONTHLY

Jan 26-31st entries adjusted for rainfall.
also entry part 7 Feb.

And small entries spread after speaker
to daily station.

One other stopped today
11.7.41

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	15/7	44	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1		.24x					.02			.02	.23				1
2		.01✓		.21						.02	.65				2
3	.02	.30x								.22	.53	.21			3
4		.15x								.12	.72				4
5	.02	—								.18	.34				5
6	.02	.40x					.02			.22	.13				6
7		.30x		.15	.03		.04			.07					7
8		—							.02	.10	.02				8
9			.08			.29	.07				.26	.42			9
10							.40				.32	.45			10
11							.23				.62				11
12			.21				.07		.18		.05				12
13		.23x	.17	.04					.06		.09				13
14		.01x	(.17)		.26							.19			14
15		.13	.01				.09		.11		.07	.03			15
16		.07	.34x			.01	.33			.62	.75				16
17		.06	.42				.06			.16	.02				17
18		.86	.13	.04				.04							18
19		.15	.05	.73			.64	.06		.04	.21				19
20				.03			.09	.02	.06	.09	.07				20
21					.02	.32	.03				1.36				21
22	.02				.22	.21			.14	.06					22
23			.01	.20	.11	.02						.02			23
24	.02														24
25			.03							.04					25
26	.06x	.03					.09				.02				26
27	.78x	.04		.03	.13		.31			.03					27
28	.27x	.93		.02	.06										28
29	.02		.23	.06	.16					.04					29
30	.11x			.34						.31					30
31	.06x		.03							.83					31
TOTAL	(2.40)	3.44	.86	1.70	1.08	.94	2.51	.12	.57	3.29	6.46	1.32	24.69	26.69	
* Days with .01 in. or more.	117	83	90	13	8	5	16	3	6	18	19	6	123	d	
* Days with .04 in. or more.	5x	811	89	7	6	4	12	2	5	16	16	4	93		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]